

Marshalls Creating Better Spaces

Keyblok 200 x 100 x 60

Landscape House, Premier Way, Lowfields Business Park, Elland HX5 9HT Tel: 03704 11 22 33 T: 01422 312000 F: 01422 312943 E: grouptechnicalservices@marshalls.co.uk W: www.marshalls.co.uk/commercial

Date Created: 27/05/21





*Natural products are manufactured from aggregates sourced locally to the works and contain no pigmentation, therefore colour variation between products from different works is possible.

A highly popular and attractive option for a wide variety of urban landscapes and residential spaces, Marshalls Keyblok is **the UK's best-selling concrete block paving**.

Manufactured in Mainland Britain, this durable, long-lasting 200 x 100mm rectangular block is available in 60mm and 80mm thicknesses, and is designed to withstand anything up to the heaviest loading applications including airports, service yards and adopted highways.

There are several different surface profiles available, each with its own properties to suit your requirements, these include Standard, Pencil Edge, Vintage and Colourtop. Standard Keyblok has chamfered edges to minimise spalling and create a classical aesthetic. Pencil Edge Keyblok minimises the chamfer to provide a smoother, flatter surface, which is ideal for reducing noise and resistance in trafficked areas. Vintage Keyblok is a pre-weathered, lightly distressed block that is ideal for complementing rural, rustic projects. Colourtop Keyblok is perfect for delineation between parking bays and road lanes, as well as for permanent floor signage.

| DESCRIPTION | |
|--------------------------------------|--|
| Appearance | Solid unit with integral spacers |
| Manufacturing Process | Semi dry pressed & vibrated concrete |
| Base Raw Material | Concrete |
| Governing Manufacturing Standards | All data where relevant to be established in accordance with BS EN 1338 : 2003 |
| Туре | Solid unit with integral spacers |
| CE Marking/DOP | https://www.marshalls.co.uk/dop |
| NBS Specification | Q24 10,Q24 110,Q24 112,Q24 113 |

Landscape House, Premier Way, T: 01422 312000 Lowfields Business Park, Elland HX5 9HT Tel: 03704 11 22 33

o.uk

Keyblok 200 x 100 x 60

| PHYSICAL PROPERTIES | |
|---------------------------------------|---|
| Work Dimensions (mm) | 200 x 100 x 60 |
| Nominal Dimensions (mm) | 200 x 100 x 60 |
| Tolerances on Work Dimensions (mm) | Length ±2mm, width ±2mm, thickness ±3mm |
| Abrasion Resistance (mm) | ≤ 23mm (Wide Wheel Abrasion Test) |
| Chamfer Dimensions | 5 mm |
| Durability (Freeze-thaw) | \$ 1.0 kg/m ² as a mean with no individual value > 1.5 kg/m ² |
| Material Density | 2300 kg/m³ (typically) |
| Slip/Skid Resistance (polished) | Mean polished skid resistance value (PSRV) : > 45 |
| Slip/Skid Resistance (unpolished) | Mean unpolished skid resistance value (USRV) : > 45. |
| Thermal Conductivity (K value) | Design data as defined to BS EN 13369 |
| Tensile Splitting Strength | Characteristic tensile splitting strength not less than 3.6 MPa. None of the individual results shall be less than 2.9 MPa, nor have a failure load less than 250N/mm of splitting length |

| SPECIFICATION | |
|---------------------------|---|
| Approx unit weight (kg) | 3 |
| Emission of Asbestos | No content |
| External Fire Performance | Deemed to satisfy see Commission Decision 2000/553/EC |
| Reaction to fire | Class A1 see Commission Decision 96/603/EC |
| SUSTAINABILITY | |
| Breeam | These units can achieve an "A" rated system when used in conjunction with the correct sub-base components |
| Carbon Footprint | 15 kg CO2 m ² |

| F: 01422 312943 |
|--|
| E: grouptechnicalservices@marshalls.co |
| W: www.marshalls.co.uk/commercial |

Date Created: 27/05/21

| SITE WORKS Coverage (m2) |) | 50 no per m² |
|-----------------------------|---|---|
| SUPPLY | | |
| Pack Size (m ²) | | 8.08 |
| Units Per Pack | : | 404 |
| Av. pack weight (kg) | | 1040 |
| Packaging | | All packs are shrinkwrapped onto pallets for fork off-load or crane off-load if necessary |
| | | |
| Cleaning & Maintenance | ORMATION Available on request | |
| Efflorescence | Any product containing cement during its early life may exhibit a temporary white discolouration known as efflorescence. This is not a product fault and will gradually disappear with exposure to natural weathering and trafficking | |
| Weathering | It should be appreciated that with all products weathering and site conditions can cause shade variation to appear across the surface of individual units. This does not in any way affect the performance of the units and any such variation will diminish over a period of time as the product matures. | |
| Product Evolution | Marshalls reserve the right to amend the technical information as deemed necessary and in accordance with the relevant national and international standards without notice. The evolution of new product design is continuous and information is subject to change without notice. Customers should check with the supplier to ensure that they have the latest details | |
| Contact Us | For technical information on the design, specification and construction when utilising the product, contact Group Technical Services on 0370 411 2233 | |