

SAFETY DATA SHEET ACCORDING TO REGULATION (EC) 1907/2006

Product name: Cure It Composites Hardener

Creation date: 17.07.2019, **Revision:** 17.09.2024, **Version:** 2.1



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name

Cure It Composites Hardener

UFI:

6C00-W0EC-C003-1JSG



<https://my.chemius.net/p/Mc74K6/en/pd/e4>

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Hardener.

Uses advised against

Do not use for purposes other than those prescribed.

1.3 Details of the supplier of the safety data sheet

Supplier

Cure It Composites Ltd

Giants Hall Farm

WN6 8RY Wigan, United Kingdom

+44 (0)1942 518150

enquiries@cureit.com

1.4 Emergency Telephone Number

Emergency

112

Supplier

+44 (0)1942 518150 Mon-Friday 8.30am – 4.30pm

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Org. Perox. D; H242 Heating may cause a fire.

Acute Tox. 4; H302 Harmful if swallowed.

Skin Corr. 1B; H314 Causes severe skin burns and eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

**Signal word: DANGER**

H242 Heating may cause a fire.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

P233 Keep container tightly closed.

P235 Keep cool.

P262 Do not get in eyes, on skin, or on clothing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P315 Get immediate medical advice/attention.

P501 Dispose of contents/container in accordance with national regulation.

Contains:

methyl ethyl ketone peroxide

Special provisions

Keep/store away from clothing/strong acids, bases, heavy metals salts and other reducing substances/combustible materials.

2.3 Other hazards**PBT/vPvB**

No information.

Endocrine disrupting properties

The product does not contain substances with the potential for endocrine disorders.

Additional information

The substances in the mixture does not meet the PBT criteria according to REACH, Annex XIII

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

For mixtures see 3.2.

3.2 Mixtures

Name	CAS EC Index Reach	%	Classification according to Regulation (EC) No 1272/2008 (CLP)	Specific Concentration Limits	Notes for substances
methyl ethyl ketone peroxide	1338-23-4 215-661-2 -	25-<35	Org. Perox. D; H242 Acute Tox. 4; H302 Skin Corr. 1B; H314 Acute Tox. 4; H332	/	/

hydrogen peroxide	7722-84-1 231-765-0 008-003-00-9	1,5-<2	Ox. Liq. 1; H271 Acute Tox. 4; H302 Skin Corr. 1A; H314 Acute Tox. 4; H332	Ox. Liq. 1; H271; C ≥ 63% Ox. Liq. 2; H272; 50% ≤ C < 63% Skin Corr. 1A; H314; C ≥ 70% Skin Corr. 1B; H314; 50% ≤ C < 70% Skin Irrit. 2; H315; 35% ≤ C < 50% Eye Dam. 1; H318; C ≥ 8% Eye Irrit. 2; H319; 5% ≤ C < 8% STOT SE 3; H335; C ≥ 35%	B
2-methylpentane-2,4-diol	107-41-5 203-489-0 603-053-00-3	1-<1,5	Skin Irrit. 2; H315 Eye Irrit. 2; H319	/	/

Notes for substances

B	<p>Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations.</p> <p>In Part 3 entries with Note B have a general designation of the following type: "nitric acid ... %".</p> <p>In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.</p>
---	--

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General notes

Remove contaminated clothing. Never give anything by mouth to an unconscious person. Place patient in recovery position and ensure airway patency. When in doubt or if feeling unwell seek medical assistance. Show the safety data sheet and label to the physician. No action shall be taken involving any personal risk or without suitable training. When it is suspected, that there may still be harmful vapours/fumes present in the air, respiratory protection (mask; self contained breathing apparatus) must be used. Wash contaminated clothing with water before removing or use gloves. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Following inhalation

Remove patient to fresh air - move out of dangerous area. In case of unconsciousness bring patient into stable side position and seek medical attention. Seek medical help immediately. If breathing is irregular or respiratory arrest occurs provide artificial respiration. Keep at rest in a position comfortable for breathing.

Following skin contact

Take off all contaminated clothing. Wash affected skin areas thoroughly with plenty of water and soap. If symptoms develop and persist, seek medical attention.

Following eye contact

Immediately flush eyes with running water, keeping eyelids apart. After 5 minutes of rinsing, remove contact lenses, if present, and continue rinsing. Consult a physician immediately!

Following ingestion

Do not induce vomiting! Rinse mouth and drink plenty of water (only if the person is conscious). If vomiting occurs, the patient should hold the head lower than the hips, because it reduces the possibility of aspiration. Immediately consult a doctor. Show the physician the safety data sheet or label.

4.2 Most important symptoms and effects, both acute and delayed

Following inhalation

Excessive exposure to spray mist, fog, or vapours may cause respiratory irritation. Symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, nose and throat pain.

Following skin contact

May cause localised redness, swelling, itching, intense pain, blistering, ulceration and tissue destruction.

Following eye contact

Redness, pain, burning sensation, tearing, can cause permanent damage to the eyes. May cause corneal injury.

Following ingestion

May cause abdominal discomfort. May cause nausea/vomiting and diarrhea. Harmful to health. If ingested, may cause burns of the mouth and throat, as well as perforation of the esophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Have eye wash facilities in place close to the operators' work area to provide immediate first aid prior to medical attention. Severe cases of eye contact and ingestion should receive medical attention immediately.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide. Dry chemical powder. Water spray. Alcohol resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Full water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

In case of a fire toxic gases can be generated; do not inhale gases/smoke.

5.3 Advice for firefighters

Protective actions

In case of fire or heating do not breathe fumes/vapours. Cool containers at risk with water spray. If possible remove containers from endangered area. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Firefighters should wear appropriate protective clothing for firefighters (including helmets, protective boots and gloves) (EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (EN 137).

Additional information

Contaminated firefighting water must be disposed of in accordance with the regulations; do not allow to reach the sewage system.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment

Use personal protective equipment (Section 8).

Precautionary measures

Ensure adequate ventilation. Keep away from sources of ignition and/or heat; No smoking!

Emergency procedures

Prevent access to unprotected personnel. No action shall be taken involving any personal risk or without suitable training. Evacuate the danger zone. Do not breathe vapour or mist. Avoid contact with skin, eyes and clothing.

For emergency responders

During intervention, use personal protective equipment (Section 8).

6.2 Environmental precautions

Do not allow product to reach water/drains/sewage systems or permeable soil. In case of release into the environment, inform the relevant authorities.

6.3 Methods and material for containment and cleaning up**For containment**

Stem the spill if this does not pose risks.

For cleaning up

Absorb product (with inert material), collect it in special container and dispose it to a licensed hazardous-waste disposal contractor. Prevent release into the sewer, water, basements or confined areas. Dispose in accordance with applicable regulations (see Section 13).

Other information

See Section 7: HANDLING AND STORAGE. See Section 11 for additional information on health hazards. Dispose of in accordance with the instructions from Section 13.

6.4 Reference to other sections

See also sections 8 and 13.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling****Protective measures****Measures to prevent fire**

Ensure adequate ventilation. Take precautionary measures against static discharges. Keep away from sources of ignition - no smoking. Use spark-proof tools.

Measures to prevent aerosol and dust generation

Use general or local exhaust ventilation to prevent inhaling vapours and aerosols.

Measures to protect the environment

Do not discharge into drains, surface water and soil. After use immediately close container tightly.

Other measures

No information.

Advice on general occupational hygiene

Do not eat, drink or smoke while working. Do not breathe vapours/mist. Use good personal hygiene practices – wash hands at breaks and when done working with material. Avoid contact with skin, eyes and clothes. Remove contaminated clothes and wash them before reuse. Wear suitable protective equipment; see Section 8.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Protect from open fire, heat and direct sunlight. Keep away from food, drink and animal feeding stuffs. Keep in a cool, dry and well ventilated place. Store below 30°C. Keep away from incompatible products (see section 10).

Packaging materials

Store only in original container.

Requirements for storage rooms and vessels

Close opened containers after use. Put the containers upright to prevent from leaking. Do not store in unlabelled containers.

Storage temperature

No information.

Storage class

No information.

Further information on storage conditions

No information.

7.3 Specific end use(s)

Recommendations

See identified uses in Section 1.2.

Industrial sector specific solutions

No information.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure limit values

Name	mg/m ³	ml/m ³	Short-term value mg/m ³	Short-term value ml/m ³	Remark	Biological Tolerance Values
hydrogen peroxide	1.5	1	/	/	India; source: Ministry of Labour and Employment, Permissible Levels of Certain Chemical substances in work environment	/
2-Methylpentane- 2,4-diol (107-41-5)	123	25	123	25	/	/
Hydrogen peroxide (7722-84-1)	1.4	1	2.8	2	/	/
Methyl ethyl ketone peroxides (MEKP) (1338-23-4)	/	/	1.5	0.2	/	/

Information on monitoring procedures

BS EN 14042:2003 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 689:2018 Workplace exposure. Measurement of exposure by inhalation to chemical agents. Strategy for testing compliance with occupational exposure limit values. BS EN 482:2021 Workplace exposure. Procedures for the determination of the concentration of chemical agents. Basic performance requirements.

DNEL/DMEL values

For product

No information.

For components

No information.

PNEC values

For product

No information.

For components

No information.

8.2 Exposure controls

Appropriate engineering control

Substance/mixture related measures to prevent exposure during identified uses

Do not breathe vapours/aerosols. Use good personal hygiene practices – wash hands at breaks and when done working with material. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke while working. Avoid contact with skin, eyes and clothes.

Structural measures to prevent exposure

No information.

Organisational measures to prevent exposure

Remove all contaminated clothes immediately and wash them before reuse. Keep eyewash bottles or personal eyewash units and emergency showers available.

Technical measures to prevent exposure

Provide good ventilation and local exhaust in areas with increased concentration. Keep away from food, drink and animal feeding stuffs.

Personal protective equipment**Eye and face protection**

Wear tight fitting protective goggles and/or face protection (EN 166).

Hand protection

Protective gloves (EN 374). The penetration time is determined by the protective glove manufacturer and must be observed. Observe the manufacturer's instructions regarding the use, storage, maintenance and replacement of gloves. In case of damage or at the first signs of wear and tear, change the gloves immediately. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Appropriate materials

Material	Thickness	Penetration Time	Remark
Butyl rubber	0.5 mm	8 h	/

Skin protection

Cotton protective clothing and shoes that cover the entire foot (EN ISO 20345). At high risk of skin exposure chemical suits (EN ISO 6530:2005) and boots may be required (EN ISO 20345:2012). Immediately wash contaminated clothing before reuse.

Respiratory protection

Protective masks (EN 136) or half masks (EN 140) with filter A (EN 14387).

Thermal hazards

No information.

Environmental exposure controls**Substance/mixture related measures to prevent exposure**

No information.

Instruction measures to prevent exposure

No information.

Organisational measures to prevent exposure

No information.

Technical measures to prevent exposure

Do not allow product to reach drains, sewage systems or ground water.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Important health, safety and environmental information

Physical state	liquid
Shape	No information.
Colour	colourless
Odour	slight mint-like
Odour threshold	No information.
Melting/freezing point or softening point	No information.
Boiling point or initial boiling point and boiling range	No information.
Flammability	No information.
Lower and upper explosion limit	No information.
Flash point	> 80 °C
Auto-ignition temperature	No information.
Decomposition temperature	≥ 60 °C (SADT (UN test H.4))
pH	4 — 7

Viscosity (dynamic)	18 — 22 mPas
Solubility	No information.
Partition coefficient n-octanol/water (log value)	No information.
Vapour pressure	No information.
Density	1.11 — 1.13 g/cm ³ at 20 °C
Relative vapour/gas density	No information.
Particle characteristics	No information.

9.2 Other information

Information with regard to physical hazard classes

Oxidising liquids	Organic peroxide
-------------------	------------------

Other safety characteristics

No information.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Stable under recommended transport or storage conditions.

10.2 Chemical stability

In case of contact with incompatible materials, it may also decompose at a lower temperature than SADT.

10.3 Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

10.4 Conditions to avoid

Protect from heat, direct sunlight, open fire, sparks.

10.5 Incompatible materials

Accelerators;
Strong acids.
Strong bases. Heavy metals. Heavy metal salts.
Reducing agents. Avoid impurities (e.g. rust, dust, ash) risk of decomposition.

10.6 Hazardous decomposition products

Under normal use conditions no hazardous decomposition products are expected. In case of fire/explosion vapours/gases that pose a health hazard are released.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

(a) Acute toxicity
For product

Exposure route	Type	Species	Time	Value	Method	Remark
oral	LD ₅₀	rat	/	1017 mg/kg	/	/
inhalation	LC ₅₀	rat	/	17 mg/l	/	/
dermal	LD ₅₀	rat	/	4000 mg/kg	/	/

Additional information

Harmful if swallowed.

(b) Skin corrosion/irritation

No information.

Additional information

Causes severe skin burns.

(c) Serious eye damage/irritation

No information.

Additional information

Causes serious eye damage.

(d) Respiratory or skin sensitisation

No information.

Additional information

The product is not classified as sensitising.

(e) (Germ cell) mutagenicity

No information.

(f) Carcinogenicity

No information.

(g) Reproductive toxicity

No information.

Summary of evaluation of the CMR properties

The product is not classified as carcinogenic, mutagenic or toxic for reproduction.

(h) STOT-single exposure

No information.

Additional information

STOT SE (single exposure): Not classified.

(i) STOT-repeated exposure

No information.

Additional information

STOT RE (repeated exposure): Not classified.

(j) Aspiration hazard

No information.

Additional information

Aspiration hazard: Not classified.

Symptoms related to the physical, chemical and toxicological characteristics

No information.

Interactive effects

No information.

11.2 Information on other hazards**Endocrine disrupting properties**

The product does not contain substances with the potential for endocrine disorders.

Other information

No information.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity****Acute (short-term) toxicity****For product**

Type	Exposure time	Species	organism	Method	Remark	Value
LC ₅₀	96 h	fish	<i>Poecilia reticulata</i>	/	/	44.2 mg/L
EC ₅₀	48 h	crustacea	<i>Daphnia magna</i>	/	/	39 mg/L
EC ₅₀	72 h	algae	<i>Pseudokirchneriella subcapitata</i>	/	/	5.6 mg/L
EC ₅₀	30 min	bacteria	/	/	/	48 mg/L

Chronic (long-term) toxicity

No information.

12.2 Persistence and degradability**Abiotic degradation, physical- and photo-chemical elimination**

No information.

Biodegradation**For product**

Type	Rate	Time	Evaluation	Method	Remark
biodegradability	/	/	Rapidly biodegradable.	/	/

12.3 Bioaccumulative potential**Partition coefficient n-octanol/water (log value)**

No information.

Bioconcentration factor (BCF)

No information.

12.4 Mobility in soil**Known or predicted distribution to environmental compartments**

No information.

Surface tension

No information.

Adsorption/Desorption

No information.

12.5 Results of PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

12.6 Endocrine disrupting properties

The product does not contain substances with the potential for endocrine disorders.

12.7 Other adverse effects

No information.

12.8 Additional information

For product

Product is not classified as hazardous for environment. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product / Packaging disposal

Waste chemical

Do not allow product to reach drains/sewage systems. Disposal must be made according to official regulations: deliver it to authorised collector/remover/transformer of hazardous waste. Dispose of in accordance with applicable waste disposal regulation.

Waste codes / waste designations according to LoW

No information.

Packaging

Deliver completely emptied containers to approved waste disposal authorities. Uncleaned containers are classified as hazardous waste - they should be handled in the same manner as the contents. Dispose of in accordance with applicable waste disposal regulation.

Waste codes / waste designations according to LoW

No information.

Waste treatment-relevant information

No information.





Sewage disposal-relevant information

No information.

Other disposal recommendations

No information.

SECTION 14: TRANSPORT INFORMATION

ADR/RID	IMDG	IATA	ADN
14.1 UN number or ID number			
UN 3105	UN 3105	UN 3105	UN 3105
14.2 UN proper shipping name			
ORGANIC PEROXIDE TYPE D, LIQUID (methyl ethyl ketone peroxide)	ORGANIC PEROXIDE TYPE D, LIQUID (methyl ethyl ketone peroxide)	ORGANIC PEROXIDE TYPE D, LIQUID (methyl ethyl ketone peroxide)	ORGANIC PEROXIDE TYPE D, LIQUID (methyl ethyl ketone peroxide)
14.3 Transport hazard class(es)			
5.2	5.2	5.2	5.2
			
14.4 Packing group			
Not given/not applicable	Not given/not applicable	Not given/not applicable	Not given/not applicable
14.5 Environmental hazards			

NO	NO	NO	NO
14.6 Special precautions for user			
Limited quantities 125 ml Special provisions 122, 274 Packing Instructions P520 Transport category 2 Tunnel restriction code (D) Classification code P1	Limited quantities 125 ml EmS F-J, S-R Flash point 80 °C	Maximum Net Quantity/Package (Max Net Qty/Pkg) Not Accepted	Limited quantities 125 ml
14.7 Maritime transport in bulk according to IMO instruments			
	Goods may not be carried in bulk in bulk containers, containers or vehicles.		

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (including last amendment Commission Regulation (EU) 2020/878)

- Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOC-guideline)
not applicable

Ingredients according to Regulation (EC) No 648/2004 on detergents
No information.

Special instructions
No information.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: OTHER INFORMATION

Indication of changes

1.2 Relevant identified uses of the substance or mixture and uses advised against 2.2 Label elements 2.3 Other hazards 5.3 Advice for firefighters 6.3 Methods and material for containment and cleaning up 9.1 Information on basic physical and chemical properties 9.2 Other information 10.5 Incompatible materials 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 11.2 Information on other hazards 12.1 Toxicity 12.3 Bioaccumulative potential 12.6 Endocrine disrupting properties 12.8 Additional information

Key literature references and sources for data

Safety Data Sheet, Cure It Hardener, G&B Northwest Ltd, Revision Date: 9th July 2015, Version: 1.0.

Abbreviations and acronyms

ATE - Acute Toxicity Estimate
ADR - Agreement concerning the International Carriage of Dangerous Goods by Road
ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
CEN - European Committee for Standardisation

C&L - Classification and Labelling
CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
CAS# - Chemical Abstracts Service number
CMR - Carcinogen, Mutagen, or Reproductive Toxicant
CSA - Chemical Safety Assessment
CSR - Chemical Safety Report
DMEL - Derived Minimal Effect Level
DNEL - Derived No Effect Level
DPD - Dangerous Preparations Directive 1999/45/EC
DSD - Dangerous Substances Directive 67/548/EEC
DU - Downstream User
EC - European Community
ECHA - European Chemicals Agency
EC-Number - EINECS and ELINCS Number (see also EINECS and ELINCS)
EEA - European Economic Area (EU + Iceland, Liechtenstein and Norway)
EEC - European Economic Community
EINECS - European Inventory of Existing Commercial Substances
ELINCS - European List of notified Chemical Substances
EN - European Standard
EQS - Environmental Quality Standard
EU - European Union
Euphrac - European Phrase Catalogue
EWC - European Waste Catalogue (replaced by LoW – see below)
GES - Generic Exposure Scenario
GHS - Globally Harmonized System
IATA - International Air Transport Association
ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air
IMDG - International Maritime Dangerous Goods
IMSBC - International Maritime Solid Bulk Cargoes
IT - Information Technology
IUCLID - International Uniform Chemical Information Database
IUPAC - International Union for Pure Applied Chemistry
JRC - Joint Research Centre
Kow - octanol-water partition coefficient
LC50 - Lethal Concentration to 50 % of a test population
LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)
LE - Legal Entity
LoW - List of Wastes (see <http://ec.europa.eu/environment/waste/framework/list.htm>)
LR - Lead Registrant
M/I - Manufacturer / Importer
MS - Member States
MSDS - Material Safety Data Sheet
OC - Operational Conditions
OECD - Organization for Economic Co-operation and Development
OEL - Occupational Exposure Limit
OJ - Official Journal
OR - Only Representative
OSHA - European Agency for Safety and Health at work
PBT - Persistent, Bioaccumulative and Toxic substance
PEC - Predicted Effect Concentration
PNEC(s) - Predicted No Effect Concentration(s)
PPE - Personal Protection Equipment
(Q)SAR - Qualitative Structure Activity Relationship
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
RIP - REACH Implementation Project
RMM - Risk Management Measure
SCBA - Self-Contained Breathing Apparatus
SDS - Safety data sheet
SIEF - Substance Information Exchange Forum
SME - Small and Medium sized Enterprises
STOT - Specific Target Organ Toxicity
(STOT) RE - Repeated Exposure
(STOT) SE - Single Exposure

SVHC - Substances of Very High Concern

UN - United Nations

vPvB - Very Persistent and Very Bioaccumulative

List of relevant H phrases

H242 Heating may cause a fire.

H271 May cause fire or explosion; strong oxidiser.

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.



- ✓ Provided correct labelling of the product
- ✓ Compliance with the local legislation
- ✓ Provided correct classification of the product
- ✓ Provided adequate transport data

BENS
© [Consulting](https://www.bens-consulting.com) | www.bens-consulting.com

The information of this SDS is based on the present state of our knowledge and meets the requirements of EU and national laws. The user's working conditions however, are beyond our knowledge and control. The product is not to be used for purposes other than those specified under section 1 without a written permission. It remains the responsibility of the user to ensure that the necessary steps are taken to meet the laws and regulations. Handling of the product may only be done by people above 18 years of age, who are satisfactorily informed of how to do the work, the hazardous properties and necessary safety precautions. The information given in this SDS is to describe the product only in terms of health and safety requirements and should not, therefore, be construed as guaranteeing specific properties.