

# OLDE RENOIR

## CBP-OLI-OR

### TEXTURE, TYPE & COLOUR

Handmade facing bricks for interior and exterior use in decorative or construction walls.

Olde Renoir; This clay facing brick has the Rustic charm and informal style typical of bricks produced at the Olivier Bricks factory. A delightful mix of reds tones blended by a scattered whitewash overlay and the occasional yellow/-black brick adding to the fascination. Plenty of detail here but simultaneously effortless — a gentle red brick with an exciting twist.

### TECHNICAL CHARACTERISTICS

The facing bricks are delivered with the following characteristics, in accordance with the CE and Benor marks:

NEN-EN 771-1, April 2013, and NEN-EN 771-1/A1, March 2005 Category I, HD clay bricks.

### NOTE

Dimensions may vary depending on the production. For the most recent version see [www.camtechbp.co.uk](http://www.camtechbp.co.uk). This document is not binding and annuls all previous publications. The manufacturer reserves the right to change the product range and characteristics. The user must always check that they have the most recent descriptive text.



FACTORY: OLIVIER BRICKS



NEN-EN 771-1, April 2013, and NEN-EN 771-1/A1, March 2005 Category I, HD clay bricks  
Production Reference code: Olivier 01400CAM

Length	: 215 mm, T1 (+/- 6 mm), R1 (9 mm)
Width	: 102 mm, T1 (+/- 4 mm), R1 (6 mm)
Thickness	: 65mm, T1 (+/- 3 mm), R1 (5 mm)
Appearance	: Soft Mud Tumbled, Euro group 1
Average compressive strength	: >15 N/mm <sup>2</sup>
Dimensional stability	: NPD
Bond strength	: 0.15 - 0.30 N/mm <sup>2</sup>
Active soluble salts	: S2
Reaction to fire	: Euro class A1
Water absorption	: <15% m/md
Initial rate of water absorption	: IW3 normal suction, 1.5-4.0 kg/m <sup>2</sup> .min
Water vapour diffusion coefficient	: 5/10
Gross dry density	: 1550 kg/m <sup>3</sup> , D1 (10%, +/- 155 kg/m <sup>3</sup> )
Thermal conductivity	: 0,48 W/mK
Freeze/thaw resistance	: F2

ASK FOR  
SAMPLES

Call Camtech: 01763 262006



We want to help you make informed decisions and find the right solution for your business, customers or project; after all, it's much more than just a product, Right!



CAMTECH BUILDING PRODUCTS LTD  
p. Camtech House, 21 Jarman Way  
Royston, Herts, SG8 5HW. UK

t. +44 (0)1763 262006  
e. [info@camtechbp.co.uk](mailto:info@camtechbp.co.uk)  
w. [camtechbp.co.uk](http://camtechbp.co.uk)