



EUROSPEC

OUTDOOR SECURITY CATALOGUE 2015/16

Introduction

Eurospec was formed in 1997 as a subsidiary of Carlisle Brass specialising in the commercial sector of the architectural ironmongery market.

Following the merger of Carlisle Brass Ltd and Eurospec in 2011 the brand has gone from strength to strength.

Products include:

- High specification hinges
- Door control mechanisms
- Panic hardware
- Cylinder locks
- Mortice locks and latches

Carlisle Brass Ltd. is an ISO 9001 and ISO 14001 certified company, which means that Eurospec branded products are fully traceable from point of manufacture to customer and that the environmental impact is being constantly measured and improved.

Accredited products carrying the Eurospec brand are stringently tested to ensure they comply to the latest regulations, which makes Eurospec branded products the ideal choice for the professional installer, architect or specifier.

www.carlislebrass.com



Key to Finishes and Symbols

Finishes



SSS Satin Stainless Steel



BZP Bright Zinc Plate



SB Satin Brass



ABS Thermoplastic Shell



SC Satin Chrome



EXB Epoxy Black

Symbols of Guarantee and Certification



10 year
Mechanical
Guarantee



Certificate No: 7287

ISO 9001



Certificate No: EN 1165

ISO 14001

Symbols of Suitable Environments for Use



Domestic



Commercial



Industrial



Education

Padlock Rating



Eurospec Padlocks are graded on an evaluation system based on the features and benefits of the product:

- Number of Pins or Wheels
- Key Security
- Shackle / Chain Strength / Diameter
- Shackle Protection
- Padlock Size
- Corrosion / Weather Protection

Up to a maximum points score of 30

- 1-10 Points – Grade 1
- 11-15 Points – Grade 2
- 16-20 Points – Grade 3
- 21-25 Points – Grade 4
- 26-30 Points – Grade 5



Brass Padlocks

Page 6



Laminated Padlocks

Page 9



Weather Resistant Padlocks

Page 11



G304 Stainless Steel Padlocks

Page 14



Armoured Shutter Padlocks

Page 17



Combination Padlocks

Page 19



Accessories — Padlock Hasps

Page 22



Accessories — Padbolts

Page 22

Heavy Duty Security Padlocks Page 24



Heavy Duty Security D-Locks Page 25



Lockable Square Chains Page 26



Combination Cable Locks Page 27



Lockable Security Cables Page 28



Security Square Link Chains Page 29



Steel Braided Security Cables Page 30



Merchandiser Units Page 32




Solid Brass Padlock Range



- Hardened Steel Shackle
- Double Locking Shackle
- Snap Locking
- Solid Brass Body
- Supplied with 3 Brass Keys
- Available Keyed Alike
- Master Keyed Options*



Brass Padlock – Standard Shackle




Features

- Solid Brass Padlock
- Hardened Steel Plated Shackle
- Supplied with 3 Brass Keys

Dimensions

- A - Body Width
- B - Body Height
- C - Staple Gap Height
- D - Staple Gap Width
- E - Staple Diameter

Finish



Code	Padlock Dimensions	Grade	Pack Qty	Inner Carton Qty	Outer Carton Qty
------	--------------------	-------	----------	------------------	------------------

Blister Pack to Differ

CYPL1025SB/BP	A:25mm B:22.3mm C:14.9mm D:12.5 E:4.2mm	1	1	6	120
CYPL1030SB/BP	A:30mm B:25.3mm C:16.7mm D:14.5 E:5.2mm	2	1	6	120
CYPL1040SB/BP	A:38mm B:31.3mm C:21.8mm D:19.5 E:6.3mm	3	1	6	120
CYPL1050SB/BP	A:50mm B:40.8mm C:29mm D:26 E:8.9mm	3	1	6	120
CYPL1060SB/BP	A:60mm B:49.2mm C:32.1mm D:32 E:9.9mm	3	1	6	120

Blister Packed Keyed Alike

CYPL1425SB/BP	A:25mm B:22.3mm C:14.9mm D:12.5 E:4.2mm	1	3	6	120
CYPL1430SB/BP	A:30mm B:25.3mm C:16.7mm D:14.5 E:5.2mm	2	2	6	60
CYPL1440SB/BP	A:38mm B:31.3mm C:21.8mm D:19.5 E:6.3mm	3	2	6	60
CYPL1450SB/BP	A:50mm B:40.8mm C:29mm D:26 E:8.9mm	3	2	6	60

Keys Blanks Available

Additional Cut Keys Available

*Master Keyed Coming Soon

Suitable Environments for Use

	✓		✓		✓		✗		✓
Domestic		Commercial		Industrial		Education			

Brass Padlock – Long Shackle



Features

- Solid Brass Padlock
- Hardened Steel Plated Shackle
- Supplied with 3 Brass Keys

Dimensions

- A - Body Width
- B - Body Height
- C - Staple Gap Height
- D - Staple Gap Width
- E - Staple Diameter

Finish

-  SB Satin Brass

Code	Padlock Dimensions	Grade	Pack Qty	Inner Carton Qty	Outer Carton Qty
Blister Pack to Differ					
CYPL1041SB/BP	A:38mm B:25.3mm C:67.3mm D:19.5 E:6.3mm	3	1	6	120
CYPL1051SB/BP	A:50mm B:48.8mm C:74.7mm D:26 E:8.9mm	3	1	6	120

Keys Blanks Available

Additional Cut Keys Available


Suitable Environments for Use

	✓		✓		✓		✗		✓
Domestic		Commercial		Industrial		Education			

Laminated Steel Padlock Range



- Hardened Steel Shackle
- Double Locking Shackle
- Snap Locking
- Zinc Plate Laminated Steel Body
- Brass Pin Tumbler Mechanism
- Supplied with 3 Brass Keys
- Available Keyed Alike in Pairs



Laminated Steel Padlock – Standard Shackle




Features

- Zinc Steel Padlock
- Hardened Steel Plated Shackle
- Supplied with 3 Brass Keys

Dimensions

- A - Body Width
- B - Body Height
- C - Staple Gap Height
- D - Staple Gap Width
- E - Staple Diameter



Finish



Code	Padlock Dimensions	Grade	Pack Qty	Inner Carton Qty	Outer Carton Qty
Blister Pack to Differ					
CYPL2030BZP/BP	A:31mm B:26.4mm C:17.5mm D:14.5 E:5mm	1	1	10	100
CYPL2040BZP/BP	A:40mm B:33mm C:24mm D:20.5 E:6.1mm	2	1	10	40
CYPL2050BZP/BP	A:50mm B:37.5mm C:27.5mm D:24.5 E:8.8mm	3	1	10	40
Blister Pack Keyed Alike in Twos					
CYPL2430BZP/BP	A:31mm B:26.4mm C:17.5mm D:14.5 E:5mm	1	2	10	50
CYPL2440BZP/BP	A:40mm B:33mm C:24mm D:20.5 E:6.1mm	2	2	4	20
CYPL2450BZP/BP	A:50mm B:37.5mm C:27.5mm D:24.5 E:8.8mm	3	2	4	20

Keys Blanks Available

Additional Cut Keys Available

Suitable Environments for Use

	✓		✓		✓		✗		✓
Domestic		Commercial		Industrial		Education			


ABS Waterproof Padlock Range



- Ideal for External Use
- Hardened Steel Shackle
- Double Locking Shackle
- Snap Locking
- ABS Thermoplastic Shell
- Brass Pin Tumbler Mechanism
- Supplied with 3 Brass Keys
- Available Keyed Alike in Pairs

E  **S**

ABS Waterproof Padlock – Standard Shackle



Features

- ABS Thermoplastic Shell
- Hardened Steel ABS Covered Shackle
- Supplied with 3 Brass Keys

Dimensions

- A - Body Width
- B - Body Height
- C - Staple Gap Height
- D - Staple Gap Width
- E - Staple Diameter

Finish

 ABS Thermoplastic Shell

Code	Padlock Dimensions	Grade	Pack Qty	Inner Carton Qty	Outer Carton Qty
Blister Pack to Differ					
CYPL2040ABS/BP	A:49mm B:40mm C:19.5mm D:19.5 E:7.5mm	4	1	12	72
CYPL2050ABS/BP	A:59mm B:44mm C:23mm D:22.5 E:10.5mm	4	1	12	48
CYPL2060ABS/BP	A:74mm B:51mm C:33.5mm D:28 E:13mm	4	1	12	36
Boxed Keyed Alike in Pairs					
CYPL2440ABS/BP	A:49mm B:40mm C:19.5mm D:19.5 E:7.5mm	4	2	6	36
CYPL2450ABS/BP	A:59mm B:44mm C:23mm D:22.5 E:10.5mm	4	2	6	24
CYPL2460ABS/BP	A:74mm B:51mm C:33.5mm D:28 E:13mm	4	2	3	18


Keys Blanks Available

Additional Cut Keys Available

Suitable Environments for Use

	✓		✓		✓		✗		✓
Domestic		Commercial		Industrial		Education			

ABS Waterproof Padlock – Long Shackle



Features

- ABS Thermoplastic Shell
- Hardened Steel ABS Covered Shackle
- Supplied with 3 Brass Keys

Dimensions

- A - Body Width
- B - Body Height
- C - Staple Gap Height
- D - Staple Gap Width
- E - Staple Diameter

Finish



ABS Thermoplastic Shell

Code	Padlock Dimensions	Grade	Pack Qty	Inner Carton Qty	Outer Carton Qty
Blister Pack to Differ					
CYPL2051ABS/BP	A:59mm B:44mm C:57mm D:22.5 E:10.5mm	4	1	12	48
Boxed Keyed Alike in Pairs					
CYPL2451ABS/BP	A:59mm B:44mm C:57mm D:22.5 E:10.5mm	4	2	3	24

Keys Blanks Available
Additional Cut Keys Available

Suitable Environments for Use

	✓		✓		✓		✗		✓
Domestic		Commercial		Industrial		Education			


Stainless Steel Padlock Range



- Ideal for External Use
- Hardened Steel Shackle
- Double Locking Shackle
- Snap Locking
- Weather Resistant
Stainless Steel Body
- Supplied with 3 Brass Keys



G304 Stainless Steel Padlock – Standard Shackle



Features

- Solid 304G Stainless Steel Body
- Stainless Steel Shackle
- Supplied with 3 Brass Keys

Dimensions

- A - Body Width
- B - Body Height
- C - Staple Gap Height
- D - Staple Gap Width
- E - Staple Diameter

Finish



Code	Padlock Dimensions	Grade	Pack Qty	Inner Carton Qty	Outer Carton Qty
Blister Pack to Differ					
CYPL3030SSS/BP	A:30mm B:29mm C:18mm D:15 E:5mm	4	1	6	120
CYPL3040SSS/BP	A:40mm B:35mm C:22mm D:21 E:6mm	4	1	6	120
CYPL3050SSS/BP	A:50mm B:43mm C:28mm D:26 E:8mm	5	1	6	120
CYPL3060SSS/BP	A:60mm B:52mm C:34mm D:31 E:10mm	5	1	6	120

Keys Blanks Available

Additional Cut Keys Available

Suitable Environments for Use

	✓		✓		✓		✗		✓
Domestic		Commercial		Industrial		Education			

G304 Stainless Steel Padlock – Closed Shackle




Features

- Solid 304G Stainless Steel Body
- Hardened Steel Plated Shackle
- Supplied with 3 Brass Keys

Dimensions

- A - Body Width
- B - Body Height
- C - Staple Gap Height
- D - Staple Gap Width
- E - Staple Diameter



Finish



Code	Padlock Dimensions	Grade	Pack Qty	Inner Carton Qty	Outer Carton Qty
------	--------------------	-------	----------	------------------	------------------

Blister Pack to Differ

CYPLD3070SS/BP	A:70mm B:70mm C:18mm D:22 E:9.5mm	5	1	12	72
CYPLD3080SS/BP	A:80mm B:80mm C:19mm D:28 E:12mm	5	1	12	72

Boxed Keyed Alike

CYPLD3470SS/KA4	A:70mm B:70mm C:18mm D:22 E:9.5mm	5	1	6	48
CYPLD3470SS/KA5	A:70mm B:70mm C:18mm D:22 E:9.5mm	5	1	6	48
CYPLD3470SS/KA6	A:70mm B:70mm C:18mm D:22 E:9.5mm	5	1	6	48
CYPLD3480SS/KA7	A:80mm B:80mm C:19mm D:28 E:12mm	5	1	6	48
CYPLD3480SS/KA8	A:80mm B:80mm C:19mm D:28 E:12mm	5	1	6	48
CYPLD3480SS/KA9	A:80mm B:80mm C:19mm D:28 E:12mm	5	1	6	48

Keys Blanks Available

Additional Cut Keys Available

Suitable Environments for Use

	✓		✓		✓		✓		✓
Domestic		Commercial		Industrial		Education		MECHANICAL 10 yr GUARANTEE	

Armoured Shutter Padlock



- Ideal for External Use
- Hardened Steel Rolling Shackle
- Double Locking Shackle
- Zinc Plated Steel Clad Brass Body
- Supplied with 3 Brass Keys
- Keyed Alike Options



Armoured Steel Brass Padlock – Closed Shackle




Features

- Full Clad Armoured Steel Body
- Hardened Steel Plated Shackle
- Supplied with 3 Brass Keys

Dimensions

- A - Body Width
- B - Body Height
- C - Staple Gap Height
- D - Staple Gap Width
- E - Staple Diameter



Finish



Code	Padlock Dimensions	Grade	Pack Qty	Inner Carton Qty	Outer Carton Qty
Blister Pack to Differ					
CYPLB3080ZP/BP	A:80mm B:58mm C:25mm D:30 E:11mm	5	1	6	36
Boxed Keyed Alike					
CYPLB3480ZP/KA1	A:80mm B:58mm C:25mm D:30 E:11mm	5	1	6	36
CYPLB3480ZP/KA2	A:80mm B:58mm C:25mm D:30 E:11mm	5	1	6	36
CYPLB3480ZP/KA3	A:80mm B:58mm C:25mm D:30 E:11mm	5	1	6	36

Keys Blanks Available

Additional Cut Keys Available

Suitable Environments for Use

	✓		✓		✓		✓		✓
Domestic		Commercial		Industrial		Education			


Combination Padlocks



- Ideal for Lockers or Luggage
- Chrome Plated Shackle
- Solid Brass Body
- Simple-to-use
Resettable Combinations



Combination Padlock – Side Wheel



Features

- Brass Body
- 20mm 3 Wheel Combination
- 30mm 4 Wheel Combination

Dimensions

- A - Body Width
- B - Body Height
- C - Staple Gap Height
- D - Staple Gap Width
- E - Staple Diameter

Finish



Code	Padlock Dimensions	Grade	Pack Qty	Inner Carton Qty	Outer Carton Qty
Blister Pack CYPLC1020SB/BP	A:21mm B:30mm C:20.8mm D:8.8 E:3.2mm	1	1	12	144
CYPLC1030SB/BP	A:28.5mm B:41.2mm C:26.8mm D:12.4 E:5mm	2	1	12	72

Combination Padlocks are preset to open at '000'


To set your own combination:

1. With all dials set at '000' or '0000' pull up the shackle
2. Turn the shackle 180 degrees and press down
3. With the shackle pressed down set the dials to your new combination
4. Lift and turn the shackle to re-lock
5. Scramble the dials and check your new code to re-open.

Suitable Environments for Use

 Domestic		 Commercial		 Industrial		 Education			
---	---	---	---	---	---	---	---	---	---

Heavy Duty Combination Padlock – Bottom Wheel



Features

- Brass Body
- Hardened Steel Shackle
- 50mm 4 Wheel Combination
- Resettable Combination with Key

Dimensions

- A - Body Width
- B - Body Height
- C - Staple Gap Height
- D - Staple Gap Width
- E - Staple Diameter

Finish

-  SB Satin Brass

Code	Padlock Dimensions	Grade	Pack Qty	Inner Carton Qty	Outer Carton Qty
Blister Pack CYPLC1050SB/BP	A:52.8mm B:41.4mm C:29.7mm D:25.5 E:7.9	3	1	12	72

Operating Instructions:

Opening Method

The original factory-setting code is '0000'
Set the code at 0000 along the line marked on the bottom of the lock.
Press down the shackle, then release. It will open automatically.
(Otherwise pull it up).

Locking Method

In unlocking status, press down the shackle to the end, turn code wheel to be disordered, then it is locked (or in unlocking status, turn code wheel, then press down the shackle to the end).



Setting a New Code

The padlock should be in unlocking status and the shackle should be pulled up. Insert the key to the end into the hole which is on the right of the lock body. Turn the key 90 degrees in any direction and set a new code along the line marked on the bottom of the lock. After setting the new code, turn the key back to the original position and pull out. The new code has been set.

Suitable Environments for Use

 Domestic		 Commercial		 Industrial		 Education			
---	---	---	---	---	---	---	---	---	---

Accessories – Hasps and Padbolts

<p>Discus</p>	<p>Steel Pressed 3.5"</p>
 <p>HASPDISC/BP - Hasp for Discus Padlock</p>	 <p>HASP080Z/BP - Hasp for Padlock 80mm</p>
<p>Steel Pressed 4.5"</p>	<p>Oval 4" Bright Zinc Plate</p>
 <p>HASP110Z/BP - Hasp for Padlock 110mm</p>	 <p>IOP100BZP/BP - Oval Padbolt 100mm</p>
<p>Brenton 6" and 8" Epoxy Black</p>	<p>Brenton 4" 6" 8" Bright Zinc Plate</p>
 <p>IPB150EXB/BP - Brenton Padbolt 150mm IPB200EXB/BP - Brenton Padbolt 200mm</p>	 <p>IPB100BZP/BP - Brenton Padbolt 100mm IPB150BZP/BP - Brenton Padbolt 150mm IPB200BZP/BP - Brenton Padbolt 200mm</p>
<p>Light Pattern Safety Bright Zinc Plate</p>	
 <p>ISH076BZP/BP - Safety Hasp 3" ISH114BZP/BP - Safety Hasp 4.5" ISH150BZP/BP - Safety Hasp 6"</p>	<p> BZP Bright Zinc Plate</p> <p> EXB Epoxy Black</p>


Outdoor Security Range



- Braided Steel
Plastic Coated Cables
- Case Hardened
Square Covered Chains
- Suitable for Outdoor Use
- Ideal for Cycles, Scooters
and Motorbikes



65mm Heavy Duty Security Padlock – Closed Shackle



Features

- ABS Covered Steel Body
- 11mm Hardened Steel Shackle
- Pick, Drill and Bump Resistant
- Removable Shackle
- Supplied with 3 High Security Keys

Dimensions

- A - Body Width
- B - Body Height
- C - Staple Gap Height
- D - Staple Gap Width
- E - Staple Diameter

Finish



ABS Covered Satin Chrome Body

Code	Padlock Dimensions	Grade	Pack Qty	Inner Carton Qty	Outer Carton Qty
------	--------------------	-------	----------	------------------	------------------

Carded

CYPLA65SC A:65mm B:80mm C:19mm D:16mm E:11mm 5 1 10 20

Also available

CYPLAZKBNS – Laser Key Blank

Suitable Environments for Use

	✓		✓		✓		✓		✓
Domestic		Commercial		Industrial		Education			

Heavy Duty Security D-Lock

Features

- 190 x 115mm
- Hardened PVC Coated Hardened Shackle
- Quattro Bolt Locking Mechanism
- Pick, Drill and Bump Resistant
- Supplied c/w Bicycle Bracket Fitting
- Key Dust Cover
- Supplied with 3 High Security Keys



Carded

CYPLAD190BK – 190 x 115mm Heavy Duty Security “D” Lock c/w Bracket

Key Blanks Available

Card Qty	Inner Carton Qty	Outer Carton Qty
1	4	8

Lockable Square Chain with Black Cover

Features

- 1000 x 8mm
- Hardened Steel Square Link Chain
- Protective Black Sleeve
- Pick, Drill and Bump Resistant
- Key Dust Cover
- Supplied with 3 High Security Keys



Carded

CYPLALCH08BK – 1000 x 8mm Lockable Square Chain with Black Cover

Key Blanks Available

Card Qty	Inner Carton Qty	Outer Carton Qty
1	4	8

4 Wheel Combination Cable Lock

Features

- Self Coiling Braided Security Cable
- Steel Ball Combination Gear System
- 10,000 Possible Combinations
- Easy to Reset Combination



Carded

CYPLACCA10TR – 1200 x 10mm 4 Wheel Combination Cable Lock

Card Qty	Inner Carton Qty	Outer Carton Qty
1	10	20

Lockable Security Cable

Features

- 1200 x 10mm
- Self Coiling Braided Security Cable
- Protective Black Vinyl Cover
- Pick, Drill and Bump Resistant
- Key Dust Cover
- Supplied with 3 High Security Keys



Carded

CYPLALCA10TR – 1200 x 10mm Lockable Security Cable c/w 3 Keys

Key Blanks Available

Card Qty	Inner Carton Qty	Outer Carton Qty
1	10	20

Heavy Duty Security Square Link Chain

Features

- Case Hardened Square Link Chain
- Loop Through End Link System
- 6-12mm Chain Options
- Protective Sleeve with Velcro Fastening



Carded

CYPLACH06BK – 1000 x 6mm Square Chain with Black Cover

CYPLACH08BK – 1000 x 8mm Square Chain with Black Cover

CYPLACH10BK – 1000 x 10mm Square Chain with Black Cover

CYPLACH12BK – 1000 x 12mm Square Chain with Black Cover

Card Qty	Inner Carton Qty	Outer Carton Qty
1	4	8
1	3	6
1	2	4
1	2	4

Steel Braided Security Cable

Features

- Steel Braided Security Cable
- Protective Black Vinyl Cover
- Available in 3 diameters



Carded

CYPLACA08TR – 1000 x 8mm Security Cable Plastic Coated
CYPLACA10TR – 1000 x 10mm Security Cable Plastic Coated
CYPLACA12TR – 1000 x 12mm Security Cable Plastic Coated

Card Qty	Inner Carton Qty	Outer Carton Qty
1	10	40
1	10	40
1	10	40

The following information is for maintaining your Eurospec Padlocks. Regular maintenance will ensure correct operation and maximise performance.

Maintenance:

- It is important that maintenance is done on a regular basis and it is recommended that inspections and cleaning are done routinely.
- Do not use oil or similar lubricants. Use only GT85 type lubricant.
- Do not paint or varnish any part of the keyway plug or combination wheels.
- Do not over lubricate.
- If you suspect excessive dirt has entered the keyway, thoroughly flush with GT85 lubricant to disperse the dirt. When dry, re-lubricate with a small amount of GT85.
- Lubricate the shackle area with grease.

Countertop:



Silver:
Carousel
Unit



Bronze:
500mm
Stand



Gold:
1500mm
Stand

Notes



Eurospec Cylinder Shop

Phone: 01254 274140 Fax: 01254 274113 Email: workshop@carlislebrass.com



Carlisle Brass Ltd. Parkhouse Road, Carlisle, Cumbria, CA3 0JU

Sales: 01228 511030 Email: sales@carlislebrass.com Web: www.carlislebrass.com