

Artex

TRADE CATALOGUE 2021

Gyproc | Thistle | Profilex | Artex | Blue Hawk | Gyproc Tools | Weber



Uniquely connecting you to
construction products brands



Artex Trade Catalogue 2021

Uniquely connecting you to construction products brands

As a leading distributor of construction products brands, Artex is uniquely positioned to provide you with a breadth and depth of product choice.

We aim to meet all your needs by giving you a range of flexible delivery options, including single pallet, mixed pallet and small parcel services.



Gyproc®, Blue Hawk®, Profilex®, Artex®, Gyproc Tools®, Thistle®, Gypframe® and Artex Easifix® are all registered trademarks of Saint-Gobain Construction Products UK Limited, part of the Saint-Gobain Group. FibaTape are registered trademarks of Saint-Gobain ADFORS®. Weber is a UK registered trademark of Saint-Gobain Weber.

Artex Limited is a limited company registered in England under company number 04140239, having its registered office at Saint-Gobain House, East Leake, Loughborough, Leicestershire, LE12 6JU.

The owner of the trademarks has consented to their use by Artex Limited.

Artex Limited reserves the right to revise product specification without notice. The information herein should not be read in isolation as it is meant only as guidance for the user, who should always ensure that they are fully conversant with the products and systems being used and their subsequent installation prior to the commencement of work.

For a comprehensive and up-to-date library of information visit the Artex website at: artexltd.com

Contents



Our Service to You

Pages 3 - 7



Filling & Repairing

Pages 9 - 14



Taping & Jointing

Pages 15 - 20



Plaster & Accessories

Pages 21 - 27



Plasterboard & Ancillaries

Pages 29 - 37



Cove & Texture

Pages 39 - 44



Render Range

Pages 45 - 49



Sand & Cement

Pages 51 - 53



Roofing Felt

Pages 55 - 56



Repair Kits

Pages 57 - 58



Access Panels

Pages 61 - 66



Tools

Pages 67 - 74



Service Charter

Pages 75 - 82

Our Service to You

***Uniquely* connecting you to construction products brands**

Our service gives you the ability to choose from single pallets, or mixed pallet loads, through to small parcels, to help you order what you need when you need it. You can find out more in our delivery options.

Keep in touch

Page 4

Delivery options

Page 5

Vehicle options

Pages 6 - 7



Our Service to You Keep in touch



Phone

0800 032 6345

Monday to Friday 8am - 5pm

Options:

- 1 - Orders and sales enquiries
- 2 - Advice and literature
- 3 - Gyproc Tool service
- 4 - General office enquiries



Email

artexcustomerservice@saint-gobain.com



Fax

0800 917 7632



Address

Artex Limited, Head Office, Pasture Lane, Ruddington, Nottinghamshire, NG11 6AE



Website

www.artexltd.com

www.gyproctools.co.uk



Social

 [@artexltd](https://twitter.com/artexltd)

 [@artexltd](https://www.facebook.com/artexltd)

 [Artex Ltd](https://www.youtube.com/ArtexLtd)

Our Service to You

Delivery options

We offer a range of delivery options to match your needs. Each of the options are listed below. If you want help getting the most from your order, speak to our friendly Customer Service Team, who will be happy to help.



Full pallet delivery

A variety of products are available to order in full pallet quantities, including plasters, plasterboards and jointing materials.

These products are identified by the pallet icon.

	UK mainland	Islands ¹
Minimum order value	£300	£600
Delivery lead time	+4 working days	+7 working days
Lead time cut off	Orders placed before 4.00pm	Orders placed before 4.00pm



Mixed pallet delivery

For products available as a single unit or carton, you can mix and match onto a single pallet. This includes almost all products except plasterboard and 25kg plasters.

	UK mainland	Islands ¹
Minimum order value	£300	£600
Delivery lead time	+4 working days	+7 working days
Lead time cut off	Orders placed before 4.00pm	Orders placed before 4.00pm



Gyproc Express delivery

Gyproc Express is an easy way to order a selected range of products, using our 48 hour parcel delivery service.

These products are identified by the parcel icon.

Products included

Gyproc EasiFill variants, Gyproc Plasterboard Patches, Gyproc FibaTape variants, Gyproc hand tools, Artex tools, Proflex Access Panels and ThistlePro Magnetic plaster.

Minimum order value (at invoice price)	£80 carriage paid	
	UK mainland	Highlands and Islands ²
Delivery lead time	48 hours (excluding weekends)	Up to 72 hours (excluding weekends)
Lead time cut off	Orders placed before 1.00pm	Orders placed before 1.00pm

¹ Includes the Scottish Islands, Northern Ireland, Isle of Man and the Channel Islands.

² Includes the Scottish Highlands and Islands, Northern Ireland, Isle of Man and the Channel Islands.

Our Service to You

Vehicle options

Vehicle options

With our new fleet of over 50 FORS³ accredited vehicles, we have significantly improved the reliability, flexibility and safety of our deliveries on the road and to your site.

To ensure we choose the right vehicle for your deliveries, we've highlighted the available options on the next page. Please inform us if your circumstances have changed or if you believe an alternate vehicle is more suitable.

Self-off-loading

If you're unable to self-off-load, we can use a vehicle with a tail lift and pallet pump truck to off-load on your behalf.

Access restrictions

If there are space and/or access restrictions getting to and on your site, we can send smaller vehicles to enable us to complete the delivery. Please let us know in advance of any orders.

When placing an order and providing delivery instructions, please note the following information will be required:

- Times and days that deliveries can be received
- If you require a delivery to be pre booked
- Any special requests (e.g. if you need a smaller vehicle due to a low bridge nearby)


³ Fleet Operator Recognition Scheme.

Our Service to You


Vehicle options

The Artex Fleet


Artic lorry

Availability	Nationwide	
Trailer length	13.6 metres	
Trailer height	4.2 metres	
Off-load	Customer required to off-load pallet with own forklift truck	
Access	Large vehicle, suitable where there are no access restrictions	

Urban artic lorry

Availability	Nationwide	
Trailer length	10.8 metres	
Trailer height	4.0 metres	
Off-load	Driver can assist off-loading with pallet pump truck via rear tail-lift	
Tail lift restrictions	Maximum weight is 750kg Maximum length is 2.5 metres	
Access	For use with access and space limitations	

Rigid lorry

Availability	Nationwide	
Trailer length	9.1 metres	
Trailer height	4.0 metres	
Off-load	Driver can assist off-loading with pallet pump truck via rear tail-lift	
Tail lift restrictions	Maximum weight is 750kg Maximum length is 2.5 metres	
Access	For use with access and space limitations	

Filling & Repairing

Filling & Repairing

Pages 10 - 14

• Thistle Convenience Plasters	11
• Gyproc EasiFill Range	12
• Gyproc EasiFiller Range	13
• Accessories	14

Icon key:



Full Pallet



Mixed Pallet



Gyproc Express
Parcel

Filling & Repairing

FILLING & REPAIRING RANGE

THISTLE CONVENIENCE PLASTERS

7.5kg and 12.5kg bags for patching and repair.



GYPROC FILLER RANGE

A range of powder and ready mixed fillers for cracks, holes and surface damage.



ACCESSORIES

Accessories within the filling and repairing range.



Filling & Repairing Thistle Convenience Plasters

Thistle convenience plasters are available in strong, water resistant bags to reduce damage and waste

THISTLE UNDERCOAT PLASTER

- Internal base coat plaster for small plastering jobs
- Ideal for smaller patching repairs or filling chases
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814639	7.5	SU	100	1
5200814644	12.5	SU	72	1



THISTLE FINISHING PLASTER

- Internal finish coat plaster for small plastering jobs
- Ideal for smaller repairs
- Use over Thistle Undercoat Plaster and plasterboard
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814637	7.5	SF	100	1
5200814642	12.5	SF	72	1



THISTLE ONE COAT PLASTER

- Convenient undercoat and finishing plaster in one
- Ideal for patching repairs
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814638	7.5	SO	100	1
5200814643	12.5	SO	72	1



Filling & Repairing Gyproc EasiFill - powder fillers

GYPROC EASIFILL 60

- Gyproc EasiFill for both bulk filling and finishing of joints
- 60 minutes working time
- The second coat can be applied after 140 minutes
- Conforms to EN 13963

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200572338	5	X7	200	1
5200572331	10	X7	80	1



GYPROC EASIFILL 45

- Ideal for small jointing jobs
- 45 minutes working time
- The second coat can be applied after 80 minutes
- Conforms to EN 13963

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200572336	10	X7	80	1



GYPROC EASIFILL 20

- Ideal for quick filling and snagging
- 20 minutes working time
- The second coat can be applied after 30 minutes
- Conforms to EN 13963

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200572347	5	X7	200	1
5200572343	10	X7	80	1



GYPROC EASIFILL

- Multipurpose filler for patching and repair
- Ideal for snagging and filling holes and cracks prior to decoration
- Convenient 1kg sachets reduce wastage and maintain product freshness
- Conforms to EN 13963

Order code	Size (kg)	Discount group	Min. order qty.
5200616713	1	X7	6
5200616715	5 x 1	X7	1



Filling & Repairing Gyproc EasiFiller - ready mixed fillers

GYPROC EASIFILLER

- Multipurpose filler for most internal repairs
- Quick and easy to apply
- Sands to a smooth, fine finish

Order code	Size (litre)	Discount group	Min. order qty.
5200854788	1	RR	6
5200854868	2.5	RR	1



GYPROC EASIFILLER LIGHT

- Ultra lightweight filler for deep holes and cracks
- Low shrinkage with no slumping or cracking
- Easy to apply with no sanding needed

Order code	Size (litre)	Discount group	Min. order qty.
5200854874	1	RR	6
5200854875	2.5	RR	1



GYPROC EASIFILLER FINISH

- Extra fine surface filler for skimming over large areas
- Quickly covers large areas of light surface damage
- Easy to apply and needs minimal sanding

Order code	Size (litre)	Discount group	Min. order qty.
5200854876	3	RR	1
5200854877	5	RR	1



Looking for hand tools?

FIND THEM ON PAGE 68

Filling & Repairing Accessories

THISTLE SKIMFINISH READY MIXED

- A ready mixed internal skim finish plaster for small plastering jobs
- Ideal for finishing over plaster and plasterboard

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200695616	2.5	TR	128	1
5200695617	6	TR	72	1



GYPROC PLASTERBOARD PATCHES

- Designed to make repairing damage to plasterboard quick and easy
- Packs contains 2 x 50mm², 5 x 100mm² and 5 x 150mm²

Order code	Size	Discount group	Min. order qty.	Weight (kg)
5200429884	Assortment	PP	10	2.8



Looking for Plasterboard?

FIND OUR RANGE ON PAGE 31

Taping & Jointing

Gyproc Jointing

Page 17

- Gyproc Jointing Range

17

Jointing Accessories

Pages 18 - 20

- Joint Tapes & Beads

18 - 20

Icon key:



Full Pallet



Mixed Pallet



Gyproc Express
Parcel

Taping & Jointing

GYPROC JOINTING RANGE

JOINTING PRODUCTS

Powder and ready mixed plasterboard jointing compounds.



JOINTING ACCESSORIES

A range of tapes and beads for plasterboard jointing.



Taping & Jointing

Gyproc Jointing Range

GYPROC JOINT FILLER

- Gypsum-based setting material for bulk and secondary filling of plasterboard joints
- Low shrinkage for hand application, with 90 minutes working time
- Used in stages 1 and 2 of traditional 3 stage jointing process
- Conforms to EN 13963

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200004445	12.5	JF	80	1



GYPROC QUICKSAND

- Air-drying powdered jointing material for the finishing stage
- Use over Gyproc Joint Filler in hand jointing, or for all application stages with mechanical jointing tools
- Conforms to EN 13963

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200572328	25	JC	40	1



GYPROC READY MIX JOINT CEMENT

- Air-drying ready mixed jointing material for use over Gyproc Joint Filler in hand jointing, or for all application stages with mechanical jointing tools
- Save time by eliminating the mixing stage
- Conforms to EN 13963

Order code	Size (litre)	Discount group	Pallet qty.	Min. order qty.
5200004291	12	JC	64	1



GYPROC PROMIX LITE

- Lightweight ready mixed jointing material for use over Gyproc Joint Filler in hand jointing, or for all application stages with mechanical jointing tools
- Compatible with the majority of airless spraying equipment
- Provides excellent workability, very low shrinkage and easy sanding
- Conforms to EN 13963

Order code	Size (litre)	Discount group	Pallet qty.	Min. order qty.
5200027604	17	PM	40	1



Taping & Jointing

Joint Tapes & Beads

GYPROC FIBATAPE CLASSIC

- Superior self-adhesive fibreglass mesh tape
- Multi-purpose for tapered and square edge plasterboard joints
- 48mm width 90m length

Order code	Size (m)	Discount group	Weight (kg)	Min. order qty.
5200672378	90	FT	3.48	12



GYPROC FIBATAPE PERFECT FINISH

- Self-adhesive fibreglass mesh tape with a tighter mesh weave that is 30% thinner than standard tape
- The ultra-thin tape makes it easy to conceal square and butt-edge plasterboard joints
- 48mm width 90m length

Order code	Size (m)	Discount group	Weight (kg)	Min. order qty.
5200672379	90	FT	4.08	12



GYPROC FIBATAPE XTREME

- Self-adhesive fibreglass mesh tape with increased glue for high performance
- Extra sticky so it can perform in extreme temperatures (5 - 35°C)
- 48mm width 90m length

Order code	Size (m)	Discount group	Weight (kg)	Min. order qty.
5200672381	90	FT	3.48	12



GYPROC FIBATAPE XTREME XTRAWIDE

- Extra wide self-adhesive fibreglass mesh tape for greater coverage
- Extra sticky so it can perform in extreme temperatures (5 - 35°C)
- 100mm width 75m length

Order code	Size (m)	Discount group	Weight (kg)	Min. order qty.
5200877525	75	FT	3.05	6



GYPROC FIBATAPE MOLD-X

- Self-adhesive fibreglass mesh tape with micro-bacterial coating
- Mould resistance is perfect for use on moisture resistant boards
- 48mm width 90m length

Order code	Size (m)	Discount group	Weight (kg)	Min. order qty.
5200672380	90	FT	3.48	12



Taping & Jointing

Joint Tapes & Beads

THISTLE PROTAPPE FT50

- Self-adhesive glass fibre mesh tape
- 48mm width 90m length
- For reinforcing flat joints to skim finishes on plasterboard

Order code	Size (m)	Discount group	Min. order qty.
5200666421	90	JT	24



GYPROC CORNER TAPE

- Paper joint tape bonded to two corrosion resistant metal strips for reinforcing external angles
- Ideal for internal or external angles that are not 90°
- 48mm width
- Conforms to EN 13963

Order code	Size (m)	Discount group	Min. order qty.
5200027605	30	CT	5



GYPROC JOINT TAPE

- Paper tape designed for reinforcing flat joints and internal angles in both manual and mechanical jointing systems
- It has a centre crease, chamfered edges and spark perforations
- 48mm width 180m length
- Conforms to EN 13963

Order code	Size (m)	Discount group	Min. order qty.
5200866392	150	JT	10



Taping & Jointing Joint Tapes & Beads

GYPROC AQUABEAD

- Water activated adhesive bead for fast installation
- Provides external corner protection for plasterboards
- Ideal for areas of high traffic

Order code	Size (mm)	Discount group	Min. order qty.
5200689756	2500	AB	50
5200689757	2700	AB	50
5200689758	3000	AB	50



Looking for powder or ready mixed fillers?

FIND OUR RANGE ON PAGE 12 & 13

Plaster & Accessories

Thistle Convenience Plasters

Page 23

- Undercoat Plaster 23
- Finishing Plaster 23
- One Coat Plaster 23

Thistle Essential Plasters

Pages 24 - 25

- Thistle Essential Plasters 24 - 25

ThistlePro Plasters

Page 25 - 26

- ThistlePro Plasters 25 - 26

Easifix Plaster

Page 26

- One Coat Plaster 26

Plaster Accessories

Pages 26 - 27

- Ancillaries 26
- Thistle Pre-Treatment 26
- Metal Bead 27

Icon key:



Full Pallet



Mixed Pallet

Plaster & Accessories

PLASTER & ACCESSORIES RANGE

THISTLE CONVENIENCE PLASTERS

7.5kg and 12.5kg bags for smaller jobs.



THISTLE ESSENTIAL PLASTERS

The Thistle essential range houses our everyday plasters.



THISTLEPRO RANGE

High performance plasters.



EASIFIX PLASTER

One coat plaster.



ACCESSORIES RANGE

Accessories to use with our plaster range.



THISTLE UNDERCOAT PLASTER

- Internal base coat plaster for small plastering jobs
- Ideal for smaller patching repairs or filling chases
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814639	7.5	SU	100	1
5200814644	12.5	SU	72	1



THISTLE FINISHING PLASTER

- Internal finish coat plaster for small plastering jobs
- Ideal for smaller repairs
- Use over Thistle Undercoat Plaster and plasterboards
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814637	7.5	SF	100	1
5200814642	12.5	SF	72	1



THISTLE ONE COAT PLASTER

- Convenient undercoat and finishing plaster in one
- Ideal for patching repairs
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814638	7.5	SO	100	1
5200814643	12.5	SO	72	1



Looking for Plastering Tapes?

FIND THEM ON PAGE 18

THISTLE BONDINGCOAT

- For low suction backgrounds such as concrete, plasterboard and surfaces treated with bonding agents (e.g. Thistle Bond-it)
- 2.75m² coverage per bag based on 11mm thickness (walls)
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200006055	25	UC	56	56



THISTLE BONDING 60

- Quick setting undercoat plaster designed for patching and repair
- Based on Thistle BondingCoat with a 60 minute set time
- 1.1m² coverage per 10kg tub, 1.38m² coverage per 12.5kg bag and 2.75m² per 25kg bag
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200029720	10	PU	20	1
5200029719	12.5	PU	20	1
5200029718	25	UC	20	20



THISTLE HARDWALL

- Quick drying undercoat plaster with high impact resistance and ideal for most masonry backgrounds
- Suitable for both mechanical and hand application
- 3m² coverage per bag, based on 11mm thickness
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200006110	25	UC	45	45



Plaster & Accessories

Thistle Essential Plasters

THISTLE MULTIFINISH

- Versatile finish plaster for most common background including both undercoat plaster and plasterboard
- Provides a smooth seamless finish prior to decoration
- 10m² coverage per bag based on 2mm thickness
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200006058	25	FN	56	56



THISTLE BOARDFINISH

- For low to medium suction backgrounds, such as plasterboard and cement based undercoats
- Provides a smooth seamless finish prior to decoration
- 10m² coverage per bag based on 2mm thickness
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200006059	25	FN	56	56



Plaster & Accessories

ThistlePro Plasters

THISTLEPRO MAGNETIC

- Finishing plaster that attracts magnets
- Turns any wall into an inspiring gallery or notice board that you can change as often as you like - no fuss, no mess
- 5.1m² coverage per bag based on 3mm thickness
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200648403	25	PF	24	1



Plaster & Accessories

ThistlePro Plasters

THISTLEPRO PUREFINISH

- Finish plaster that contains **ACTIVair** technology to remove formaldehyde from the air
- Used to finish most common backgrounds including undercoat plasters and plasterboards
- Approx. coverage 10m² based on 2mm thickness
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200028182	25	PF	56	56



Plaster & Accessories

Easifix Plaster

EASIFIX ONE COAT PLASTER

- Combined undercoat & finishing plaster
- Ideal for patching repairs
- For use on brick, block, concrete & plasterboard
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Min. order qty.
5200814645	5	SO	1



Plaster & Accessories

Ancillaries

ARTEX SEALER

- General purpose sealer for use on plasterboard, plaster and other porous surfaces prior to decoration

Order code	Size (litre)	Discount group	Min. order qty.
5200572315	2.5	PS	1



Plaster & Accessories

Thistle Pre-Treatment

THISTLE BOND-IT

- Bonding agent for pre-treatment of smooth and low suction backgrounds
- Contains aggregate to provide a mechanical and chemical key
- Apply in one coat, by roller or brush, and plaster when dry
- 45m² coverage per tub

Order code	Size (litre)	Discount group	Pallet qty.	Min. order qty.
5200572313	10	PT	48	1



Plaster & Accessories

Metal Bead

PLASTER ANGLE BEAD

- Galvanised steel angle bead with expanded wings
- Ideal for reinforcing external angles when using undercoat plaster
- Conforms to EN 13658-1

Order code	Size (mm)	Discount group	Min. order qty.
5200119675	2400	PB	25



THIN COAT MINI MESH BEAD

- A galvanised steel angle bead with mesh wings
- Ideal for reinforcing external corners when using Thistle Finishing Plaster
- Provides an excellent key
- Conforms to EN 14353

Order code	Size (mm)	Discount group	Min. order qty.
5200119674	2400	PB	25



THISTLE THIN COAT ANGLE BEAD

- A galvanised steel 'thin coat' bead with perforated 30mm wide wings
- For reinforcement of external angles in 2mm plaster finishes
- Conforms to EN 13658-1

Order code	Size (mm)	Discount group	Min. order qty.
5200009020	2400	XU	50
5200009019	3000	XU	50



Looking for Plasterboard?

FIND OUR RANGE ON PAGE 31

Plasterboard & Ancillaries

Plasterboards

Pages 31 - 33

- Gyproc Standard Plasterboards 31
- Gyproc Performance Plasterboards 31 - 33
- Glasroc Specialist Plasterboards 33

Plasterboard Fixings & Adhesive

Page 34

- Gyproc DriWall Adhesive 34

Surface Treatment

Page 34

- Gyproc Drywall Sealer 34
- Gyproc Drywall Primer 34

Gypframe Metal & Accessories

Pages 35 - 37

- Gypframe Partitioning 35
- GypLyner Wall Lining 36 - 37

Icon key:



Full Pallet



Mixed Pallet



Enhanced fire performance



Enhanced acoustic performance



Enhanced moisture performance



Enhanced thermal performance



Plasterboard & Ancillaries

PLASTERBOARD & ANCILLARIES RANGE

PLASTERBOARDS

The Gyproc plasterboard product range provides solutions for enhanced moisture, fire, acoustic, impact and thermal performance.




FIXINGS, ADHESIVE & SURFACE TREATMENT

Products to complete all British Gypsum systems.



GYPFRAME METAL & ACCESSORIES

For gypsum-based partition walls, lining and ceilings.



Plasterboard & Ancillaries

Gyproc Standard Plasterboards

GYPROC WALLBOARD

- Standard gypsum plasterboard for walls and ceilings
- Complies with EN 520

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200001677	Square	9.5	900	1800	SP	100
5200001497	Square	9.5	1200	2400	SP	90
5200001015	Square	12.5	900	1800	SP	80
5200001810	Square	12.5	1200	2400	SP	72
5200011265	Tapered	9.5	900	1800	SP	100
5200001952	Tapered	9.5	1200	2400	SP	90
5200001755	Tapered	12.5	900	1800	SP	80
5200001129	Tapered	12.5	1200	2400	SP	72
5200011279	Tapered	15	1200	2400	SP	50



GYPROC HANDIBOARD

- Small and easy to transport 1.2m gypsum plasterboard
- Ideal for repair and compatible with 16" (405mm) and 24" (610mm) joist centres
- Complies with EN 520

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200011463	Square	9.5	600	1220	SP	204
5200011462	Square	9.5	900	1220	SP	102
5200011465	Square	12.5	600	1220	SP	156



Plasterboard & Ancillaries

Gyproc Performance Plasterboards

GYPROC FIRELINE

- Gypsum plasterboard with fire resistant additives
- Ideal for loft conversions, stairs, hallways and garages
- Conforms to EN 520 Type F Thermal

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200001919	Square	12.5	1200	2400	PE	60



GYPROC SOUNDBLOC

- Gypsum plasterboard with a high density core for enhanced sound insulation performance
- Complies with EN 520 - Type D

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200027267	Tapered	12.5	1200	2400	PE	56



GYPROC MOISTURE RESISTANT

- Gypsum plasterboard with moisture resistant additives in the core
- Ideal for providing a base for tiling
- Complies with EN 520 - Type A, H1

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200001018	Tapered	12.5	1200	2400	PE	60



GYPROC MR HANDIBOARD

- Moisture resistant HandiBoard
- Recommended for use in intermittent moisture applications
- Complies with EN 520+A1

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200814633	Square	12.5	600	1200	PE	112



GYPROC WALLBOARD DUPLEX

- Gyproc WallBoard backed with a vapour control membrane
- Creates a permanent barrier to stop condensation forming between cold and warm air
- Complies with EN 14190

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200001690	Square	12.5	1200	2400	PE	72



GYPROC THERMALINE BASIC

- Gypsum plasterboard bonded to an expanded polystyrene insulate for a basic level of thermal insulation
- Ideal for areas that need basic insulation e.g. garages or cold external walls
- Complies with EN 13950

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200002151	Tapered	22	1200	2400	PE	40



GYPROC THERMALINE PLUS

- Gypsum plasterboard bonded to an extruded polystyrene foam insulant providing a vapour control layer for an intermediate level of thermal insulation
- Provides a higher level of thermal insulation compared to Gyproc ThermaLine Basic
- Complies with EN 13950

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200002165	Tapered	27	1200	2400	PE	30



GYPROC THERMALINE PIR

- Gypsum plasterboard with integral vapour control layers for an advanced level of thermal insulation
- Provides the highest level of thermally insulated plasterboards
- Complies with EN 13950

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200028492	Tapered	38	1200	2400	PE	23



GLASROC H TILEBACKER

- Non-combustible, glass-reinforced gypsum plasterboard with a water resistant pre-primed acrylic coating to receive tiling
- For floor and wall wet area applications in kitchens and bathrooms
- Conforms to EN 15283-1

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200028517	Square	6	1200	900	SB	32
5200028515	Square	6	1200	2400	SB	32
5200027696	Square	12.5	1200	900	SB	64
5200027693	Square	12.5	1200	2400	SB	32



Plasterboard & Ancillaries

Plasterboard Fixings & Adhesive

GYPROC DRIWALL ADHESIVE

- A general purpose gypsum based adhesive to fix plasterboards to masonry walls
- Suitable for high, medium or low suction backgrounds
- Conforms to EN 14496

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814640	10	FA	100	1
5200009469	25	FA	56	1



Plasterboard & Ancillaries

Surface Treatment

GYPROC DRYWALL SEALER

- A specially formulated primer/sealer, which provides vapour control and a superior durable finish when applied in two coats
- Suitable for decoration with paints and most wall coverings
- Coverage: 110m² (1 coat), 70m² (2 coats)

Order code	Size (litre)	Discount group	Pallet qty.	Min. order qty.
5200572330	10	ST	48	1



GYPROC DRYWALL PRIMER

- A general purpose plasterboard primer
- Provides an ideal surface for decoration with most paints and wall coverings
- Coverage: 110m² per tub

Order code	Size (litre)	Discount group	Pallet qty.	Min. order qty.
5200572329	10	ST	48	1




Looking for Access Panels?

FIND OUR RANGE ON PAGE 62

Plasterboard & Ancillaries

Gypframe Partitioning

- Gypframe metal is ideal for building non-loadbearing partitions
- Light and easy to use
- Will not twist or warp



GYPFRAME 50 FEC 50 FOLDED EDGE STANDARD FLOOR & CEILING CHANNEL

- Horizontal support for the floor and ceilings
- Includes a safer working edge on the lip of the channel
- Conforms to EN 14195


Order code	Size (mm)	Discount group	Min. order qty.
5200534085	3000	XV	10



GYPFRAME 48 S 50 'C' STUD

- Vertical support clicks into the channel to form a partition wall
- Includes sight lines to help board alignment and increase profile strength
- Conforms to EN 14195

Order code	Size (mm)	Discount group	Min. order qty.
5200009125	3000	XV	10



GYPFRAME FEA1 FOLDED EDGE STEEL ANGLE

- Steel angle providing framing stability and board support


Order code	Size (mm)	Discount group	Min. order qty.
5200027651	2900	XV	10



Plasterboard & Ancillaries

GypLyner Wall Lining

- GypLyner is a wall lining solution
- Ideal for correcting uneven walls or adding insulation
- Can also be used for creating a void for pipes and services



GYPFRAME GL8 TRACK

- A horizontal support for floors and ceilings
- GL1 Channel is positioned inside the track
- Conforms to EN 14195


Order code	Size (mm)	Discount group	Min. order qty.
5200009040	3600	XV	10



GYPFRAME GL1 CHANNEL

- Vertical support channel clicks into the track
- Ideal for solid brick or blockwork walls
- Conforms to EN 14195

Order code	Size (mm)	Discount group	Min. order qty.
5200004671	3000	XV	10



Plasterboard & Ancillaries

GypLynner Wall Lining

GYPFRAME BRACKETS

- Holds Gypframe channels in place against the wall
- Provides a maximum stand-off of 125mm from the wall
- Conforms to EN 14195

Order code	Size	Discount group	Quantity	Min. order qty.
5200617461	GL9	XV	Bag of 16	7



GYPFRAME TIMBER CONNECTORS

- For connecting Gypframe GL1 Lining Channel to timber joists
- GL6 has a maximum 120mm drop
- Conforms to EN 14195


Order code	Size	Discount group	Quantity	Min. order qty.
5200814635	GL6	XV	Bag of 30	10



GYPFRAME GL3 CONNECTORS

- For joining two sections of Gypframe GL1 Lining Channel together
- Conforms to EN 14195

Order code	Size	Discount group	Quantity	Min. order qty.
5200814632	GL3	XV	Bag of 12	10



Looking for small bag plasters?

FIND OUR RANGE ON PAGE 11

Cove & Texture

Cove & Accessories

Pages 41 - 43

• Gyproc Cove	41
• Easifix Cove	42
• Gyproc Cove Adhesive	42
• Cove Accessories	42 -43

Texture

Page 44

• Interior Texture	44
--------------------	----

Icon key:



Full Pallet



Mixed Pallet



Gyproc Express
Parcel

Cove & Texture

COVE & TEXTURE RANGE

GYPROC COVE

Gyproc Cove has a traditional 'C' profile whilst Gyproc Cornice has a classic 'S' profile.



EASIFIX COVE

A paper faced plaster cove with a traditional 'C' profile.



GYPROC COVE ADHESIVE

A gypsum based adhesive for fixing Gyproc Cove and Cornice.



COVE ACCESSORIES

Accessories for Gyproc Cove and Cornice.



ARTEX INTERIOR TEXTURE


Products to help achieve a textured finish on interior walls and ceilings.



Cove & Texture Gyproc Cove

GYPROC COVE 100

- Paper faced plaster cove
- 100mm profile
- Conforms to EN 14209




Order code	Profile	Size	Discount group	Min. order qty.
5200008036	C	3m	CV	18 (3 cartons)



GYPROC COVE 127

- Paper faced plaster cove
- 127mm profile
- Conforms to EN 14209




Order code	Profile	Size	Discount group	Min. order qty.
5200008037	C	3m	CV	18 (3 cartons)
5200008677	C	3.6m	CV	15 (3 cartons)



GYPROC CORNICE 135

- Paper faced plaster cove
- 135mm profile
- Conforms to EN 14209




Order code	Profile	Size	Discount group	Min. order qty.
5200008031	S	3m	CO	18 (3 cartons)



Easifix Cove Cove & Texture

100MM COVE

- Paper faced plaster cove
- 100mm profile
- Conforms to EN 14209




Order code	Profile	Size	Discount group	Min. order qty.
5200602174	C	2m	X6	6 (1 carton)



127MM COVE

- Paper faced plaster cove
- 127mm profile
- Conforms to EN 14209



Order code	Profile	Size	Discount group	Min. order qty.
5200602175	C	2m	X6	6 (1 carton)



Gyproc Cove & Accessories Gyproc Cove Adhesive

GYPROC COVE ADHESIVE

- Adhesive for fixing Gyproc Cove and Cornice

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814636	5	X4	195	1
5200814641	12.5	X4	80	1



Cove & Texture Accessories

ARTEX EASIFIX PRE-MITRED CORNERS

- Convenient pre-cut lengths of cove to make 4 corners in a room (8 pieces), removing the need to mitre
- Internal corner packs for a standard room
- Internal and external corner packs for rooms with a chimney breast
- Conforms to EN 14209

Order code	Size	Corner	Discount group	Min. order qty.
5200617531	100	Internal	X5	1
5200617295	100	Internal & external	X5	1
5200617293	127	Internal	X5	1
5200617487	127	Internal & external	X5	1



ARTEX EASIFIX UNIVERSAL MITRE BLOCK

- Mitre block for cutting 100, 127 and 135 cove

Order code	Suitable for	Discount group	Min. order qty.
5200605098	100, 127, 135	X5	2



ARTEX EASIFIX COVE MITRE

- Hand-held tool for mitring paper faced cove

Order code	Suitable for	Discount group	Min. order qty.
5200575414	100, 127	X5	20



Looking for hand tools?

FIND THEM ON PAGE 68



Cove & Texture

Interior Texture

ARTEX TEXTURED FINISH

- Universal texture for use on walls and ceilings

Order code	Size (kg)	Discount group	Min. order qty.
5200572332	5	XT	1
5200572306	25	XT	1



ARTEX READY MIXED TEXTURED FINISH

- Ready mixed for speed of application
- Suitable for areas exposed to humidity, such as kitchens and bathrooms


Order code	Size (litre)	Discount group	Min. order qty.
5200572310	5	TX	1



ARTEX TEXTURE REPAIR

- Easy to use moisture resistant patching texture
- Perfect for repairing damaged textured ceilings and walls
- Covers 2.4m² - 3.6m² depending on pattern
- Can be diluted

Order code	Size (litre)	Discount group	Min. order qty.
5200576380	1.5	TX	4



Looking for Plasterboard?

FIND OUR RANGE ON PAGE 31

Render Range

Renderers

Pages 47 - 48

- Monocouche Render 47 - 48
- Stipple Coat 48

Decorative Finishes

Pages 48 - 49

- Render Finishes 48 - 49

Render Ancillaries

Page 49

- Mesh Cloth 49

Icon key:



Full Pallet



Mixed Pallet

Render Range

RENDER RANGE

RENDERS

A selection of renders that offer a low-maintenance and durable finish.



DECORATIVE FINISHES

High performance products allowing freedom in colour and design whilst providing long-lasting and durable finishes.



RENDER ANCILLARIES

An open-weave glass fibre mesh cloth to reinforce monocouche renders.



Render Range

Monocouche Render



WEBERPRAL M

- A one coat cementitious and through-colour monocouche render
- Suitable for most types of brick and blockwork
- Available in 25kg bags

Order code	Colour		Discount group	Pallet qty.	Min. order qty.
5200845046	Chalk		RN	40	1
5200845047	Ivory		RN	40	1
5200847334	Silver Pearl		RN	40	40
5200847337	Cream		RN	40	40
5200844212	Beige		RN	40	40
5200847345	Light Beige		RN	40	40
5200847338	Limestone		RN	40	40
5200847346	Sand		RN	40	40
5200847339	Cornish		RN	40	40
5200847347	Parchment		RN	40	40
5200847348	Buff		RN	40	40
5200847340	Mushroom		RN	40	40
5200847349	Light Blue		RN	40	40
5200847350	Azure Blue		RN	40	40
5200847351	Pearl Grey		RN	40	40
5200847352	Granite Grey		RN	40	40
5200847341	Graphite		RN	40	40
5200847342	Stone Grey		RN	40	40
5200847353	Ocre Rose		RN	40	40
5200847343	Earth		RN	40	40
5200847354	Rose		RN	40	40
5200847355	Brick Red		RN	40	40
5200847344	Earth Red		RN	40	40
5200847356	Sage Green		RN	40	40

These colour representations are as close as printing techniques permit. Final selection against an actual sample is strongly recommended.

Please note

- Chalk and Ivory are stocked at Artex, however other variants will incur a longer lead time.
- We offer a mixed and full pallet service for the Chalk and Ivory products. All other variants are delivered as full pallets.

Render Range Monocouche Render

WEBEREND OCR

- A pump or hand applied base coat render
- Applied in one coat, avoiding the drying time associated with multi-coat render systems
- Available in 25kg bags

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200845048	25	RN	40	1



Render Range Stipple Coat

WEBEREND AID

- Polymer modified cement and sand stipple render mix
- Used as a key coat before applying an exterior render
- Includes an integral bonding agent so it requires only the addition of clean water on site

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200844209	25	RN	40	1



Render Range Render Finishes

CULLAMIX TYROLEAN

- A coloured render to be applied onto a base coat, giving an open honeycomb tyrolean finish
- Available in 25kg bags

Order code	Colour	Discount group	Pallet qty.	Min. order qty.
5200845049	White	RN	40	1
5200845050	Ivory	RN	40	1



Render Range

Render Finishes

WEBERPLAST TF

- An acrylic based ready mixed decorative finish for application in wet form that produces an even textured finish
- Suitable for application onto external render and external wall insulation systems
- Available in 15kg buckets

Order code	Colour	Discount group	Pallet qty.	Min. order qty.
5200845053	Chalk	RN	44	1
5200845054	Ivory	RN	44	1



Render Range

Render Ancillaries

WEBER MESH CLOTH

- An open-weave glass fibre mesh cloth
- Alkaline resistant
- Roll is 1m wide x 50m long

Order code	Length (m)	Discount group	Min. order qty.
5200853001	50	RN	1



Sand & Cement

Cement & Concrete

Pages 52 - 53

- Blue Hawk Cement & Concrete Bags 52
- Blue Hawk Cement Buckets 53

Icon key:



Full Pallet



Mixed Pallet

Sand & Cement Cement & Concrete Bags

BLUE HAWK SAND & CEMENT MORTAR MIX

- General purpose mortar mix for interior and exterior repair jobs
- Ideal for bricklaying and pointing, repair work and rendering

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200104435	5	X3	150	5
5200104872	10	X3	75	1
5200104107	20	X3	50	1



BLUE HAWK MULTI-PURPOSE CONCRETE

- General purpose concrete mix
- Ideal for repairing paths, drives, shed bases and setting posts

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200104926	20	X3	50	1



BLUE HAWK QUICK SET CEMENT

- Quick set Portland cement for external and internal building projects
- Ideal for repairing steps and paths, general masonry repairs and fixing brackets
- Works under water, so ideal when repairing ponds or grates

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200104281	2.5	X3	300	6



Sand & Cement

Cement & Concrete Buckets

BLUE HAWK SAND & CEMENT MORTAR MIX BUCKET

- General purpose mortar mix for interior and exterior repair jobs
- Ideal for bricklaying and pointing, repair work and rendering
- Ready to mix in a handy bucket

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200569599	5	X3	125	1
5200569609	10	X3	70	1



BLUE HAWK QUICK SET CEMENT BUCKET

- Quick set Portland cement for external and internal building projects
- Ideal for repairing steps and paths, general masonry repairs and fixing brackets
- Works under water, so ideal when repairing ponds and grates
- Ready to mix in a handy bucket

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200569595	5	X3	125	1
5200569597	10	X3	70	1



Looking for roofing felt?

FIND OUR RANGE ON PAGE 56

Roofing Felt

Blue Hawk Roofing Felt

Page 56

- Blue Hawk Roofing Felts

56

Icon key:



Full Pallet

Roofing Felt Blue Hawk

BLUE HAWK SAND FINISH ROOFING FELT

- Sand finish roofing felt for small jobs such as garden sheds, hutches and kennels
- Suitable for pitched and pent roofs
- Conforms to EN 13707

Order code	Size (m)	Discount group	Pallet qty.	Min. order qty.
5200104520	5 (7kg)	RF	80	80
5200104244	10 (14kg)	RF	48	48



BLUE HAWK GREEN MINERAL FINISH ROOFING FELT

- Green mineral finish roofing felt for garden sheds, hutches and kennels
- Suitable for pitched and pent roofs
- Conforms to EN 13707

Order code	Size (m)	Discount group	Pallet qty.	Min. order qty.
5200104740	5 (10kg)	RF	63	63
5200104718	10 (20kg)	RF	42	42



BLUE HAWK GREEN MINERAL FINISH HEAVY GRADE ROOFING FELT

- Heavy grade green mineral finish roofing felt for large garden sheds, garages, dormers, porches and small extensions
- Suitable for pitched, pent and flat roofs
- Conforms to EN 13707

Order code	Size (m)	Discount group	Pallet qty.	Min. order qty.
5200104588	10 (29kg)	RF	30	30



Repair Kits


Repair Kits

Page 58

- Interior & Exterior Repair Kits

58

Icon key:



Full Pallet



Mixed Pallet

Repair Kits

Interior & Exterior Repair Kits

ARTEX EASIFIX WALL REPAIR KIT

- Universal wall repair kit for plaster or plasterboard walls
- Repairs deep holes, dents and small cracks
- Contains 2 x 500g filler, sanding block, filling knife and a plasterboard repair patch, all within a handy mixing bucket

Order code	Size (kg)	Discount group	Min. order qty.
5200645350	1	RK	1



ARTEX EASIFIX TEXTURE REPAIR KIT

- Repairs damage to existing textured walls and ceilings
- Contains 1.5kg texture, texturing brush and mixing tool, all within a handy mixing bucket
- Repairs 6 - 10m² depending on texture design and thickness

Order code	Size (kg)	Discount group	Min. order qty.
5200645349	1.5	RK	1



ARTEX EASIFIX FLOOR REPAIR KIT

- Repairs damaged and uneven solid floors
- Fast setting and can be walked on in just 2 hours
- Contains 5kg floor levelling compound, mixing tool and gloves, all within a handy mixing bucket
- Repairs 1m² when applied 3mm deep
- Conforms to EN 13813:2002

Order code	Size (kg)	Discount group	Min. order qty.
5200645347	5	RK	1



ARTEX EASIFIX EXTERIOR RENDER REPAIR KIT

- Restores rendered walls
- Long lasting and weather-resistant
- Excellent bond strength to existing render
- Contains 5kg exterior render, filling knife, mixing tool and gloves, all within a handy mixing bucket
- Repairs a hole 400mm in diameter when applied 20mm deep
- Conforms to EN 998-1

Order code	Size (kg)	Discount group	Min. order qty.
5200645348	5	RK	1



BIG BRANDS IN ONE DELIVERY

FLEXIBLE SERVICE DELIVERY OPTIONS

FULL PALLET DELIVERY



*£300 MOV

MIXED PALLET DELIVERY



*£300 MOV

EXPRESS PARCEL DELIVERY



*£80 MOV

*MOV = Minimum Order Value

Prices Exclude VAT. **Minimum Carriage Paid:** £80

Delivery Areas: UK Mainland and Highlands & Islands **Lead Time:** 48-72 hrs



Artex *Uniquely* connecting you to construction product brands



Access Panels

Profilex Access Panels

Pages 62 - 66

• Non-Fire Rated Standard Wall & Ceiling Panels	62
• 60 Minute Fire Rated Wall & Ceiling Panels	63
• Loft Hatch Panels, Wall & Ceiling Panels	65
• Sealed Wall & Ceiling Panel	65
• Gyptone Access Panels	66
• Access Panel Spares	66

Icon key:



Mixed Pallet



Gyproc Express Parcel



Non-fire rated



60 minutes



Sealed Panel

Access Panels

Non-Fire Rated Standard Wall & Ceiling Panels

HANDI-ACCESS PANELS

- A highly versatile plastic panel, which is simple and easy to install
- For use principally in plasterboard walls where there is a need to create or maintain access to plumbing, electrical or HVAC services



Order code	Size (mm)	Discount group	Min. order qty
5200118673	235 x 150	XS	10
5200118674	300 x 300	XS	10



BEADED FRAME BUDGET LOCK

- General-purpose access panel for use in both ceilings and walls and suitable for either plasterboard or masonry constructions
- This panel has a beaded frame, non-visible after installation, flush metal face door ready for decoration and is equipped with a budget lock

Order code	Size (mm)	Discount group
5200115000	300 x 300	AP
5200115002	450 x 450	AP
5200115003	550 x 550	AP
5200600860	600 x 600	AP
5200115004	900 x 550	AP
5200115005	1200 x 550	AP



PICTURE FRAME BUDGET LOCK

- General-purpose access panel for use in both ceilings and walls and suitable for either plasterboard or masonry constructions
- This panel has a picture frame - visible after installation, metal face door ready-painted in gloss white with no need for decoration and is equipped with a budget lock

Order code	Size (mm)	Discount group
5200115018	300 x 300	AP
5200115020	450 x 450	AP
5200115021	550 x 550	AP
5200600861	600 x 600	AP



Access Panels

60 Minute Fire Rated Wall & Ceiling Panels

BEADED FRAME BUDGET LOCK WALL PANEL¹

- A 60 minute fire rated panel for use in wall construction only
- This panel has a beaded frame, non-visible after installation, flush metal face door ready for decoration and is equipped with a budget lock

Order code	Size (mm)	Discount group
5200115054	300 x 300	AP
5200115056	450 x 450	AP
5200115057	550 x 550	AP
5200115058	900 x 550	AP
5200115059	1200 x 550	AP



PICTURE FRAME BUDGET LOCK WALL PANEL¹

- A 60 minute fire rated panel for use in wall construction only
- This panel has a picture frame - visible after installation, metal face door ready-painted in gloss white with no need for decoration and is equipped with a budget lock
- Includes Gyproc FireLine plasterboard

Order code	Size (mm)	Discount group
5200609679	300 x 300	AP
5200115083	550 x 550	AP



Access Panels

60 Minute Fire Rated FR1 Ceiling Panels

PICTURE FRAME BUDGET LOCK - FLUSHED METAL FACE CEILING PANEL²

- A 60 minute fire rated panel for use in ceilings only, supplied with a picture frame and fitted with a budget lock
- The FR1 Ceiling Panel has a safety chain on the lock side for panels above 600mm x 600mm, a metal face door ready-painted in gloss white with no need for decoration

Order code	Size (mm)	Discount group
5200609689	300 x 300	AP
5200609687	450 x 450	AP
5200609686	600 x 600	AP



Access Panels

60 Minute Fire Rated Ceiling Panels

BEADED FRAME BUDGET LOCK - FLUSHED METAL FACE CEILING PANEL²

- A 60 minute fire rated panel for use in ceilings only, supplied with a beaded frame and fitted with a budget lock
- The FR1 Ceiling Panel has a safety chain on the lock side for panels above 600mm x 600mm, flush metal face door for decoration and a non-visible frame after decoration

Order code	Size (mm)	Discount group
5200115138	300 x 300	AP
5200115139	450 x 450	AP
5200115141	600 x 600	AP
5200115142	900 x 600	AP



BEADED FRAME BUDGET LOCK - PLASTERBOARD FACED DOOR CEILING PANEL²

- A 60 minute fire rated panel for use in ceilings only, supplied with a beaded frame and fitted with a budget lock
- The FR1 Ceiling Panel has a safety chain on the lock side for panels above 600mm x 600mm, plasterboard face door for skim finish, and a non-visible frame after installation
- Includes Gyproc FireLine plasterboard

Order code	Size (mm)	Discount group
5200115132	300 x 300	AP
5200115133	450 x 450	AP
5200115135	600 x 600	AP
5200115136	900 x 600	AP
5200115137	1200 x 600	AP



Looking for small bag plasters?

FIND OUR RANGE ON PAGE 11

Access Panels

Loft Hatch Panels, Wall & Ceiling Panels

BEADED FRAME FULLY CONCEALED LOFT HATCH WITH TOUCH CATCH

- A concealed panel for use in residential applications, it presents non-visible framing after installation
- Loft hatch has a beaded frame and is fitted with a pole operated touch-catch lock
- After installation the panel may be fitted with a loft ladder (not supplied)



Order code	Size (mm)	Discount group
5200115198	540 x 540	AP
5200115197	540 x 800	AP



PICTURE FRAME FR1 LOFT HATCH WITH BUDGET LOCK²

- A 60 minute fire rated panel for use in residential applications
- Loft hatch has a picture frame ready-painted in gloss white with no need for decoration and is fitted with a budget lock
- After installation, the panel may be fitted with a loft-ladder (not supplied)



Order code	Size (mm)	Discount group
5200609671	535 x 535	AP
5200609676	535 x 750	AP



Access Panels

Sealed Wall & Ceiling Panel

BEADED FRAME TAMPER PROOF LOCK

- Sealed wall and ceiling panel with a flush metal face door for decoration, a beaded frame, which is invisible after decoration and a tamper-proof lock



Order code	Size (mm)	Discount group
5200115185	450 x 450	AP



Access Panels

Gyptone Access Panels & Spares

GYPTONE ACCESS PANELS

- Gyptone suspended ceiling tiles are used in ceilings where acoustic performance and visual appearance are critical
- They combine precision cut perforations with a specialist backing to provide outstanding sound absorption as well as aesthetics
- Choose the access panel to match the style of Gyptone ceiling tile



LINE 06

Order code	Pattern	Size (mm)	Discount group
5200027501	LINE 06	510 x 510	GA
5200027502	QUATTRO 41	510 x 510	GA



QUATTRO 41

ACCESS PANEL SPARES

- Spare components for Gyproc Profiflex Access Panels

Order code	Product	Discount group
5200115717	Budget Lock Key	AP
5200115724	Collar & Bung - packs of 10	AP



If a square lock is required please contact the bespoke team at profiflex@saint-gobain.com

¹ Tested in a GypWall metal stud partition supporting construction with 70mm stud framework clad each side with a double layer of 12.5mm Gyproc FireLine, conducted in accordance with BS 476 Part 22 1986 Clauses 5 & 8. Full details available on request.

² Tested in a British Gypsum MF suspended ceiling supporting construction, clad with a double layer of 15mm Glasroc F Multiboard, conducted in accordance with BS 476: Part 22: 1987 Clauses 8 & 9. Full details available on request.



Looking for hand tools?

FIND THEM ON PAGE 68

Tools

Gyproc Tools

Pages 68 - 74

• Cutting Tools	68
• Board Handling Equipment	68
• Metal Frame Tools	68
• Surface Preparation	70
• Cove & Texture Tools	71
• Drywall Jointing Tools	72 - 73
• Plastering & Drylining Essentials	73
• Mixing Equipment	73
• Plastering & Drylining Essentials	74

Icon key:



Mixed Pallet



Gyproc Express Parcel

Tools Cutting Tools

GYPROC UTILITY SAW

- Extra strong blade with hard point teeth and sharp point
- Ideal for cutting service outlet holes in plasterboards

Order code	Blade length (mm)	Discount group
5200160311	150	TA



GYPROC REPLACEMENT KNIFE BLADES

- Box of 100 heavy-duty blades

Order code	Discount group
5200115225	TA



Tools Board Handling Equipment

GYPROC DRYWALL CART

- Minimises manual handling of plasterboard and therefore increases efficiency on site
- Vertical removable bar, manufactured from 30mm tubular steel, with two fixed (front) and two swivelling (back) polypropylene castors with rubber tyres giving excellent manoeuvrability to a limited load
- For internal use on level, even surfaces

Order code	Product	Discount group
5200115292	Gyproc Drywall Cart	TA
5200110080	Spare Swivel Castor (back)	TA
5200110081	Spare Fixed Wheel (front)	TA



Tools Metal Frame Tools

GYPROC HEAVY DUTY CRIMPING TOOL

- Strong, heavy duty crimping tool, ideal for punching and locking two metal sections
- Will crimp up to 0.7mm effortlessly

Order code	Discount group
5200175109	TA



ONE ONLINE SHOP. TWO EASY WAYS TO GET THE JOB DONE.

STEP 1



BUY

Buy the latest TapeTech automatic taping and finishing tools and Flex sanders and extraction units

STEP 2



SPARES

Easily access **spare parts**, accessories and repair kits to keep your tools on the wall for longer

Gyproc
TOOLS

Visit www.gyproctools.co.uk to find out more

Tools

Surface Preparation

GYPROC BLOCK SANDER

- A general purpose plastic hand sander
- For use with Gyproc Sanding Paper

Order code	Discount group
5200110248	TA



GYPROC UNIVERSAL SANDER

- A die-cast metal head with universal swivel joint
- For use with Gyproc Sanding Paper
- Comes with pole

Order code	Discount group
5200160404	TA



GYPROC TIMBER HANDLE SANDER

- For smoothing off jointing materials
- For use with Gyproc Sanding Paper

Order code	Discount group
5200160210	TA



GYPROC SANDING PAPER

- Specifically cut to suit the Gyproc range of hand and pole sanders
- 25 sheets per pack

Order code	Grit	Discount group
5200160211	P100	TA
5200115189	P120	TA
5200119398	P150	TA



GYPROC UNIVERSAL POWER SANDING DISC

- Hook and Loop Backed - pack of 25

Order code	Grit	Discount group
5200184855	P80	TA
5200184856	P100	TA
5200184857	P120	TA



Tools

Cove & Texture Tools

GYPROC COVE MITRE BOX

- Pack of 4
- Compatible with 100 and 127 Gyproc Cove

Order code	Discount group
5200180398	TA



ARTEX CAULKER

- For filling, jointing and creating smooth finishes

Order code	Size (mm)	Discount group	Min. order qty.
5200112406	250	TT	1



ARTEX TEXTURING BRUSH

- For creating a wide range of texturing effects

Order code	Size (mm)	Discount group	Min. order qty.
5200110234	100 x 150	TT	1



ARTEX COMB

- For creating artistic combed patterns

Order code	Size (mm)	Discount group	Min. order qty.
5200112409	250	TT	1




Looking for Cove or Cornice?

FIND OUR RANGE ON PAGE 41

Tools

Drywall Jointing Tools

STAINLESS STEEL JOINTING KNIFE - SOFTGRIP HANDLE


- Each knife in this range has a 75mm deep, high-flex stainless steel blade set in a strong non-ferrous back plate
- SoftGrip handle provides day long user comfort

Order code	Size (mm)	Discount group
5200109360	200 (8")	TA
5200109361	250 (10")	TA
5200109362	300 (12")	TA
5200109363	350 (14")	TA

TEMPERED STEEL JOINTING KNIFE - SOFTGRIP HANDLE
EXTRAFLEX BLUED STEEL

- Each knife in this top quality range has a 75mm deep, ExtraFlex blued steel blade set in a strong non-ferrous back plate
- SoftGrip handle provides day long user comfort

Order code	Size (mm)	Discount group
5200109364	200 (8")	TA
5200109365	250 (10")	TA
5200109367	350 (14")	TA



HAMMER HEAD JOINTING KNIFE - PLASTIC HANDLE

- Top quality tools with ground and polished steel blades with hammer head feature handle to knock-back protruding nail heads

Order code	Size (mm)	Discount group
5200115669	100 (4")	TA
5200115308	125 (5")	TA
5200115196	150 (6")	TA



HAMMER HEAD JOINTING KNIFE - SOFTGRIP HANDLE

- Premium quality tools with high-flex stainless steel blades
- The SoftGrip handles feature metallic end-caps for knocking back protruding nail heads

Order code	Size (mm)	Discount group
5200109387	100 (4")	TA
5200109388	125 (5")	TA
5200109381	150 (6")	TA



Tools

Drywall Jointing Tools

GYPROC LONG HANDLED BROAD KNIFE

- A blued steel blade and lightweight, tubular alloy shaft, for flattening joint tape and the removal of excess joint cement
- Overall length 470mm

Order code	Blade width (mm)	Discount group
5200160422	175	TA



GYPROC BROAD KNIFE REPLACEMENT BLADES

- Replacement blade for Gyproc Long Handled Broad Knife

Order code	Discount group
5200115165	TA



Tools

Plastering & Drylining Essentials

GYPROC FLEXI-KNIFE

- A highly flexible, elastomeric jointing tool specially designed for finishing obtuse angles
- Ideal when finishing loft conversions, bay windows, etc
- Handle may be extended with a standard 25mm shaft if required

Order code	Discount group
5200160481	TA



Tools

Mixing Equipment

GYPROC HEAVY DUTY PLASTER MIXING WHEEL

- Forged steel mixer for Thistle plaster, Gyproc adhesives and jointing materials
- Designed to minimise material build-up on bucket walls

Order code	Discount group
5200160040	TA



GYPROC BARREL APPLICATOR GUN

- Versatile applicator for use with both foil pack and solid plastic cartridges
- Integrated flow stop enables easy control of sealant during application
- Tough and durable aluminium barrel and handle
- Designed for use with Gyproc Sealant
- Suitable for 310ml, 400ml and 600ml foil packs and 310ml and 400ml cartridges

Order code	Size (ml)	Discount group
5200678058	As above	TA



GYPROC HEAVY-DUTY FLOOR SCRAPER

- An extremely robust scraper supplied complete with tubular steel shaft

Order code	Size (mm)	Discount group
5200115224	450 x 125	TA



GYPROC HEAVY-DUTY FLOOR SCRAPER BLADE

- Replacement blade for Gyproc Heavy-Duty Floor Scraper

Order code	Size (mm)	Discount group
5200115223	450 x 125	TA



GYPROC MORTAR STAND

- Purpose made in tubular steel to support a standard mortar board at a comfortable working height
- Strong, yet light in weight; folds flat for easy transportation
- Dimensions open: 600mm x 600mm

Order code	Height (mm)	Discount group
5200115666	810	TA



Service Charter

Conditions of Sale

Page 76

- Prices 76
- Customer Care 76
- Customer Returns Procedure 76

Terms & Conditions

Pages 77 - 80

Index

Pages 81 - 82

Service Charter Conditions of Sale

The company contracts solely upon its terms and conditions on pages 76 - 80

Prices

Prices are based on mainland deliveries within England, Wales and Scotland. All prices quoted are current prices at the time of delivery and are exclusive of VAT unless otherwise stated.

Prices are subject to change in the event of a general or specific revision. Our Trade Catalogue is not deemed an offer. The customer may place an order, the acceptance of which creates a contract binding on the Company.

Claims

Delivery Discrepancy Notification

In the unlikely event that you are not wholly satisfied with our products due to damage on delivery, incorrect quantity or the wrong product is supplied, please ensure that you clearly mark this on your delivery paperwork / EPOD that will be presented at the time of your delivery as this will be referenced to support any claim.

At point of delivery all full or part pallets of a single product must be checked for damage / shortages / incorrect product and any issue raised with our driver then noted on the delivery paperwork / EPOD (driver will assist with the EPOD discrepancy). Any mixed product pallets must be reported within 48 hours of delivery.

Where possible, please provide photographic evidence to support your claim.

Please contact our Customer Care team on 0800 032 6345 or by email artex-claims@saint-gobain.com within 48 hours of your delivery.

Where a product has quality defects, is not fit for purpose, or documentation queries (e.g. incorrect price) please notify the Artex Customer Care team.

Customer Returns Procedure

Goods may be returned, subject to agreement with Artex, only if:

- Goods have been damaged prior to or on delivery
- There is a quality issue with the products that needs investigating
- Artex has supplied the incorrect products. Please note that the only exception to this is where a customer has ordered a product in error
- Any requests for returns outside of the above please call our Customer Care team who will advise of costs to do so

If you request a collection with the Artex Customer Care team, the collection will take place within two weeks of the request.

Artex Customer Services

Phone: 0800 032 6345

Fax: 0800 917 7632

Email: artexcustomerservice@saint-gobain.com

Service Charter Terms & Conditions

1. Definitions

In these conditions "Artex" shall mean Artex Limited, "the Goods" shall mean the products supplied or to be supplied by Artex under any Contract; "the Customer" shall mean the company, firm or person buying the Goods from Artex under any Contract and "Contract" shall mean a contract between Artex and the Customer for the sale and purchase of Goods.

2. Application of Conditions

All Goods supplied by Artex are supplied on the following terms and conditions and no variation of those terms shall have effect unless expressly accepted by a Director of Artex in writing. Artex's conditions exclude all other terms and conditions which the Customer may seek to impose whether or not the Customer's conditions are contained in any other acceptance or counter offer by the Customer.

3. Quotations

All quotations given by Artex are subject to acceptance by Artex on receipt of the Customer's order. Quotations are valid for a period of thirty days from date of issue and maybe withdrawn at anytime. A Contract will only be formed when Artex has accepted the Customer's order.

4. Price

All prices quoted are Artex's current prices at the time of delivery and are exclusive of VAT unless otherwise stated. The price payable for the Goods shall be the price ruling at the date of despatch and Artex shall be entitled to adjust the price of the Goods at any time between the date of the order and the date of delivery of the Goods to take account of any increase in costs incurred by Artex. A handling charge will be made on orders that do not meet the agreed minimum order value.

5. Delivery

5.1 Delivery shall be deemed to have been effected:

5.1.1 Where the Goods are carried in a vehicle owned by Artex or in a vehicle owned by a carrier employed by Artex, when the vehicle is stationary as near to the point of delivery designated by the Customer as it can reasonably get and the delivery note is tendered to the Customer or the recipient of the Goods where delivery is not directly to the Customer.

5.1.2 In the case of export orders, upon delivery F.O.B. to the Company's nominated port of shipment.

5.1.3 In all other cases when the Goods leave Artex's premises.

5.2 Time for delivery is not of the essence and delivery times are estimates only.

5.3 Artex shall be entitled to make delivery by instalments and to invoice separately for each instalment. Where delivery is made by instalment each instalment shall be construed as the subject of a separate agreement to which all the provisions of these conditions shall (with any necessary alterations) apply.

5.4 Where Artex has agreed to deferred delivery such delivery shall be accepted by the Customer within six months from the date of the order. If the Customer fails to take delivery within such a period the risk shall pass to the Customer and the balance remaining undelivered together with storage costs shall be invoiced to the Customer and payment shall become immediately due.

5.5 Goods which the customer agrees to collect ex-works must be collected within seven days of Artex notifying the Customer that the Goods are ready. If the Goods are not collected within this period Artex shall be entitled to invoice the Customer for the Goods and to charge for storage of the Goods, the Goods being held at the Customer's risk.

5.6 Unless otherwise agreed in writing, all export orders will be delivered F.O.B. at a Company nominated British port.

5.7 Deviations in quantity of the Goods delivered from those stated on the Contract shall not give the Customer the right to repudiate the Contract, to reject the Goods (save in so far as they materially exceed the amount ordered) or to claim damages for breach of Contract and the Customer shall be obliged to accept and pay at the Contract rate for the quantity delivered (except in so far as the Customer has the right to reject the Goods under this condition).

5.8 The Customer shall ensure that the point of delivery designated by the Customer and all access routes to it are reasonably accessible to motor transport and shall also take such further steps as are reasonably necessary to facilitate delivery by Artex at such point of delivery.

5.9 Where Letter of Credit is the required payment method, delivery period shall commence only upon receipt of a Letter of Credit complying in all respects with the Company's requirements.

5.10 If an import licence, permit or other authorisation is required for the importation of the Goods into the country of destination, such licence, permit or authorisation must be obtained, or will be obtained, prior to shipment.

6. Payment

6.1 The price of the Goods (less any discount to which the Customer is entitled) shall be due and payable on the last day of the month following that in which the invoice is dated. The time of payment of the price shall be of the essence of the Contract.

6.2 If the Customer fails to make payment in respect of any invoice on the due date:

6.2.1 All invoices for Goods delivered for which payment has not been received shall become immediately due and payable not withstanding clause 6.1 or any previous agreement to the contrary.

6.2.2 Without prejudice to any other right or remedy available to Artex, Artex shall be entitled to:

6.2.2.1 Charge the Customer interest (both before and after judgement) on the amount unpaid in accordance with the terms of the Late Payment of Commercial Debt (interest) Act 1998 until actual payment on all overdue accounts; and / or

6.2.2.2 Cancel the Contract or suspend further deliveries to the Customer; and / or

6.2.2.3 Set-off any amounts Artex owes to the Customer by way of rebate payments, contract support payments or any other monies due from Artex to the Customer against any monies owed by the customer to Artex.

6.3 Artex reserves the right at any time to demand a security payment before continuing with or delivering any order.

Service Charter Terms & Conditions

6.4 The Customer shall make all payments due under the Contract without any deduction whether by way of set-off, counterclaim, discount, abatement or otherwise unless the Customer has a valid court order requiring an amount equal to such deduction to be paid by Artex to the Customer.

6.5 Artex will make a search with a credit reference agency, which will keep a record of that search and the credit reference agency and/or Artex will share that information with other businesses. Artex will also make enquiries about the principle directors with a credit reference agency. Artex will monitor and record information relating to the Customer's trade performance and such records will be made available to credit reference agencies and other businesses in assessing applications for credit and fraud prevention. If the Customer does not want Artex carrying out such a search or sharing data, please do not complete an account application form. To the extent that the Customer supplies sensitive information then it will be kept in accordance with the Data Protection Act.

7. Risk and Property

7.1 Risk in the Goods shall pass to the Customer when the Goods are delivered to or collected by the Customer or its agent.

7.2 Notwithstanding delivery and the passing of risk in the Goods the Goods shall remain the property of Artex until the Customer has paid the full price for the Goods and all other sums owing to Artex under any Contract together with any interest payable under any Contract in respect of the Goods.

7.3 Until title in the Goods passes to the Customer the Customer holds the Goods as fiduciary agent and bailee for Artex and shall hold the Goods in good and substantial repair and condition properly stored in and protected and insured and the Goods shall be stored in such a way as to be clearly identifiable as belonging to Artex.

7.4 Until such time as the title in the Goods passes to the Customer (and provided the Goods are still in existence and have not been re-sold) Artex shall be entitled at any time to require the Customer to deliver up the Goods to Artex and if the Customer fails to do so forthwith to enter upon any premises of the Customer or any third party where the Goods are stored and repossess the Goods.

7.5 Artex shall at any time be entitled to appropriate any payment made by the Customer in respect of any Goods in settlement of such invoices as Artex may in its absolute discretion think fit not withstanding any purported appropriation by the Customer.

8. Inspection

8.1 The Customer shall inspect the Goods on delivery or on collection as the case may be.

8.2 Artex shall be under no liability for any defects or shortages that would be apparent on careful inspection if the terms of this Clause are not complied with and in any event will be under no liability if a written complaint is not delivered to Artex within seven days of delivery detailing the alleged defect or shortage.

8.3 In all cases where the Customer complains of defects or shortages Artex shall, without prejudice to the question of liability generally, be under no liability in any event if it has not been given an opportunity to inspect the Goods before they had been used by the Customer.

9. Warranty

9.1 Artex warrants that it has title to and the right to sell the Goods.

9.2 No representation or warranty is given by Artex as to the suitability or fitness of the Goods for any or any particular purpose and the Customer shall satisfy himself in this respect and shall be totally responsible therefore.

9.3 The Service Charter should be read in conjunction with these Conditions of Sale. In the event of a conflict between the Service Charter and these Conditions of Sale then the terms of the Service Charter shall apply.

10. Items supplied by the Customer

The Customer shall be liable for all drawings, specifications and instructions issued to Artex with orders or pursuant to the Contract and shall indemnify and keep indemnified Artex against all loss directly or indirectly arising out of any error or omission from such drawings, specifications or instructions, and against all costs, claims, demands and expenses whatsoever, in respect of the infringement, or possible infringement, of any patent, copyright, registered design, design right or other third party right arising out of the Company's use of such drawings, specifications or instructions.

11. Liability Exclusions

11.1 Each of the sub-clauses in this clause are to be treated as separate and independent.

11.2 Nothing in these conditions shall exclude or restrict Artex's liability for death or personal injury caused by the negligence of Artex.

11.3 Artex is willing to undertake liability additional to that provided by this clause 11 in exchange for a higher price for the Goods.

11.4 Artex will either repair the Goods at its own expense or at its option replace the Goods if any defects which Artex is reasonably satisfied are caused by faulty design, manufacture, materials or workmanship provided that Artex shall not be liable for defects caused by abnormal use, misuse or neglect or use other than in accordance with any applicable Artex technical instructions or similar literature and provided further that the Customer informs Artex of the relevant defect in writing within seven working days of delivery (or where the defect was not apparent on reasonable inspection) within seven working days of discovering it.

11.5 Other than the terms set out in these conditions no other terms, conditions or warranties expressed or implied, statutory or otherwise, shall form part of the Contract.

11.6 Artex shall not be liable for any indirect loss or damage, loss of profit, loss of goodwill or loss of business opportunity suffered by the Customer or any indirect damage to property of the Customer or anyone else whatsoever howsoever arising and whether or not caused by Artex's negligence.

11.7 In the event that notwithstanding the foregoing provisions of this clause, Artex is found liable for any loss or damage suffered by the Customer then Artex's total liability for any one claim or for the total of all claims arising from any one act or default of Artex (whether arising from Artex's negligence or otherwise) shall not in any event exceed the Contract price for the Goods.

Service Charter Terms & Conditions

12. Insolvency of Customer

If the Customer being a company shall pass a resolution or suffer an order of a court to be made for its winding up or goes into liquidation (other wise than for the purpose of amalgamation or reconstruction) or makes any voluntary arrangement with its creditors or becomes subject to an administration order or an encumbrancer takes possession or a receiver or administrative receiver is appointed over any of the assets or property of the Customer or being an individual or partnership shall suspend payment or propose to enter into any composition with creditors or becomes bankrupt or in either case becomes unable to pay its debts (or have no reasonable prospect of doing so) or threatens to cease to carry on business then without prejudice to any other right or remedy available to Artex, Artex shall be entitled to treat the Contract as repudiated or suspend any further deliveries or recover the possession of any Goods for which payment in full has not been received without liability to the Customer and if Goods have been delivered but not paid for the price of those Goods shall become immediately due and payable notwithstanding any previous agreement or arrangement to the contrary.

13. Sample Goods

Under no circumstances will Artex sell its Goods by sample and their supply of sample Goods to Customers or prospective Customers is not intended to provide them with a contractual specification of the Goods or to constitute a sale or offer of sale by sample.

14. Health & Safety at Work

Artex gives notice to the Customer that information and product literature is available concerning the conditions necessary to ensure that the Goods supplied against the Contract will be safe and without risk to health when used, handled, processed, stored or transported by a person at work. The Customer should immediately contact Artex if he is not in possession of such information or literature.

15. Assignment

The Customer shall not assign or transfer or purport to assign or transfer any Contract to which these conditions apply or the benefit thereof to any other person whatsoever.

16. Force Majeure

Artex shall not be liable for any failure to deliver the Goods arising from circumstances outside Artex's control including for example acts of god, war, riot, explosion, abnormal weather, fire, flood, strikes, lock outs, Government action or Regulation (UK or otherwise) delays by suppliers, accidents and shortages of materials, labour or manufacturing facilities.

17. Cancellation

No cancellation by the Customer is permitted unless expressly agreed by Artex in writing. In the event of a cancellation, the Customer shall pay the appropriate cancellation charge as set out in the Ordering and delivery guide under the section titled Order cancellation.

18. Notices

Any notice to be given hereunder shall be in writing and shall be deemed to have been duly given if sent or delivered to Artex at its address (given above) or such other address as that party may from time to time notify in writing and shall be deemed to have been served and sent by post 48 hours after posting.

19. Group Members

Artex is part of the Saint-Gobain group of companies and may perform any of its obligations or exercise any of its rights hereunder by itself or through any other member of its group, provided that any act or omission of any such member shall be deemed to be the act or omission of Artex.

20. Rights of Third Parties

Subject to clause 19, the parties do not intend that any term of the Contract will be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person who is not a party to it.

21. Waiver

No waiver by Artex of any breach of the Contract by the Customer shall be considered as a waiver of any subsequent breach of the same or any other provision.

22. Jurisdiction

All Contracts between Artex and the Customer shall be governed and constructed in accordance with English law and all disputes arising in relation to such Contracts shall be submitted to the jurisdiction of the English courts save that Artex retains the right to take proceedings in any other court of competent jurisdiction.

23. Headings

Headings in these conditions are for ease of reference only and do not form part of the conditions and shall not be deemed to alter or affect the meaning of any of the conditions.

24. Bribery Act Compliance

The Customer shall ensure that in any dealings with Artex, neither it or its employees or agents shall commit any offence under the Bribery Act 2010 ("the Act") including not engaging in any activity, practice or conduct which would constitute an offence under sections 1, 2 or 6 of the Act. The customer shall inform Artex immediately it becomes aware of any actions between the parties that could constitute an offence under the Act.

25. Sanctions Compliance

It is Artex and its group's policy to comply with all applicable sanctions and legal requirements for the import and export of goods, technology and services. Artex is committed to ensuring compliance with all regulatory and licensing requirements relating to international trade.

Artex does not permit the supply of any of its Goods to any individuals, companies or organisations that are subject to any trade, economic or financial sanctions, embargoes or similar restrictive measures administered, enacted or enforced by the UK, EU, UN or USA ("Sanctioned Entities"). By entering in to this Contract the Customer agrees not to re-sell or otherwise transfer the Goods, either directly or indirectly, to any Sanctioned Entities.

Service Charter Terms & Conditions

26. Export terms

26.1 In these Conditions "Incoterms" means the international rules for the interpretation of trade terms of the International Chamber of Commerce as in force at the date when the Contract is made. Unless the context otherwise requires, any term or expression which is defined in or given a particular meaning by the provisions of Incoterms shall have the same meaning in these Conditions, but if there is any conflict between the provisions of Incoterms and these Conditions, these Conditions shall prevail.

26.2 Where the Goods are supplied for export from the United Kingdom, the provisions of this Condition 26 shall (subject to any special terms agreed in writing between the Customer and Artex) apply notwithstanding any other provision of these Conditions.

26.3 The Customer shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and for the payment of any duties on them.

26.4 Where Artex agrees with the Customer that it will be responsible for delivering the Goods the Goods shall (unless agreed otherwise in writing between Artex and the Customer) be delivered FOB to the air or sea port of shipment and Artex shall be under no obligation to give notice under s.32(3) of the Sale of Goods Act 1979.

26.5 The Customer shall be responsible for arranging for testing and inspection of the Goods at Artex's premises before shipment. Artex shall have no liability for any claim in respect of any defect in the Goods which would be apparent on inspection and which is made after shipment, or in respect of any damage during transit.

26.6 The Customer shall be liable for and shall indemnify and hold Artex harmless from any and all liability, loss, claims, damages and costs, which Artex may sustain or incur, arising out of or in any way connected with the Customer's failure to comply with Conditions 26.3 or 25.

27. Data Protection

27.1 For the purposes of this clause, (a) "Data Protection Laws" means any laws and regulations relating to the use or processing of personal data including: (i) the Data Protection Act 1998 ("DPA"), the Privacy and Electronic Communications (EC Directive) Regulations 2003 and any other applicable legislation implementing or made pursuant to EU Directives 95/46/EC and 2002/58/EC (as amended by 2009/136/EC), and (ii) from 25 May 2018, EU Regulation 2016/679 ("GDPR"), and (iii) any laws or regulations ratifying, implementing, adopting, supplementing or replacing the GDPR; in each case, as updated, amended or replaced from time to time; and (b) the terms "Data Subject", "Personal Data", "processing", "processor" and "controller" shall have the meanings set out in the GDPR.

27.2 Each party shall comply with the provisions and obligations imposed on it by the Data Protection Laws when processing Personal Data in connection with these terms and conditions. Such processing shall continue for so long as these terms and conditions are in force and shall be in respect of the following: 27.2.1 Categories of data: Contacts within each of the parties and the ultimate customer details;

27.2.2 Types of personal data: names, addresses, email addresses, telephone numbers and other contact details;

27.2.3 Purpose and nature of processing: (i) manage the Contracts between the parties including ordering, fulfilment and billing and (ii) fulfilment of such Contracts by delivering Goods to the ultimate customer on behalf of the Customer.

27.3 To the extent that a party processes any Personal Data on behalf of the other party, the processing party shall: (a) comply with the provisions and obligations imposed on a processor by the GDPR, including the stipulations set out in Article 28(3)(a)-(h) which form a part of, and are incorporated into, these terms and conditions as if they were set out in full, and the reference to "documented instructions" in Article 28(3)(a) shall include the provisions of these terms and conditions; and (b) not disclose any Personal Data to any Data Subject or to a third party other than at the written request of the other party or as expressly provided for in these terms and conditions.

27.4 The Customer agrees that Artex may engage third party providers including any advisers, contractors, or auditors to Process Personal Data ("Sub-Processors"). Artex shall ensure that our contract with each Sub-Processor shall impose obligations in relation to the Processing of Personal Data on the Sub-Processor that are materially equivalent to the obligations to which we are subject to under these terms and conditions in relation to the Processing of Personal Data.

27.5 If either party receives any complaint, notice or communication which relates to the processing of Personal Data by the other party or to either party's compliance with the Data Protection Laws, or if any Personal Data processed in connection with these terms and conditions is subject to a personal data breach (as defined in the GDPR), it shall immediately notify the other party and provide the other party with reasonable co-operation and assistance in relation to any such complaint, notice, communication or personal data breach.

Index

Numeric

48 S 50
50 FEC 50
135 Cornice
100 Cove
127 Cove

A

Access Panels 62 - 66
Angle Bead 27
Aquabead 20
Artex 44

B

Barrel Applicator Gun 74
Beads 27
Block Sander & Sanding Paper 70
BoardFinish 25
Bond-it 26
BondingCoat & Bonding 60 24
Broad Knife 73
Broad Knife Replacement Blades 73

C

'C' Stud 35
Caulker 71
Comb 71
Cornice 41
Corner Tape 19
Cove 41
Cove Adhesive 42
Cove Corners 43
Cove Mitre 43, 71
Crimping Tool 68
Cullamix Tyrolean 48

D

DriWall Adhesive 34
Drywall Cart 68
Drywall Primer 34
Drywall Sealer 34
DUPLEX Plasterboard 32

E

EasiFill 20 12
EasiFill 45 12
EasiFill 60 12
EasiFill 12 12
EasiFiller 13
EasiFiller Light 13
EasiFiller Finish 13
EasiFix Cove 100 42
EasiFix Cove 127 42
Exterior Render Repair Kit 58

F

FEA1 35
FibaTape 18
Finishing Plaster 11, 23
FireLine Plasterboard 31
Flexi-Knife 73
Floor Repair Kit 58
Floor Scraper & Blades 74

G

Green Mineral Finish Roofing Felt 56
Gypframe 48 S 50 'C' Stud 35
Gypframe 50 FEC 50 Folded Edge 35
Gypframe Brackets 37
Gypframe FEA1 Folded Edge Steel Angle 35
Gypframe GL1 Channel 36
Gypframe GL3 Connectors 37
Gypframe GL8 Track 36
Gypframe GL9 Bracket 37
Gypframe Timber Connectors 37

H

Hammer Head Jointing Knife 72
Hand Sander 70
HandiBoard 31
HardWall 24
Heavy-Duty Crimping Tool 68
Heavy-Duty Plaster Mixing Wheel 73
Heavy-Duty Floor Scraper 74

Index

J

Joint Filler	17
Jointing Knives	72
Joint Tape	19
Jointing Tools	72 - 73

L

Long Handled Broad Knife	73
--------------------------	----

M

Magnetic Plaster	25
Mitre Block	43
Mitre Box	71
Mixing Bucket	53
Mixing Wheel	73
Moisture Resistant Plasterboard	32
Mortar Stand	74
MR HandiBoard	32
MultiFinish	25
Multi Purpose Concrete	52

O

One Coat Plaster	11, 23
------------------	--------

P

Plaster Angle Bead	27
Plasterboard Patches	14
Plasterboard Tape	18 - 19
Pre-Mitred Corners	43
Primer	34
Profilex Access Panels	62
ProMix Lite	17
ProTape FT50	19
PureFinish	26

Q

QuickSand	17
Quick Set Cement	52 - 53

R

Ready Mix Joint Cement	17
Ready Mixed Textured Finish	44
Render	47
Replacement Knife Blades	68
Roofing Felt	56

S

Sand & Cement Mortar	52 - 53
Sand Finish Roofing Felt	56
Sanders	70
Sanding Papers	70
Sealer	26
SkimFinish Ready Mix	14
SoundBloc Plasterboard	32
Steel Jointing Knife	72
Standard Floor & Ceiling Channel	35

T

Texture Repair	44
Texture Repair Kit	58
Textured Finish	44
Texturing Brush	71
ThermaLine BASIC Plasterboard	32
ThermaLine PIR Plasterboard	33
ThermaLine PLUS Plasterboard	33
Thin Coat Angle Bead	27
Thin Coat Mini Mesh Bead	27
TileBacker	33

U

Undercoat Plaster	11, 23
Universal Power Sanding Discs	70
Utility Saw	68

W

WallBoard Plasterboard	31
WallBoard Duplex Plasterboard	32
Wall Repair Kit	58
Weber Mesh Cloth	49
weberend aid	48
weberend OCR	48
weberplast TF	49
weberpral M	47

A decorative graphic at the top of the page consisting of a dark grey arrow pointing right, overlaid on a lighter grey arrow pointing left.

Notes

Is your
Price List here?

Call **0800 032 6345** to get yours
or email **artexcustomerservice@saint-gobain.com**



Artex Ltd
Head Office
Pasture Lane
Ruddington
Nottingham
NG11 6AE

artexltd.com

0800 032 6345

©Artex December 2020
AR - ARTEX - TC- 21 - 01

