



Decking Porches

We have everything you need, available from your local distributors.

Decking

Core Deck

Core Deck Stop Chamfered Softwood	4
Core Deck Turned Softwood	5
Core Deck Square Softwood	6
Core Deck America Softwood	7

Iron Deck

Iron Deck Bow & Eden	8-9
Iron Deck Tuscany - Arc Black Baluster	10
Iron Deck Traditional - Black Baluster	11

Contemporary

Clear Deck Softwood	12
Modern Deck - Aluminium	13

Louvre Deck


NEW	Louvre Deck - Domestic	14
NEW	Louvre Deck - Light Commercial	1

Dec	king A	Accessories	1

Porches

These stylish porch canopies and accessories will transform the exterior of any home. They are easy to install, pre-drilled, ready to paint, stain or varnish.

Porches 18





Simple stylish and robust our Stop Chamfered range whilst looking great also can last in any weather. The perfect accompaniment to any garden.

Installation method

Core Deck -Stop Chamfered Softwood

Budget guide


(f) Under £250



Scan for fitting instructions


Universal Hand & Baserails (Treated Pine)





CODE	SIZE (mm)	QTY.
DHNEW1.8	1800 x 63 x 28	1
DHNEW24	2400 x 63 x 28	1
DHU18	1800 x 68 x 44	1
DHU24	2400 x 68 x 44	1

Spindles (Treated Pine)







DECKIT TWIST FIXING BRACKET



CODE	SIZE (mm)	QTY.
DECKIT	-	1




Newel Posts (Treated Pine)









CODE	SIZE (mm)	QTY.
DEP12BLANK	1250 x 82 x 82	1
DEP12STCH	1250 x 82 x 82	1
DEP15STCH	1500 x 82 x 82	1
DEP12CB	1250 x 82 x 82	1
DEP15CB	1500 x 82 x 82	1
DEP24CB	2400 x 82 x 82	1

Your garden may change with the seasons but our turned decking range remains a timeless classic. It's one of our most versatile designs and works beautifully in gardens of all shapes and sizes.

Installation method

Core Deck -Turned Softwood

Budget guide




Under £250



Scan for fitting instructions

Universal Hand & Baserails (Treated Pine)





CODE	SIZE (mm)	QTY.
DHNEW1.8	1800 x 63 x 28	1
DHNEW24	2400 x 63 x 28	1
DHU18	1800 x 68 x 44	1
DHU24	2400 x 68 x 44	1

Spindles (Treated Pine)



900 x 41 x 41

Fixings (Zinc Steel)

DED90






CODE	SIZE (mm)	QTY.
DECKIT	-	1

Newel Posts (Treated Pine)





CODE	SIZE (mm)	QTY.
DEP12CAP	1250 x 82 x 82	1
DEP15CAP	1500 x 82 x 82	1







If you're looking for straight forward elegance then our Square softwood range is perfect. Made from high quality pine it combines design and functionality.



Budget guide





Scan for fitting instructions








CODE	SIZE (mm)	QTY.
DHNEW1.8	1800 x 63 x 28	1
DHNEW24	2400 x 63 x 28	1
DHU18	1800 x 68 x 44	1
DHIIM	2400 v 68 v 44	1


Spindles (Treated Pine)

41PBTR110



1100 x 41 x 41

Newel Posts (Treated Pine)






DEP12CB



1250 x 82 x 82

CODE	SIZE (mm)	QTY.
DECKIT	-	1





Recalling the simple utility and rustic appeal of the nineteenth century Shaker style our American range is a perfect combination of durability and colonial heritage.

Installation method

Core Deck -American Softwood

Budget guide





Scan for fitting instructions

Top & Baserails (Treated Pine)



Capping Rail (Treated Pine)



Spindles (Treated Pine)



CODE	SIZE (mm)	QTY.
DECAM	32 v 32 v 890	1




L FIXING BRACKETS		
	~	~

SIZE (mm)	QTY.
97 x 62 x 12	1 Pair





CODE SIZE (mm) QTY. DEP12CB 1250 x 82 x 82 1






Core Deck - Eden Iron Deck - Bow




DEK-BOW

These eye-catching balusters are the perfect way to customise your decking project. Their elegant curves give substance to your balustrade and jet-black finish brings style to your garden.







With the same frame and

newels as the Bow range,

the Eden spindles give a

subtle difference in style.

Perfect for the discerning





Capping Rail (Treated Pine)
















QTY.







Newel Cap (ABS)

DCB

QTY.

NEWEL CAP





CODE

DCVRB


SIZE (mm)

97 x 62 x 12

Iron Deck - Traditional Iron Deck - Tuscany



Made from high quality steel and powder coated for durability the Tuscany range of decking spindles add style and character to any garden. Utilising our standard newels and an easy to use pre-drilled rail, Tuscany is both simple and beautiful.





DCDR METAL BALUSTER PINE RAIL

1800 x 36 x 84mm

10



CODE	SIZE (mm)	QTY.
DCDR	1800 x 36 x 84	1

Spindles (Aluminium)

TCPK TUSCANY METAL

DECK BALUSTERS



CODE	SIZE (mm)	QTY.
TCPK*	17 (diameter) x 810	15

*Including locking bar

Fixing Brackets (ABS)





CODE	SIZE (mm)	QTY.
DCVRB	97 x 62 x 12	1 Pair

Note: Newel posts and cap rail sold seperately.


Newel Cap (ABS)

DCB NEWEL CAP






CODE	SIZE (mm)	QTY.
DCB	100 x 100 x 35	1





Made from high quality powder coated steel these spindles offer strength and style whilst providing a modern look and feel to decking.

A stunning combination of metal and wood. Utilising easy to use rails, the Traditional range combines style and simplicity.



Top & Baserails (Treated Pine)



CODE	SIZE (mm)	QTY.
DCDR	1800 x 36 x 84	1







CODE	SIZE (mm)	QTY.
TDPK	17 (diameter) x 810	15

Fixing Brackets (ABS)





CODE	SIZE (mm)	QTY.
DCVRB	97 x 62 x 12	1 Pair


Note: Newel posts and cap rail sold seperately.

Newel Cap (ABS)

DCB NEWEL CAP











Clear Deck - Softwood Clear Deck - Modern



Softwood blends the natural warmth of quality timber with glass balusters for a deck that blends traditional and modern. The result is a beautifully framed panoramic view of your entire garden.



Clear Deck - Softwood

Budget guide

(f) Under £250



Scan for fitting instructions





1795 x 28 x 85


Capping Rail (Treated Pine)

DCLRAII

12



Glass Panels (Tempered Glass)




CODE	SIZE (mm)	QTY
DCLPAN	8 x 150 x 820	7

Fixing Brackets (ABS)



CODE	SIZE (mm)	QTY.
DCVRB	97 x 62 x 12	1 Pair

Newel Posts (Treated Pine)




The Clear Deck Softwood system can be used with either the Square newel post and end cap or Stop Chamfered newel post.

1250 x 82 x 82

1250 x 82 x 82

DEP12RI ANK

DEP12CB





Our low maintenance aluminium extrusion balustrade system boasts zinc brackets and a hardwearing powder coated exterior for an ultra-modern, sleek finish. It's simple to install and can be combined with our other decking ranges for extended flexibility.

Installation method

MTGR

Clear Deck - Modern

Budget guide




ALUMINIUM UNIVERSAL RAIL

CODE


MTGR

£250-£500

Top & Baserails (Aluminium)



Glass Panels (Tempered Glass)



8 x 150 x 820

MTNCAP

MTRR

RAIL BRACKET

Aluminium Newel Posts (1 Pair with screws)

CODE

MTRB

MTBASE

The glass panels and aluminium rails can also be used with our softwood newels for a different style. Simply use the appropriate newel post and fixing kit below.

MTBASE

NEWEL BASE

SIZE (mm)

95 x 58 x 40

98 x 98 x 33.5

80 x 80 x 50

MTNCAP


NEWEL CAP

1 Pair

Clear Deck - Softwood Elements








CODE	SIZE (MM)	QIT.
DEP12CB	1250 x 82 x 82	1
MTRB	95 x 58 x 40	1 Pair

Newel Post (Aluminium)




SIZE (mm)

1800 x 55 x 60

OTY.

DCLPAN





Striking and contemporary, our hardwearing Domestic Louvre Decking with its slatted design is the perfect choice for today's discerning customer. Made from softwood treated pine for excellent durability.



Louvre Deck Domestic

Budget guide






Scan for fitting instructions





CODE	SIZE (mm)	QTY.
DI DV	1900 v 21 v 65	1

Flat Capping Rail (Treated Pine)




Fixing Bracket (Pack of 2)



HANDRAIL HEIGHT 900MM

14




FIXING BRACKET

Newel Posts (Treated Pine)





Fixing Battens (Treated Pine)





Ideal for raised decking areas, our Light Commercial Louvre Decking will stand the test of time and bring elegance to any garden. Can be used for raised decks over 600mm high.

Installation method

Louvre Deck Light Commercial

Budget guide




Under £250



Scan for fitting instructions









HANDRAIL HEIGHT 1100MM

FLAT CAPPING RAIL


14 LOUVRE STRIPS

NEWEL POST

Flat Capping Rail (Treated Pine)



Fixing Bracket (Pack of 2)




FIXING BRACKET

FIXING BATTENS


Newel Posts (Treated Pine)






CODE	SIZE (mm)	QTY.
DEP15BLANK	1500 x 82 x 82	1

Fixing Battens (Treated Pine)







- 2x DCML
- 1x DCAPCM
- 2x DCMSB
- 3x DEP15BLANK 4x 41PBTR1100

Fittings and Parts

We provide a wide range of decking fittings and parts. In line with our commitment to quality, all of our components are designed to last.

Fixing Kit

A universal secure fastening solution for decking handrails. Makes fitting a decking handrail to a newel post easier. Use the correct fixing kit for your system.

Caps

Our range of caps are all made to be long lasting and durable. Choose from a range of styles to match vour decking.

Panels and Treads

Decking panels and decking treads are a great solution to add style to your decking area. The decking fence panels work great on their own or with decking spindles.

Cross Hatch Decking Panel Sunburst Decking Panel Pine 3 & 5 Tread Decking Strings

Made using treated pine and allows you to create steps to various levels of decking with great ease. Our decking treads are the foundation for your decking's steps, just use decking boards to complete.

Caps				
DEB DECK BALL CAP	TIMBER / FINISH	CODE	SIZE (mm)	QTY.
F	* TREATED PINE	DEB	132 x 85 x 85	1
102	* TREATED PINE	DEAC	132 x 84 x 84	1
30 38	* TREATED PINE	DEPTC	27 x 115 x 115	1





DECKIT

TIMBER / FINISH	CODE	SIZE (mm)	QTY
* TREATED PINE	DEB	132 x 85 x 85	1
* TREATED PINE	DEAC	132 x 84 x 84	1
* TREATED PINE	DEPTC	27 x 115 x 115	1

Tre

TIMBER / FINISH	CODE	SIZE (mm)	QTY.
ZINC STEEL	DECKIT	-	1
ABS	DCVRB	97 x 62 x 12	1 Pair

	TIMBER / FINISH	CODE	SIZE (mm)	QTY.
	TREATED PINE	DESUN	1130 x 760 x 38	1
	TREATED PINE	DEHAT	1130 x 760 x 38	1
DESUN SUNBURST DECKING PANEL 1130 x 760 x 38mm		DEHAT CROSS HATCH DEC 1130 x 760 x 38mm		

ir	TREATED PINE	DS5	1135 x 760 x 38	1
DS5 5 TREAD DECK STRING 245 x 1447mm	3	S3 TREAD DECK ST 15 x 868mm	RING	
1655		995	5 190	

TREATED PINE

1130 x 760 x 38




16


Porches Pineboard


Porches


All our porches and gallow components are manufactured to a high standard and tested by an independent structural engineer.





















Side Panel Kits

Pre-drilled ready to screw together, and ready to paint, stain or varnish.







Decking Balustrades - made to last

Regulations & Standards

All of our systems have been independently tested to conform with all the relevant Building Regulations in the UK. The systems all conform to BS6399 – Part 11966, Loadings for Buildings, our systems all conform to the latest EU standards. You can be certain when you install or specify Cheshire Moulding Balustrade systems they conform to all the latest standards – for full details please see our trade brochure or website.

Cheshire Moulding are also proud to be full members of the Timber Decking and Cladding Association. This organisation gives expert advice and guidance to ensure high quality decking and associated structures. Our products are also Deck-Mark and Deck-Mark Plus certified to ensure we comply with the latest ISO guidelines.

Cheshire Mouldings also fully support and are able to supply FSC® certified products from responsibly managed forests. We are also able supply PEFC certified products from sustainable forests. Details of which products are certified under each scheme are listed in this brochure. We use FIRA to test our products to the relevant standards.

Timber Pre Treatments

Softwood outdoor balustrade components are treated to make them last for 15 years. They are pressure treated with Celcure AC - 500. Initially, this has a green appearance, but it weathers to a honey brown before eventually fading to grey. It can be painted or stained to match any outdoor colour scheme.

Treatment & Maintenance

All balustrade components should be treated annually with a seal, stain or oil treatment. For all balustrade components, hardwood or softwood, follow carefully the seal, stain or oil recommendations of the manufacturer and test on an off-cut or hidden surface.

Use a cloth, slightly heated water and a mild detergent for items such as glass and alloy posts or rails. Do not polish or employ abrasive cleaners and scourers.

Softwood

As standard, timber decking materials from Cheshire Mouldings are made from softwood Scots Pine. There is a natural tendency as the timber weathers for there to be minor surface checking and splitting, caused by the variation in moisture content and the effects of wetting and drying out. These surface defects do not harm the decking structure.

As with balustrades, decking should have a proprietary clear water repellant, semi-transparent seal or decking oil applied, for the sake of protection and enhancement. Make sure that the decking is dry before you start. Test by sprinkling drops of water over the surface and if the wood does not absorb the moisture let it dry out and retest before carrying out the work.

Note that newly-laid decking should not have any finish applied until it has weathered properly.

Add an end-seal preservative to any surface that has been exposed by drilling or cutting.

Cheshire Mouldings Trade don't just have an outstanding range of Decking and Porches, but also offer market leading products in the following areas:

Stairparts

A fabulous range of stair parts to transform any home. With styles and systems from the modern Clarity to the traditional Benchmark our products mix styles and materials to enhance any home.

Mouldings

Updating flooring is one of the easiest ways to give a room a new lease of life. With ranges from laminate to engineered to solid wood we have a perfect solution for every home and budget.

Handy Packs

From PSE to Sawn and Treated wood through to Skirtings and Architraves our Handy Packs come with the Cheshire Mouldings guarantee of quality and durability.

Sheet Materials

From MIDF to Hardboard through to Melamine, Plywood, OSB and Chipboard our Sheet Materials range perfect for any job.

Order your copy of our new Trade Product Guide for free today!



upon request.



FSC' certified products available







Any questions? Please call our technical helpline:

Freephone 0800 085 3475





PEFC



To find out more about our range of products or to get a quote simply call us on **0800 085 3475** or visit **www.cheshiremouldings.co.uk** to see our full product range

Cheshire Mouldings & Woodturnings Ltd

Cheshire House, Unit 4, Abbotsfield Road St. Helens WA9 4HU

> Telephone: +44 (0)1744 811 545 Facsimile: +44 (0)1744 811 475

Email:enquiries@cheshiremouldings.co.uk
Website:www.cheshiremouldings.co.uk



Follow us for all the latest news and updates







