



HOW OUTDOOR LIVING SHOULD FEEL

**Trex**<sup>®</sup>





# GREAT OUTDOORS

## Imagine a deck that won't fade, stain, rot or split

Trex is the most weather-resistant, low-maintenance composite decking product on the market. In fact, the material won't warp or splinter, will never require staining or painting, is fade, stain, mould and scratch-resistant and will still look good in 25 years' time.

Each year, Trex recycles 1.5 billion shopping bags and hasn't felled a single tree for deck manufacture during its 20-year history.

Trex is the ideal solution for those seeking a high performance, low maintenance deck solution.




- / Never needs painting or oiling
- / Won't fade or stain
- / Easy to install
- / Screw-less finish
- / Realistic wood grain effect
- / Made from 95% recycled materials
- / 25 year limited residential warranty
- / 10 year limited commercial warranty



## THE SECRET IS IN THE SHELL

The signature Trex shell combines high performance, low maintenance and a deep, realistic wood grain effect. Trex's protective shell covers the board on three sides, offering superior weather protection while still allowing your deck to breathe, adding to its durability.





## High performance, low maintenance



For more than 20 years Trex has developed, defined and perfected wood-alternative decking. The Trex decking range is the ultimate combination of fade-resistant beauty with outstanding durability and low maintenance. Never needs painting, oiling or staining.



Trex composite decks are made of 95% recycled sawdust and plastic packaging, providing unparalleled durability while being environmentally friendly. Additionally Trex uses some of the most earth-friendly manufacturing processes available, reclaiming factory waste and eliminating the use of harmful chemicals.



Trex composite deck boards are wrapped on three sides in a high-performance protectant shell that resists fading, staining, rot and splitting. By allowing the board to breathe and moisture to escape a stable and long-lasting deck is achieved, ensuring your Trex deck will look as fresh as your garden for years to come.



Grooved edge Trex boards can be used with the Trex Hidden Fastening System which provides the ultimate screwless finish. It is also quick and simple to install.



Trex decking comes complete with a Trex limited warranty. This guarantees the product for 25 years if used in a residential area, and 10 years in a commercial setting.



# Trex Transcend®

## Our signature range

The original and best-selling range, Transcend® features the renowned high-performance Trex shell. It has a realistic woodgrain effect and provides superior weather protection which preserves the natural wood look for years to come.


The Trex Transcend® range is the ultimate combination of fade-resistant beauty with outstanding durability and none of the maintenance associated with a timber deck.

It is available in six nature inspired colours and comes with a 25 year residential and 10 year commercial limited warranty.

The innovative shell provides wear resistance for high traffic areas and a deeper grain finish.

Trex shell offers enhanced stain, fade and scratch resistance.


Solid core improves durability and does not crack or break like hollow profiles.



Board protected on three sides for superior weather protection and also allows the board to breathe.

Core is made of 95% recycled content.

Trex shell is a proprietary custom blend of nine elements which deliver a natural, low sheen.



*Note, colours shown are as accurate as the print process will allow. Please request a sample prior to ordering.*

# TIKI TORCH

Trex Transcend®



A warm, earthy shade featuring striking rich, reddish-brown hardwood streaking



Realistic wood-grain effect



Grooved boards




Square boards



3.66m lengths



4.88m lengths



Fascia board available



Limited commercial warranty



Limited residential warranty



---

## GRAVEL PATH

---

Trex Transcend®



Gravel path is a pristine, stony grey. Inspired by nature the deep woodgrain pattern delivers a serene, contemporary look



Realistic wood-grain effect



Grooved boards




Square boards



3.66m lengths



4.88m lengths



Fascia board available



Limited commercial warranty



Limited residential warranty



# LAVA ROCK

Trex Transcend®



BORDER IN TIKI TORCH



Reddish black hardwood streaking creates a deep and evocative setting for long, hot summer barbecues



Realistic wood-grain effect



Grooved boards




Square boards



3.66m lengths



4.88m lengths



Fascia board available



Limited commercial warranty



Limited residential warranty

# ISLAND MIST

Trex Transcend®



This calm, silvery shade mimics the natural look and feel of aged tropical hardwood



Realistic wood-grain effect



Grooved boards




Square boards



3.66m lengths



4.88m lengths




Fascia board available



Limited commercial warranty



Limited residential warranty



# SPICED RUM

Trex Transcend®



The warm umber hue feels rich and earthy adding a touch of the Caribbean to any home



Realistic wood-grain effect



Grooved boards




Square boards



3.66m lengths



4.88m lengths



Fascia board available



Limited commercial warranty



Limited residential warranty

---

# VINTAGE LANTERN

---

Trex Transcend®



BORDER IN TIKI TORCH

A deep burnished bronze, inspiring old world elegance, and stunning with any style or setting



Realistic wood-grain effect



Grooved boards




Square boards



3.66m lengths



4.88m lengths



Fascia board available



Limited commercial warranty



Limited residential warranty





# Trex Contour®

## Performance and value

Trex Contour® composite deck boards feature a minimalist surface texture, with our standard grade Trex shell. With a scalloped under surface, it's a great combination of value and performance.

It is available in a limited range of two colours and comes with a 25 year residential and 10 year commercial limited warranty.

The Contour® shell provides a minimalist surface texture, alongside low-slip qualities.

Standard shell offers enhanced stain, fade and scratch resistance.

Solid core improves durability and does not crack or break like hollow profiles.




Board protected on three sides for superior weather protection and also allows the board to breathe.

Core is made of 95% recycled content.

Scalloped underside provides a great combination of value and performance.



Pebble Grey



Torino Brown


*Note, colours shown are as accurate as the print process will allow. Please request a sample prior to ordering.*

PEBBLE GREY

Trex Contour®



Exquisite warm grey tone, with beautifully placed wood grain streaking



Minimalist surface texture



Grooved boards



Square boards



3.66m lengths



4.88m lengths\*



Limited commercial warranty



Limited residential warranty

\*4.88m lengths not available in square edge option



---

## TORINO BROWN

---

Trex Contour®



Deep rich honey brown with warm wood tones  
with classic wood grain streaking



Minimalist  
surface  
texture



Grooved  
boards



Square  
boards



3.66m  
lengths



4.88m  
lengths\*



Limited  
commercial  
warranty



Limited  
residential  
warranty



*\*4.88m lengths not available in square edge option*



# COMMERCIAL

## Trex offers an ideal solution for commercial decking

With its inherent environmentally friendly, low-maintenance, long-life qualities, Trex is the perfect partner for commercial installations, whether your decking project is taking place at a school, park, in an office break area or around a restaurant, pub or nightclub.

Trex Contour® was designed to comply with BS7976-2: 2002 by meeting the HSE's recommendation for low-slip potential, achieving a minimum reading of 36 on the pendulum test in both wet and dry conditions. This means the range is ideal for those areas where you need extra grip properties, such as steps and ramps, or even for a complete deck.

For in-depth test results, further advice and support please contact us.



Limited  
commercial  
warranty




Low-slip  
decking  
solution

# TREX RAILING SYSTEMS

## Combining safety and style

Generally, wherever there's decking, there's railing and when you're installing a low-maintenance, long lasting deck, you need a railing system to match. We offer two distinct types of railing system - the Trex Signature® aluminium solution and Trex Transcend® composite railing line - both of which provide a durable and stylish outdoor railing system.



### NEW: Trex Signature® railing

Trex Signature® is a powder coated aluminium railing system, perfect for a minimal and contemporary look.

Its sleek-yet-sturdy construction and near-zero maintenance, fits perfectly with the Trex ethos.



Charcoal Black




Limited warranty



### Trex Transcend® railing

Trex Transcend® railing system stands firm with a strong, sturdy look and feel which won't rot, warp, peel or splinter and it never needs painting or staining.

Trex Transcend® railing contains a minimum of 40% recycled material.



Vintage Lantern

Tree House



Limited commercial warranty




Limited residential warranty





Island Mist

	BOARD TYPE	WIDTH x DEPTH	LENGTH	PRODUCT CODE	FULL PACK SIZE / BOARDS
Grooved edge		25mm x 140mm	3.66m	gTRGBIM366	33.5m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRGBIM488	25.0m <sup>2</sup> / 48 boards
Square edge		25mm x 140mm	3.66m	gTRSBIM366	33.5m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRSBIM488	25.0m <sup>2</sup> / 48 boards
Fascia board		19mm x 184mm	3.66m	gTRFIIM366	31.4m <sup>2</sup> / 60 boards
		19mm x 286mm	3.66m	gTRF2IM366	20.9m <sup>2</sup> / 40 boards




Tiki Torch

Grooved edge		25mm x 140mm	3.66m	gTRGBT366	33.5m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRGBT488	25.0m <sup>2</sup> / 48 boards
Square edge		25mm x 140mm	3.66m	gTRSBTT366	33.5m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRSBTT488	25.0m <sup>2</sup> / 48boards
Fascia board		19mm x 184mm	3.66m	gTRFIT366	31.4m <sup>2</sup> / 60 boards
		19mm x 286mm	3.66m	gTRF2TT366	20.9m <sup>2</sup> / 40 boards



Spiced Rum

Grooved edge		25mm x 140mm	3.66m	gTRGBSR366	33.5m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRGBSR488	25.0m <sup>2</sup> / 48 boards
Square edge		25mm x 140mm	3.66m	gTRBSR366	33.5m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRBSR488	25.0m <sup>2</sup> / 48 boards
Fascia board		19mm x 184mm	3.66m	gTRFISR366	31.4m <sup>2</sup> / 60 boards
		19mm x 286mm	3.66m	gTRF2SR366	20.9m <sup>2</sup> / 40 boards



Lava Rock

Grooved edge		25mm x 140mm	3.66m	gTRGBLR366	33.5m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRGBLR488	25.0m <sup>2</sup> / 48 boards
Square edge		25mm x 140mm	3.66m	gTRSBLR366	33.5m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRSBLR488	25.0m <sup>2</sup> / 48 boards
Fascia board		19mm x 184mm	3.66m	gTRFILR366	31.4m <sup>2</sup> / 60 boards
		19mm x 286mm	3.66m	gTRF2LR366	20.9m <sup>2</sup> / 40 boards

ACCESSORIES



Universal Hidden Fasteners (gTRCLIPa)  
Use with grooved deck boards  
90 clips per box. Covers 4.5m<sup>2</sup>



Starter Clips (gTRCLIPb)  
Use with grooved deck boards  
36 clips per box. Covers 36m<sup>2</sup>



Dark Brown Screws (gTRSCREW70VL)  
Use with square edge boards, colours:  
Vintage Lantern, Lava Rock, Spiced Rum  
70mm length. 350 per box. Includes drill bit.

Grey Screws (gTRSCREW70GP)  
Use with square edge boards, colours:  
Gravel Path, Island Mist, Pebble Grey  
70mm length. 350 per box. Includes drill bit.

Brown Screws (gTRSCREW70GP)  
Use with square edge boards, colours:  
Tiki Torch, Torino Brown  
70mm length. 350 per box. Includes drill bit.

# SPECIFICATION

## Trex Transcend®

Note, colours shown are as accurate as the print process will allow. Please request a sample prior to ordering.



Vintage Lantern



Gravel Path


	BOARD TYPE	WIDTH x DEPTH	LENGTH	PRODUCT CODE	FULL PACK SIZE / BOARDS
Vintage Lantern	Grooved edge	25mm x 140mm	3.66m	gTRGBVL366	33.5m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRGBVL488	25.0m <sup>2</sup> / 48 boards
	Square edge	25mm x 140mm	3.66m	gTRSBVL366	33.5m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRSBVL488	25.0m <sup>2</sup> / 48 boards
Gravel Path	Grooved edge	19mm x 184mm	3.66m	gTRFIVL366	31.4m <sup>2</sup> / 60 boards
		19mm x 286mm	3.66m	gTRF2VL366	20.9m <sup>2</sup> / 40 boards
	Square edge	25mm x 140mm	3.66m	gTRSBGP366	33.5m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRSBGP488	25.0m <sup>2</sup> / 48 boards
Gravel Path	Grooved edge	25mm x 140mm	3.66m	gTRBIGP366	31.4m <sup>2</sup> / 60 boards
		19mm x 286mm	3.66m	gTRF2GP366	20.9m <sup>2</sup> / 40 boards
	Square edge	25mm x 140mm	3.66m	gTRSBGP366	33.5m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRSBGP488	25.0m <sup>2</sup> / 48 boards
Gravel Path	Grooved edge	19mm x 184mm	3.66m	gTRFIGP366	31.4m <sup>2</sup> / 60 boards
		19mm x 286mm	3.66m	gTRF2GP366	20.9m <sup>2</sup> / 40 boards
	Square edge	25mm x 140mm	3.66m	gTRSBGP366	33.5m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRSBGP488	25.0m <sup>2</sup> / 48 boards

# SPECIFICATION

## Trex Contour®



Pebble Grey



Torino Brown













	BOARD TYPE	WIDTH x DEPTH	LENGTH	PRODUCT CODE	FULL PACK SIZE / BOARDS
Pebble Grey	Grooved edge	25mm x 140mm	3.66m	gTRGBPG366	33.5m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRGBPG488	25.0m <sup>2</sup> / 48 boards
Pebble Grey	Square edge	25mm x 140mm	3.66m	gTRSBPG366	33.5m <sup>2</sup> / 48 boards
Torino Brown	Grooved edge	25mm x 140mm	3.66m	gTRGBTB366	33.5m <sup>2</sup> / 48 boards
		25mm x 140mm	4.88m	gTRGBTB488	25.0m <sup>2</sup> / 48 boards
Torino Brown	Square edge	25mm x 140mm	3.66m	gTRSBTB366	33.5m <sup>2</sup> / 48 boards

## Trex® TIPS

### About the substructure

- Timber, composite, aluminium or steel joists are acceptable materials for the substructure of a deck. The substructure must be fixed down to provide a strong base and drainage, access and airflow are also critical.
- The substructure must be a minimum height of 38mm from the ground. For areas with the potential for debris to build up, a minimum 89mm is recommended to allow the debris to be removed.
- The joist centres for residential decks must be a maximum of 400mm.
- The joist centres for all commercial decks must be a maximum of 300mm.
- When boards are end-to-end and meet at a joist, use side-by-side sister joists to support the end of both boards.
- It's a good idea to paint the joists before installing the boards so that they're not visible from the surface.

Visit [www.arbordeck.co.uk](http://www.arbordeck.co.uk) for our downloadable installation guide

①	PRODUCT	WIDTH x LENGTH	HEIGHT	PRODUCT CODE	①	PRODUCT	WIDTH x LENGTH	HEIGHT	PRODUCT CODE
	Signature post with cap & skirt - horizontal	63.5mm x 45mm	109cm	GTRSHPB		Signature post with cap & skirt - stair rail	63.5mm x 45mm	134.62cm	GTRSSPB
	Signature rail kit with square balusters - horizontal	184cm x 45mm	106.68cm	GTRSRKHB		Signature rail kit with square balusters - stair rail	184cm x 4mm	106.68cm	GTRSRKSB
	Swivel bracket - horizontal. 2 pack top & bottom	N/A	N/A	GTRSBHB		Fixed bracket - stair. 4 pack	N/A	N/A	GTRSFBSB
	Fixed bracket - horizontal. 4 pack	N/A	N/A	GTRSFHBH		Swivel bracket - stair. 2 pack top & bottom	N/A	N/A	GTRSSBSB
	Aluminium plate & hardware	N/A	N/A	GTRSAP	<div data-bbox="1142 1045 1400 1098" data-label="Section-Header"> <h3>Trex® TIPS</h3> </div> <div data-bbox="1780 1061 2083 1088" data-label="Section-Header"> <h4>About the deck boards</h4> </div> <div data-bbox="1142 1141 1601 1348" data-label="Text"> <p> All Trex boards are unique - no two boards are the same and as with normal timber the colour can vary greatly between the boards. To get a good colour spread, pattern and look that you are happy with, lay out all the boards and arrange them as you'd like them to be installed.</p> </div> <div data-bbox="1624 1141 2094 1380" data-label="Text"> <p> The Trex deck boards can be cut and carved like timber without the need to use any special tools. All boards have a tolerance of up to 5mm on the length to ensure they can be trimmed down into shape. We recommend that all boards are trimmed before being installed to ensure a straight and clean edge.</p> </div>				
	<p>Trex Signature® railing is a 2-step process. Purchase a Signature aluminum post (which includes a cap and skirt), and a rail and baluster kit.</p> <p>Visit <a href="http://www.arbordeck.co.uk">www.arbordeck.co.uk</a> for advice on fitting your deck rail.</p>								


# SPECIFICATION


# RAILING


# Trex Transcend®


Trex Transcend® Railing is available in Vintage Lantern and Tree House. Colour shown is Vintage Lantern. Colours shown are as accurate as the print process will allow. Please request a sample prior to ordering.

1	PRODUCT	DESCRIPTION	WIDTH x LENGTH	HEIGHT	PRODUCT CODE
	Transcend® post cap	Use on top of post sleeve to finish and protect the post	102x102mm	N/A	GTRPCVL GTRPCTH

	Transcend® post sleeve	Used alongside timber / metal post. Requires timber post 83 or 90mm height	102x102mm	1.016m	GTRPSLVL GTRPSLTH
---	------------------------	--	-----------	--------	----------------------


	Transcend® post skirt	Use at the bottom of post sleeve to complete the look	102x102mm	N/A	GTRPSKVL GTRPSKTH
--	-----------------------	---	-----------	-----	----------------------

	Transcend® top & bottom rail kit - horizontal	Balusters not included. Full width fits 13 balusters	1.714m	N/A	GTRRCVL GTRRCTH
--	---	--	--------	-----	--------------------


	Transcend® top & bottom rail kit - stair	Balusters not included. Full width fits 13 balusters	1.714m	N/A	GTRSRKVL GTRSRKTH
---	--	--	--------	-----	----------------------

5	PRODUCT	DESCRIPTION	WIDTH x LENGTH	HEIGHT	PRODUCT CODE
	Transcend® square balusters	Sold individually	35x35mm	1.016m	GTRBAVLA GTRBATHA

	Railing cut kit - stair	N/A	N/A	N/A	GTRRSCKVL GTRRSCKTH
---	-------------------------	-----	-----	-----	------------------------

	Railing cut kit - horizontal	N/A	N/A	N/A	GTRRCKVL GTRRCKTH
---	------------------------------	-----	-----	-----	----------------------

	45 degree rail to post connector kit	N/A	N/A	N/A	GTRBMVL GTRBMTH
---	--------------------------------------	-----	-----	-----	--------------------



Trex Transcend® is a 5-step process. Purchase Trex cap, post sleeves and skirts (steps 1, 2 and 3). Then purchase a stair or rail kit (4), and then the balusters (5).

Visit [www.arbordeck.co.uk](http://www.arbordeck.co.uk) for advice on fitting your deck rail.

## Trex® TIPS

### About the deck boards

Breaker boards add a dimension to the design of the deck and help distinguish between different areas. Using breaker boards in the deck design also means that boards don't have to be butted up against each other. When boards are butted up to each other, make sure you align boards from the middle rather than the edge to allow for expansion of boards.

Boards often have a camber / bow in the board - especially the longer lengths like the 4.88m. These are easily resolved when installed. Before installing the board, turn it around so the camber is curving outwards. Start installing the board from one end. As you move along the board, gently push the board into line and use the clips or screws to secure it.



# Trex®

Trex Transcend is available exclusively from Arbor Forest Products Ltd, a British company with more than 175 years' experience in the timber industry, a clear environmental focus and the very highest levels of service, quality, knowledge and value.

#### How to buy Trex®

Visit [www.arbordeck.co.uk](http://www.arbordeck.co.uk) for more information on our wide range of composite Trex® deck products, or contact us by phone, fax, as below, or email us on [sales@arborforestproducts.co.uk](mailto:sales@arborforestproducts.co.uk)

#### How to build Trex®

Are you a DIY enthusiast? Visit [www.arbordeck.co.uk](http://www.arbordeck.co.uk) for help and advice. Alternatively contact us by phone, fax or email for a brochure to be posted to you.

If you would like your deck professionally installed please contact us or visit [www.arbordeck.co.uk](http://www.arbordeck.co.uk) for more information on our network of installers.

**arborforest**  
Products Ltd

#### Arbor Forest Products Ltd

Barrow Road, New Holland  
North Lincolnshire DN19 7RR

Tel 01469 532 300  
Fax 0844 801 33 37  
Email [sales@arborforestproducts.co.uk](mailto:sales@arborforestproducts.co.uk)  
Web [www.arbordeck.co.uk](http://www.arbordeck.co.uk)

Thank you to the following designers, installers and organisations for the use of project photography in this brochure:

#### Arbordeck:

**Distinctive Landscapes, Mansfield**  
**GMS Leisure Limited, Truro**  
**Timberscapes, Sheffield**

#### Trex:

**Gisborne Homes, Derby**  
**Trex Company, Inc.**  
**Whalley Construction, Darwen**

#### Join the conversation



@\_arbordeck



[www.pinterest.com/arbordeck](http://www.pinterest.com/arbordeck)



[www.facebook.com/arbordeck](http://www.facebook.com/arbordeck)

The information contained within this publication is given in good faith. Every effort has been made to ensure that the guidance given is accurate and Arbordeck cannot accept any liability for loss or damage arising from the information contained herein. All photography and colours are reproduced as accurately as the print process will allow.

The installers whose projects are shown in this brochure are independently owned and operated, and are neither affiliated with nor agents or representatives of Arbordeck. Arbordeck makes no representations or warranties as to, and is not responsible for, the performance, acts or omissions of these installers.