

PRODUCT Catalogue



Celmac Macdee
wirquin wirquin

SANITARY EQUIPMENT SPECIALIST

CONTENTS

About us	4
Services	5
Quality	6
Expert Partner	8

Product Range:

TOILET SEATS	9
Modufix	12
Universal Shape	14
D-Shape	27
Special Needs	30
FLUSHING	37
Flush Valves	39
Siphons	44
Inlet Valves	47
Concealed Cisterns	53
Exposed Cisterns	58
Urinal Flushing	64
Spares & Accessories	67
FRAMES	73
Chrono	74
Initio	76
2 in 1	78
Push Plates	79

WETROOMS	81
Venisio Expert	82
Venisio Slim	85
Venisio - Linear Channel	86
Venisio - Square Drain	88

SHOWER	91
Shower Waste 90	92
Shower Waste 50	98
Flush Grated 60	100
Flush Grated 72	101
Flush Grated 85	102
Shower Tray Feet	103

BATH	105
Cable Operated	105
Quick Clac & Rotary	108
Plug & Chain	109

BASIN	113
Waste and Trap in one	113
Wastes	117
Traps	124

SINK	131
Bottle Traps	131
Space Saving Traps	135
Undersink Plumbing Kits	137
Combination Wastes	138
Basket Strainers	139
Belfast Sink Wastes	140

WASTES SPARES & ACCESSORIES	141
Plug & Chains	141
Adaptors & Backnuts	143
Waste Connectors	144
Shower Tray Feet	145

WASTE, PIPE & PAN CONNECTORS	147
Jollyflex Extendable	148
Jollyflex Flexible	150
Rigid	151
Short Connectors	152
Magicflex®	153
Waste Connectors	155

OVER 40 YEARS OF INNOVATION

CRAZY 40 Years

Wirquin is a family run manufacturer of sanitaryware products for bathrooms, toilets and kitchens. Wirquin originates in France with the first manufacturing unit opening in 1977

10 subsidiaries of which 6 factories
Commercial presence in 60 countries
1400 employees
132 € million turnover in 2016
5 percent of annual turnover invested in research and development

SANITARY EQUIPMENT MANUFACTURER

INTERNATIONAL GROUP



A factory located in Doncaster (South Yorkshire)

200 employees

23 £ million turnover in 2017



WIRQUIN LTD

Celmac
wirquin


Macdee
wirquin

CELMAC

MACDEE

Celmac Wirquin produces over one million toilet seats per year. Celmac has produced toilet seats since 1890 and is historically renowned for the 1930s black crescent school seat with the gap in the front (Crescent) as well as for setting the British Standard with the BS1254 Type 1 (Sonata) and the BS1254 Type 2 (Emerald) which are still manufactured today. Alongside the more traditional designs, Celmac also offers contemporary seat designs with a choice of hinge types to suit all requirements whether it be plastic, stainless steel, top fix, quick release, soft close and so on.

Macdee Wirquin provides installers with a wide range of flushing mechanisms, frames, cisterns, wastes, traps, connectors, wetroom solutions and accessories. It's world renowned products are designed and produced with the installer and end user in mind - ensuring they are quick and easy to install, cost effective, robust, reliable and guaranteed to last. A full range of flushing valves, inlet valves, siphons and kits are WRAS approved and meet, if not exceed, British Standards and customers' requirements to save water and money.



TRUSTED BRANDS

CERTIFICATIONS

ISO9001
Quality Management



ISO14001
Environmental Management



ISO 18001
Occupational Health and Safety



- ▶ Toilet Seats
- ▶ Flushing
- ▶ Frames
- ▶ Cisterns
- ▶ Wetrooms
- ▶ Shower wastes
- ▶ Bath wastes
- ▶ Basin wastes
- ▶ Sink wastes
- ▶ WC Pan connectors

WIDE RANGE OF PRODUCTS



CUSTOMER SERVICE

Contact Details:

Telephone: +44 (0)333 222 4488

Fax: +44 (0)130 231 2251

Email: sales@wirquin.co.uk | aftersales@wirquin.co.uk

www.wirquin.co.uk

WIRQUIN LTD; Warmsworth Halt Industrial Estate
Warmsworth; Doncaster; DN4 9LS

Wirquin works closely with customers of all sizes from distributors (OEM, trade, export, DIY, retail) to installers and the end user. Every customer is offered tailored product knowledge, technical advice, installation solutions, training, experience, innovation and great customer support throughout each and every project.

National Sales Team



Products can be quickly and easily ordered through our dedicated UK Sales Team by telephone, fax, EDI or email, or For your nearest Regional Business Development Manager, please contact the Sales Team using the contact details above.

Technical Support and After Sales Team



Our Technical Support and After Sales teams can assist with specification choices, as well as regularity compliance and installation advice. We will get back to you within 24 business hours.

Minimum Order and delivery



For the UK mainland, please note that there is a minimum order value of £150 carriage paid to any one delivery point. Certain products can be ordered in pallet quantities.

Technical information

Easy product selection

Installation videos

Supplier locator

Press & latest news

Social media

Latest vacancies



WirquinLtd



WirquinLtd



Wirquin Ltd UK

Follow us today !

AWARD WINNING INNOVATIONS

Wirquin has won numerous industry awards for its innovative products and customer service. The most recent awards include the KBB Award for Innovation, (the third consecutive win at KBB for Wirquin), Build it best plumbing and drainage product and Plumbing & Heating best bathroom product of the year.

QUALITY

Because Wirquin is committed to quality, our products and customer relations are made to last.

With thorough product testing being critical to ensure problem-free installation and use, Wirquin recently invested in a 100m2 new laboratory with a team of 12 technicians. The UK production site also has a dedicated quality assurance team that tests and continually monitors products for their quality and performance.



Made in the UK products come with a:

- ▶ 2-year
- ▶ 5-year
- ▶ or 10-year guarantee

WIRQUIN Ltd Has been certified ISO9001 for more than 15 years

Through rigorous analysis of our management system, this approach ensures the quality of the processes we have implemented. The objective of ISO9001 is to increase customer satisfaction, enabling us to provide a level of quality that corresponds to their needs and requirements.



Celebrating our third consecutive win at the Kitchen, Bedroom & Bathroom conference for innovation.



■ ENVIRONMENTAL RESPONSIBILITY

Wirquin strives to minimise the environmental impact of its activities. Ongoing reviews of our manufacturing and distribution methods ensure the reduction of our energy use and an increase in recycling.

In 2015, Wirquin Ltd achieved the ISO14001 Environmental Management Systems accreditation – the international standard for a reduced impact on the environment.

Water Saving and Sustainability

At Wirquin we recognise the importance of saving water and work hard to ensure that, wherever possible, our products and new innovations are recognised and accredited by the leading bodies and associations in our industry.

A large range of Macdee Wirquin products are approved by the **Water Regulatory Advisory Scheme (WRAS)** to meet the requirements of the Water Supply (Water Fittings) Regulations in England, Wales and Northern Ireland, and the Scottish Byelaws to ensure they are water saving and 'of an appropriate quality and standard'.

You will also see the water efficiency labelling scheme logo through our catalogue - highlighting water and energy saving products.

■ CORPORATE RESPONSIBILITY

Wirquin supports numerous international, national and local charities. Wirquin employees worldwide are proud to be partnering with the World Toilet Organization to fight against the global sanitation crisis. Throughout the year they are raising awareness and funds to support sustainable sanitation projects.





TO BE A WIRQUIN "EXPERT Partner" means

Get £100 of free Wirquin products!*

IT'S EASY TO BECOME AN "EXPERT Partner"



DISCOVER AND TEST NEW PRODUCTS BEFORE ANYONE ELSE



SUGGEST NEW IDEAS AND PROPOSALS



COMMUNICATION WITH THE BRAND



SHARE YOUR ACHIEVEMENTS



SHARE YOUR OPINIONS TO HELP US IMPROVE



RECEIVE FREE PR AND SOCIAL MEDIA COVERAGE*



SHARE YOUR EXPERTISE !

Anyone can apply to be an expert partner. You should simply be a qualified plumber or installer with great product knowledge and quality installation skills.

* FIRST 50 PLUMBERS TO JOIN ONLY. T & C APPLY.



1
CALL:
0333 222 4488



2
COMPLETE YOUR APPLICATION



3
RECEIVE YOUR "FREE Products"



4
BECOME AN OFFICIAL WIRQUIN "EXPERT Partner"

TOILET SEATS

MODUFIX TOILET SEATS

UNIVERSAL SHAPE TOILET SEATS

D SHAPE TOILET SEATS

SPECIAL NEEDS TOILET SEATS

Celmac
wirquin



FIT FOR ALL

HOW TO SELECT YOUR PERFECT CELMAC WIRQUIN SEAT


STEP 1

First consider the application of the seat and the environment where it will be installed. This will help you make your material choice.

Material	THERMOSET Urea formaldehyde, a dense thermoset plastic	Material	THERMOPLASTIC Tough polypropylene seats	Material	MOULDWOOD High compression wood with glossy paint finish
Assets	<ul style="list-style-type: none"> ▶ High resilience ▶ Durable ▶ Naturally anti-bacterial ▶ Ceramic effect 	Assets	<ul style="list-style-type: none"> ▶ Easy to clean ▶ Shatterproof ▶ Recyclable 	Assets	<ul style="list-style-type: none"> ▶ Heavy weight ▶ Gloss finish
Application	High traffic  Public places 	Application	Everyday use  Cost effective 	Application	Everyday use  Cost effective 
In 1 word	▶ Superior quality	In 1 word	▶ Everyday use	In 1 word	▶ Domestic use

STEP 2

Now you need to think about the size of your seat. There are different measurements to consider.



- A: Distance between the middle of the 2 holes in the pan
- B: Width of the pan
- C: Projection from the middle of the 2 holes up to the front of the pan.

STEP 3

Then select the shape of your bowl to find out which seats will fit appropriately.



Traditional rounded shape.



D-Shape



Bespoke shape.
For information please contact the sales office

STEP 4

Finally, decide which seat design and hinge type best suits your requirements.



HINGE TYPE

Bottom fixing is a traditional type of fitting where the underside of the mounting holes are accessible to allow the tightening of the hinge fixings.



Top fixing is required when there is a limited/no access to the underside of the hinge mounting holes (blind hole pans).



Quick release for easy removal of the seat without tools, enabling thorough cleaning for maximum hygiene



Soft close incorporating specialist dampers for a gentle, quiet closing action, offering added safety. No more trapped fingers.



Lock + is a clever innovation that stops seat movement by filling the gap between the bolt and the pan.

Lock plus is included as standard with the Modufix range.

PAN MATRIX

Discover our pan matrix on our website



WWW.CELMAC-WIRQUIN.CO.UK

1. Select your manufacturer
2. Select your suite
3. Find your matching seat



Melody toilet seat with Ideal Standard (Sandringham 21)

modufix®

▶ 5 hinge possibilities!

Guarantee
5
YEARS



MADE IN THE UK



1 Choose your seat

2 Choose your hinge



	★★★★
	★★★★★
	★★★★★
	★★★
	★

COMES F.O.C IN BOX




> World's first toilet seat manufacturer to offer upgradeable hinges

> Stop seat movement with **LOCK+®** included as standard with all Modufix hinges



FLOOR STANDING DISPLAY:



3 GRAPHIC PANELS
features and benefits

3 METAL CUBES
painted white

3 TOILET SEATS
for display purposes

4 WHEELS
easy to position

STARTER KIT:

- ▶ Order your starter kit
- ▶ 5 Seats and 2 sets of each hinge



Code	Description
20120375	Universal MD PP 1 Starter kit - (kit 1)
20120376	Universal HD TS 1 Starter kit - (kit 2)
20120377	Universal MD TS 1 Starter kit - (kit 3)

REFERENCE	DESCRIPTION
20120421	In store Toilet Seat presenter

1 Choose your seat


Universal HD TS 1



20120338

MOQ 5

- ▶ 2.1 kg Thermoset
- ▶ Ideal for heavy duty use
- ▶ Includes a FOC plastic hinge




Universal MD TS 1



20120339

MOQ 5

- ▶ 1.4 kg Thermoset
- ▶ Ideal for medium duty use
- ▶ Includes a FOC plastic hinge




Universal MD PP 1



20120347

MOQ 5

- ▶ 1.4 kg Thermoplastic
- ▶ Ideal for medium duty use
- ▶ Includes a FOC plastic hinge



2 Choose your hinge

20120342

MOQ 8



- ▶ Soft close
- ▶ Quick release
- ▶ Top fix
- ▶ Adjustable
- ▶ **LOCK+**

20120343

MOQ 8



- ▶ Soft close
- ▶ Quick release
- ▶ Top fix
- ▶ Adjustable
- ▶ **LOCK+**

20120344

MOQ 8



- ▶ Top fix
- ▶ Adjustable
- ▶ 304 Stainless steel
- ▶ **LOCK+**

20120345

MOQ 8



- ▶ Bottom fix
- ▶ Adjustable
- ▶ 304 Stainless steel
- ▶ **LOCK+**

UNIVERSAL SHAPE

- Our seats fit most standard pans and come in a choice of covers including dished, domed or flat designs.

Description	Weight (kg)	Page number
NEON	0,9	15
INTERNATIONAL	1,0	15
CALYPSO	1,3	16
FLAMENCO	1,3	17
MELODY	1,3	17
SAPPHIRE	1,5	18
FIRST	1,5	19
FUSION	1,5	19
EMERALD	1,6	20
TANGO	1,7	20
SAXON	1,7	21
MADRIDIO	2,0	22
VIP	2,3	22
CAVALCADE	2,3	23
SONATA	2,7	24
WOODY paramount	3,0	25
DIPLOMAT	3,4	25
WOODY	3,5	26
WOODY LUX	3,5	26

NOW AVAILABLE AS A SPARE

Description	Reference	Multiple	Application
 Red LOCK+	20120454	15 per bag	6mm Ø bolts
 White LOCK+	20120455	15 per bag	8mm Ø bolts

Please note, you should refer to individual seat pages to consider if LOCK+ is compatible. LOCK+ is only compatible when specified and we do not guarantee the fit outside of the specifications.

LOCK⁺

- holds the seat in place!


- Secure your seat
- Stop seat movement
- Increase seat lifespan



LOCK⁺



STOP SEAT MOVEMENT




BEFORE

AFTER


NEON

0,9kg



- ▶ Material: Thermoplastic
- ▶ Shatterproof and 100% recyclable material
- ▶ Lightweight: cost effective
- ▶ Made in the UK

Description	Reference	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	COMPATIBLE LOCK+
White seat + cover	20120453	Bottom FIX	140707	Individually shrink wrapped and boxed by 10	5017134146479	10 / 160	Included



140707


INTERNATIONAL

1,0kg



- ▶ Material: Thermoplastic
- ▶ Shatterproof and 100% recyclable
- ▶ Ideal for renovating work
- ▶ Made in the UK

Description	Reference	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	COMPATIBLE LOCK+
White seat + cover	SNL11WH	Bottom FIX	PP121	Individually boxed	5017134116649	100 per pallet	20120455
Black seat + cover	SNL11BL	Bottom FIX	PP121BL	Individually boxed	5017134117011	100 per pallet	20120455



PP121

PP121BL



BF23

MODUFIX
TOILET SEATS

UNIVERSAL SHAPE
TOILET SEATS

D SHAPE
TOILET SEATS

SPECIAL NEEDS
TOILET SEATS

CALYPSO



1,3kg



- ▶ Material: Thermoset
- ▶ Resistant to scratches, UV and chemicals
- ▶ Resilient : extremely strong, durable and hard wearing
- ▶ Hygienic : made of naturally antibacterial material
- ▶ Ideal for contract purposes for medium traffic areas
- ▶ Made in the UK
- ▶ Colour matching hinges



Description	Reference	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	COMPATIBLE LOCK+
White seat + cover 	SCA11WH	Bottom FIX	FDP11WH	Individually boxed	5012158689414	90 per pallet	 20120455
	SCA21WH	Bottom FIX	FDP11WH	Pack of 5	5012158650537	150 per pallet	 20120455
Black seat + cover 	SCA11BL	Bottom FIX	FDP11BL	Individually boxed	5012158080174	90 per pallet	 20120455
	SCA21BL	Bottom FIX	FDP11BL	Pack of 5	5012158650261	150 per pallet	 20120455
White seat only 	SCA61WH	Bottom FIX	FDP11WH	Pack of 5	5024139039064	150 per pallet	 20120455
Black seat only 	SCA61BL	Bottom FIX	FDP11BL	Pack of 5	5017134130065	150 per pallet	 20120455



FLAMENCO

1,3kg



- ▶ Material: Thermoplastic
- ▶ Shatterproof and 100% recyclable material
- ▶ Made in the UK
- ▶ Plastic or stainless steel hinges available

Description	Reference	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	COMPATIBLE LOCK+
White seat + cover	20120361	Bottom FIX	140300	Individually boxed	5017134133158	100 per pallet	Included
	20120362	Bottom FIX	217280	Individually boxed	5017134133165	100 per pallet	Included
	20120363	Top FIX	217279	Individually boxed	5017134133172	100 per pallet	Included
	20120456	Top FIX, QR, SC	217278	Individually boxed	5017134146509	100 per pallet	Included



MELODY

1,3kg



- ▶ Material: Thermoset
- ▶ Resistant to scratches, UV and chemicals
- ▶ Resilient : extremely strong, durable and hard wearing
- ▶ Hygienic : made of naturally antibacterial material
- ▶ Ideal for contract purposes for medium to high traffic areas
- ▶ Made in the UK
- ▶ Plastic or 304 stainless steel hinges available

Description	Reference	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	COMPATIBLE LOCK+
White seat + cover	20120349	Bottom FIX	140300	Individually boxed	5017134133035	90 per pallet	Included
	20120350	Bottom FIX	217280	Individually boxed	5017134133042	90 per pallet	Included
	20120351	Top FIX	217279	Individually boxed	5017134133059	90 per pallet	Included
	20120457	Top FIX, QR, SC	217278	Individually boxed	5017134146516	90 per pallet	Included




MODUFIX
TOILET SEATS

UNIVERSAL SHAPE
TOILET SEATS


D SHAPE
TOILET SEATS

SPECIAL NEEDS
TOILET SEATS

SAPPHIRE



- ▶ Material: Thermoplastic
- ▶ Shatterproof and 100% recyclable material
- ▶ Supplied pre-assembled with adjustable plastic hinges
- ▶ Made in the UK



Description	Reference	Colour	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	LOCK+
White seat + cover	SSP11WH		Bottom FIX	Pre assembled	Individually boxed	5017134106763	100 per pallet	NA
Black seat + cover	SSP11BL		Bottom FIX	Pre assembled	Individually boxed	5017134106633	100 per pallet	NA
Champagne seat + cover	SSP11CH		Bottom FIX	Pre assembled	Individually boxed	5017134106657	100 per pallet	NA
Soft cream seat + cover	SSP11SC		Bottom FIX	Pre assembled	Individually boxed	5017134106725	100 per pallet	NA
Whisper grey seat + cover	SSP11WG		Bottom FIX	Pre assembled	Individually boxed	5017134106756	100 per pallet	NA



SSP11BL



SSP11CH



SSP11SC




SSP11WG

FIRST



- ▶ Material: Thermoplastic
- ▶ Shatterproof and 100% recyclable material
- ▶ Successfully tested to 10,000 opening/closing cycles

Description	Reference	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	LOCK+
White seat + cover	20718747	Bottom Fix, SC	Pre assembled	Individually boxed	3375537186945	1/6/108	NA




FUSION



- ▶ Material: Thermoset
- ▶ Resilient : extremely strong, durable and hard wearing
- ▶ Resistant to scratches, UV and chemicals
- ▶ Hygienic : made of naturally antibacterial material
- ▶ Ideal for contract purposes for medium to high traffic areas
- ▶ Made in the UK

Description	Reference	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	COMPATIBLE LOCK+
White seat + cover	20120352	Bottom FIX	217280	Individually boxed	5017134133066	90 per pallet	Included
	20120353	Top FIX	217279	Individually boxed	5017134133073	90 per pallet	Included
	20120354	Top FIX, SC	FSXSTSS	Individually boxed	5017134133080	90 per pallet	Included



217280



217279



FSXSTSS

MODUFIX
TOILET SEATS

UNIVERSAL SHAPE
TOILET SEATS

D SHAPE
TOILET SEATS

SPECIAL NEEDS
TOILET SEATS

EMERALD


1,6kg



- ▶ Material: Thermoplastic
- ▶ Shatterproof and 100% recyclable material
- ▶ Made in the UK
- ▶ Set British Standard 1254 Type 2
- ▶ Ideal for specification

SINCE
1992

Description	Reference	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	LOCK+
White seat + cover	SEM11WH	Bottom FIX	WHITE - Pre assembled	Individually boxed	5017134106527	100 per pallet	NA
	SEM18WH	Top FIX	CHROME - Pre assembled	Individually boxed	5017134116212	100 per pallet	NA
Black seat + cover	SEM11BL	Bottom FIX	BLACK - Pre assembled	Individually boxed	5017134106428	100 per pallet	NA
	SEM18BL	Top FIX	CHROME - Pre assembled	Individually boxed	5017134116236	100 per pallet	NA



Plastic hinge



Chrome plated hinge


TANGO

1,7kg



- ▶ Material: Thermoplastic
- ▶ Shatterproof and 100% recyclable material
- ▶ Easy to remove for easier cleaning
- ▶ Ideal for blind holes pans


Description	Reference	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	LOCK+
White seat + cover	STG11WH	Top Fix, SC QR	Pre assembled	Individually boxed	5012158689681	01 / 06 / 72	NA





SAXON



- ▶ Material: Thermoset
- ▶ Resistant to scratches, UV and chemicals
- ▶ Resilient : extremely strong, durable and hard wearing
- ▶ Hygienic : made of naturally antibacterial material
- ▶ Ideal for contract purposes for medium to high traffic areas
- ▶ Made in the UK
- ▶ Plastic or 304 stainless steel hinges available



Description	Reference	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	COMPATIBLE LOCK+
White seat + cover 	SSA11WH	Bottom FIX	FDP11WH	Individually boxed	5012158653866	90 per pallet	 20120455
	SSA12WH	Bottom FIX	FSS11SS	Individually boxed	5012158669324	90 per pallet	 20120455
	SSA21WH	Bottom FIX	FDP11WH	Pack of 5	5012158030230	150 per pallet	 20120455
Black seat + cover 	SSA11BL	Bottom FIX	FDP11BL	Individually boxed	5012158655785	90 per pallet	 20120455
	SSA12BL	Bottom FIX	FSS11SS	Individually boxed	5012158669287	90 per pallet	 20120455
	SSA21BL	Bottom FIX	FDP11BL	Pack of 5	5012158030131	150 per pallet	 20120455
White seat only 	SSA51WH	Bottom FIX	FDP11WH	Individually boxed	5012158666422	90 per pallet	 20120455
	SSA53WH	Bottom FIX	FSS13SS	Individually boxed	5012158669331	90 per pallet	 20120455
Black seat only 	SSA51BL	Bottom FIX	FDP11WH	Individually boxed	5012158665968	90 per pallet	 20120455
	SSA53BL	Bottom FIX	FSS13SS	Individually boxed	5012158669294	90 per pallet	 20120455
	SSA61BL	Bottom FIX	FDP11BL	Pack of 5	5017134130393	150 per pallet	 20120455



MODUFIX
TOILET SEATS

UNIVERSAL SHAPE
TOILET SEATS

D SHAPE
TOILET SEATS

SPECIAL NEEDS
TOILET SEATS

MADRIDIO

2,0kg



- ▶ Material: Thermoset
- ▶ Resilient : extremely strong, durable and hard wearing
- ▶ Resistant to scratches, UV and chemicals
- ▶ Hygienic : made of naturally antibacterial material
- ▶ Made in the UK
- ▶ Plastic or 304 stainless steel hinges available



Description	Reference	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	COMPATIBLE LOCK+
White seat + cover	SMB1TWH	Top FIX	217279	Individually boxed	5055294430229	90 per pallet	20120454
	20120262	Top FIX, Soft Close	FMD1SSS	Individually boxed	5017134132601	90 per pallet	20120454

VIP



2,3kg



- ▶ Material: Thermoset
- ▶ Resistant to scratches, UV and chemicals
- ▶ Resilient : extremely strong, durable and hard wearing
- ▶ Hygienic : made of naturally antibacterial material
- ▶ Made in the UK
- ▶ Plastic or 304 stainless steel hinges available




Description	Reference	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	COMPATIBLE LOCK+
White seat + cover	20120355	Bottom FIX	217280	Individually boxed	5017134133097	90 per pallet	Included
	20120356	Top FIX	217279	Individually boxed	5017134133103	90 per pallet	Included
	20120357	Top Fix, Soft Close	FSP1SSS	Individually boxed	5017134133110	90 per pallet	Included




CAVALCADE

 **2,3kg**



- ▶ Material: Mouldwood
- ▶ Longlasting material
- ▶ Chrome plated bar hinge
- ▶ Ideal for traditional pans

Description	Reference	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	LOCK+
White seat + cover	SCL11WH	Bottom FIX	pre-assembled	Individually boxed	5024139031853	01 / 03 / 60	NA



MODUFIX
TOILET SEATS

UNIVERSAL SHAPE
TOILET SEATS

D SHAPE
TOILET SEATS

SPECIAL NEEDS
TOILET SEATS

SONATA

2,7kg






**SET
BRITISH
STANDARD
BS1254**



- ▶ Material: Thermoset
- ▶ Resilient : extremely strong, durable and hard wearing
- ▶ Resistant to scratches, UV and chemicals
- ▶ Hygienic : made of naturally antibacterial material
- ▶ Ideal for contract purposes for high traffic areas
- ▶ Made in the UK
- ▶ Plastic or 304 stainless steel hinges available



Description	Reference	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	COMPATIBLE LOCK+
White seat + cover	SSO11WH	Bottom FIX	FDP11WH	Individually boxed	5012158010232	90/Pallet	20120455
	SSO12WH	Bottom FIX	FSS11SS	Individually boxed	5012158669409	90/Pallet	20120455
	SSO15WH	Top FIX	218814	Individually boxed	5012158672119	90/Pallet	20120454
	SSO17WH	Bottom FIX	FBC11CP	Individually boxed	5012158689353	90/Pallet	20120454
	SSO21WH	Bottom FIX	FDP11WH	Pack of 5	5024139038968	120/Pallet	20120455
Black seat + cover	SSO11BL	Bottom FIX	FDP11BL	Individually boxed	5012158653484	90/Pallet	20120455
	SSO12BL	Bottom FIX	FSS11SS	Individually boxed	5012158669362	90/Pallet	20120455
	SSO15BL	Top FIX	218814	Individually boxed	5017134132212	90/Pallet	20120454
	SSO21BL	Bottom FIX	FDP11BL	Pack of 5	5012158010133	120/Pallet	20120455
White seat only	SSO51WH	Bottom FIX	FDP11WH	Individually boxed	5012158667122	90/Pallet	20120455
	SSO53WH	Bottom FIX	FSS11SS	Individually boxed	5012158669416	90/Pallet	20120455
	SSO55WH	Top FIX	218814	Individually boxed	5012158672102	90/Pallet	20120454
Black seat only	SSO51BL	Bottom FIX	FDP11BL	Individually boxed	5012158666828	90/Pallet	20120455
	SSO53BL	Bottom FIX	FSS11SS	Individually boxed	5012158669379	90/Pallet	20120455
	SSO55BL	Top FIX	218814	Individually boxed	5012158669379	90/Pallet	20120454




WOODY PARAMOUNT



- ▶ Material: Mouldwood
- ▶ Longlasting material
- ▶ Successfully tested to 20,000 opening/closing cycles
- ▶ Matching colour plastic hinges



Description	Reference	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	LOCK+
Seat and cover	21230001	Bottom FIX	pre-assembled	Individually boxed	3375539049736	01 / 04 / 64	NA




DIPLOMAT



- ▶ Material: Mouldwood
- ▶ High strength compressed wood with a white acrylic paint finish
- ▶ Successfully tested to 20,000 opening/closing cycles
- ▶ Chrome plated soft close hinges



Description	Reference	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	LOCK+
Seat and cover	20719794	Bottom FIX, Soft Close	pre-assembled	Individually boxed	3375537197217	01 / 04 / 64	NA



MODUFIX
TOILET SEATSUNIVERSAL SHAPE
TOILET SEATSD SHAPE
TOILET SEATSSPECIAL NEEDS
TOILET SEATS


WOODY



3,5kg


- ▶ Material: Mouldwood
- ▶ Longlasting material
- ▶ Successfully tested to 20,000 opening/closing cycles
- ▶ 304 stainless steel hinges

Description	Reference	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	LOCK+
Seat and cover	21230004	Bottom FIX	pre-assembled	Individually boxed	3375537127320	01 / 03 / 60	NA




WOODY LUX



3,5kg


- ▶ Material: Mouldwood
- ▶ High strenght compressed wood with a white glossy paint finish
- ▶ Successfully tested to 20,000 opening/closing cycles
- ▶ Chrome plated soft close hinges

Description	Reference	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	LOCK+
Seat and cover	20719569	Bottom FIX, Soft Close	pre-assembled	Individually boxed	3375537194971	01 / 03 / 60	NA



D SHAPE

► To match the increasing number of frames and wall hung pans in modern bathrooms

Description	Weight	Page number
DISCO	2,1	28
SVELT	2,1	28
MAESTRO	2,3	29

DISCO

Modern D-shape




SVELT

Simple & stylish



MAESTRO

Classic D-shape



MODUFIX
TOILET SEATS

UNIVERSAL SHAPE
TOILET SEATS

D SHAPE
TOILET SEATS

SPECIAL NEEDS
TOILET SEATS


DISCO

 **2,1kg**



- ▶ Material: Thermoset
- ▶ Resilient : extremely strong, durable and hard wearing
- ▶ Fully wrap over with square edges D-Shape
- ▶ Resistant to scratches, UV and chemicals
- ▶ Hygienic : made of naturally antibacterial material
- ▶ Ideal for blind hole pans

Description	Reference	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	LOCK+
Seat and cover	20721512	Top FIX, Soft Close, Quick Release	pre-assembled	Individually boxed	3375537659340	01 / 04 / 96	NA




SVELT

 **2,1kg**




- ▶ Material: Thermoset
- ▶ Slim contemporary Design Resilient : extremely strong, durable and hard wearing
- ▶ Resistant to scratches, UV and chemicals
- ▶ Hygienic : made of naturally antibacterial material
- ▶ Ideal for blind hole pans

Description	Reference	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	LOCK+
Seat and cover	20721439	Top FIX, Soft Close, Quick Release	pre-assembled	Individually boxed	5017134132434	01 / 04 / 96	NA



MAESTRO


2,3kg



- ▶ Material: Thermoset
- ▶ Resilient : extremely strong, durable and hard wearing
- ▶ Semi Wrap over design
- ▶ Resistant to scratches, UV and chemicals
- ▶ Hygienic : made of naturally antibacterial material
- ▶ Ideal for blind hole pans with the top fix option
- ▶ Made in the UK



Description	Reference	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	COMPATIBLE LOCK+
Seat and cover	20120358	Bottom FIX	217280	Individually boxed	5017134133127	90 per pallet	Included
	20120359	Top FIX	217279	Individually boxed	5017134133134	90 per pallet	Included
	20120360	Top FIX, Soft Close, Quick Release	FMASTSS	Individually boxed	5017134133141	90 per pallet	Included



SPECIAL NEEDS

▶ Aesthetically pleasing seats with your needs in mind

Description	Weight	Page number
CELESTE PRO	2,3	31
CELESTE PLUS	2,3	32
EVERMOOR	2,7	33
FAMILY	1,5	34
CRESCENT ADULT	2,7	34
CRESCENT JUNIOR	1,0	35
P72	1,5	35

Did you know?

Red and **Blue** toilet seats help to remind people with cognitive loss what the purpose of the toilet / bathroom is and also where it is located. This can help to reduce confusion and distress when visiting the toilet.



CELESTE PRO


2,3kg




**AVAILABLE
IN BLUE/RED**



- ▶ Material: Thermoset
- ▶ Hygienic : made of naturally antibacterial material
- ▶ Resistant to scratches, UV and chemicals
- ▶ Ergonomical seat for maximum comfort when sitting for a long time
- ▶ Adjustable locating buffers ideal for hospitals and care homes
- ▶ Made in the UK



Description	Reference	Colour	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	LOCK+
Seat and cover with c/p top fix hinge and raised locating buffers	SCI11WY	White	Top FIX	FCI11CP	Individually boxed	5024139038753	90 per pallet	NA
Seat and cover with c/p top fix hinge and raised locating buffers	SCI11IB	Blue 5011	Top FIX	FCI11CP	Individually boxed	5024139038746	90 per pallet	NA
Seat and cover with c/p top fix hinge and raised locating buffers	SCI11RE	Red	Top FIX	FCI11CP	Individually boxed	5024139039293	90 per pallet	NA
SEAT ONLY with c/p top fix hinge and raised locating buffers	SCI51WY	White	Top FIX	FCI11CP	Individually boxed	5024139038777	90 per pallet	NA
SEAT ONLY with c/p top fix hinge and raised locating buffers	SCI51IB	Blue 5011	Top FIX	FCI11CP	Individually boxed	5024139038760	90 per pallet	NA
SEAT ONLY with c/p top fix hinge and raised locating buffers	SCI51RE	Red	Top FIX	FCI11CP	Individually boxed	5024139039330	90 per pallet	NA



- 4 buffers on the seat including 2 locating buffers for more stability
- 2 buffers on the cover
- Increased height (15mm)



FCI11CP

- Solid brass adjustable hinge
- Stainless steel fittings
- Includes buffer pack

MODUFIX
TOILET SEATS

UNIVERSAL SHAPE
TOILET SEATS

D SHAPE
TOILET SEATS

SPECIAL NEEDS
TOILET SEATS

CELESTE PLUS

 **2,3kg**




**AVAILABLE
IN BLUE/RED**



- ▶ Material: Thermoset
- ▶ Hygienic : made of naturally antibacterial material
- ▶ Resistant to scratches, UV and chemicals
- ▶ Ergonomical seat for maximum comfort when sitting for a long time
- ▶ Adjustable locating buffers ideal for hospitals and care homes
- ▶ Made in the UK



Description	Reference	Colour	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	LOCK+
Seat and cover with c/p bottom fix hinge and locating buffers	SCK11WY	White	Bottom FIX	SF298	Individually boxed	5024139036834	90 per pallet	NA
Seat and cover with c/p bottom fix hinge and locating buffers	SCK11IB	Blue 5011	Bottom FIX	SF298	Individually boxed	5024139037152	90 per pallet	NA
Seat and cover with c/p bottom fix hinge and locating buffers	SCK11RE	Red	Bottom FIX	SF298	Individually boxed	5024139037152	90 per pallet	NA
SEAT ONLY with c/p bottom fix hinge and locating buffers	SCK51WY	White	Bottom FIX	SF298	Individually boxed	5024139037398	90 per pallet	NA
SEAT ONLY with c/p bottom fix hinge and locating buffers	SCK51IB	Blue 5011	Bottom FIX	SF298	Individually boxed	5024139039309	90 per pallet	NA
SEAT ONLY with c/p bottom fix hinge and locating buffers	SCK51RE	Red	Bottom FIX	SF298	Individually boxed	5024139039316	90 per pallet	NA



- 4 buffers on the seat including 2 locating buffers for more stability
- 2 buffers on the cover



EVERMOOR


2,7kg




- ▶ Material: Thermoset
- ▶ Hygienic : made of naturally antibacterial material
- ▶ Resistant to scratches, UV and chemicals
- ▶ Adjustable locating buffers ideal for hospitals and care homes
- ▶ Made in the UK



**AVAILABLE
IN BLUE/RED**

Description	Reference	Colour	Hinge features	Hinge	Packaging	EAN code	Multiple /boxed	COMPATIBLE LOCK+
Seat and cover with SS Top fix hinge, Lock+ and locating buffers	20120380	White	Top FIX	218814	Individually boxed	5017134134049	90 per pallet	Included
Seat and cover with SS Top fix hinge, Lock+ and locating buffers	20120381	Blue 5011	Top FIX	218814	Individually boxed	5017134134056	90 per pallet	Included
Seat and cover with SS Top fix hinge, Lock+ and locating buffers	20120382	Red	Top FIX	218814	Individually boxed	5017134134087	90 per pallet	Included
SEAT ONLY with SS Top fix hinge, Lock+ and locating buffers	20120383	White	Top FIX	218814	Individually boxed	5017134134063	90 per pallet	Included
SEAT ONLY with SS Top fix hinge, Lock+ and locating buffers	20120384	Blue 5011	Top FIX	218814	Individually boxed	5017134134070	90 per pallet	Included
SEAT ONLY with SS Top fix hinge, Lock+ and locating buffers	20120385	Red	Top FIX	218814	Individually boxed	5017134134094	90 per pallet	Included



MODUFIX
TOILET SEATS

UNIVERSAL SHAPE
TOILET SEATS

D SHAPE
TOILET SEATS


SPECIAL NEEDS
TOILET SEATS

FAMILY

1,5kg




- ▶ Material: Thermoplastic
- ▶ Shatterproof material
- ▶ Integrated child seat with magnetic closure
- ▶ Successfully tested to 20,000 opening/closing cycles



Description	Reference	Colour	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	LOCK+
Seat and cover	20719572	white	Bottom FIX, Soft Close	pre-assembled	Individually boxed	3375537195008	90 per pallet	NA

CRESCENT ADULT



2,7kg



- ▶ Material: Thermoset
- ▶ Hygienic : made of naturally antibacterial material
- ▶ Resistant to scratches, UV and chemicals
- ▶ Gap front seat to reduce contact with bacteria Ideal for hospitals and care homes
- ▶ Made in the UK



Description	Reference	Colour	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	COMPATIBLE LOCK+
Seat and cover	SCR12WH	white	Bottom FIX	FSS11SS	Individually boxed	5012158669034	90 per pallet	20120455
Seat and cover	SCR12BL	black	Bottom FIX	FSS11SS	Individually boxed	5012158668990	90 per pallet	20120455
Seat ONLY	SCR51WH	white	Bottom FIX	FDP11WH	Individually boxed	5012158650988	90 per pallet	20120455
Seat ONLY	SCR51BL	black	Bottom FIX	FDP11BL	Individually boxed	5012158655846	90 per pallet	20120455
Seat ONLY	SCR53WH	white	Bottom FIX	FSS13SS	Individually boxed	5012158669041	90 per pallet	20120454
Seat ONLY	SCR53BL	black	Bottom FIX	FSS13SS	Individually boxed	5012158669003	90 per pallet	20120454



CRESCENT JUNIOR

1,0kg



- ▶ Material: Thermoset
- ▶ Hygienic : made of naturally antibacterial material
- ▶ Designed to fit 12" school pans
- ▶ Resistant to scratches, UV and chemicals
- ▶ Gap front seat to reduce contact with bacteria Ideal for schools
- ▶ Made in the UK



SCHOOL

Description	Reference	Colour	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	LOCK+
SEAT ONLY	SCJ51WH	white	Bottom FIX	FDP11WH	Individually boxed	5012158691820	90 per pallet	NA
SEAT ONLY	SCJ51BL	black	Bottom FIX	FDP11BL	Individually boxed	5012158661922	90 per pallet	NA
SEAT ONLY	SCJ53WH	white	Bottom FIX	FSS13SS	Individually boxed	5012158669102	90 per pallet	NA
SEAT ONLY	SCJ53BL	black	Bottom FIX	FSS13SS	Individually boxed	5012158669089	90 per pallet	NA

P72 MINI

1,5kg





- ▶ Material: Thermoset
- ▶ Hygienic : made of naturally antibacterial material
- ▶ Designed to fit 12" school pans
- ▶ Resistant to scratches, UV and chemicals
- ▶ Ideal for schools
- ▶ Made in the UK



SCHOOL

Description	Reference	Colour	Hinge features	Hinge	Packaging	EAN code	Multiple/boxed	LOCK+
Seat and cover	SMP11WH	white	Bottom FIX	FDP11WH	Individually boxed	5012158663773	90 per pallet	NA
Seat and cover	SMP14WH	white	Bottom FIX	FSC11SS	Individually boxed	5012158671310	90 per pallet	NA



www.wirquin.co.uk



FLUSHING

FLUSH VALVES

SIPHONS

INLET VALVES

CONCEALED CISTERNS

EXPOSED CISTERNS

URINAL FLUSHING

SPARES AND ACCESSORIES

Macdee
wirquin



MERCHANDISING TOOLS

For your STORE

- ▶ Consistent and self explanatory packaging



- ▶ Selection of FSDU to choose from.
Dimensions (mm) H-185cm, W-59cm, D-39cm

- ▶ WIRQUIN INNOVATIONS
- ▶ PLUMBING ESSENTIALS
- ▶ FLUSHING ESSENTIALS
- ▶ CISTERN DISPLAY



* Images for illustration purposes only.



* Image for illustration purposes only, actual contents and design will vary.

DUAL FLUSH LID LOCKING FLUSH VALVE



WIRQUIN ONE



NEW




**FULL
AUTOMATIC
SETTING**

**NO MORE
MEASUREMENTS,
NO MORE
CUTTING!**

With **WIRQUIN ONE**, enjoy an intuitive, fast and efficient installation.

Thanks to its patented system, it adapts automatically to the height of the tank without measuring or cutting.

This innovative solution is also respectful of the environment, offering an efficient and constant flush.



EFFICIENT DUAL FLUSH 6/4L
water saving

A CONSISTENT OPERATING FORCE
whether it is half or full flush

STIRRUP
lid-locking system

TELESCOPIC OVERFLOW
no cutting required!

FLUSH SETTING
independent multiple full and part flush options



**WIRQUIN ONE
DUAL FLUSH VALVE**



DESCRIPTION	2" dual flush mechanism
REFERENCE	10120440
EAN CODE	5017134134247
PACKAGING	Boxed
BOXED QUANTITY	1 / 8 / 240
HEIGHT OF CISTERNS (mm)	260 TO 400 mm
DIAMETER OF COVER HOLE	40 mm
CONTROL SYSTEM	Lid Locking
MAIN CHARACTERISTICS	<ul style="list-style-type: none"> ▶ Dual flush 6/4L ▶ Flush rate of 2,4L/sec ▶ Suitable for 2" close coupled cisterns only.
TECHNICAL DRAWING	

DUAL FLUSH CABLE OPERATED FLUSH VALVE



QUICK FIT



THANKS TO ITS PATENTED SYSTEM, QUICK FIT ATTACHES DIRECTLY OVER EXISTING CLOSE COUPLED INSTALLATIONS WITHOUT REMOVING THE CISTERN.







DUAL FLUSH

QUICK FIT DUAL FLUSH VALVE



DESCRIPTION	2" dual flush mechanism
REFERENCE	10721505
EAN CODE	3375537214341
PACKAGING	Boxed
BOXED QUANTITY	1 / 12
HEIGHT OF CISTERNS (mm)	270 TO 440 mm
DIAMETER OF COVER HOLE	14 to 58 mm
CONTROL SYSTEM	Cable control
MAIN CHARACTERISTICS	<ul style="list-style-type: none"> ▶ Time saving: no need to remove the cistern to change the flush valve. ▶ Innovative seal: Butyl seal ensures a perfect secure fit instantly. ▶ Suitable for close coupled cisterns only.
TECHNICAL DRAWING	

CABLE OPERATED

	JOLLYFLUSH DUAL FLUSH VALVE	JOLLYFLUSH DOC M SINGLE FLUSH VALVE	JOLLYTRONIC	KAYLA CABLE OPERATED DUAL FLUSH VALVE
				
DESCRIPTION	Dual flush mechanism - 2" & 1 1/2"	2" & 1 1/2" DOC M flush mechanism EASY FLUSH	2" no touch flushing valve	2" & 1 1/2" flushing valve front or top flush
REFERENCE	10120446	12050002	10120021	DVA0100
EAN CODE	5017134146400	3375537160860	5017134129168	5017134115376
PACKAGING	Boxed	Bag	Boxed	Boxed
MULTIPLE / BOXED QUANTITY	1 / 8 / 240	1 / 15	1 / 100	N/A
HEIGHT OF CISTERNS (mm)	300 to 420	300 to 420	300 to 420	300 to 420
FLUSH RATE L/sec	2.2 WRAS: 1.85	1.9 WRAS: 1.85 (1 1/2") 2.2 WRAS: 1.85 (2")	2.2 WRAS: 1.85	1.9 WRAS: 1.85 (1 1/2") 2.2 WRAS: 1.85 (2")
DIAMETER OF COVER HOLE	14 to 46 mm	14 to 46 mm	38 to 45 mm	16 to 38 mm
MECHANISM BASE (INCHES)	2"	2" & 1.5"	2"	2" & 1.5"
WATER SAVING	DUAL FLUSH	SINGLE FLUSH	ECO FLUSH	DUAL FLUSH
CABLE LENGTH	300 mm	300 mm	300 mm	400 mm
TOP OR FRONT MECHANISM	TOP OR FRONT	TOP OR FRONT	TOP OR FRONT	TOP OR FRONT
MAIN CHARACTERISTICS	Adjustable overflow (240 to 270mm).	Ideal for people with limited mobility. Raised button for easy flush. Adjustable overflow (240 to 270mm).	Battery operated no touch infrared flushing valve	Multi full and part flush settings, adjustable overflow (190-330mm)
TECHNICAL DRAWING				



ACCESSORIES		
		
Jollyflush dual flush chrome push button (grey cable) (sold in 5s)	Overflow washer for flushing (sold in 5s)	Grey cable for MW2 and Jollyflush flushing valve
10717795	10717748	19080001
FOR A FULL RANGE OF ACCESSORIES SEE PAGES 67 - 72		

PNEUMATIC OPERATED

KAYLA PNEUMATIC DUAL FLUSH VALVE

- ▶ Water saving dual flushing valve
- ▶ Adjustable Full and part flush volume settings
- ▶ Adjustable internal overflow, making it ideal for both new and retrofit installations
- ▶ Removable top for easy cleaning and replacement
- ▶ Flushpipe stops on the base for correct installation
- ▶ Easy clean seal for quick maintenance
- ▶ Suitable for use with our Pneu-Compact Cisterns
- ▶ WRAS approved






KAYLA PNEUMATIC SINGLE FLUSH VALVE



DESCRIPTION	2" dual flush valve complete with Kara 72mm chrome dual flush push button	2" dual flush valve only No button	1 1/2" single flush valve only No button
REFERENCE	DVA0500	DVA5200	DVA5350
EAN CODE	5017134116472	5017134119459	5017134120462
PACKAGING	Bag	Bag	Bag
FLUSH RATE L/sec	2.1	2.1	2.1
MECHANISM BASE INCHES	2"	2"	1.5"
WATER SAVING	Dual Flush	Dual Flush	Single Flush
AIR HOSE LENGTH	1.5m	1.5m	1.5m

TECHNICAL DRAWING







ACCESSORIES

		
Kara 72mm Chrome dual flush push button*	Kara 50mm Chrome dual flush push button*	50mm Chrome single flush push button**
SYG610CP	SYG611CP	SYG609CP
FOR A FULL RANGE OF ACCESSORIES SEE PAGES 67 - 72		

*Compatible with Kayla dual flush pneumatic flush valve only.

**Compatible with Kayla single flush pneumatic valve only.

FLUSH VALVE KITS

	JOLLYFLUSH TOP OR FRONT ACCESS DUAL FLUSH VALVES		JOLLYTRONIC KIT	KAYLA CABLE OPERATED DUAL FLUSH VALVE
				
DESCRIPTION	1 1/2" & 2" dual flush mechanism + Jollyfill telescopic adjustable inlet valve		2" No touch bottom entry flushing mechanism + Jollyfill telescopic adjustable inlet valve	1 1/2" & 2" Universal bottom entry cistern fitting pack
REFERENCE	10120269	14010402	10120022	AV068
EAN CODE	5017134132700	3375537159475	5017134129175	5017134119169
PACKAGING	Box	Bag	Boxed	Bag
MULTIPLE / BOXED QUANTITY	1 / 6 / 150	1 / 10	1 / 100	N/A
HEIGHT OF CISTERNS (mm)	300 to 420	300 to 420	300 to 420	300 to 420
FLUSH RATE L/sec	1.9 WRAS: 1.85 (1 1/2") 2.2 WRAS: 1.85 (2")	1.9 WRAS: 1.85 (1 1/2") 2.2 WRAS: 1.85 (2")	2.2 WRAS: 1.85	1.9 WRAS: 1.85 (1 1/2") 2.2 WRAS: 1.85 (2")
DIAMETER OF COVER HOLE	14 to 46 mm	14 to 46 mm	38 to 45 mm	16 to 38 mm
MECHANISM BASE (INCHES)	2" & 1.5"	2" & 1.5"	2"	2" & 1.5"
WATER SAVING	DUAL FLUSH	DUAL FLUSH	ECO STOP	DUAL FLUSH
CABLE LENGTH	300 mm	300 mm	300 mm	400 mm
TOP OR FRONT MECHANISM	TOP OR FRONT	TOP OR FRONT	TOP OR FRONT	TOP OR FRONT
INLET VALVE	1/2" brass tail	1/2" plastic tail	1/2" brass tail	1/2" plastic tail
MAIN CHARACTERISTICS	UNIVERSAL FLUSH KIT Complete replacement kit for 99% of bottom entry close coupled cisterns. Extendable overflow (240 to 270mm). Adjustable JOLLYFILL telescopic, delayed action, space saving, inlet valve.	UNIVERSAL FLUSH KIT Complete replacement kit for 99% of bottom entry close coupled cisterns. Extendable overflow (240 to 270mm). Adjustable JOLLYFILL telescopic, delayed action, space saving, inlet valve.	Advanced no touch eco flushing kit that operates via a no touch infrared signal. Adjustable JOLLYFILL telescopic, delayed action, inlet valve.	Universal flush kit. Complete replacement kit for 99% of bottom entry close coupled cisterns. Extendable overflow and multi full and part flush settings. Adjustable JOLLYFILL telescopic, delayed action, space saving, inlet valve.
TECHNICAL DRAWING				

DUAL FLUSH SIPHON



MACDEE MOTION



- ▶ Unique flapper
- ▶ Very compact design
- ▶ Widest range of height options on the market
- ▶ Adjustable flush volumes

Description	Reference	EAN code	Packaging	Multiple/boxed
Siphon only	10120045	5017134129816	Box	1 / 8 / 240
Universal Kit	10120046	5017134129823	Box	1 / 6 / 120



FITS ALL LEVER OPERATED CISTERNS



Order code: 10120205


INCREASE SALES WITH A COUNTER TOP DISPLAY

- ▶ Free with an order of 8 x MACDEE MOTION (limited to 1 per customer)
- ▶ Delivered in a protective sleeve
- ▶ Includes a pre-fitted Macdee Motion universal dual flush siphon



METRO RAPID - SINGLE FLUSH			OBLONG	ROUND	SQUARE	D-SHAPE
3 PIECE SIPHON PACKAGING: BAG MULTIPLE/BOXED QUANTITY: 01/10 CONTROL SYSTEM: LEVER						
HEIGHT	C-LINK					
7.5"	2 1/4"	REFERENCE	DSY8725	DSY7125	DSY7925	DSD7125
		EAN CODE	5017134105209	5017134105025	5017134105124	5017134104622
8"	2 1/4"	REFERENCE	DSY8825	DSY7225	DSY8025	DSD8225
		EAN CODE	5017134105216	5017134105032	5017134105131	5017134104639
8.5"	2 1/4"	REFERENCE	DSY8875	DSY7275	-	-
		EAN CODE	5017134119589	5017134115154	-	-
9"	2 1/4"	REFERENCE	DSY8925	DSY7325	DSY8125	DSD9325
		EAN CODE	5017134105223	5017134105049	5017134105148	5017134104646
9.5"	2 1/4"	REFERENCE	DSY9025	DSY7425	DSY8225	DSD9425
		EAN CODE	5017134105230	5017134105056	5017134105155	5017134104653
10"	4 3/8"	REFERENCE	DSY9138	-	-	DSD1538
		EAN CODE	5017134105247	-	-	5017134104592
10.5"	4 3/8"	REFERENCE	DSY9238	-	-	DSD1638
		EAN CODE	5017134105254	-	-	5017134104608
NOTE: For internal overflow measure from the base of the cistern to the waterline and add 1", ensuring that the measurement is a minimum of 10mm below any aperture in the cistern to decide what height siphon is required for the installation.			<ul style="list-style-type: none"> ▶ Ideal for use in standard size cisterns ▶ Metro Rapid has an easy to remove upper section allowing easy maintenance / replacement without the need to remove the cistern ▶ Flush volumes can be varied between 6/7/9 litres making it suitable for replacement installations ▶ All siphons come complete with siphon backnut, coupling nut, sealing washer and low level flush pipe seal as standard ▶ Internal overflow 	<ul style="list-style-type: none"> ▶ Ideal for use with compact narrow cisterns where space may be an issue ▶ Metro Rapid has an easy to remove upper section allowing easy maintenance / replacement without the need to remove the cistern ▶ All siphons supplied complete with siphon backnut, coupling nut, sealing washer and low level flush pipe seal as standard ▶ Internal overflow 	<ul style="list-style-type: none"> ▶ Square shaped siphon is ideal for installation in narrow yet deep cisterns ▶ Metro Rapid has an easy to remove upper section allowing easy maintenance / replacement without the need to remove the cistern ▶ All siphons come complete with siphon backnut, coupling nut, sealing washer and low level flush pipe seal as standard ▶ Internal overflow 	<ul style="list-style-type: none"> ▶ Well suited for installation in slimline cisterns ▶ Metro Rapid has an easy to remove upper section allowing easy maintenance / replacement without the need to remove the cistern ▶ All siphons come complete with siphon backnut, coupling nut, sealing washer and low level flush pipe seal as standard ▶ Internal overflow

- ▶ The Metro range is a well established siphon offering a high level of reliability
- ▶ On the Metro, flush volume can be varied between 6/7/9 litres, making it suitable for replacement installations
- ▶ All siphons come complete with siphon backnut, coupling nut, sealing washer and low level flush pipe seal as standard
- ▶ Complete with internal overflow
- ▶ WRAS approved




	METRO SINGLE FLUSH			METRO DUAL FLUSH		
DESCRIPTION	7 1/2" one piece siphon complete with 2 1/4 metal c-link and low level flushpipe seal	9 1/2" one piece siphon complete with 2 1/4 metal c-link and low level flushpipe seal	10" one piece siphon complete with 4 3/8 metal c-link and low level flushpipe seal	8" one piece siphon complete with 2 1/4 metal c-link and low level flushpipe seal	8 1/2" one piece siphon complete with 2 3/4 metal c-link and low level flushpipe seal	9" one piece siphon complete with 2 1/4 metal c-link and low level flushpipe seal
REFERENCE	DSY0125	DSY0425	DSY0538	DSY0225	DSY0275	DSY0325
EAN CODE	5017134104769	5017134104790	5017134104813	5017134104776	5017134120097	5017134104783
PACKAGING	Bag	Bag	Bag	Bag	Bag	Bag
MULTIPLE / BOXED QUANTITY	01/10	01/10	01/10	01/10	01/10	01/10
MECHANISM BASE INCHES	1.5	1.5	1.5	1.5	1.5	1.5
CONTROL SYSTEM	Lever	Lever	Lever	Lever	Lever	Lever

NOTE: For internal overflow measure from the base of the cistern to the waterline and add 1", ensuring that the measurement is a minimum of 10mm below any aperture in the cistern to decide what height siphon is required for the installation.

	METRO SIPHON SPARES							
DESCRIPTION	Metro Rapid or Metro one siphon diaphragm washer - oblong	Metro siphon 1 1/2" back nut	Metro siphon 1 1/2" base sealing washer	Metro siphon 1 1/2" coupling nut	Metro 2 1/4" metal c-link	Metro 3 1/2" metal c-link	Metro 4 3/8" metal c-link	Metro flush volume selector
REFERENCE	DSY1300	DSY1500	DSY1600	DSY1700	DSY1900	DSY2000	DSY2100	DSA5900
EAN CODE	5017134104868	5017134104875	5017134104882	5017134104899	5017134128918	5017134128925	5017134128932	5017134128956

INLET VALVES BOTTOM ENTRY

	JOLLYFILL TELESCOPIC BOTTOM ENTRY			JOLLYFILL BOTTOM ENTRY
DESCRIPTION	Inlet float valve	Inlet float valve	Inlet float valve	1/2" Inlet float valve
REFERENCE	10120029	10120028	16110011	16100006
EAN CODE	5017134129434	5017134129311	3375537150441	3375537136759
PACKAGING	Boxed	Boxed	Bag	Bag
MULTIPLE / BOXED QUANTITY	1 / 24	1 / 24	1 / 36	1 / 36
INLET TAIL	1/2" brass	1/2" plastic	3/8" brass	1/2" plastic
WORKING RANGE	0.1 up to 16 bar	0.1 up to 16 bar	0.1 up to 16 bar	0.1 up to 16 bar
RESISTANT TO PEAKS OF PRESSURE	Up to 20 bars	Up to 20 bars	Up to 20 bars	Up to 20 bars
WATER SAVING DELAYED ACTION	Yes	Yes	Yes	Yes
MAIN CHARACTERISTICS	Patented clutch system against over tightening. Ultra quiet (17 decibels). Anti-siphoning. Eliminates water hammer. Water saving .			Ultra quiet (17 decibels). Anti-siphoning. Eliminates water hammer.
TECHNICAL DRAWING				



JOLLYFILL / TOPY SPARE
Jollyfill and Topy diaphragm washer (sold in 5s)
10717797

INLET VALVES SIDE ENTRY

	JOLLYFILL SIDE ENTRY		TOPY SIDE ENTRY	
DESCRIPTION	Inlet float valve	Inlet float valve	Inlet float valve	Inlet float valve
REFERENCE	10120033	10120034	16300601	16300501
EAN CODE	5017134129526	5017134129533	3375537160815	3375537161140
PACKAGING	Boxed	Boxed	Bag	Bag
MULTIPLE / BOXED QUANTITY	1 / 24	1 / 24	1 / 60	1 / 72
INLET END	1/2" plastic	1/2" brass	1/2" plastic	3/8" brass
WORKING RANGE	0.1 up to 16 bar	0.1 up to 16 bar	0.1 up to 16 bar	0.1 up to 16 bar
RESISTANT TO PEAKS OF PRESSURE	Up to 20 bars	Up to 20 bars	Up to 20 bars	Up to 20 bars
WATER SAVING DELAYED ACTION	Yes	Yes	No	No
MAIN CHARACTERISTICS	180° head rotation ideal for narrow tanks. Ultra quiet (17 decibels). Anti-siphoning. Eliminates water hammer.	180° head rotation ideal for narrow tanks. Ultra quiet (17 decibels). Anti-siphoning. Eliminates water hammer.	Ultra compact.	Special for Uni Compact cistern. Ultra compact.
TECHNICAL DRAWING				

The side entry JOLLYFILL with 180° head rotation allows installation in narrow tanks.



Guarantee **10** YEARS

JOLLYFILL / TOPY SPARE



Jollyfill and Topy diaphragm washer (sold in 5s)

10717797

SILENTA INLET SIDE ENTRY	SILENTA INLET BOTTOM ENTRY
	 <ul style="list-style-type: none"> ▶ BS1212: Part 3 ▶ Supplied with high and low pressure seating and backnut ▶ Height variation: bottom entry pedestal ▶ 8 1/2" to 10" and arm length 7 1/4' to 8 1/4"

DESCRIPTION	Ball valve complete with 8 1/4" lever arm diverter high and low pressure seating and backnuts	Ball valve complete with 9 1/4" lever arm diverter high and low pressure seating and backnuts	Ball valve 8 1/2" cranked pedestal complete with 7 1/4" lever arm diverter high and low pressure seating washer and backnut	Ball valve 9 1/2" cranked pedestal complete with 7 1/4" lever arm diverter high and low pressure seating washer and backnut	Ball valve 8 1/2" cranked pedestal complete with 8 1/4" lever arm diverter high and low pressure seating washer and backnut	Ball valve 9 1/2" cranked pedestal complete with 8 1/4" lever arm diverter high and low pressure seating washer and backnut	Ball valve 10" cranked pedestal complete with 8 1/4" lever arm diverter high and low pressure seating washer and backnut
REFERENCE	DVS1082	DVS1092	DVS3872	DVS3972	DVS3882	DVS3982	DVS3182
EAN CODE	5017134105452	5017134105469	5017134105520	5017134105551	5017134105537	5017134105568	5017134105506
PACKAGING	Bag	Bag	Bag	Bag	Bag	Bag	Bag
MULTIPLE / BOXED QUANTITY	01/75	01/75	01/50	01/50	01/50	01/50	01/50
INLET END	1/2" plastic	1/2" Plastic	1/2" plastic	1/2" plastic	1/2" plastic	1/2" plastic	1/2" plastic
FILLING RATE AT 0,1 BAR	1.5L/min	1.5L/min	1.5L/min	1.5L/min	1.5 L/mn	1.5L/min	1.5L/min
FUNCTIONING RANGE	0-1 to 14 bar	0-1 to 14 bar	0-1 bar to 14	0-1 bar to 14			
MAIN CHARACTERISTICS	UK manufactured, complete with fittings, quick and easy to install.		UK manufactured, complete with fittings, quick and easy to install pedestal.				

BALL FLOATS

	SUPERFLOAT						
							
DESCRIPTION	5" spherical float with 5/16" BSW brass insert	6" spherical float with 5/16" BSW brass insert	8" spherical float with 3/8" BSW brass insert	8" spherical float with 7/16" BSW brass insert	10" spherical float with 1/2" BSW brass insert	10" spherical float with 9/16" BSW brass insert	12" spherical float with 5/8" BSW brass insert
REFERENCE	DBS0540	DBS0640	DBS1300	DBS0840	DBS1400	DBS1040	DBS1240
EAN CODE	5017134102918	5017134102949	5017134103014	5017134102987	5017134103021	5017134102994	5017134103007
PACKAGING	Bag	Bag	Bag	Bag	Bag	Bag	Bag
MULTIPLE / BOXED QUANTITY	01/50	01/50	01/20	01/20	01/10	01/10	01/05

	SUPERFLOAT		
			
DESCRIPTION	4 1/2" spherical float with 5/16" BSW brass insert, packed and sold in 10s	4 1/2" spherical float with plastic threads, packed and sold in 10s	4 1/2" cylindrical float with plastic threads, packed and sold in 10s
REFERENCE	DBS0420	DBS0450	DBC0440
EAN CODE	5017134102864	5017134102901	5017134102796
PACKAGING	Bag	Bag	Bag
MULTIPLE / BOXED QUANTITY	10	10	10

CISTERNS

CONCEALED CISTERNS

The most compact solutions on the market for in-wall and bathroom furniture applications



EXPOSED CISTERNS

A range suitable for any requirement, from residential to commercial, newbuild to retrofit



OPERATION OPTIONS



Lever



Infrared Sensor



Button



Chain & Pull



Macdee
wirquin

DUO COMPACT CONCEALED CISTERN



- ▶ Most compact cistern on the market
- ▶ Ideal for bathroom furniture and in wall installations
- ▶ Water saving - dual flush valve and delayed action inlet valve
- ▶ Fittings and flushpipe included
- ▶ W - 336mm x H - 320mm x D - 140mm



*flushing & inlet valve



CDC52CP

REFERENCE	CDC52CP	CDC53CP	CDC40CP	CDC41CP	CDC71CP
EAN CODE	5017134115468	5017134117837	5017134119817	5017134119824	5017134118193
PACKAGING	Box	Box	Box	Box	Box
PALLET	1/54	1/54	1/54	1/54	1/54
OUTLET	1 1/2"	2"	1 1/2"	2"	2"
FLUSH	Dual Flush Kayla - Cable	Dual Flush Kayla - Cable	Dual Flush Kayla - Cable	Dual Flush Kayla - Cable	Dual Flush Kayla - Cable
FLUSH VOLUMES	6/4l + 4/2.6l	6/4l + 4/2.6l	6/4l + 4/2.6l	6/4l + 4/2.6l	6/4l + 4/2.6l
INLET	Side Entry Jollyfill with bottom entry flexi-hose	Side Entry Jollyfill with bottom entry flexi-hose	Side Entry Jollyfill	Side Entry Jollyfill	Bottom Entry Jollyfill
ACCESS	Front & Top	Front & Top	Top	Top	Top
INTERNAL OVERFLOW	✓	✓	✓	✓	✓
ISOLATION VALVE	✓	✓	✗	✗	✗
ASSEMBLED	✓	✓	✗	✗	✗
BUTTON	Chrome	Chrome	Chrome	Chrome	Chrome
SPARES & ACCESSORIES	Refer to page 66 - 71				

UNI COMPACT CONCEALED CISTERN



UCD01CP

- ▶ Front or top fix button operation
- ▶ Reversible inlet valve positioning - left or right hand feed
- ▶ Suitable for bottom or side feed
- ▶ Water saving - dual flush valve
- ▶ Fittings and flushpipe included
- ▶ W - 340mm x H - 350mm x D - 130mm



*flushing & inlet valve

REFERENCE	UCD01CP	UCD02CP	UCD03CP
EAN CODE	5017134120509	5017134120516	5017134128352
PACKAGING	Box	Box	Box
PALLET	1/54	1/54	1/54
OUTLET	2"	2"	2"
FLUSH	Dual Flush Jollyflush - Cable	Dual Flush Jollyflush - Cable	Jollytronic Cable - Eco Flush
FLUSH VOLUMES	6/4l + 4/2.6l	6/4l + 4/2.6l	Eco Flush Sensor - control how much you flush up to 6L
INLET	Side Entry Topy with braided flexi-hose	Side Entry Topy with braided flexi-hose	Side Entry Topy with braided flexi-hose
ACCESS	Front & Top	Front & Top	Front & Top
INTERNAL OVERFLOW	✓	✓	✓
ISOLATION VALVE	✓	✓	✓
ASSEMBLED	Part	Part	Part
BUTTON	Chrome Button	Chrome Plate	Infrared Sensor
SPARES & ACCESSORIES	Refer to page 66 - 71		

PNEU COMPACT CONCEALED CISTERN



CPL63CP

- ▶ Ideal for bathroom furniture and in wall installations
- ▶ Water saving - dual / single flush valve options and delayed action inlet valve
- ▶ 1.5m air hose
- ▶ Fittings and flushpipe included
- ▶ W - 336mm x H - 320mm x D - 140mm



*flushing & inlet valve

REFERENCE	CPL41CP	CPL43CP	CPL61CP	CPL62CP	CPL63CP
EAN CODE	5017134114546	5017134120219	5017134119435	5017134119473	5017134119497
PACKAGING	Box	Box	Box	Box	Box
PALLET	1/54	1/54	1/54	1/54	1/54
OUTLET	1 1/2"	1 1/2"	2"	2"	2"
FLUSH	Single Flush Kayla - Pneumatic	Single Flush Kayla - Pneumatic	Dual Flush Kayla - Pneumatic	Dual Flush Kayla - Pneumatic	Dual Flush Kayla - Pneumatic
FLUSH VOLUMES	6l, 5l + 4l	6l, 5l + 4l	6/5l, 5/3l + 4/2.6l	6/5l, 5/3l + 4/2.6l	6/5l, 5/3l + 4/2.6l
INLET	Side Entry Jollyfill	Bottom Entry Jollyfill	Side Entry Jollyfill	Bottom Entry Jollyfill	Side Entry Jollyfill
ACCESS	Front & Top	Front & Top	Front & Top	Front & Top	Front & Top
INTERNAL OVERFLOW	✓	✓	✓	✓	✓
ISOLATION VALVE	✗	✗	✗	✗	✗
ASSEMBLED	✓	✓	✓	✓	✓
BUTTON	Chrome - 50mm Kara	Chrome - 50mm Kara	✗	✗	Chrome - 72mm Kara
SPARES & ACCESSORIES	Refer to page 66 - 71				

HIDEAWAY CONCEALED CISTERN



CFH14DF

- ▶ Traditional cistern ideal for installations behind deep ducted walls
- ▶ Varying length levers to suit different wall thicknesses
- ▶ Water saving siphon
- ▶ Metro Rapid (dual flush) allows for easy maintenance without removing the cistern
- ▶ Fittings and flushpipe included
- ▶ W - 505mm x H - 312mm x D - 146mm



*Siphon

REFERENCE	CFH14DF	CFH16DF	CFH14CP	CFH15CP	CFH2000	CFH16CP	CFH2100
EAN CODE	5017134119633	5017134119640	5017134101348	5017134101355	5017134101409	5017134101379	5017134101416
PACKAGING	Box	Box	Box	Box	Box	Box	Box
PALLET	1/40	1/40	1/40	1/40	1/40	1/40	1/40
OUTLET	1 1/2"	1 1/2"	1 1/2"	1 1/2"	1 1/2"	1 1/2"	1 1/2"
FLUSH	Dual Flush Metro Rapid Siphon	Dual Flush Metro Rapid Siphon	Single Flush Metro Siphon	Single Flush Metro Siphon	Single Flush Metro Siphon	Single Flush Metro Siphon	Single Flush Metro Siphon
FLUSH VOLUMES	6/4l	6/4l	6l, 7l + 9l	6l, 7l + 9l			
INLET	Side Entry Silenta Part 3 Ball Valve	Bottom Entry Silenta Part 3 Ball Valve	Side Entry Silenta Part 3 Ball Valve	Side Entry Silenta Part 3 Ball Valve	Side Entry Silenta Part 3 Ball Valve	Bottom Entry Silenta Part 3 Ball Valve	Bottom Entry Silenta Part 3 Ball Valve
ACCESS	Top	Top	Top	Top	Top	Top	Top
INTERNAL OVERFLOW	✓	✓	✓	✓	✓	✓	✓
ISOLATION VALVE	x	x	x	x	x	x	x
ASSEMBLED	x	x	x	x	x	x	x
LEVER	Chrome, 210mm	Chrome, 210mm	Chrome, 210mm	Chrome, 340mm	No Lever	Chrome, 210mm	No Lever
SPARES & ACCESSORIES	Refer to page 66 - 71						

HIDEAWAY CONCEALED AUTO CISTERN



- ▶ Used with urinals where a concealed auto flush is required
- ▶ Suitable for both new and retrofit installations
- ▶ Compatible with our extensive range of urinal pipework and spreaders, refer to p64
- ▶ W - 505mm x H - 312mm x D - 146mm



*Auto Siphon

REFERENCE	CFH0900	CFH1000	CFH0800
EAN CODE	5017134101317	5017134101324	5017134101300
PACKAGING	Box	Box	Box
PALLET	1/40	1/40	1/40
OUTLET	1"	1"	1"
FLUSH	Auto Siphon	Auto Siphon	Auto Siphon
FLUSH VOLUMES	1 gallon / 4.5l	2 gallon / 9l	3 gallon / 13.6l
INLET	Petcock	Petcock	Petcock
ACCESS	Top	Top	Top
SUITABLE FOR	1 Bowl	2 Bowls	3 Bowls
SPARES & ACCESSORIES	Refer to page 66 - 71		

ELAN EXPOSED CISTERN



CFE41WH

- ▶ No1 exposed cistern on the market
- ▶ Ideal for both new and retrofit installations
- ▶ Fittings and flushpipe included (low level only)
- ▶ W - 505mm x H - 327mm x D - 150mm



*Siphon

REFERENCE	CFE41WH	CFE51WH	CFE02WH
EAN CODE	5018787380029	5018787350022	5018787340023
PACKAGING	Box	Box	Box
PALLET	1/40	1/40	1/40
OUTLET	1 1/2"	1 1/2"	1 1/2"
FLUSH	Single Flush Metro Siphon	Single Flush Metro Siphon	Single Flush Metro Siphon
FLUSH VOLUMES	6l, 7l + 9l	6l, 7l + 9l	6l, 7l + 9l
INLET	Side Entry Silenta Part 3 Ball Valve	Bottom Entry Silenta Part 3 Ball Valve	Side Entry Silenta Part 3 Ball Valve
LEVEL	Low	Low	High
ACCESS	Top	Top	Top
OVERFLOW	Internal	Internal & External	Internal & External
ASSEMBLED	x	x	x
LEVER	Chrome	Chrome	Cord & Pull
SPARES & ACCESSORIES	Refer to page 66 - 71		

ELAN EXPOSED AUTO CISTERN



- ▶ Used with urinals where an exposed auto flush is required
- ▶ Suitable for both new and retrofit installations
- ▶ Compatible with our extensive range of urinal pipework and spreaders, refer to p64
- ▶ W - 505mm x H - 312mm x D - 146mm



*Auto Siphon

REFERENCE	CFE09WH	CFE10WH	CFE08WH
EAN CODE	5018787390028	5018787400024	5018787370020
PACKAGING	Box	Box	Box
PALLET	1/40	1/40	1/40
OUTLET	1"	1"	1"
FLUSH	Auto Siphon	Auto Siphon	Auto Siphon
FLUSH VOLUMES	1 gallon / 4.5l	2 gallon / 9l	3 gallon / 13.6l
INLET	Petcock	Petcock	Petcock
ACCESS	Top	Top	Top
SUITABLE FOR	1 Bowl	2 Bowls	3 Bowls
SPARES & ACCESSORIES	Refer to page 66 - 71		

CONCORD EXPOSED CISTERN



CCD41WH

- ▶ Ideal for both new and retrofit installations
- ▶ Fittings and flushpipe included (low level only)
- ▶ W - 455mm x H - 318mm x D - 155mm



*Siphon

REFERENCE	CCD41WH	CCD51WH	CCD02WH
EAN CODE	5018787720023	5018787730022	5018787760029
PACKAGING	Box	Box	Box
PALLET	1/56	1/56	1/56
OUTLET	1 1/2"	1 1/2"	1 1/2"
FLUSH	Single Flush Metro Siphon	Single Flush Metro Siphon	Single Flush Metro Siphon
FLUSH VOLUMES	6l, 7l + 9l	6l, 7l + 9l	6l, 7l + 9l
INLET	Side Entry Silenta Part 3 Ball Valve	Bottom Entry Silenta Part 3 Ball Valve	Side Entry Silenta Part 3 Ball Valve
LEVEL	Low	Low	High
ACCESS	Top	Top	Top
INTERNAL OVERFLOW	✓	✓	✓
ASSEMBLED	✗	✗	✗
LEVER	Chrome	Chrome	Cord & Pull
SPARES & ACCESSORIES	Refer to page 66 - 71		

CONCORD EXPOSED AUTO CISTERN



- ▶ Used with urinals where an exposed auto flush is required
- ▶ Suitable for both new and retrofit installations
- ▶ Compatible with our extensive range of urinal pipework and spreaders, refer to p64
- ▶ W - 455mm x H - 318mm x D - 155mm



*Siphon

REFERENCE	CCD09WH	CCD10WH
EAN CODE	5018787700025	5018787740021
PACKAGING	Box	Box
PALLET	1/56	1/56
OUTLET	1"	1"
FLUSH	Auto Siphon	Auto Siphon
FLUSH VOLUMES	1 gallon / 4.5l	2 gallon / 9l
INLET	Petcock	Petcock
ACCESS	Top	Top
SUITABLE FOR	1 Bowl	2 Bowls
SPARES & ACCESSORIES	Refer to page 66 - 71	

RHINO EXPOSED CISTERN



CCR02WH

- ▶ Heavy duty anti-vandal cistern with a high gloss finish
- ▶ A proven solution for contract and specification applications and heavy duty areas
- ▶ Metro Rapid allows for easy maintenance without removing the cistern
- ▶ Ideal for both new and retrofit installations
- ▶ Fittings and flushpipe included (low level only)
- ▶ W - 515mm x H - 290mm x D - 190mm



*Siphon

REFERENCE	CCR41WH	CCR51WH	CCR02WH
EAN CODE	5018787040022	5018787180025	5017134113259
PACKAGING	Box	Box	Box
PALLET	1/56	1/56	1/56
OUTLET	1 1/2"	1 1/2"	1 1/2"
FLUSH	Single Flush Metro Rapid Siphon	Single Flush Metro Rapid Siphon	Single Flush Metro Rapid Siphon
FLUSH VOLUMES	6l, 7l + 9l	6l, 7l + 9l	6l, 7l + 9l
INLET	Side Entry Silenta Part 3 Ball Valve	Bottom Entry Silenta Part 3 Ball Valve	Side Entry Silenta Part 3 Ball Valve
LEVEL	Low	Low	High
ACCESS	Top	Top	Top
INTERNAL OVERFLOW	✓	✓	✓
ASSEMBLED	✗	✗	✗
LEVER	Chrome	Chrome	Cord & Pull
SPARES & ACCESSORIES	Refer to page 66 - 71		

LONDON EXPOSED CISTERN




- ▶ Modern design cistern with in-built push lever
- ▶ Suitable for both low and high level installations
- ▶ Ideal for heavy traffic areas
- ▶ Fittings and flushpipe included
- ▶ W - 425mm x H - 359mm x D - 154mm
- ▶ Compatible with squat pans



REFERENCE	50120150
EAN CODE	5017134132007
PACKAGING	Box
OUTLET	1 1/2"
FLUSH	Single Flush Valve
FLUSH VOLUMES	6l
INLET	Side Entry Silenta Part 3 Ball Valve
LEVEL	Low or High
ACCESS	Top
INTERNAL OVERFLOW	✓
ASSEMBLED	x
LEVER	In-built push lever or cord and pull

URINAL FLUSHING



URINAL BOWL PIPEWORK (EXCLUDING SPREADERS)



3 bowl pipework (UFC23CP)

Choosing the correct range for your installation

Cistern Offset

- ▶ The cistern offset is the distance from the back of the wall to the centre of the cistern hole. Please note that for any measurements outside of the sizes stated, the nearest one should be used. For example if the measurement is 70mm, the required offset would be 74mm.

Bowl Offset

- ▶ The bowl offset is determined by the distance required to allow the 15mm pipe to fit the suitable spreader when fixed to the urinal bowl. Concealed installations will generally have no offsets.

No. of bowls x offset	60mm cistern offset	74mm cistern offset	90mm cistern offset	110mm cistern offset
1 x no offset	UFA01CP	UFA11CP	UFA21CP	-
1 x 23mm offset	UFA02CP	UFA12CP	UFA22CP	UFA32CP
2 x no offset	-	UFB11CP	UFB21CP	-
2 x 23mm offset	UFB02CP	UFB12CP	UFB22CP	UFB32CP
2 x 38mm offset	-	UFB13CP	UFB23CP	-
3 x no offset	-	UFC11CP	UFC21CP	-
3 x 23mm offset	UFC02CP	UFC12CP	UFC22CP	UFC32CP
3 x 38mm offset	-	UFC13CP	UFC23CP	-
4 x no offset	-	-	UFD21CP	-
4 x 23mm offset	-	UFD12CP	UFD22CP	-

AUTO SIPHONS

- ▶ Suitable for concealed or exposed plastic or ceramic cisterns
- ▶ Easy to remove siphon for routine maintenance
- ▶ Compatible with Macdee Wirquin urinal flushing range










DESCRIPTION	1" Outlet, 1 gallon/4.5L	1" Outlet, 2 gallon/9L	1" Outlet, 3 gallon/13.6L	1 1/4" Outlet, 1 gallon/4.5L	1 1/4" Outlet, 2 gallon/9L	1 1/4" Outlet, 3 gallon/13.6L	1/2" Petcock
REFERENCE	DSY2800	DSY2900	DSY3000	DSY3100	DSY3200	DSY3300	DSY3400
EAN CODE	5017134104967	5017134104974	5017134104981	5017134104998	5017134105001	5017134105018	5018787940063
PACKAGING	Bag	Bag	Bag	Bag	Bag	Bag	Bag
MULTIPLE / BOXED QUANTITY	01/70	01/60	01/60	01/70	01/60	01/60	01/100

URINAL SPREADERS



DESCRIPTION	15mm Top Inlet	15mm Kingston Top Inlet	15mm Sanura Top Inlet	15mm Top Inlet	15mm Top Inlet	15mm Back Inlet, 3" Tail	1/2" Back Inlet	15mm Back Inlet, 6" Tail
REFERENCE	USB36CP	USB37CP	UST43CP	UST44CP	UST46CP	USB38CP	USB30CP	USB39CP
EAN CODE	5024139100719	5024139087737	5024139078964	5024139072894	5024139068033	5024139073006	5024139079763	5017134129229
PACKAGING	Bag	Bag	Bag	Bag	Bag	Bag	Bag	Bag
MULTIPLE / BOXED QUANTITY	1	1	1	1	1	1	1	1

	BRASS BODY			PLASTIC BODY			
							
DESCRIPTION	1/4" stainless steel dome, plastic backnut	1/2" stainless steel dome, plastic backnut	1/2" stainless steel dome, plastic backnut	1/4" plastic backnut	1/2" plastic backnut	1/4" plastic backnut	1/2" plastic backnut
REFERENCE	WUS01SS	WUS02SS	WUS03SS	WUS51WH	WUS52WH	WUS53WH	WUS54WH
EAN CODE	5024139089021	5024139096814	5024139008879	5024139006370	5024139006363	7654321019680	7654321019697
PACKAGING	Box	Box	Box	Bag	Bag	Bag	Bag
MULTIPLE / BOXED QUANTITY	01/50	01/50	01/60	01/10	01/10	01/10	01/10
TAIL LENGTH mm	89 mm	88 mm	46,5 mm	50 mm	50 mm	90 mm	90 mm
TECHNICAL DRAWING							

CISTERN LEVERS

							
DESCRIPTION	Victorian - Chrome plated metal & ceramic lever	Sofia - Chrome plated metal fingertip lever, 115mm	Sofia - Chrome plated plastic lever, 115mm	Paris - Chrome plated metal fingertip lever, 105mm	Plastic universal adjustable arm	Brass adjustable arm	200mm x 5/16" extension bar
REFERENCE	DCA01WH	DCA01CP	DCA15CP	DCC05CP	DCA1700	DCA2400	LMZ2000
EAN CODE	5017134103106	5017134103076	5017134103380	507134128826	5017134103403	5017134103434	507134128833

DOC M CISTERN LEVER

HIDEAWAY CISTERN LEVERS

				
DESCRIPTION	Enable - Chrome metal easy use lever	210mm Chrome Lever Kit	340mm Chrome Lever Kit	420mm Chrome Lever Kit
REFERENCE	DCA52CP	DCA66CP	DCA67CP	DCA39CP
EAN CODE	5017134128840	5017134103625	5017134103656	5017134103533

FLUSHPIPES

							
DESCRIPTION	White 3 1/2" x 7 1/2" low level flushpipe	White 18" x 18" low level flushpipe	White 24" x 18" low level flushpipe	White 24" x 24" low level flushpipe	White 5" 6" two piece high level (backwall) flushpipe	White 7" 0" two piece high level (backwall) flushpipe	White 7" 0" three piece high level (sidewall) flushpipe
REFERENCE	DFP01WH	DFP05WH	DFP08WH	DFP09WH	DFP10WH	DFP11WH	DFP12WH
EAN CODE	5017134104011	5017134104172	5017134104196	5017134104202	5017134104226	5017134104233	5017134104240

FLUSHPIPES

FLUSHING ACCESSORIES

					
DESCRIPTION	White extended 2" to 1 1/2" flushpipe (352mm x 510mm) complete with flush bung	Flexible 2" flushpipe (white)	Flexible 1 1/2" flushpipe (white)	Flushpipe universal push over connector	Universal Bung
REFERENCE	DFP215WH	59050001	59050101	DFC1800	59180004
EAN CODE	5017134128376	3375539053832	3375539076497	5017134103816	3375537160884

FLUSHING VALVE ACCESSORIES

DESCRIPTION	Overflow washer for flushing (MOQ 5)	Jollyflush dual flush chrome push button (grey cable) (MOQ 5)	Dual flush chrome push button (For white, green or blue cable generation)	Kara 72mm Chrome dual flush push button*	Kara 50mm Chrome dual flush push button*	Single flush chrome push button***	Doc M single flush chrome push button***	72mm Chrome single flush push button**	Kara 50mm Chrome single flush push button**	Grey cable for MW2 and Jollyflush flushing valve
REFERENCE	10717748	10717795	19008001	SYG610CP	SYG611CP	19007001	10717796	SYG608CP	SYG609CP	19080001
EAN CODE	3375537177158	3375537177622	3375539046223	5017134119343	5017134119350	3375539046216	3375537177639	5017134119367	5017134119374	3375537162505

*Compatible with Kayla dual flush pneumatic flush valve only.

**Compatible with Kayla single flush pneumatic valve only.

*** Compatible with Jollyflush cable valve only.


SIPHON SPARES

DESCRIPTION	Metro Rapid or Metro one siphon diaphragm washer - oblong	Metro Rapid diaphragm washer - Square	Metro Rapid diaphragm - Washer - Round	Metro Rapid diaphragm washer - D Shape	Metro siphon 1 1/2" back nut	Metro siphon 1 1/2" base sealing washer	Metro siphon 1 1/2" coupling nut	Low level flushpipe sealing washer	Metro 2 1/4" metal c-link	Metro 3 1/2" metal c-link	Metro 4 3/8" metal c-link	5" siphon diaphragm washer	Metro Rapid spares kit	Metro flush volume selector
REFERENCE	DSY1300	DSB4100	DSB4200	DSY3900	DSY1500	DSY1600	DSY1700	DFP1400	DSY1900	DSY2000	DSY2100	DSY3600	DSA5000	DSA5900
EAN CODE	5017134104868	5017134128888	5017134128895	5017134128901	5017134104875	5017134104882	5017134104899	5017134104264	5017134128918	5017134128925	5017134128932	5017134128949	5017134104585	5017134128956

CISTERN ACCESSORIES

											
DESCRIPTION	White blanking off plug complete with washer and backnut, packed and sold in 10's	Chrome plated blanking off plug complete with washer and backnut and sold in 10's	Close coupling kit (1 1/2" outlet) complete with close coupling washer	Stepped conical close coupling washer (rubber) 1 1/2"	Plain conical close coupling washer (rubber) 1 1/2"	Close coupling washer 120mm x 57mm x 20mm (foam) 1 1/2" outlet	Close coupling washer 99mm x 57mm x 20mm (foam) 1 1/2" outlet	Close coupling washer 110mm x 70mm x 20mm (foam) 2" outlet	Galvanised cistern support brackets (pair)	Close coupling washer for 2" outlet	Bolted close coupling kit
REFERENCE	DCA45WH	DCA45CP	DCP1400	DCA3200	DCA3210	DCA2800	DCA2801	DCA2803	DCA4600	M32	10717751
EAN CODE	5017134103557	5017134103540	5017134103731	5017134103496	5017134103502	5017134103465	5017134103472	5017134128871	5017134103564	3375530070210	3375537160891

PLUMBING ACCESSORIES


									
DESCRIPTION	15mm snap on pipe clips (100's)	22mm snap on pipe clips (100's)	1/2" tap and ball valve washers (100's)	3/4" tap and ball valve washer (100's)	3/4" overflow rubber washer	2 3/8" x 1 1/16" 1 1/4" lavatory washer (sold in 100's)	3 3/4" x 1 15/16" 1 1/2" bath washer (sold in 100's)	3 1/2" x 1 15/16" 1 1/2" sink washer (sold in 100's)	Universal top hat spacers 3/4" to 1/2" (sold in 100's)
REFERENCE	DPA0300	DPA0400	DPA0900	DPA1000	DPA1100	DPA1200	DPA1500	DPA1600	DPA1700
EAN CODE	5017134104325	5017134104332	5017134104387	5017134104394	5017134104400	5017134104417	5017134104448	5017134104455	5017134104462

SILENTA INLET ACCESSORIES

JOLLYFILL/TOPY SPARE

				
DESCRIPTION	Silenta ball valve diaphragm washer	Silenta ball valve high pressure seating	Silenta ball valve low pressure seating	Jollyfill and Topy diaphragm washer (sold in 5s)
REFERENCE	DVA1100	DVA1200	DVA1300	10717797
EAN CODE	5017134128970	5017134128987	5017134128994	3375537177646

CONCEALED CISTERN SPARES & ACCESSORIES

	DUO COMPACT						HIDEAWAY					
												
DESCRIPTION	2" to 1 1/2" Kayla Flush Valve	Jollyfill Side Entry Inlet Valve	Jollyfill Bottom Entry Inlet Valve	Front Access Chrome Fascia Plate	Round Dual Flush Push Button	Oval Dual Flush Push Button	8 1/2" Dual Flush Metro Rapid Siphon & Fixing Kit	Side Entry Inlet Valve	Bottom Entry Inlet Valve	210mm Chrome Lever Kit	340mm Chrome Lever Kit	420mm Chrome Lever Kit
REFERENCE	DVA0100	10120033	10120028	CDF01CP	C217	C218	DSY70DF	DVF5100	DVF5200	DCA66CP	DCA67CP	DCA39CP
EAN CODE	5017134115376	5017134129526	5017134129311	5017134134278	5016203316966	5017134134346	5017134119671	5017134105384	5017134105391	5017134103625	5017134103656	5017134103533

	PNEU COMPACT									
										
DESCRIPTION	1 1/2" Kayla Single Flush Valve	2" Kayla Dual Flush Valve	Jollyfill Side Entry Inlet Valve	Jollyfill Bottom Entry Inlet Valve	Kara Single Flush Button - 72mm	Kara Single Flush Button - 50mm	Kara dual flush button - 72mm	Kara dual flush button - 50mm	Caspia Dual Flush Push Plate - Chrome	Caspia Dual Flush Push Plate - Stainless Steel
REFERENCE	DVA5350	DVA5200	10120033	10120028	SYG608CP	SYG609CP	SYG610CP	SYG611CP	SYG612CP	SYG612BS
EAN CODE	5017134120462	5017134119459	5017134129526	5017134129311	5017134119367	5017134119374	5017134119343	5017134119350	5017134119138	5017134128307

EXPOSED CISTERN SPARES & ACCESSORIES

ELAN						
						
DESCRIPTION	8 1/2" One Piece Metro Siphon & Fixing Kit	Side Entry Silenta Inlet Valve	Bottom Entry Silenta Inlet Valve	115mm Chrome Plastic Lever	High Level Lever Kit with Metal Chain & Wooden Pull	High Level Lever Kit with Nylon Cord & Pull
REFERENCE	DSY2138	DVF5100	DVF5200	DCA15CP	DCA1010	DCA1070
EAN CODE	5017134104929	5017134105384	5017134105391	5017134103380	5017134103311	5017134103250

CONCORD						
						
DESCRIPTION	8" One Piece Metro Siphon & Fixing Kit	Side Entry Silenta Inlet Valve	Bottom Entry Silenta Inlet Valve	115mm Chrome Plastic Lever	High Level Lever Kit with Metal Chain & Wooden Pull	2ft Metal Chain & Wooden Pull
REFERENCE	DSY4150	DVS1082	DVS3972	DCA15CP	DCA09CP	DCA1000
EAN CODE	5017134128772	5017134105452	5017134128789	5017134103380	5017134111613	5017134103243
						5017134103328

TANKS						
						
DESCRIPTION	4 Gallon/18 litre tank	4 Gallon/18 litre tank lid	4 Gallon/18 litre tank installation jacket	4 Gallon/18 litre tank lid - installation jacket and by-law 30 kit	Byelaw 30 kit	Byelaw 60 kit
REFERENCE	TTR0400	TLR0400	TJR0400	TBR0400	TBL3000	TBL6000
EAN CODE	5017134107258	5017134107067	5017134106985	5017134106824	5017134128857	5017134128864

www.wirquin.co.uk



WC Frames

CHRONO

INITIO

2 IN 1

PUSH PLATES

Macdee
wirquin



CHRONO



*approved fittings only

► Innovative technology for a record installation time


TOOL & ADJUSTMENT-FREE INSTALLATION

► Easy adjustment of the control plate to suit the wall thickness.



INNOVATIVE INSULATION SKIN

► Ecological double-skin anti-condensation cistern (free from polystyrene foam)



SIMPLE HEIGHT ADJUSTMENT

► Height adjustable legs with integrated braking system



INSTALLATION WITHOUT MOVING THE PRODUCT

► Simple adjustment when fixing to wall even if uneven

EASY ACCESS TO THE CISTERN

► Large front access panel for easy servicing


ULTRA-FAST INSTALLATION

► Hexagonal-imprinted threaded rods

EASY PAN INSTALLATION

► No measuring or cutting of pan or flush pipe


The Chrono frame can be installed up to twice as fast thanks to its pre-assembled components and intuitive fitting procedure.



CHRONO



TECHNICAL DRAWING



DESCRIPTION	Chrono Frame
REFERENCE	55720612
EAN CODE	3375537201044
PACKAGING	Box
PALLET	01/10
FIXING	Floor & Wall
PAN HEIGHT ADJUSTMENT	370mm to 580mm (on finished floor)
PAN CENTRES	180mm or 230mm
INLET VALVE	Jollyfill side entry 1/2" brass
FLUSH VALVE	2" Jollyflush, dual flush 6/4L
WATER SAVING	Delayed action Jollyfill, Dual flush Jollyflush
LOAD TESTED	400kg
WALL THICKNESS (PUSH PLATE)	13mm - 60mm
SPARES & ACCESSORIES	Refer to page 79

INITIO




*approved fittings only

▶ A perfect solution for the most compact spaces


TOOL & ADJUSTMENT-FREE INSTALLATION

▶ Easy adjustment of the control plate to suit the wall thickness.



INNOVATIVE INSULATION SKIN

▶ Ecological double-skin anti-condensation cistern (free from polystyrene foam)



EASY SERVICING

▶ Large front access panel

PERFECT FINISH

▶ Adjustable push plate installation

WATER SAVING

▶ Dual flush outlet valve
▶ Jollyfill delayed action inlet valve

DURABLE METALLIC STRUCTURE

▶ Lightweight and anti-corrosion coated steel


INITIO is a compact frame at only 36 cm wide, a perfect solution for the tightest of spaces.



INITIO

NEW

TECHNICAL DRAWING




DESCRIPTION	Initio frame ONLY	Initio frame with white Essential push plate	Initio frame with chrome Essential push plate
REFERENCE	55950026	55950010	55950020
EAN CODE	6425366002705	6425366002477	6425366002699
PACKAGING		Box	
PALLET		01/12	
FIXING		Wall hung	
PAN HEIGHT ADJUSTMENT		300mm to 495mm (on finished floor)	
PAN CENTRES		180mm or 230mm	
INLET VALVE		Jollyfill side entry 1/2" plastic	
FLUSH VALVE		2" Jollyflush, dual flush 6/4L	
WATER SAVING		Delayed action Jollyfill, Dual flush Jollyflush	
LOAD TESTED		400kg	
WALL THICKNESS (PUSH PLATE)		13mm - 60mm	
SPARES & ACCESSORIES		Refer to page 79	


2 IN 1: LOW & BIDET FRAME







TECHNICAL DRAWING




DESCRIPTION	Low level WC & bidet frame
REFERENCE	50717863
EAN CODE	3375537178292
PACKAGING	Box
MULTIPLE / PALLET QUANTITY	01/80
FIXING	Wall & floor
LOAD TESTED TO	400kg
APPLICATION	Suitable for 400mm furniture units



	ESSENTIAL			DESIGN		HOOPS		
								
DESCRIPTION	Shiny White	Matt Chrome	Shiny Chrome	Shiny White	Brushed Aluminium	Shiny White	Matt Black	Brushed Aluminium
REFERENCE	55720347	55720349	55950009	55720350	55720351	55721304	55721306	55721305
EAN CODE	3375537202720	3375537202744	6425366002460	3375537202751	3375537202768	3375537212330	3375537212354	3375537212347
PACKAGING	Box	Box	Box	Box	Box	Box	Box	Box
MULTIPLE / BOXED QUANTITY	01/30	01/30	01/30	01/30	01/30	01/06	01/06	01/06
WATER SAVING	Dual Flush	Dual Flush	Dual Flush	Dual Flush	Dual Flush	Dual Flush	Dual Flush	Dual Flush
TECHNICAL DRAWING								

► Suitable for both domestic and commercial applications

www.wirquin.co.uk



WETROOMS

VENISIO EXPERT

VENISIO SLIM

VENISIO - LINEAR CHANNEL

VENISIO - SQUARE DRAIN

Macdee
wirquin




Perfect Match

Venisio Expert



Choice of finish

- ▶ Stainless steel grid
- ▶ Tiled



WETROOMS

VENISIO EXPERT




Channel for walk-in shower



THE NEW GENERATION OF SHOWER CHANNEL COMBINING DESIGN, FINISHING & PERFORMANCE

Thanks to its self-contained trough with trap, VENISIO EXPERT provides the advantages essential for a walk-in shower range:

- ▶ Reduced dimensions: only 89mm below floor
- ▶ Ultra high flow rate: up to 79L/mn (under 20mm of water)
- ▶ 50mm water seal
- ▶ Reversible finish grid: brushed stainless steel or tile finish



- ▶ Self contained trough with trap: direct access to the trap from above
- ▶ Supplied with waterproofing sheet: secured by adhesion and screws to ensure a watertight seal
- ▶ Perfect finish: stainless steel grid and frame to prevent corrosion
- ▶ Height adjustable: even after tiling has been completed
- ▶ Installation DVD provided to enable easy installation
- ▶ Channels water to waste to prevent delamination of tiles

VENISIO EXPERT



DESCRIPTION	Linear channel			
REFERENCE	30718077	30718078	30718079	30718606
EAN CODE	3375537180363	3375537180370	3375537180387	3375537185559
PACKAGING	Box	Box	Box	Box
MULTIPLE / BOXED QUANTITY	01	01	01	01
LENGTH	700 mm	800 mm	900 mm	1100 mm
HEIGHT	89 mm			
DEPTH OF SEAL	50 mm			
FLOW RATE IN L/MN (UNDER 20mm OF WATER)	Up to 79 L/mn			
OUTLET	2 x Ø43 mm male + 1 x Ø43 mm female			
GRID	Brushed Stainless Steel or Tile Finish			

TECHNICAL DRAWING

WETROOMS



VENISIO SLIM

All the technology of the EXPERT solution with the practicality of the SLIM

VENISIO SLIM




REFERENCE	On Enquiry
EAN CODE	On Enquiry
PACKAGING	Box
MULTIPLE / BOXED QUANTITY	01
LENGTH	300mm / 500mm / 700 mm
HEIGHT	50 - 110 mm
DEPTH OF SEAL	Waterless silicon membrane
FLOW RATE IN L/MN (UNDER 20mm OF WATER)	35 L/mn
OUTLET	Ø40-43 (female) compression / Ø43 / 1 1/2" (male) solvent weld
GRID	Brushed Stainless Steel or Tile Finish

TECHNICAL DRAWING	
-------------------	--

COMPACT SIZE TO FIT IN THE TIGHTEST OF SPACES

VENISIO SLIM, the new wetroom channel, ideal for installing walk-in showers in renovation projects thanks to its unobtrusive slimline profile, with a height of just 50mm.

- ▶ Extra flat: only 50mm beneath floor
- ▶ Height adjustable: fine-tune the height of the channel using the adjustable supports
- ▶ Totally waterproof: supplied with butyl seal
- ▶ Compatible with tiles with a thickness between 8 – 16mm
- ▶ Reversible finish grid: brushed stainless steel or tile finish



- ▶ Easy to maintain: top access silicon membrane seal with removable hair filter



WETROOMS

VENISIO - LINEAR CHANNEL

 Guarantee
5
 YEARS

Channel for walk-in shower



THE NEW GENERATION OF SHOWER CHANNEL COMBINING STYLE & EFFICIENCY

Thanks to its self-contained trough with trap, VENISIO - LINEAR CHANNEL provides the advantages essential for a walk-in shower range:

- ▶ Reduced dimensions: only 80mm below floor
- ▶ Ultra high flow rate: up to 84L/mn (under 15mm of water)
- ▶ 50mm water seal
- ▶ Self contained trough with trap: for direct access to the trap from above
- ▶ Supplied with a waterproofing sheet
- ▶ Height adjustable: height and channel levels are adjusted using feet mounted on a swivel joint
- ▶ Available in several versions
 - Complete pack (channel & grid)
 - 700 mm
 - 800 mm
 - 900 mm
 - Channel only (grids available separately)
 - 700 mm
 - 800 mm
- ▶ Complete pack also available

VENISIO - LINEAR CHANNEL



DESCRIPTION	Complete pack			Channel only	
REFERENCE	30717888	30717889	30717890	30717891	30717892
EAN CODE	3375537178544	3375537178551	3375537178568	3375537178575	3375537178582
PACKAGING	Box	Box	Box	Box	Box
MULTIPLE / BOXED QUANTITY	01/04	01/04	01/04	01/04	01/04
LENGTH	700 mm	800 mm	900 mm	700 mm	800 mm
HEIGHT	80 mm			80 mm	
DEPTH OF SEAL	50 mm			50 mm	
FLOW RATE IN L/MN (UNDER 15mm OF WATER)	Up to 84 L/mn			Up to 84 L/mn	
OUTLET	3 x outlets: 1 x 1/2" female + 2 x 1/2" male (Ø43mm for UK only)			3 x outlets: 1 x 1/2" female + 2 x 1/2" male (Ø43mm for UK only)	
GRID	Brushed stainless steel			-	
TECHNICAL DRAWING					


GRIDS FOR VENISIO - LINEAR CHANNEL

	GRID DESIGN	LENGTH	REFERENCE CODE	EAN CODE
	Style	700mm	30717763	3375537177301
		800mm	30717764	3375537177318
	Flower	700mm	30717769	3375537177363
		800mm	30717770	3375537177370

WETROOMS

VENISIO - SQUARE DRAIN

Drain for walk-in shower

Horizontal
Outlet

With Stainless Steel Grid



Without Grid




THE ESSENTIAL FLOOR DRAIN

- ▶ Reduced dimensions: only 77mm below floor
- ▶ High flow rate: up to 57L/mn (under 15mm of water)
- ▶ 50mm water seal
- ▶ Self contained drain with trap: direct access to the trap from above
- ▶ Supplied with a sealing flap for optimum sealing
- ▶ Height adjustable thanks to the booster:
 - 33mm - 100mm for stainless steel grid version

VENISIO - SQUARE DRAIN



DESCRIPTION	Drain with Stainless Steel Grid	Drain without Grid
REFERENCE	30718105	30718109
EAN CODE	3375537180646	3375537180684
PACKAGING	Box	Box
MULTIPLE	01	01
HEIGHT	110 mm to 177 mm	110 mm to 177 mm
DEPTH OF SEAL	50 mm	50 mm
FLOW RATE IN L/MN (UNDER 15mm OF WATER)	Up to 48 L/mn	Up to 48 L/mn
GRID	Brushed Stainless Steel	Select from below
TECHNICAL DRAWING		



DESCRIPTION	Slatted Grid	Flowered Grid	Lockable Grid
REFERENCE	30718111	30718112	30718113
EAN CODE	3375537180707	3375537180714	3375537180721
PACKAGING	Box	Box	Box
MULTIPLE	01	01	01

www.wirquin.co.uk



SHOWER

SHOWER WASTES Ø90

SHOWER WASTES Ø50

FLUSH GRATED Ø60

FLUSH GRATED Ø72

FLUSH GRATED Ø85

SHOWER TRAY FEET

Macdee
wirquin



SLIM

▶ The flattest shower waste on the market

Discover The new **SLIM** family



STAINLESS STEEL GRID CHROMED METAL DOME CHROMED ABS DOME



The SLIM range is specially designed to be fitted to the flattest trays on the market, in Ø90 thanks to its low height:

ONLY 40 MM!

The silicon membrane guarantees excellent flow rates and acts as a vapour barrier and air admittance valve.



SHOWER Ø90 SLIM

Guarantee **5** Years

INNOVATION WIRQUIN

Special NEEDS

MEMBRANE SEAL

The flattest shower waste on the market

- ▶ Anti back-siphoning system
- ▶ No smell guarantee: the membrane replaces the water trap
- ▶ Easy to maintain: Top access membrane with removable hair filter
- ▶ High performance flow rate

3 STYLISH DESIGNS

- ABS chrome dome
- Metal dome
- Brushed stainless steel grid

UNIVERSAL OUTLET


- 2 possible types of outlet:
- Ø 40 - 43 (female) compression
 - Ø 43 / 1 1/2" (male) solvent weld

HIGH PERFORMANCE

- Flow rates up to 33.6 L/mn under 15mm of water

MEMBRANE-TYPE SIPHON

- Accessible from above
- No smell guarantee
- Water seal option available



40 mm

Cross-section view

Tip: For stoneware trays or trays with conical drain holes, an adaptor is available.







Counter Top Display



REFERENCE	30120199
HEIGHT	213 mm
WIDTH	250 mm
DEPTH	140 mm

- > Free with an order of 12 x Slim (limited to 1 per customer)
- > Delivered in a protective sleeve
- > Includes a pre-fitted Slim shower waste with ABS Dome

SLIM Ø90

				
DESCRIPTION	STAINLESS STEEL GRID	METAL DOME	ABS DOME	ABS DOME
REFERENCE	30120191	30120190	30120015	30120026
EAN CODE	5017134132168	5017134132175	5017134129021	5017134129014
PACKAGING	Box	Box	Box	Box
MULTIPLE / BOXED QUANTITY	01/12	01/12	01/12	01/12
HEIGHT mm	40 mm	40 mm	40 mm	40 mm
DEPTH OF SEAL				25mm
FLOW RATE L/MN (UNDER 15mm OF WATER)	27 L/mn	28 L/mn	34 L/mn	24 L/mn
GRID / DOME	Brushed Stainless Steel Grid	Metal Chrome Dome	ABS Chrome Dome	ABS Chrome Dome
TECHNICAL DRAWING				

	JAMES Ø90 - SOLVENT WELD		JAMES Ø90 - COMPRESSION
DESCRIPTION	Multi-positioning shower waste		
REFERENCE	34230102	34230701	30717456
EAN CODE	3375539071751	3375537151882	3375537174539
PACKAGING	Bag	Box	Box
MULTIPLE / BOXED QUANTITY	01/30	01/26	01/06
HEIGHT mm	83 mm horizontal position 123 mm vertical position	83 mm horizontal position 123 mm vertical position	83 mm horizontal position 123 mm vertical position
DEPTH OF SEAL mm	50 mm	50 mm	50 mm
FLOW RATE IN L/MN UNDER 15ml OF WATER	31 L/mn horizontal position 35 L/mn vertical position	30 L/mn horizontal position 40 L/mn vertical position	31 L/mn horizontal position 35 L/mn vertical position
GRID / DOME	ABS Chrome Grid	ABS Chrome Dome	ABS Chrome Grid
TECHNICAL DRAWING			

TWISTO Ø90



DESCRIPTION	Self Cleaning Vortex Shower Waste		
REFERENCE	34040601	34040501	34070501
EAN CODE	3375539069505	3375539063428	3375537130733
PACKAGING	Bag	Bag	Bag
MULTIPLE / BOXED QUANTITY	01/28	01/25	01/20
HEIGHT mm	90 mm	90 mm	90 mm
DEPTH OF SEAL mm	50 mm	50 mm	50 mm
FLOW RATE L/MN (UNDER 15mm OF WATER)	32 L/mn	32 L/mn	32 L/mn
GRID / DOME	ABS Chrome Dome	Brushed Stainless Steel Grid	Metal Chrome Dome
TECHNICAL DRAWING			


* For adaptor see page 143

TOURBILLON Ø90



DESCRIPTION	Top access shower waste		Top access shower waste with flexi hose
REFERENCE	30120458	34080101	30719800
EAN CODE	5017134146523	3375537133802	3375537197255
PACKAGING	Bag	Bag	Box
MULTIPLE / BOXED QUANTITY	01/51	01/50	01
HEIGHT mm	78 mm	78 mm	78 mm
DEPTH OF SEAL mm	50 mm	50 mm	50 mm
FLOW RATE IN L/MN	28 L/mn	27 L/mn	27 L/mn
GRID / DOME	ABS Chrome Grid	ABS Chrome Dome	ABS Chrome Dome

TECHNICAL DRAWING



JAMES Ø50 - COMPRESSION



JAMES Ø50 - SOLVENT WELD



DESCRIPTION	Multi-positioning shower waste		
REFERENCE	30717457	30717266	34210101
EAN CODE	3375537174546	3375537172665	3375539059179
PACKAGING	Bag	Bag	Box
MULTIPLE / BOXED QUANTITY	01/30	01/40	01/24
HEIGHT mm	83 mm horizontal position 123 mm vertical position	83 mm horizontal position 123 mm vertical position	
DEPTH OF SEAL mm	50 mm	50 mm	
FLOW RATE IN L/MN (UNDER 120mm OF WATER)	51 L/mn horizontal position 83 L/mn vertical position	51 L/mn horizontal position 83 L/mn vertical position	
GRID / DOME	ABS Chrome Grid	ABS Chrome Grid	
TECHNICAL DRAWING			



TOURBILLON Ø50



DESCRIPTION	Top access shower waste with compression and solvent weld outlet	
REFERENCE	34020201	34020001
EAN CODE	3375537144815	3375537144785
PACKAGING	Bag	Bag
MULTIPLE / BOXED QUANTITY	01/81	01/72
HEIGHT mm	82 mm	82 mm
DEPTH OF SEAL mm	50 mm	50 mm
FLOW RATE IN L/MN (UNDER 120mm OF WATER)	22 L/mn	22 L/mn

GRID / DOME	ABS Chrome Grid	ABS Chrome Dome
-------------	-----------------	-----------------

TECHNICAL DRAWING







FLUSH GRATED SHOWER WASTE Ø60



DESCRIPTION	1 1/4" Chrome plated brass, unslotted, plastic backnut	1 1/4" Chrome plated brass, unslotted, metal backnut	1 1/4" Chrome plated brass, slotted, plastic backnut	1 1/4" Chrome plated brass, slotted, metal backnut
REFERENCE	WFS02CP	WFS12CP	WFS03CP	WFS13CP
EAN CODE	5024139093776	5024139063069	5024139087836	5024139074652
PACKAGING	Box	Box	Box	Box
MULTIPLE / BOXED QUANTITY	01/64	01/40	01/64	01/64
TAIL LENGTH mm	85 mm	89 mm	85 mm	89 mm
TECHNICAL DRAWING				

FLUSH GRATED SHOWER WASTE Ø72

				
DESCRIPTION	1 1/2" Chrome plated brass, unslotted, metal backnut	1 1/2" Chrome plated brass, unslotted, plastic backnut	1 1/2" Plastic body, stainless steel waste, unslotted, plastic backnut	1 1/4" Plastic body, stainless steel waste, unslotted, plastic backnut
REFERENCE	WFS64CP	WFS54CP	WFS34SS	WFS22SS
EAN CODE	5024139083098	5024139054616	5024139088062	5024139008695
PACKAGING	Box	Box	Box	Box
MULTIPLE / BOXED QUANTITY	01/60	01/58	01/168	01/50
TAIL LENGTH mm	40 mm	41.5 mm	45 mm	82 mm
TECHNICAL DRAWING				

FLUSH GRATED SHOWER WASTE Ø85



DESCRIPTION	1 1/2" Chrome plated brass, unslotted, metal backnut	1 1/2" Chrome plated brass, slotted, plastic backnut	1 1/2" Chrome plated brass, unslotted, plastic backnut
REFERENCE	WFS67CP	WFS58CP	WFS57CP
EAN CODE	5024139101402	5024139069924	5024139101341
PACKAGING	Box	Box	Box
MULTIPLE / BOXED QUANTITY	01/36	01/33	01/36
TAIL LENGTH mm	85 mm	83 mm	88 mm
TECHNICAL DRAWING			



SHOWER TRAY FEET



▶ 450kg Weight Capacity Shower Tray Feet

- ▶ **ROBUST:** Each foot withstands 450kg
- ▶ **HEIGHT ADJUSTABLE:** From 58mm – 172mm with height graduation marks for accurate setting
- ▶ **STABILITY:** Anti-slip stabilising base for an optimal installation
- ▶ **INCREASED SAFETY:** Each foot has four floor fixing points

REFERENCE	30719767
EAN CODE	3375537196944
PACKAGING	Bag
QUANTITY	Pack of 4



104mm wide base: To increase reliability and easy floor installation.

**ADJUSTABLE FROM
58mm to 172mm**




▶ Easy height adjustment

✓ **TIP:**

By removing the extension leg, the tray can be installed with a minimum height of on 58mm.

www.wirquin.co.uk



Discover The new SB600 & Elton



**Metal/ABS Finish
NEW ELTON**



**Metal Finish
NEW SB600**



CABLE BATH WASTE SB600 & ELTON



A high quality range, with different finishes, to suit any need

- ▶ A high quality range of cable bath wastes with technical performances higher than standard requirements
- ▶ High resistance stainless steel cable inside the flexible overflow tube for easier installation
- ▶ Trap with fastest flow rate on the market Cable opening-closing system with unique clutch control operation (lifetime guaranteed)*

*In normal conditions of use

DESIGN HANDLE

Round and square options

DOME OR INTERIOR PLUG

STAINLESS STEEL GRID

CABLE
OPENING-CLOSING
SYSTEM

90° Rotation

700 MM
CABLE LENGTH

EASY SET UP

The auto-centring washer retains the waste in position under the bath when the grid is being installed

SPACE SAVING TRAP

- only 108mm under bath
- high flow rate 63 L/mn






SPACE SAVING COBRA TRAP

- ▶ Fastest flow rate on the market - 63 L/m
- ▶ Self cleaning trap guaranteed not to block
- ▶ Space saving - only 108mm under bath







- ▶ Flexible head with 40° movement for easy installation
- ▶ Only 2 connections points – 50% less chance of leak than a traditional 4 joint waste
- ▶ Depth of seal 56mm

CABLE OPERATED

						
DESCRIPTION	SB600		Elton	ABS chrome plated pop up waste	Metal chrome plated pop up waste	Metal chrome plated pop up waste
REFERENCE	34590302	34590301	30717610	34480001	WHP05CP	30719934
EAN CODE	3375537166046	3375539056215	3375537175901	3375536037958	5024139080516	5017134118995
PACKAGING	Bag	Box	Box	Bag	Box	Box
MULTIPLE / BOXED QUANTITY	01/12	01/12	01/12	01/32	01/16	01/11
OVERFLOW LENGTH mm	700 mm		700 mm	700 mm	600 mm	550 mm
HANDLE	Metal Chrome Plated		ABS Chrome Plated	ABS Chrome Plated	Brass Chrome Plated	Metal Chrome Plated
PLUG	Metal Chrome Plated		Metal Chrome Plated	ABS Chrome Plated	Metal Chrome Plated	Metal Chrome Plated
TECHNICAL DRAWING						

PLUG & CHAIN


					
DESCRIPTION	Chained bath waste without trap	Chrome plated bath waste, tidi metal plug and overflow face, 18" chain	Chrome plated bath waste, metal plug and plastic overflow face, 18" chain	Chrome plated plastic bodied bath waste with metal plug, 18" ball chain	Chrome plated waste poly plug, and plastic overflow face, 18" chain
REFERENCE	SP5500	WHO01CP	WHO32CP	WHO72CP	WHO31CP
EAN CODE	3375530114211	5024139352057	5024139089991	5024139006127	5024139056108
PACKAGING	Box	Box	Box	Bag	Box
MULTIPLE / BOXED QUANTITY	01/55	01/50	01/24	01/50	01/24
OVERFLOW LENGTH mm	500	460	460	460	460
PLUG	Ø47 mm Length chain = 450 mm	Ø45 mm Length chain = 460 mm	Ø45 mm Length chain = 460 mm	Ø45 mm Length chain = 460 mm	Ø45 mm Length chain = 460 mm
TECHNICAL DRAWING					




PLUG & CHAIN




DESCRIPTION	Plastic body waste with poly plug, 18" ball chain and overflow	Plastic body waste with poly plug, 18" ball chain and overflow	Plastic body waste with poly plug, 18" ball chain and overflow, D pack and sold in 20's
REFERENCE	WHO73BA	WHO73SS	WHO74SS
EAN CODE	5024139065933	5024139071743	5024139090201
PACKAGING	Bag	Box	Bag
MULTIPLE / BOXED QUANTITY	01/50	01/30	01/20
OVERFLOW LENGTH mm	455	455	455
PLUG	Ø45 mm Length chain = 460 mm	Ø45 mm Length chain = 460 mm	Ø45 mm Length chain = 460 mm

TECHNICAL DRAWING




	POLY PLUG & CHAIN WITH METAL BODY		BATH TRAP
			
DESCRIPTION	Chrome plated bath waste, with poly plug, 18" ball chain, S hook, plastic backnut	Chrome plated bath waste, with poly plug only, plastic backnut	Swivelling bath trap - 50mm water seal
REFERENCE	WHK03CP	WHS03CP	30717611
EAN CODE	5024139088789	5024139073105	3375537175918
PACKAGING	Box	Box	Bag
MULTIPLE / BOXED QUANTITY	01/58	01/58	01/55
PLUG	Ø45 mm Length chain = 460 mm	Ø45 mm No chain	-
TECHNICAL DRAWING			

www.wirquin.co.uk



NANO 6.7

A concentrate of technology



Quick clac with overflow



Quick clac



Free Flow



Quick clac 100mm



6.7 cm

ULTRA COMPACT

NANO 6.7 is a revolutionary basin waste and trap - in one, maximising space and reducing installation time.



NANO 6.7

Guarantee
5
YEARS

SPACE
SAVING



PATENTED


REGISTERED
DESIGN



TIME SAVING : quick installation without tools



ASSEMBLY PROCESS



NANO 6.7

Guarantee
5
YEARS

**SPACE
SAVING**



PATENTED

**REGISTERED
DESIGN**



HYGIENIC : quick and easy to clean



TOP ACCESS CLEANING:
- trap accessible from above
- clear glass lens for visibility




WATERLESS MEMBRANE TRAP:
replaces traditional water seal for an unrivalled performance
- no smell guaranteed
- total protection against back siphoning

SPACE SAVING : takes up 3 times less space than a classic waste







ULTRA COMPACT:
- only 6.7cm high
- more space under the basin





Up to 23 cm



WASTE & TRAP - IN ONE!

				
DESCRIPTION	NANO 6.7 QUICK CLAC	NANO 6.7 FREE FLOW	NANO 6.7 QUICK CLAC 100 mm	NANO 6.7 QUICK CLAC WITH OVERFLOW
REFERENCE	30120333	30120334	30120335	30120336
EAN CODE	5017134133288	5017134133295	5017134133301	5017134133318
PACKAGING	Box	Box	Box	Box
MULTIPLE / BOXED QUANTITY	01/12	01/12	01/14	01/14
SEAL				
FLOW RATE L/mn	30 L/mn	30 L/mn	30 L/mn	30 L/mn
HEIGHT UNDER BASIN mm	67 mm	67 mm	67 mm	90 mm
TECHNICAL DRAWING				

QUICK CLAC WASTES

				
DESCRIPTION	Chrome plated, unslotted, mushroom head, metal plated backnut	Chrome plated, slotted, mushroom head, metal plated backnut	Chrome plated, unslotted, mushroom head, plastic backnut	Chrome plated, slotted, mushroom head, plastic backnut
REFERENCE	32140001	32140101	32140301	WBK11CP
EAN CODE	3375539058196	3375537135356	3375537147915	5017134118940
PACKAGING	Box	Box	Box	Box
MULTIPLE / BOXED QUANTITY	01/40	01/40	01/36	01/36
HEIGHT mm	75 mm	75 mm	86 mm	86 mm
TECHNICAL DRAWING				

QUICK CLAC WASTES








DESCRIPTION	Chrome plated unslotted, standard plug, metal backnut	Chrome plated slotted, standard plug, metal backnut	Chrome plated Quick Clac waste with white plastic body and shroud	Chrome plated Quick Clac waste with chrome plated plastic body and shroud
REFERENCE	WBK94CP	WBK95CP	SP50299	32500301
EAN CODE	5024139027207	5024139025371	3375536001690	3375537147915
PACKAGING	Box	Box	Bag	Box
MULTIPLE / BOXED QUANTITY	01/36	01/36	01/84	01/32
HEIGHT mm	87 mm	87 mm	100 mm	100 mm
TECHNICAL DRAWING				

CAPTIVE WASTES












DESCRIPTION	Chrome plated, unslotted, rotary metal plug, metal backnut	Chrome plated, slotted, rotary metal plug, metal backnut	Chrome plated, slotted, poly plug with retaining bar, plastic backnut
REFERENCE	WBK96CP	WBK97CP	WBS04CP
EAN CODE	5024139033543	5024139033536	5024139088918
PACKAGING	Box	Box	Box
MULTIPLE / BOXED QUANTITY	01/45	01/45	01/45
HEIGHT mm	90 mm	85 mm	87 mm
TECHNICAL DRAWING			

FLUSH GRATED WASTES

					
DESCRIPTION	Chromed brass free flow WASTE	1 1/4" Chrome plated brass, unslotted, plastic backnut	1 1/4" Chrome plated brass, unslotted, metal backnut	1 1/4" Chrome plated brass, slotted, plastic backnut	1 1/4" Chrome plated brass, slotted, metal backnut
REFERENCE	32040001	WFS02CP	WFS12CP	WFS03CP	WFS13CP
EAN CODE	3375539054051	5024139093776	5024139063069	5024139087836	5024139074652
PACKAGING	Box	Box	Box	Box	Box
MULTIPLE / BOXED QUANTITY	01/40	01/64	01/40	01/64	01/64
HEIGHT mm	75 mm	85 mm	89 mm	85 mm	89 mm
TECHNICAL DRAWING					

PLUG & CHAIN

				
DESCRIPTION	Chrome plated, unslotted, poly plug, 10" ball chain, plastic backnut	Chrome plated, slotted, poly plug, 10" ball chain, plastic backnut	Chrome plated, slotted, poly plug, 10" ball chain, plastic backnut, 2 washers	Chrome plated slotted with metal 10" ball chain plastic backnut
REFERENCE	WBK01CP	WBK02CP	WBK04CP	WBK42CP
EAN CODE	5024139077677	5024139063960	5024139093936	5024139092663
PACKAGING	Box	Box	Box	Box
MULTIPLE / BOXED QUANTITY	01/60	01/60	01/60	01/60
HEIGHT mm	87 mm	87 mm	87 mm	87 mm
TECHNICAL DRAWING				

	PLUG & CHAIN			PLUG & CHAIN WITH OVERFLOW	
					
DESCRIPTION	Chrome plated, slotted, poly plug, 10" ball chain, metal backnut	Plastic body, slotted, poly plug, 10" ball chain, plastic backnut	Plastic body, unslotted, poly plug, 10" ball chain, plastic backnut	Chrome plated vanity waste with metal plug, ball chain and overflow	Plastic body basin vanity waste with poly plug, ball chain and overflow
REFERENCE	WBK22CP	WBK83SS	WBK85SS	WBV02CP	WBV21BA
EAN CODE	5024139092380	5024139085825	5024139004758	5024139091680	5024139080448
PACKAGING	Box	Bag	Bag	Box	Bag
MULTIPLE / BOXED QUANTITY	01/52	01/60	01/100	01/32	01/50
OVERFLOW LENGTH mm	-	-	-	230	230
HEIGHT mm	87 mm	83 mm	64 mm	87 mm	61 mm
TECHNICAL DRAWING					

METAL BODY WASTES



DESCRIPTION	Chrome plated waste, unslotted poly plug, plastic backnut	Chrome plated waste slotted poly plug, plastic backnut	Chrome plated waste, slotted, poly plug, metal backnut
REFERENCE	WBS01CP	WBS02CP	WBS22CP
EAN CODE	5024139074041	5024139096876	5024139061669
PACKAGING	Box	Box	Box
MULTIPLE / BOXED QUANTITY	01/60	01/60	01/60
HEIGHT mm	87 mm	87 mm	89 mm
TECHNICAL DRAWING			

WIRQUIN NEO & NEO AIR

The ZERO LEAK bottle trap





OVERMOULDED WASHERS

bi-injection technology means that there can be no loss of washers as the washers are always in place! This means total protection against leaks!

EASY TO CLEAN

base is easy to dismantle (1/4 turn opening)

QUICK SAFE FUNCTION

1/4 turn captive nut guarantees a quick and reliable installation


1 1/4\"
BASIN

WIRQUIN neo AIR INNOVATION

AIR AIR SYSTEM FUNCTION

2 IN 1 PRODUCT

This innovative option replaces the traditional ventpipe air admittance valve and prevents noise and bad smells.




WIRQUIN NEO AIR, allows the pipes to be ventilated: when a negative pressure is created in the pipework, the WIRQUIN NEO AIR's membrane rises, thus creating continual ventilation to prevent the suction of the water seal.



SEE PAGE 133 FOR THE RANGE OF WIRQUIN NEO SINK TRAPS





DESCRIPTION	WIRQUIN NEO	WIRQUIN NEO AIR
REFERENCE	30722167	30722169
EAN CODE	3375537220908	3375537220922
PACKAGING	Film	Film
MULTIPLE / BOXED QUANTITY	01/14	01/14
DEPTH OF SEAL mm	80 mm	80 mm
FLOW RATE IN L/mn (UNDER 15mm OF WATER)	55.2 L/mn	55.2 L/mn
HEIGHT mm	175>235 mm	175>235 mm



- 
NO RISK OF LEAKS
- 
QUICK SAFE FUNCTION
- 
NO NOISE
- 
NO SMELL
- 
SUITABLE FOR BOTH ABS & PP PIPES

The ONLY bottle trap you need

Guarantee **5** YEARS **GAIN SPACE**



PUSH FIT
Rapid installation


UNIVERSAL

SIMPLE, EFFICIENT & RAPID !



- ▶ **UNIVERSAL :**
A single product to fit basin & sink
- ▶ **OVERMOULDED WASHERS :**
A perfect seal without the need for washers
- ▶ **PUSH-FIT FUNCTION :**
Rapid installation
- ▶ **EASY TO CLEAN :**
Simple rotation of the base

Description	Reference	Barcode	Packaging	MULTIPLE / Box QTY	Water Seal	Flow L/mn	Height
All in one - WHITE	31180002	3375537140435	Bag	01/60	50 mm	62 L/mn	125 < 170 mm
All in one - SILVER	31180501	3375537165803	Bag	01/60	50 mm	62 L/mn	125 < 170 mm




WATERLESS
MEMBRANE TRAP

Guarantee **5** Years


GAIN **SPACE**

MEMBRANE SEAL

SENZO




ULTRA COMPACT








Description	Reference	Barcode	Packaging	MULTIPLE / Box QTY	Flow L/mn
Senzo with 90° elbow	31560006	3375537160167	Bag	01/50	38 L/mn
Senzo for pedestal installation	30717469*	3375537174669	Bag	01/35	70 L/mn in vertical position

► Available in 1 1/2" - see page XX. *See Spares & Accessories section for adaptor

► Already have ABS pipe installed? 31560002 can also be used with ABS pipe using a solvent weld adaptor 39452002. NB: The adaptor is not to be solvent welded to the Senzo, only the ABS pipe



BRASS

					
DESCRIPTION	Conical - large, chrome plated 1 1/4" brass bottle trap	Caries - chrome plated 1 1/4" square brass bottle trap	Conical - chrome plated 1 1/4" brass bottle trap	Triangular - chrome plated 1 1/4" brass bottle trap	Mini Lineis - chrome plated 1 1/4" brass bottle trap
REFERENCE	30718074	30718069	30718075	30718076	30718071
EAN CODE	3375537180332	3375537180288	3375537180349	3375537180356	3375537180301
PACKAGING	Box	Box	Box	Box	Box
MULTIPLE / BOXED QUANTITY	01/16	01/08	01/12	01/12	01/18
DEPTH OF SEAL mm	50 mm	50 mm	40 mm	40 mm	10 mm
FLOW RATE IN L/MN (UNDER 15mm OF WATER)	55 L/mn	53 L/mn	45 L/mn	45 L/mn	40 L/mn
HEIGHT mm	130 < 180 mm	140 < 250 mm	45 < 155 mm	45 < 155 mm	100 < 150 mm
TECHNICAL DRAWING					

WIRQUIN NEO & NEO AIR

The ZERO LEAK bottle trap





OVERMOULDED WASHERS

bi-injection technology means that there can be no loss of washers as the washers are always in place! This means total protection against leaks!

with or without **AIR SYSTEM FUNCTION**



EASY TO CLEAN

base is easy to dismantle (1/4 turn opening)



optional **SPIGOT**

1 1/2" **SINK**

QUICK SAFE FUNCTION

1/4 turn captive nut guarantees a quick and reliable installation



wirquin AIR INNOVATION



AIR AIR SYSTEM FUNCTION

2 IN 1 PRODUCT





This innovative option replaces the traditional ventpipe air admittance valve and prevents noise and bad smells.



WIRQUIN NEO AIR, allows the pipes to be ventilated: when a negative pressure is created in the pipework, the WIRQUIN NEO AIR's membrane rises, thus creating continual ventilation to prevent the suction of the water seal.



SEE PAGE 126
FOR THE RANGE OF
WIRQUIN NEO BASIN TRAPS


	WIRQUIN NEO		WIRQUIN NEO AIR	
	  	  	  	  
DESCRIPTION	WIRQUIN NEO	WIRQUIN NEO with WMC	WIRQUIN NEO AIR	WIRQUIN NEO AIR with WMC
REFERENCE	30722166	30120429	30722168	30120439
EAN CODE	3375537220892	5017134134223	3375537220915	5017134134230
PACKAGING	Film	Bag	Film	Bag
MULTIPLE / BOXED QUANTITY	01/14	01/14	01/14	01/14
DEPTH OF SEAL mm	80 mm	80 mm	80 mm	80 mm
FLOW RATE IN L/mn (UNDER 15mm OF WATER)	55.2 L/mn	59.9 L/mn	55.2 L/mn	59.9 L/mn
HEIGHT mm	175>235 mm	211>259	175>235 mm	211>259
TECHNICAL DRAWING				

* Suitable for both ABS and PP pipe.


The **ONLY** bottle trap you need

Guarantee
5
YEARS


GAIN
SPACE



SIMPLE, EFFICIENT & RAPID !



- ▶ **UNIVERSAL :**
A single product to fit basin & sink
- ▶ **OVERMOULDED WASHERS :**
A perfect seal without the need for washers
- ▶ **PUSH-FIT FUNCTION :**
Rapid installation
- ▶ **EASY TO CLEAN :**
Simple rotation of the base



Description	Reference	Barcode	Packaging	MULTIPLE / Box QTY	Water Seal	Flow L/mn	Height
All in one bottle trap - WHITE	31180002	3375537140435	Bag	01/60	50 mm	62 L/mn	125 < 170 mm
All in one bottle trap - SILVER	31180501	3375537165803	Bag	01/60	50 mm	62 L/mn	125 < 170 mm
All in one - with appliance spigot	31190002	3375537140442	Bag	01/40	50 mm	621 L/mn	165 < 200 mm


WATERLESS
MEMBRANE TRAP

Guarantee
5
Years


GAIN
SPACE




SENZO



ULTRA COMPACT




PUSH FIT
Rapid
installation



Description	Reference	Barcode	Packaging	MULTIPLE / Box QTY	Flow L/mn
Senzo with 90° elbow	31160005	3375537160150	Bag	01/50	38 L/mn

► Available in 1 1/4" - see page XX.

► Already have ABS pipe installed? 31160002 can also be used with ABS pipe using a solvent weld adaptor 39452001.
NB: The adaptor is not to be solvent welded to the Senzo, only the ABS pipe





ESPACE






DESCRIPTION	Espace single	90mm set for double sink with a chrome plated face, extra flat trap
REFERENCE	31000201	TM210099
EAN CODE	3375539056192	3375536010340
PACKAGING	Bag	Bag
MULTIPLE / BOXED QUANTITY	01/60	01/20
WASTE	N/A	Stainless steel basket
OVERFLOW GRID	N/A	Round
DEPTH OF SEAL mm	50 mm	50 mm
FLOW RATE IN L/MN	42 L/mn	39 L/mn
HEIGHT UNDER SINK mm	95 mm	143 mm
CENTRE DISTANCE mm		160 < 280 mm



TECHNICAL DRAWING







UNDERSINK PLUMBING KITS

			
DESCRIPTION	Espace for 1 1/2" or 2 bowl sinks with washing machine outlet	One and a half bowl sink with washing machine outlet	Two bowl sink with washing machine outlet
REFERENCE	33000203	WSU0100	WSU0200
EAN CODE	3375539056253	5017134129120	7654321019284
PACKAGING	Bag	Bag	Bag
MULTIPLE / BOXED QUANTITY	1/30	01/10	01/10
CONNECTION FOR	1" or double sink	1" or double sink	Double sink
CENTRE DISTANCE mm	160 < 280 mm	110 < 280 mm	110 < 280 mm
TECHNICAL DRAWING			

SINK COMBINATION WASTES

								
DESCRIPTION	1 1/2" Chromed metal waste, poly plug, chromed plastic overflow face	1 1/2" Plastic waste, poly plug, black plastic overflow face	1 1/2" Plastic waste, poly plug, black plastic overflow face	1 1/2" Plastic waste, poly plug, black plastic overflow face, D pack	1 1/2" Plastic waste, poly plug, chromed plastic overflow face	1 1/2" Plastic waste, poly plug, chromed plastic overflow face, D pack	1 1/4" Plastic waste, poly plug, chromed plastic overflow face	
REFERENCE	WSO32CP	WSO33BA	WSO33SS	WSO32SS	WSO51SS	WSO53SS	WSO50SS	
EAN CODE	5024139092946	5024139083999	5024139069603	5024139070043	5024139068842	5024139074843	5024139078223	
PACKAGING	Box	Bag	Box	Bag	Box	Bag	Box	
MULTIPLE / BOXED QUANTITY	01/18	01/50	01/30	01/20	01/30	01/20	01/30	
OVERFLOW LENGTH mm	330 mm	330 mm	330 mm	330 mm	330 mm	330 mm	330 mm	
PLUG	Ø45 mm Length chain = 255 mm	Ø45 mm Length chain = 255 mm	Ø45 mm Length chain = 255 mm	Ø45 mm Length chain = 255 mm	Ø45 mm Length chain = 255 mm	Ø45 mm Length chain = 255 mm	Ø45 mm Length chain = 255 mm	
TECHNICAL DRAWING								

BASKET STRAINERS

				
DESCRIPTION	Stainless steel basket strainer waste without overflow	Stainless steel basket strainer waste with overflow connection	Stainless steel basket strainer waste with continental overflow	Stainless steel basket strainer waste with overflow
REFERENCE	SP2480050	WSB02SS	32440001	WSB70SS
EAN CODE	3375536019800	5024139064172	3375537128471	5024139058867
PACKAGING	Bag	Box	Bag	Box
MULTIPLE / BOXED QUANTITY	01/60	01/30	01/65	01/30
SINK SIZE mm	90 mm	90 mm	90 mm	90 mm
TECHNICAL DRAWING				

BELFAST SINK



DESCRIPTION	1 1/2" Chrome plated brass, unslotted, poly plug, plastic backnut	1 1/2" Chrome plated brass, unslotted, poly plug, ball and chain, plastic backnut and stay	1 1/2" Chrome plated brass, unslotted, poly plug, plastic backnut	1 1/2" Plastic, unslotted, poly plug, plastic backnut	1 1/2" Chrome plated brass, slotted, poly plug, plastic backnut
REFERENCE	WSS23CP	WSK23CP	WSS21CP	WSS11SS	WSS25CP
EAN CODE	5024139101372	5024139082879	5024139094568	5024139093479	5024139069900
PACKAGING	Box	Box	Box	Box	Box
MULTIPLE / BOXED QUANTITY	01/60	01/36	01/60	01/60	01/36
HEIGHT mm	89	89	89	89	89
TECHNICAL DRAWING					


UPPY

Guarantee
2
YEARS

2 in 1

► The smart 2 in 1 plug for kitchen and bathroom!

► 2 IN 1 PLUG



Push



► A SMART PRODUCT

Close



Open + Stick function



► UNIVERSAL PRODUCT FOR DEFECTIVE PLUGS
- Ø110MM



► EASY TO CLEAN



Description	Reference	EAN code	Packaging	Multiple/Packaging
UPPY PINK	30722334	3375537222544	Blister	42
UPPY RED	30722335	3375537222551	Blister	42
UPPY WHITE	30722337	3375537222575	Blister	42

PLUGS

									
DESCRIPTION	Bath or basin Quick Clac plug, stainless steel	1 3/4" Bath pop up plug, chrome	1 1/4" Basin pop up plug, chrome	1 1/4" Poly plug, black	1 1/4" Metal plug, chrome	1 1/2" Poly plug, black	1 1/2" metal bath and Sink plug, chrome	Tap hole stopper, plastic chrome	Tap hole stopper, plastic white
REFERENCE	SP9260	QHP13CP	QBP13CP	QBP01BL	QBP11CP	QHP01BL	QHP11CP	QTH01CP	QTH01WH
EAN CODE	3375536004745	5024139066343	5024139090676	5024139059239	5024139056948	5024139084804	5024139082114	5024139356222	5024139356253
PACKAGING	Bag	Bag	Bag	Loose	Bag	Loose	Bag	Bag	Bag
MULTIPLE / BOXED QUANTITY	10/240	01/90	01/160	01/1500	01/600	01/500	01/600	01/400	01/400

UNIVERSAL PLUG



DESCRIPTION	Frisby - Universal plug
REFERENCE	39222101
EAN CODE	3375539040429
PACKAGING	Blister
MULTIPLE / BOXED QUANTITY	01/250

CHAINS



DESCRIPTION	10" Basin ball chain & stay, chrome	18" Bath ball chain & S hook, chrome	18" Bath oval link chain & S hook, chrome
REFERENCE	QBK01CP	QHK01CP	QHK11CP
EAN CODE	5024139075758	5024139093141	5024139076328
PACKAGING	Bag	Bag	Bag
MULTIPLE / BOXED QUANTITY	01/100	01/500	01/500

ADAPTORS

				
DESCRIPTION	Ø40mm to Ø1 1/2" - EU to UK conversion adaptor	Ø32mm to Ø1 1/4" - EU to UK conversion adaptor	Ø40mm - 1 1/2" UK bent compression adaptor	1 1/4" compression adaptor for vertical SENZO 30717469
REFERENCE	39452001	39452002	83114774	30720532
EAN CODE	3375539056208	3375537162970	5024139039934	3375537204557
PACKAGING	Bulk	Bulk	Bag	Bag
MULTIPLE / BOXED QUANTITY	01/440	01/350	01/25	01/25

BACKNUTS

				
DESCRIPTION	1 1/4" plastic backnut small flange, black	1 1/4" metal backnut small flange, self colour	1 1/2" metal backnut medium flange, self colour	1 1/2" metal backnut large flange, self colour
REFERENCE	QKD14BL	QKD20SS	QKD23SS	QKD25SS
EAN CODE	5024139054098	5024139074645	5024139060914	5024139092540
PACKAGING	Loose	Loose	Loose	Loose
MULTIPLE / BOXED QUANTITY	01/250	01/250	01/250	01/250

WASTE CONNECTORS



DESCRIPTION	1 1/4" extendable connector X Ø32mm outlet, supplied with fixing hook	1 1/2" extendable connector X Ø40mm outlet, supplied with fixing hook
REFERENCE	73130001	73150001
EAN CODE	3375536033578	3375536033592
PACKAGING	Bag	Bag
MULTIPLE / BOXED QUANTITY	01/120	01/100
TECHNICAL DRAWING		



SHOWER TRAY FEET



► 450kg Weight Capacity Shower Tray Feet

- **ROBUST:** Each foot withstands 450kg
- **HEIGHT ADJUSTABLE:** From 58mm – 172mm with height graduation marks for accurate setting
- **STABILITY:** Anti-slip stabilising base for an optimal installation
- **INCREASED SAFETY:** Each foot has four floor fixing points

REFERENCE	30719767
EAN CODE	3375537196944
PACKAGING	Bag
QUANTITY	Pack of 4



► Easy height adjustment

✓ **TIP:**


By removing the extension leg, the tray can be installed with a minimum height of on 58mm.



104mm wide base: To increase reliability and easy floor installation.

ADJUSTABLE FROM 58mm to 172mm

www.wirquin.co.uk



WASTE, PIPE & PAN CONNECTORS

WC PAN CONNECTORS

- JOLLYFLEX EXTENDABLE
- JOLLYFLEX FLEXIBLE
- RIGID
- SHORT CONNECTORS

MAGICFLEX®

WASTE CONNECTORS

Macdee
wirquin




WC PAN CONNECTORS



JOLLYFLEX


The Jollyflex range of flexible and extendable pan connectors has been cleverly designed to make installation easier and faster.

- ▶ Eliminates the need to use two different solid pipes to make a joint
- ▶ Negates the need to cut rigid pipes
- ▶ Removable fins, allowing universal connection (solvent weld and push fit)




JOLLYFLEX EXTENDABLE

- ▶ Maintains the desired shape and angle of inclination
- ▶ Provides both an extendable and flexible solution



- ▶ 90° elbow option
 - ▶ Combines the advantages of the extendable and the rigid pan connectors
 - ▶ FLOW + - With its unique internal design, water no longer stagnates in the pan outlet









- ▶ Extendable from;
 - ▶ 205mm to 510mm
 - ▶ 290mm to 640mm
 - ▶ 310mm to 780mm


JOLLYFLEX FLEXIBLE

- ▶ Provides a compressible solution from;
 - ▶ 320mm to 215mm
 - ▶ 390mm to 240mm
 - ▶ 420mm to 280mm
 - ▶ 540mm to 320mm
 - ▶ 580mm to 360mm

JOLLYFLEX EXTENDABLE






					
DESCRIPTION	90° Extendable elbow pan connector with fin	90° Extendable elbow pan connector with fin and spigot	Universal pan connector with fin	Long extendable pan connector with fin	Short extendable pan connector with fin
REFERENCE	70718878	70718879	71260101	70975042	70120466
EAN CODE	3375537188185	3375537188192	3375537142224	4620016492635	5017134146608
PACKAGING	Film	Film	Bag	Film	Film
MULTIPLE / BOXED QUANTITY	01/16	01/16	01/20	01/20	01/25
LENGTH mm	230mm < 390mm	230mm < 390mm	260mm < 650mm	290mm < 630mm	200mm < 450mm
PAN OUTLET mm	Ø85 < Ø105	Ø85 < Ø105	Ø80 < Ø105	Ø80 < Ø105	Ø80 < Ø105
DRAIN CONNECTOR mm	Push fit Ø104 < Ø110 Solvent weld Ø93 / Ø100 / Ø110	Push fit Ø104 < Ø110 Solvent weld Ø93 / Ø100 / Ø110	Push fit Ø104 < Ø110 Solvent weld Ø93 / Ø100 / Ø110	Push fit Ø95 < Ø110	Push fit Ø95 < Ø110
TECHNICAL DRAWING					





JOLLYFLEX FLEXIBLE



DESCRIPTION	Flexible extra short version - 215 to 320mm	Flexible short version - 240 to 390mm	Flexible long version - 320mm to 540mm	Flexible short version - 240 to 390mm	Flexible long version - 320 to 540mm
REFERENCE	71080201	71080101	71080001	RWAH1099	71000003
EAN CODE	3375539050046	3375536038979	3375536038986	3375530287700	3375536036234
PACKAGING	Film	Film	Film	Film	Film
MULTIPLE / BOXED QUANTITY	01/20	01/15	01/12	01/15	01/12
LENGTH mm	215mm < 320mm	240mm < 390mm	320mm < 540mm	280mm < 420mm	360mm < 580mm
PAN OUTLET mm	Ø80 < Ø105	Ø80 < Ø105	Ø80 < Ø105	Ø80 < Ø105	Ø80 < Ø105
DRAIN CONNECTOR mm	Push fit Ø104 < Ø110	Push fit Ø104 < Ø110	Push fit Ø104 < Ø110	Solvent weld Ø103 / Ø106 / Ø110	Solvent weld Ø103 / Ø106 / Ø110
TECHNICAL DRAWING					

RIGID

					
DESCRIPTION	90° Pan connector with fins	90° Pan connector with fins and spigot	Swan neck pan connector with fins	Pan connector extension piece with fins	90° Pan connector with fins
REFERENCE	71240001	71240101	71240201	71250001	70719117
EAN CODE	3375537130672	3375537130689	3375537130696	3375537130702	5017134106077
PACKAGING	Bulk	Bulk	Bulk	Bulk	Bag
MULTIPLE / BOXED QUANTITY	01/16	01/20	01/16	01/30	01/12
LENGTH mm	305mm	305mm	350mm	90mm < 245mm	297mm
PAN OUTLET mm	Ø80 < Ø105	Ø80 < Ø105	Ø85 < Ø105	-	Ø85 < Ø105
DRAIN CONNECTOR mm	Push fit Ø104 < Ø110	Push fit Ø104 < Ø110	Push fit Ø104 < Ø110	Push fit Ø104 < Ø110	Push fit Ø104 < Ø110
TECHNICAL DRAWING					

	FLEXIBLE ONE PIECE		RIGID	
				
DESCRIPTION	Straight pan connector with fins	19mm Offset pan connector with fins	Straight pan connector with fins	14° Angled pan connector with fins
REFERENCE	71150000	71160000	70719116	70719941
EAN CODE	3375536018476	3375536022367	5017138106114	5017134106091
PACKAGING	Bulk	Bulk	Bag	Bag
MULTIPLE / BOXED QUANTITY	01/60	01/60	01/30	01/30
LENGTH mm	95mm	95mm	125mm	150mm
PAN OUTLET mm	Ø100 < Ø105	Ø100 < Ø105	Ø85 < Ø105	Ø85 < Ø105
DRAIN CONNECTOR mm	Push fit Ø100 < Ø110	Push fit Ø100 < Ø110	Push fit Ø104 < Ø110	Push fit Ø104 < Ø110
TECHNICAL DRAWING				



PIPE CONNECTORS




MAGICFLEX®

THE FLEXIBLE PVC CONNECTOR


- ▶ **No more angle calculations!**
Thanks to its flexible structure, it can take on the desired angle from 0° to 180° and on two different levels in the space available.
- ▶ **It can compensate for misalignment between two pipes.**
It can be compressed for installation on pipes already in place, or in places with difficult access. Its flexible body absorbs contraction and expansion.
- ▶ **Manufactured in PVC, Magicflex® connectors can resist detergents** (bleach, washing-up liquid, washing powder, drain unblocker, etc.)
- ▶ **The same grey colour as used in PVC waste systems, it can be unobtrusively fitted into the installation.**












AVAILABLE IN SEVERAL VERSIONS



- ▶ 1 1/2" and 1 1/4" solvent weld: Female-Female.
- ▶ 1 1/2" and 1 1/4" push-fit: Female-Female.



	PUSH FIT				SOLVENT WELD						
											
DESCRIPTION	1 1/4" Flexible elbow, female-female, grey	1 1/2" Flexible elbow, female-female, grey	1 1/4" Flexible elbow, female-female, white	1 1/2" Flexible elbow, female-female, white	1 1/4" Flexible elbow, female-female, white	1 1/2" Flexible elbow, female-female, white	1 1/4" Flexible elbow, female-female, grey	1 1/2" Flexible elbow, female-female, grey	4" Flexible elbow soil pipe, male to female, grey		
REFERENCE	79019101	79020101	79019401	79020201	79009007	79008006	79009301	79008301	79007001		
EAN CODE	3375539057908	3375539057953	3375537127245	3375537127238	3375539051968	3375539051951	3375537127214	3375537127221	3375539042713		
PACKAGING	Bulk	Bulk	Bulk	Bulk	Bulk	Bulk	Bulk	Bulk	Bulk		
MULTIPLE / BOXED QUANTITY	10/120	10/70	10/120	10/70	10/150	10/90	10/150	10/90	01/15		
TECHNICAL DRAWING											


WASTE CONNECTORS



DESCRIPTION	1 1/4" extendable connector X Ø32mm outlet, supplied with fixing hook	1 1/2" extendable connector X Ø40mm outlet, supplied with fixing hook
REFERENCE	73130001	73150001
EAN CODE	3375536033578	3375536033592
PACKAGING	Bag	Bag
MULTIPLE / BOXED QUANTITY	01/120	01/100

TECHNICAL DRAWING		
-------------------	--	--

www.wirquin.co.uk



TERMS & CONDITIONS

1. GENERAL

For our latest General Terms & Conditions please refer to our website www.wirquin.co.uk/legal-notices.html

2. ELECTRONIC TRADING

- 2.1 If the Company and Customer agree that electronic trading between them shall be a basis for order processing and invoicing then the Standard Interchange Agreement (3rd Edition December 1993 as amended or revised from time to time) of the Electronic Commerce Association (or any successor body or association) shall be incorporated into the contract by reference. If and to the extent of any conflict or inconsistency between these conditions and the Standard Interchange Agreement, the former shall prevail.
- 2.2 Electronic orders shall be valid if all the information agreed between the Customer and the Company as being required is properly set out in the agreed format and the order is transmitted by the Customer to the Company by reference to the correct identification code and is received by the Company when collecting its electronic mail from the relevant system.
- 2.3 Each valid electronic order will be deemed to be accepted by the Company unless the Company communicates rejection of the order to the Customer by electronic or other means (including telephone) within two working days of receipt. Acceptance of an order shall constitute a contract for sale and purchase to which these conditions and the Standard Interchange Agreement shall apply.

3. DELIVERY

For General Terms & Conditions please refer to our website www.wirquin.co.uk/legal-notices.html

4. RISK AND TITLE

- 4.1 Risk in the Products shall pass to the Customer upon delivery and the Customer is then solely responsible for all loss, damage or deterioration to the Products.
- 4.2 Title to the Products shall not pass to the Customer until either:-
- 4.2.1 The Company has received in full (in cash or cleared funds) all monies payable (whether or not due) to the Company under this and any other contracts for Products once agreed between the Company and the Customer including contracts made after this contract; or
- 4.2.2 when the Company serves on the Customer notice in writing specifying that title in the Products or any part thereof has passed; or
- 4.2.3 the Customer resells the Products, in which case title to the Products shall pass to the Customer at the time specified in clause 4.5.
- 4.3 Until title has passed to the Customer the Company may require the Customer to deliver up to the Company all Products in respect of which the Company has title and if the Customer fails to do so forthwith the Company's officers, employees, representatives or agents shall be entitled to enter upon any premises where such Products are kept for the purpose of recovering the same.
- 4.4 Until title to the Products has passed to the Customer pursuant to these conditions the Customer shall:
- 4.4.1 possess the Products as fiduciary agent and bailee of the Company;
- 4.4.2 store the Products separately from all other goods held by the Customer not owned by the Company;
- 4.4.3 maintain the Products in satisfactory condition and ensure that they are fully insured on an all risks basis for their full price from the date of delivery;

- 4.4.4 ensure that the Products are clearly identifiable as belonging to the Company;
- 4.4.5 not remove, deface or obscure any identifying mark or packaging on or relating to the Products;
- 4.4.6 give the Company such information relating to the Products as the Company may require from time to time;
- 4.4.7 notify the Company immediately if it becomes subject to any of the events listed in clause 16; and
- 4.4.8 permit the Company to enter upon any premises where such Products are kept for the purpose of satisfying itself that this condition is being complied with by the Customer.
- 4.5 Subject to clause 4.6, the Customer may resell or use the Products in the ordinary course of its business (but not otherwise) before the Company receives payment for the Products. However, if the Customer resells the Products before that time:
- 4.5.1 it does so as principal and not as the Company's agent; and
- 4.5.2 title to the Products shall pass from the Company to the Customer immediately before the time at which resale by the Customer occurs.
- 4.6 If before title to the Products passes to the Customer the Customer becomes subject to any of the events listed in clause 16, then, without limiting any other right or remedy the Company may have:
- 4.6.1 the Customer's right to resell the Products or use them in the ordinary course of its business ceases immediately; and
- 4.6.2 the Company may at any time:
- 4.6.2.1 require the Customer to deliver up all Products in its possession which have not been resold, or irrevocably incorporated into another product; and
- 4.6.2.2 if the Customer fails to do so promptly, enter any premises of the Customer or of any third party where the Products are stored in order to recover them.

5. CANCELLATION AND AMENDMENT

No contract can be amended or cancelled except with the Company's approval in writing and should such approval be given the Customer shall indemnify the Company against any costs losses or expenses resulting from any cancellation or amendment.

6. PRICES

- 6.1 The price of the Products shall be the price set out in the Company's most up to date price list.
- 6.2 Unless otherwise agreed in writing all prices are net for delivery (ex-works) and VAT and any other applicable taxes are payable in addition.
- 6.3 Unless otherwise stipulated by the Company in writing prices are payable in Sterling or if the Sterling currency shall cease to exist when the contract is made, shall be payable in such currency as replaces the Sterling currency.
- 6.4 The Company shall be entitled at any time by giving notice in writing, before delivery to make a reasonable adjustment to the price in the event of any alteration in quantity, design or specification requested by the Customer.
- 6.5 The Company reserves the right at any time prior to delivery by giving notice in writing to increase the price if:
- 6.5.1 there is any increase in the cost of materials labour transport or utilities or if the costs of the Company are increased by any other factor beyond the reasonable control of the Company (including but not limited to foreign exchange fluctuations, increases in taxes and duties); or
- 6.5.2 there is any delay caused by any instructions of the Customer or failure of the Customer to give the Company adequate or accurate information or instructions.

6.6 The Customer shall be liable to the Company for any demurrage costs incurred in the event of vehicles being unduly delayed at the point of delivery.

7 TERMS OF PAYMENT

7.1 Unless otherwise agreed by the Company in writing payment shall be made within 30 days from the date of invoice and the Company shall be entitled to issue invoices in the month in which the Products are delivered or would have been delivered save for postponement otherwise then due to default on the part of the Company. Time for payment of the price is of the essence of the contract.

7.2 No disputes arising under this contract (or any other contract between the Company and the Customer) shall serve to permit payment by the Customer of sums due to the Company to be delayed nor shall such disputes interfere with or prevent the Customer from making prompt payment in full and cleared funds. The Customer shall not be entitled to make any deduction from sums owing to the Company by reason of any such dispute.

7.3 In the event of default in payment by the Customer the Company shall be entitled without prejudice to any other right or remedy:

7.3.1 to immediately suspend without notice all further deliveries on this or any other contracts between the Company and the Customer; and/or

7.3.2 to charge interest on a daily basis from the due date until actual payment (after as well as before judgement) on any amount outstanding at the rate of 4% per annum above the base rate of HSBC Bank plc from time to time; and/or

7.3.3 to serve notice on the Customer requiring immediate payment for all Products supplied by the Company under this and all other contracts between them whether or not payment is otherwise due or invoiced.

7.4 The Company reserves the right to request a financial guarantee in respect of any order placed by a Customer and the Company may at its option delay or refuse any such order until an acceptable form of guarantee is provided by the Customer.

8 SPECIFICATIONS

For General Terms & Conditions please refer to our website www.wirquin.co.uk/legal-notices.html

9 LOSS SHORTAGES AND DAMAGE APPARENT ON DELIVERY INSPECTIONS

9.1 The Customer shall have no claim for loss, shortages or damage on delivery which are or would be apparent on inspection unless the Customer:

9.1.1 Unpacks and inspects the Products as soon as reasonably practicable following receipt;

9.1.2 notifies the Company of any loss, shortages or damage (otherwise then by a qualified signature on the delivery note) within 48 hours of receipt; and

9.1.3 demonstrates to the satisfaction of the Company that such loss, shortages or damage occurred prior to delivery.

9.2 The Customer shall have no rights in respect of loss, shortages or damage unless the Company is given reasonable opportunity to inspect the Products and investigate any complaint before any use of or alteration to or interference with the Products.

9.3 On a valid complaint made in accordance with this Clause 9 the Customer shall be entitled (in the case of notified shortages) to receive within a reasonable time a delivery of Products equivalent to the shortfall and (in the case of defects) the Company at its option shall repair, replace or provide a credit for the price of the affected Products but the Company shall have no further liability whatsoever. If a complaint of loss, shortages or damage on delivery is not made to the Company in accordance with this Clause 9 then the Products shall be deemed to be delivered complete and undamaged in accordance with the contract and the Customer shall be bound to pay for the same accordingly.

9.4 Loss, shortages or damage in a delivery or any instalment delivery shall not be a ground for termination by the Customer of the contract or the remainder of the contract (as the case may be).

10 WARRANTY

For General Terms & Conditions please refer to our website www.wirquin.co.uk/legal-notices.html

11 LIABILITY

11.1 The Company does not limit or exclude its liability under these conditions for:

11.1.1 breach of the terms implied under Section 12 of the Sale of Goods Act 1979 (good title) (as amended by the Sale and Supply of Goods Act 1994);

11.1.2 death or personal injury caused by its negligence or the negligence of its employees, agents or subcontractors (as applicable) as defined in the Unfair Contract Terms Act 1977;

11.1.3 fraud or fraudulent misrepresentation;

11.1.4 defective products under the Consumer Protection Act 1987; or

11.1.5 any matter in respect of which it would be unlawful for the Company to exclude or restrict liability.

11.2 Save as provided under Clauses 9, 10 and 11.1;

11.2.1 the Company shall have no liability to the Customer;

11.2.2 the Company's total liability, whether in respect of one claim or in the aggregate shall not exceed the contract price payable under this contract for the supply of Products to be provided under it.

11.3 The Customer acknowledges that the limitation of the Company's liability is reasonable in all the circumstances and the Customer agrees that it is its own responsibility to insure adequately to cover any loss or damage in excess of the aforesaid limit of the Company's liability. Subject to reaching agreement on terms, the Company and the Customer may determine an increased level of liability which is to be accepted in Writing by the Company to cover, in particular specific types of loss or damage which both parties reasonably foresee and anticipate.

11.4 In this clause 11 the term "liability" means any form of liability or loss whatsoever including but not limited to loss whether in misrepresentation under contract, common law, equity, tort and any breach of statutory provision whether or not based on negligence or breach of any express or implied duty, or otherwise for any loss other than strictly direct losses (meaning for these purposes the increased costs of purchasing products from a third party or the cost of remedial repair work) and specifically consequential, financial or economic loss whether direct or indirect including but not limited to any incidental costs of dismantling, fitting or other ancillary work required in connection with the provision of a repair or replacement, any loss of production, profits, contracts, loss of use or anticipated savings and any claims made against the Customer by any third party are excluded.

11.5 To the extent that any liability of the Company is expressed to be limited or excluded by these conditions the Customer shall indemnify the Company in respect thereof.

12 CONFIDENTIAL INFORMATION ETC

For General Terms & Conditions please refer to our website www.wirquin.co.uk/legal-notices.html

13 INTELLECTUAL PROPERTY INDEMNITIES

For General Terms & Conditions please refer to our website www.wirquin.co.uk/legal-notices.html

14 CUSTOMER'S DRAWINGS

For General Terms & Conditions please refer to our website www.wirquin.co.uk/legal-notices.html

15 COMPANY LITERATURE

The information contained in the advertising, sales, samples, technical and other descriptive literature issued by the Company including any illustrations performance details, examples or installations and methods of assembly and all other information and data in such literature are based on experience and upon trials under test conditions and are approximate and provided for general guidance only. No such information or data shall form part of the contract unless it is specifically referred to in the quotation or order acknowledgement or the Customer shall have complied in respect thereof with Clause 1.11.

16 TERMINATION

- 16.1 Without prejudice to any other rights or remedies of the Company, the Company shall be entitled in any of the following circumstances to terminate (in whole or in part) with immediate effect by giving written notice of this and any other contract whenever made between the Company and the Customer and/or to suspend deliveries and/or to receive upon demand payment of all monies payable under any such contracts whether or not otherwise due:
- 16.1.1 the Customer makes or proposes any voluntary arrangement with its creditors or enters into negotiation with its creditors with a view to rescheduling its debts;
 - 16.1.2 the Customer becomes subject to an administration order or an application is made to court or becomes bankrupt or goes into liquidation;
 - 16.1.3 a creditor or an encumbrancer of the Customer takes possession or a receiver is appointed (or a person is able to appoint a receiver) of the whole or any part of the property or assets of the Customer;
 - 16.1.4 the Customer suspends, or threatens to suspend, payment of its debts, or becomes unable to satisfy its debts as they fall due, or is deemed unable to pay its debts within the meaning of the Insolvency Act 1986;
 - 16.1.5 the Customer ceases, suspends or threatens to cease or suspend to carry on all or a substantial part of its business;
 - 16.1.6 a petition is filed, a notice is given, a resolution is passed, or an order is made, for or in connection with the winding up of the Customer;
 - 16.1.7 the Company reasonably believes that any of the events mentioned above or any equivalent or similar event under any relevant laws in any other jurisdiction to which the Customer or any connected person is subject has or may occur;
 - 16.1.8 the Customer or any connected person commits any breach of this or any other contract whenever made between the Customer and the Company; or
 - 16.1.9 if the Customer fails to pay any amount due under this Contract on the due date for payment.
- 16.2 On termination of the Contract for any reason the Customer shall immediately pay to the Company all of the Company's outstanding unpaid invoices and interest.
- 16.3 Termination of the Contract, however arising, shall not affect any of the parties' rights, remedies, obligations and liabilities that have accrued as at termination.

17 FORCE MAJEURE

For General Terms & Conditions please refer to our website www.wirquin.co.uk/legal-notice.html

18 TOOLS

For General Terms & Conditions please refer to our website www.wirquin.co.uk/legal-notice.html

19 CONSUMER PROTECTION ACT 1987

For General Terms & Conditions please refer to our website www.wirquin.co.uk/legal-notice.html

20 HEALTH & SAFETY

For General Terms & Conditions please refer to our website www.wirquin.co.uk/legal-notice.html

21 NOTICES

For General Terms & Conditions please refer to our website www.wirquin.co.uk/legal-notice.html

22 GENERAL (LAW AND JURISDICTION)

The contract shall be governed and interpreted exclusively according to the Laws of England.

For General Terms & Conditions please refer to our website www.wirquin.co.uk/legal-notice.html


23 PRIVACY AND COMMUNICATIONS

Should you wish to not receive this catalogue, or any other communications from us, please contact communications@wirquin.co.uk to be removed from our mailing list.

DISCOVER

www.wirquin.co.uk

Innovation



90120251 - CATALOGUE



Customer services: 0333 222 4488

Celmac Macdee
wirquin wirquin
SANITARY EQUIPMENT SPECIALIST