



# Product Price Guide

PGAP24 | JUNE 2024

- Roof Ventilation
- Roof Drainage
- Roofing & Glazing Sheets
- Rooflights
- Cut to Size Service
- Hygienic Cladding





Ariel Plastics is *the* national plastics distribution company, offering the widest choice of roofing sheet, rooflights and roofing accessories available in the UK.

The UK market leader for over 55 years, our product portfolio has grown extensively and now includes Roofing Sheet options in Polycarbonate, PVC, GRP and Bitumen sheet with a complete range of accessories.

Flat Glazing and Dome  
Rooflights, Roof Drainage,  
Roof Ventilation and Cladding

for commercial and residential construction projects.

Ariel's nationwide logistics operation, national sales team and dedicated customer support ensures that merchants throughout the UK receive the highest quality service, product and technical support.



[arielplastics.com](http://arielplastics.com)



**CUT TO SIZE  
SERVICE**



**Leave the cutting  
to the experts**

- Cut to Size Service for
  - Polycarbonate
  - Acrylic
  - Styrene
- 48-hour service\*
- **See Page 70**

\*Terms & conditions apply



**This price list supersedes all previous issues.** All goods sold are subject to our standard Terms and Conditions of Sale (available on request from the Sales Office). Ariel Plastics Ltd reserves the right to amend specifications without prior notice.

#### Carrier Deliveries

Customers requiring a chargeable Next Day carrier service must submit their orders before 12:00 noon. Please note that carriers will not take goods longer than 4m and wider than 1m. Although we expect the carrier to deliver on a next day service, carriers are increasingly unable to guarantee this on all occasions. Basic carrier cost is £30.00, please contact sales office for full details.

#### Terms & Conditions

Please provide full delivery address with postcode, contact name and phone numbers and details of any site restrictions which may affect delivery. For details of the delivery schedule and delivery zones go to pages 94-95.

#### Ordering

When ordering please clearly state Product Code, Description and Quantity. 48 hour Hi-Lights Service orders must be placed by 12.30pm. All other orders must be received by 4pm (Mon-Thur), 3:30pm (Fri).

#### Prices

Irrespective of any prices stated on your orders, the prices charged by Ariel Plastics will be list prices less your agreed customer discount. List Prices exclude VAT.

#### Non Price List Products

Any goods not stated on the price list will be subject to extended lead times and a minimum order value of £250.00 net. These products are all non-returnable.

#### Cut to Size

Cut to size is a bespoke product and therefore non-returnable.

#### Cutting Charge

We reserve the right to apply a cutting charge for complicated or large cutting requests. Please contact the customer services department for details.

#### Quotations

Quotations will normally be processed within 24 hours. Earlier processing may be available on request. Complicated and structural quotations can take up to 48 hours to be fully processed.

#### Cancelled Orders

We reserve the right to charge up to £30.00 for any orders cancelled after the order cut off time to cover administration and/or delivery costs. Cancelled orders must be notified in writing before cut off time. Cut off time is 4.00pm.

#### Minimum Order Charges

Orders under £250.00 net will be subject to a £30.00 delivery charge.

#### Site Deliveries

Site deliveries are subject to a minimum order value of £250.00 and a one off charge of £30.00 (mainland GB only).

#### 48hr Hi-Lights Service

Orders must be received by Ariel Plastics by 12.30pm. 48hr delivery is only available to mainland GB (excluding postcode areas beginning KW, IV, AB and PH). All Mardome returns must be in a re-saleable condition and rooflights will be subject to a 50% restocking charge plus £85 collection charge. All rooflights are subject to a £30 delivery charge. Please note that a £85 failed delivery charge applies to all rooflights.

#### Fixing Guides

Available to download from [www.arielplastics.com](http://www.arielplastics.com)

#### Collection

Goods may only be collected by prior arrangement.

#### Notification of Claims

The seller shall be entitled to reject any claim for DEFECTIVE goods unless such a claim is notified in writing to the Seller within 48 hours of delivery, or, if the alleged defect is not immediately apparent, within such longer period as the seller may reasonably allow in the circumstances. Mardomes are bespoke items and will incur a 50% restocking charge plus £85 collection charge if cancelled or returned. Returns must be in a re-saleable condition.  
*Vents are made to order and therefore non returnable.*

The Seller shall be entitled to reject any claim for SHORTAGES of the goods unless such claim is notified to the Seller in writing within 48 hours of the date of delivery of any consignment in which it is said a shortage has occurred. Upon collection of goods, the Seller shall be entitled to credit goods only which are deemed resaleable.

The Seller will notify the Buyer within 48 hours of any rejections or discrepancies. It is recommended that orders are checked for completeness and defective parts before installation work commences. Failure to do so may affect the claim.

## Contents

|                                                                                       |                                |    |
|---------------------------------------------------------------------------------------|--------------------------------|----|
| <b>ROOF VENTILATION &amp; DRAINAGE</b>                                                | Roof Ventilation               | 6  |
|                                                                                       | Universal Ridge System         | 10 |
|                                                                                       | Universal Hip System           | 11 |
|                                                                                       | Roof Drainage                  | 12 |
| <b>ROOFLINE</b>                                                                       | Dry Verge System               | 16 |
|                                                                                       | Fascia & Soffit                | 18 |
| <b>ROOFING &amp; GLAZING SHEET</b>                                                    | Multiwall Polycarbonate Sheet  | 22 |
|                                                                                       | Self Supporting Roofing System | 36 |
|                                                                                       | Easy Fit DIY Roofing System    | 38 |
|                                                                                       | Modular Panel Glazing System   | 40 |
|                                                                                       | Corrugated Polycarbonate       | 42 |
|                                                                                       | PVC Sheet                      | 48 |
|                                                                                       | Corrugated Bitumen             | 52 |
|                                                                                       | Bituminous Tile Strip          | 56 |
|                                                                                       | Metal Roofing System           | 58 |
|                                                                                       | Galvanised Corrugated Sheet    | 59 |
|                                                                                       | Flat Glazing                   | 60 |
| <b>ROOFLIGHTS</b>                                                                     | Polycarbonate Dome Rooflights  | 64 |
| <b>CUT TO SIZE SERVICE</b>                                                            | Acrylic Sheet                  | 71 |
|                                                                                       | Multiwall Polycarbonate Sheet  | 72 |
|                                                                                       | Flat Polycarbonate Sheet       | 76 |
| <b>CLADDING</b>                                                                       | Hygienic Cladding              | 78 |
|                                                                                       | General Cladding               | 80 |
|  | Delivery Schedules             | 82 |

# Corovent

Roof Ventilation

**Tile  
Matching  
Service**

## SLATE, TILE AND RIDGE VENTILATION

An extensive range of **Corovent** Slate, Tile and Ridge ventilation products has been specially designed to eliminate the risk of condensation.

A comprehensive range of tile vents are available to match most roof tiles, with specials available on short lead times. Our tile matching service ensures that Corovent will always blend in discreetly with existing tiles, even on a weathered roof.

\*Not suitable for roofs less than 20° pitch

## EAVES VENTILATION

The wide range of eaves ventilation products and accessories can eliminate condensation by providing adequate airflow in the roof void, and avoids damage to the eaves and roof-felt finishing.

- Maintenance free
- Corrosion and rot resistant
- Strong and flexible

Our tile matching service ensures the Corovent will blend in with existing roof tiles.

## Roof Vents PG72/76/77

|                                                                                       | Code      | PG  | Disc | Cowl Vents                                                                                         | Qty | Price £ |
|---------------------------------------------------------------------------------------|-----------|-----|------|----------------------------------------------------------------------------------------------------|-----|---------|
|    | CV10K     | 072 | 780  | Cowl Vent - ventilation area 10,000mm <sup>2</sup> including felt sleeve                           | 1   | 63.38   |
|    | CV20K     | 072 | 780  | Cowl Vent - ventilation area 20,000mm <sup>2</sup> including felt sleeve                           | 1   | 67.31   |
|    | CP10K     | 072 | 780  | As CV10K but including a 110mm Pipe Adaptor                                                        | 1   | 71.39   |
|    | CP20K     | 072 | 780  | As CV20K but including a 110mm Pipe Adaptor                                                        | 1   | 94.25   |
|    | CT1C      | 076 | 780  | 110mm dia flexi-tube including clips                                                               | 1   | 41.34   |
|    | CT1E      | 076 | 780  | 110mm PVC Coated flexi-tube including clips (1m length)                                            | 1   | 12.18   |
|    | FW1       | 076 | 780  | Felt weir                                                                                          | 1   | 3.32    |
|                                                                                       | Code      | PG  | Disc | Roofline Vents<br>(when ordering state whether slate or tile version)                              | Qty | Price £ |
|    | DV10K     | 072 | 780  | Discrete Roof Vent 10,000mm <sup>2</sup>                                                           | 1   | 131.86  |
|   | DP10K     | 072 | 780  | Discrete Roof Vent & pipe adaptor                                                                  | 1   | 151.19  |
|  | RV10K     | 072 | 780  | Roofline vent for slate or interlocking tiles 10,000mm <sup>2</sup> vent area (includes felt weir) | 1   | 131.86  |
|  | RP10K     | 072 | 780  | As RV10K but fitted with a 110mm dia pipe adaptor                                                  | 1   | 151.19  |
|  | COA1      | 072 | 780  | 110mm dia. outlet can be cut to provide 125mm dia sections                                         | 1   | 24.18   |
|  | RV8K      | 072 | 780  | Roofline vents for plain tiles 8000mm <sup>2</sup> ventilation area                                | 1   | 59.54   |
|  | RP8K      | 072 | 780  | As RV8K but including a 110mm dia pipe adaptor                                                     | 1   | 70.37   |
|  | NSA110    | 072 | 780  | 110mm dia adaptor to site convert RV8K to RP8K                                                     | 1   | 16.14   |
|  | UNI/SLATE | 077 | 780  | Slate Universal Vent 8000mm <sup>2</sup> ventilation area                                          | 1   | 54.43   |
|                                                                                       | Code      | PG  | Disc | Economy Vents                                                                                      | Qty | Price £ |
|  | HV1       | 076 | 780  | 7200mm <sup>2</sup> vent area: 600x300mm slates                                                    | 10  | 31.09   |
|  | HV2       | 076 | 780  | 7200mm <sup>2</sup> vent area: 500x250mm slates                                                    | 10  | 25.69   |
|  | HP1*      | 077 | 780  | Vent terminal for 600x300mm slates                                                                 | 1   | 59.49   |
|                                                                                       | Code      | PG  | Disc | Ridgeline Vents                                                                                    | Qty | Price £ |
|  | TV3N      | 072 | 780  | Ridge vent 12,500mm <sup>2</sup> vent area, suits most concrete & clay ridges                      | 1   | 131.86  |
|  | TV31N     | 072 | 780  | As TV3N with fitted extension sleeve                                                               | 1   | 146.00  |
|  | TV3SN-110 | 072 | 780  | As TV3N with fitted extension sleeve incl. 110mm dia pipe adaptor                                  | 1   | 153.22  |
|  | TV3SN-125 | 072 | 780  | As TV3N with fitted extension sleeve incl. 125mm dia pipe adaptor                                  | 1   | 153.22  |
|  | NES       | 072 | 780  | Narrow extension sleeve for short ridge vent less than 400mm long                                  | 1   | 14.16   |
|  | WES       | 072 | 780  | Wide extension sleeve for standard ridge vent more than 400mm long                                 | 1   | 14.16   |
|  | WSA110    | 072 | 780  | 110mm dia adaptor for wide extension sleeve                                                        | 1   | 14.16   |
|  | WSA125    | 072 | 780  | 125mm dia adaptor for wide extension sleeve for passive vent system                                | 1   | 14.16   |

When ordering tile vents please state manufacturer, tile and colour for matching purposes.  
\*Includes soil pipe adaptor & flexi-tube.




### Eaves Ventilation

|                                                                                  | Code  | PG  | Disc | Product Description                                                                                                        | Qty | Price £ |
|----------------------------------------------------------------------------------|-------|-----|------|----------------------------------------------------------------------------------------------------------------------------|-----|---------|
|  | CF1   | 077 | 780  | 1m Eaves Comb Filler                                                                                                       | 300 | 0.96    |
|  | FT60  | 077 | 780  | Eaves Fascia Tray 600mm long                                                                                               | 50  | 2.44    |
|  | FT150 | 077 | 780  | Eaves Fascia Tray 1500mm long                                                                                              | 10  | 6.58    |
|  | RT50  | 077 | 780  | 6M Roll 300mm Wide Rafter Tray                                                                                             | 20  | 10.32   |
|  | RT66  | 077 | 780  | Rafter Tray Continuous 6m long roll 400mm wide, provides 25mm per LM air gap to fit common rafter spacings 600, 450, 400mm | 4   | 13.77   |
|  | RT99  | 077 | 780  | 6M Roll 600mm Wide Rafter Tray                                                                                             | 10  | 20.63   |
|  | RT132 | 077 | 780  | 6m Rafter Tray as above but 800mm wide, for low pitched roofs                                                              | 4   | 27.50   |
|  | RT198 | 077 | 780  | 6M Roll 1200mm Wide Rafter Tray                                                                                            | 4   | 43.73   |

### Eaves & Fascia Ventilation

|                                                                                    | Code | PG  | Disc | Eaves Ventilation                                       | Qty | Price £ |
|------------------------------------------------------------------------------------|------|-----|------|---------------------------------------------------------|-----|---------|
|    | RT60 | 077 | 780  | 600mm Single Rafter Tray - provides 10mm per LM air gap | 50  | 1.57    |
|    | RR46 | 077 | 780  | Refurbishment Rafter Tray (48cm Long x 35cm Wide)       | 50  | 2.95    |
|                                                                                    | Code | PG  | Disc | Overfascia Vents                                        | Qty | Price £ |
|  | OV10 | 077 | 780  | Low profile - 1m x 10mm air gap                         | 50  | 2.32    |
|  | FV10 | 077 | 780  | Heavy duty - 1m x 10mm air gap                          | 50  | 5.25    |
|  | FV25 | 077 | 780  | Heavy duty - 1m x 25mm air gap                          | 50  | 6.07    |

### Soffit Vent

|                                                                                    | Code  | PG  | Disc | Soffit Vents                                           | Qty | Price £ |
|------------------------------------------------------------------------------------|-------|-----|------|--------------------------------------------------------|-----|---------|
|  | SD20W | 077 | 780  | Disc vent 2000mm² ventilation area - white (80mm dia.) | 50  | 0.73    |

# Check out our website



Check out our website where you will find a selection of resources including product guides, certification, datasheets, installation guides and videos.

If you can't find what you're looking for or require additional guidance  
**Email** [info@arielplastics.com](mailto:info@arielplastics.com)  
 or **Call** 01246 281111.



[arielplastics.com](http://arielplastics.com)

# Corovent URS

Universal Ridge System

**Corovent Universal Ridge** is designed to provide a totally dry fixed and weathertight ridge that is fast and simple to install. Every ridge unit is mechanically fixed eliminating the need for mortar completely.

- Unique jointing system for versatility
- Accommodates most known ridge tiles
- Can be used with both half round & angled ridges
- Dry fix is the fastest way to install ridge tiles
- No wet trades needed
- Smooth line providing a discreet appearance



View Installation Guide



The Corovent dry fix system is supplied as a complete system with all components to fix 6m of ridge.



## Universal Dry Fix Ridge System (vented)

| Code     | PG  | Disc | Product Description                                                                                       | Outer Qty | Price £ |
|----------|-----|------|-----------------------------------------------------------------------------------------------------------|-----------|---------|
| URS6/B   | 071 | 780  | 1 Dry Fix Roll Out 6m x 300mm<br>13 Dry Ridge Unions, Fixing Caps & Screws<br>10 Dry Ridge Union Brackets | 1         | 102.21  |
| URS6/RT  | 071 | 780  | Dry Fix Roll Out 6m x 300mm                                                                               | 1         | 52.69   |
| URS6/USB | 071 | 780  | Dry Ridge Unions, Fixing Caps & Screws                                                                    | 13        | 7.60    |


Designed for standard ridge tiles at 450mm width.

# Corovent DHS

Dry Hip System

**Corovent DHS** provides a mechanically fixed, weathertight and attractive finish to the hip line without the use of mortar bedding. The Corovent DHS is fully compatible with Corovent URS Dry Ridge System.

- Quick & easy to install
- No special tools required
- Mortar free
- UV stable
- Water resistant



## Dry Fix Hip System

| Code     | PG  | Disc | Product Description                                                                                       | Outer Qty | Price £ |
|----------|-----|------|-----------------------------------------------------------------------------------------------------------|-----------|---------|
| URS6/B   | 071 | 780  | 1 Dry Fix Roll Out 6m x 300mm<br>13 Dry Ridge Unions, Fixing Caps & Screws<br>10 Dry Ridge Union Brackets | 1         | 102.21  |
| UHS6/FIX | 071 | 780  | 4 75mm x 4.8 S/S Screws<br>4 Sealing Washers<br>50 25mm x 3.5 mm S/S ARS Nails                            | 1         | 21.75   |
| UHS6/TT  | 071 | 780  | Tile Ties                                                                                                 | 30        | 1.23    |
| UHS6/HST | 071 | 780  | PVC Hip Tray (1m Length)                                                                                  | 1         | 11.91   |

## Alternative to PVC Tray

| Code | PG  | Disc | Product Description               | Outer Qty | Price £ |
|------|-----|------|-----------------------------------|-----------|---------|
| HST3 | 071 | 780  | GRP Hips Support Tray (3m Length) | 1         | 27.55   |

The above items can also be sold separately. A PVC or a GRP Tray can be used.


# Corodrain

Roof Drainage

The **Corodrain** range of BBA approved valley troughs are manufactured in GRP as an economic and durable alternative to using lead and all conform to NFRC Technical Bulletin 28.

Corodrain valley troughs can be used on both slate and tiled roofs and with any combination of double or interlocking slates, clay or concrete tiles. Corodrain can also provide a weatherproof seal between roofs of terraced houses or where a new roof needs to join an existing roof.

- A cost effective alternative to lead
- More resistant to damage and theft
- Maintenance free
- UV light and acid rain resistant
- Smooth finish inhibits growth of moss or build up of debris
- Significant reduction in installation time
- ISO 9001 & BBA Approved
- Largest range of lengths available



| D-Valleys                                                                                                                                                                                                 | A-Valleys                                                                                                                                                                                                                       | B-Valleys                                                                                                                                 | Unequal Pitches                                                                                                                                                                                       | Dry Valleys                                                                                                                                                   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Standard Corodrain valley troughs for use with single and double lap tiles. Both standard (type:HD) and heavy duty (type:DX). They incorporate sanded strips (min. width 35mm) for the mortar to bond to. | Narrow Corodrain valley troughs for use with single and double lap tiles in limited applications. Both standard (type:HA) and heavy duty (type:AX). They incorporate sanded strips (min. width 35mm) for the mortar to bond to. | Standard Corodrain valley troughs for use with double lap slates and tiles, which are dry bedded. Both standard (type:HB) and heavy duty. | B & D-Valleys are designed for use where the differential between two rafter pitches is 15° or less. Industry standards recommend A-Valleys should only be used for pitch differences of 10° or less. | Dry fix valley trough completely eliminates risk of water coming into contact with the batten. No wet trades are required so it can be fitted in any weather. |

## Corodrain Standard Range

|        | Code                                                   | PG  | Disc | Valley Trough                                        | Outer Qty | Price £ |
|--------|--------------------------------------------------------|-----|------|------------------------------------------------------|-----------|---------|
| A Type | Standard Weight - 360mm width (1.83kg/m <sup>2</sup> ) |     |      |                                                      |           |         |
|        | HA30                                                   | 078 | 790  | A type 3m long universal                             | 10        | 34.16   |
|        | HB30                                                   | 078 | 790  | B type 3m long slate                                 | 10        | 34.16   |
| B Type | HE30                                                   | 078 | 790  | E type 3m std valley trough (1.66kg/m <sup>2</sup> ) | 10        | 30.74   |
|        | Standard Weight - 410mm width (1.83kg/m <sup>2</sup> ) |     |      |                                                      |           |         |
| E Type | HD30                                                   | 078 | 790  | D type 3m long universal                             | 10        | 39.62   |
|        | Heavy Weight - 360mm width (2.44kg/m <sup>2</sup> )    |     |      |                                                      |           |         |
| D Type | AX30                                                   | 078 | 790  | A type 3m universal heavy weight                     | 10        | 61.49   |
|        | Heavy Weight - 410mm width (2.44kg/m <sup>2</sup> )    |     |      |                                                      |           |         |
| BD30   | DX30                                                   | 078 | 790  | D type 3m universal heavy weight                     | 10        | 68.95   |
|        | Diamond 60 - (2.44kg/m <sup>2</sup> )                  |     |      |                                                      |           |         |
| DD30   | BD30                                                   | 078 | 790  | B type 3m diamond 60 slate                           | 10        | 76.48   |
|        | DD30                                                   | 078 | 790  | D type 3m diamond 60 universal                       | 10        | 80.62   |


|  | Code | PG  | Disc | Joining Gutter         | Outer Qty | Price £ |
|--|------|-----|------|------------------------|-----------|---------|
|  | HC30 | 078 | 790  | 3m long joining gutter | 10        | 34.16   |

|  | Code  | PG  | Disc | Abutment Soaker                | Outer Qty | Price £ |
|--|-------|-----|------|--------------------------------|-----------|---------|
|  | AS30  | 078 | 790  | 3m long abutment soaker        | 10        | 62.54   |
|  | AS30L | 078 | 790  | 3m long abutment soaker lipped | 10        | 68.18   |


|  | Code | PG  | Disc | Slate Starter Strip                   | Outer Qty | Price £ |
|--|------|-----|------|---------------------------------------|-----------|---------|
|  | US30 | 077 | 790  | 3m long universal slate starter strip | 10        | 60.67   |

**Traditional Dry Fix Valley**

105mm upstand



80mm upstand



55mm upstand

| Code       | PG  | Disc | Product Description                        | Width mm | Length mm | Price £ |
|------------|-----|------|--------------------------------------------|----------|-----------|---------|
| DVU30DW105 | 071 | 790  | Traditional Dry Fix Valley - 105mm Upstand | 370      | 3000      | 72.59   |
| DVU30DW80  | 071 | 790  | Traditional Dry Fix Valley - 80mm Upstand  | 370      | 3000      | 72.59   |
| DVU30DW55  | 071 | 790  | Traditional Dry Fix Valley - 55mm Upstand  | 370      | 3000      | 72.59   |



110mm upstand



90mm upstand



70mm upstand

**Universal Dry Fix Valley**

| Code       | PG  | Disc | Product Description                        | Width mm | Length mm | Price £ |
|------------|-----|------|--------------------------------------------|----------|-----------|---------|
| DVU30SW110 | 071 | 790  | Dry Fix Valley Standard - 110mm Upstand    | 280      | 3000      | 61.55   |
| DVU30SW90  | 071 | 790  | Dry Fix Valley Standard - 90mm Upstand     | 280      | 3000      | 61.55   |
| DVU30SW70  | 071 | 790  | Dry Fix Valley Standard - 70mm Upstand     | 280      | 3000      | 61.55   |
| DVU30VT110 | 071 | 790  | Dry Fix Valley Over Batten - 110mm Upstand | 400      | 3000      | 77.90   |
| DVU30VT70  | 071 | 790  | Dry Fix Valley Over Batten - 70mm Upstand  | 400      | 3000      | 77.90   |



100mm upstand



70mm upstand

**Universal Dry Fix Joining Gutter**

| Code       | PG  | Disc | Product Description                          | Width mm | Length mm | Price £ |
|------------|-----|------|----------------------------------------------|----------|-----------|---------|
| DBG30HW100 | 071 | 790  | Dry Joining Gutter Heavyweight 100mm Upstand | 240      | 3000      | 91.52   |
| DBG30HW70  | 071 | 790  | Dry Joining Gutter Heavyweight 70mm Upstand  | 240      | 3000      | 91.52   |

| Code      | PG  | Disc | Product Description                               | Price £ |
|-----------|-----|------|---------------------------------------------------|---------|
| DVBRACKET | 071 | 790  | Dry Valley Support Bracket Galvanised (pack of 5) | 22.54   |

# Need a price?

## Get a no obligation quote today!

For a no obligation quote on any Ariel product please contact our team now

**T: 01246 561104**

**E: [quotes@arielplastics.com](mailto:quotes@arielplastics.com)**



# Coroverge

Universal Dry Verge System



Coroverge is a mortar free dry verge system which acts as a closure on the roof verge of houses, garages and porches to protect tiles from wind uplift, pest infestation and weather degradation in accordance with BS5534.

- 100% mortar free dry fix verge
- Fully adjustable for batten gauges of 260-350mm
- Hardwearing and durable
- Quick and easy to install
- Selection of popular colours


## COLOURS AVAILABLE

- Anthracite Grey
- Brown
- Terracotta

## APPLICATIONS

- House Roof Verge
- Garage Roof Verge
- Porch Roof Verge

## Universal Dry Verge Components



Manufactured from modern plastic material, Coroverge is very quick and easy to install.

Combining strength and resilience with an attractive finish, the Coroverge Dry Verge System is available in a selection of popular colours.

## Universal Dry Verge System

| Code     | PG  | Disc | Product Description                      | Colour          | Price £ |
|----------|-----|------|------------------------------------------|-----------------|---------|
| UVS/AG   | 071 | 051  | Universal Dry Fix Verge Section          | Anthracite Grey | 6.33    |
| UVS/BR   | 071 | 051  | Universal Dry Fix Verge Section          | Brown           | 6.33    |
| UVS/TC   | 071 | 051  | Universal Dry Fix Verge Section          | Terracotta      | 6.33    |
| UVSSP/AG | 071 | 051  | True Line Starter Piece                  | Anthracite Grey | 7.96    |
| UVSSP/BR | 071 | 051  | True Line Starter Piece                  | Brown           | 7.96    |
| UVSSP/TC | 071 | 051  | True Line Starter Piece                  | Terracotta      | 7.96    |
| UVSA/AG  | 071 | 051  | Angled Ridge Cap                         | Anthracite Grey | 8.86    |
| UVSA/BR  | 071 | 051  | Angled Ridge Cap                         | Brown           | 8.86    |
| UVSA/TC  | 071 | 051  | Angled Ridge Cap                         | Terracotta      | 8.86    |
| UVSHR/AG | 071 | 051  | Half Round Ridge Cap                     | Anthracite Grey | 9.30    |
| UVSHR/BR | 071 | 051  | Half Round Ridge Cap                     | Brown           | 9.30    |
| UVSHR/TC | 071 | 051  | Half Round Ridge Cap                     | Terracotta      | 9.30    |
| UVS/BFIX | 071 | 051  | Batten End Clips Fixing Pack (Bag of 10) | S. Steel        | 40.39   |

# uPVC Fascia & Soffit

A complete range of Fascia and Soffit products manufactured using the highest quality uPVC materials and available in a range of sizes and 9 colour options including the standard white or a selection of factory applied foiled woodgrain finishes for a seamless match across the roofline.

The boards are supplied with protective tape and with pre-marked centre-line and pin guides to make installation as simple as possible.



## Replacement Fascia Boards

| CODE       | PG  | DISC | PACK QTY# | DIMENSIONS            | ITEM PRICE WHITE | ITEM PRICE* COLOUR |
|------------|-----|------|-----------|-----------------------|------------------|--------------------|
| LRB150W    | 047 | 921  | 2         | 150mm x 20mm x 5m     | £69.96           | £122.70            |
| LRB175W    | 047 | 921  | 2         | 175mm x 20mm x 5m     | £81.43           | £138.99            |
| LRB200W    | 047 | 921  | 2         | 200mm x 20mm x 5m     | £92.80           | £155.28            |
| LRB225W    | 047 | 921  | 2         | 225mm x 20mm x 5m     | £104.18          | £171.65            |
| LRB250W    | 047 | 921  | 2         | 250mm x 20mm x 5m     | £115.64          | £187.93            |
| LRB300W    | 047 | 921  | 2         | 300mm x 20mm x 5m     | £138.40          | £220.59            |
| LRB354W    | 047 | 921  | 2         | 354mm x 20mm x 5m†    | £164.57          | £264.61            |
| LRB454W    | 047 | 921  | 2         | 454mm x 20mm x 5m†    | £210.19          | £329.81            |
| LRB454W125 | 047 | 921  | 1         | 454mm x 20mm x 1.25m† | £52.55           | £82.48             |



## Capping Fascia Boards

| CODE       | PG  | DISC | PACK QTY# | DIMENSIONS           | ITEM PRICE WHITE | ITEM PRICE* COLOUR |
|------------|-----|------|-----------|----------------------|------------------|--------------------|
| LCB150W    | 047 | 921  | 2         | 150mm x 9mm x 5m     | £38.63           | £100.53            |
| LCB175W    | 047 | 921  | 2         | 175mm x 9mm x 5m     | £44.11           | £111.83            |
| LCB200W    | 047 | 921  | 2         | 200mm x 9mm x 5m     | £49.52           | £123.21            |
| LCB225W    | 047 | 921  | 2         | 225mm x 9mm x 5m     | £54.91           | £134.59            |
| LCB250W    | 047 | 921  | 2         | 250mm x 9mm x 5m     | £60.32           | £145.89            |
| LCB300W    | 047 | 921  | 2         | 300mm x 9mm x 5m     | £71.12           | £168.66            |
| LCB354W    | 047 | 921  | 2         | 354mm x 9mm x 5m†    | £88.97           | £207.87            |
| LCB454W    | 047 | 921  | 2         | 454mm x 9mm x 5m†    | £110.68          | £253.32            |
| LCB454W125 | 047 | 921  | 1         | 454mm x 9mm x 1.25m† | £27.65           | £63.32             |



## Flat Boards

| CODE    | PG  | DISC | PACK QTY# | DIMENSIONS        | ITEM PRICE WHITE | ITEM PRICE* COLOUR |
|---------|-----|------|-----------|-------------------|------------------|--------------------|
| LFB150W | 047 | 921  | 2         | 150mm x 9mm x 5m  | £35.98           | £84.66             |
| LFB175W | 047 | 921  | 2         | 175mm x 9mm x 5m  | £41.87           | £95.96             |
| LFB200W | 047 | 921  | 2         | 200mm x 9mm x 5m  | £47.85           | £107.34            |
| LFB225W | 047 | 921  | 2         | 225mm x 9mm x 5m  | £53.84           | £118.72            |
| LFB250W | 047 | 921  | 2         | 250mm x 9mm x 5m  | £59.74           | £130.04            |
| LFB300W | 047 | 921  | 2         | 300mm x 9mm x 5m  | £71.70           | £152.79            |
| LFB354W | 047 | 921  | 2         | 354mm x 9mm x 5m† | £84.73           | £177.46            |
| LFB454W | 047 | 921  | 2         | 454mm x 9mm x 5m† | £108.58          | £222.90            |



# Order in pack quantities.

\* To order colour items, replace letter 'W' in product code with relevant 2 letter code from Colour Options Table on page 18.

† These items are double-ended.

## Vented Soffit Boards

| CODE     | PG  | DISC | PACK QTY# | DIMENSIONS       | ITEM PRICE WHITE | ITEM PRICE* COLOUR |
|----------|-----|------|-----------|------------------|------------------|--------------------|
| LFBV150W | 047 | 921  | 2         | 150mm x 9mm x 5m | <b>£86.44</b>    | -                  |
| LFBV200W | 047 | 921  | 2         | 200mm x 9mm x 5m | <b>£97.97</b>    | -                  |
| LFBV250W | 047 | 921  | 2         | 250mm x 9mm x 5m | <b>£109.41</b>   | -                  |
| LFBV300W | 047 | 921  | 2         | 300mm x 9mm x 5m | <b>£120.93</b>   | -                  |




## Soffit Boards

| CODE    | PG  | DISC | PACK QTY# | DIMENSIONS        | ITEM PRICE WHITE | ITEM PRICE* COLOUR |
|---------|-----|------|-----------|-------------------|------------------|--------------------|
| LSB100W | 047 | 921  | 10        | 100mm x 10mm x 5m | <b>£15.26</b>    | <b>£51.18</b>      |
| LSB300W | 047 | 921  | 5         | 300mm x 10mm x 5m | <b>£33.38</b>    | <b>£119.96</b>     |



## Ancillary Items

| CODE      | PG  | DISC | PACK QTY# | DIMENSIONS              | ITEM PRICE WHITE | ITEM PRICE* COLOUR |
|-----------|-----|------|-----------|-------------------------|------------------|--------------------|
| LRM90CEW  | 047 | 921  | 10        | 90° External Corner     | <b>£8.63</b>     | <b>£34.56</b>      |
| LRM90CIW  | 047 | 921  | 10        | 90° Internal Corner     | <b>£11.22</b>    | <b>£44.93</b>      |
| LRM180JTW | 047 | 921  | 10        | In-Line Joint Trim      | <b>£11.22</b>    | <b>£34.56</b>      |
| LRM135CEW | 047 | 921  | 10        | 135° External Corner    | <b>£13.79</b>    | <b>£55.25</b>      |
| LRM135CIW | 047 | 921  | 10        | 135° Internal Corner    | <b>£15.53</b>    | <b>£62.14</b>      |
| GFIW      | 047 | 921  | 10        | Gable Finial            | <b>£6.06</b>     | <b>£24.17</b>      |
| LFRT9W    | 047 | 921  | 10        | Felt Roof Trim x 6m     | <b>£12.63</b>    | <b>£38.72</b>      |
| LHJT9W    | 047 | 921  | 10        | H Joint Trim x 6m       | <b>£15.13</b>    | <b>£38.29</b>      |
| LJST9W    | 047 | 921  | 10        | J Starter Trim x 6m     | <b>£15.87</b>    | <b>£38.29</b>      |
| LFWT9W    | 047 | 921  | 10        | F Wall Trim x 6m        | <b>£18.36</b>    | <b>£40.79</b>      |
| PP30WH#   | 047 | 921  | 1         | 30mm Top Cap Pins (250) | <b>£33.15</b>    | <b>£33.15</b>      |
| PP40WH#   | 047 | 921  | 1         | 40mm Top Cap Pins (250) | <b>£33.15</b>    | <b>£33.07</b>      |
| PN65WH#   | 047 | 921  | 1         | 65mm Nails (100)        | <b>£35.58</b>    | <b>£35.58</b>      |



# Order in pack quantities. \* To order colour items, replace letter 'W' in product code with relevant 2 letter code from Colour Options Table on page 2. # PP30, PP40 & PN65 colour options - replace letters 'WH' in product code with BR (Brown), BL (Black), WZ (Anthracite Grey), LO (Light Oak), WG (Chartwell Green), WC (Cream).


## Foam Trims & Architraves

| CODE      | PG  | DISC | PACK QTY# | DIMENSIONS                      | ITEM PRICE WHITE | ITEM PRICE* COLOUR |
|-----------|-----|------|-----------|---------------------------------|------------------|--------------------|
| LWTD24W   | 047 | 921  | 10        | 24mm D Mould Foam Trim x 5m     | <b>£5.24</b>     | <b>£19.68</b>      |
| LWTCT18W  | 047 | 921  | 10        | 18mm Cloak Foam Trim x 5m       | <b>£6.14</b>     | <b>£14.45</b>      |
| LWTCT28W  | 047 | 921  | 10        | 28mm Cloak Foam Trim x 5m       | <b>£7.48</b>     | <b>£21.86</b>      |
| LWTQ135W  | 047 | 921  | 10        | 13.5mm Foam Quadrant x 5m       | <b>£4.82</b>     | <b>£10.97</b>      |
| LWTQ185W  | 047 | 921  | 10        | 18.5mm Foam Quadrant x 5m       | <b>£6.99</b>     | <b>£15.29</b>      |
| LWTB18W   | 047 | 921  | 10        | 18mm Chamfered Foam Bead x 5m   | <b>£7.90</b>     | <b>£21.86</b>      |
| LWTARC45W | 047 | 921  | 10        | 45mm x 6mm Foam Architrave x 5m | <b>£7.90</b>     | <b>£21.86</b>      |
| LWTARC65W | 047 | 921  | 10        | 65mm x 6mm Foam Architrave x 5m | <b>£11.38</b>    | <b>£30.57</b>      |
| LWTARC95W | 047 | 921  | 10        | 95mm x 6mm Foam Architrave x 5m | <b>£18.36</b>    | <b>£37.15</b>      |
| LWTAA50W  | 047 | 921  | 10        | 50mm Adjustable Angle x 5m      | <b>£15.62</b>    | <b>£31.23</b>      |
| LWTAA75W  | 047 | 921  | 10        | 75mm Adjustable Angle x 5m      | <b>£20.43</b>    | <b>£40.79</b>      |



# Corotherm

Polycarbonate Insulating Roofing Sheet



**Corotherm multiwall polycarbonate sheet** is a lightweight impact resistant glazing and roofing material suitable for use in a range of roofing assemblies with minimum 10° pitch.

- Range of tints, thicknesses & sheet sizes
- Very strong and resistant to impact
- Fire performance information available\*
- Minimum condensation risk
- UV protected for durability
- Largely self-cleaning
- Limited warranty available\*

\* Speak to our Technical Department

## TINTS AVAILABLE

- Clear
- Bronze
- Opal
- Bronze Opal
- Heatguard Opal

## APPLICATIONS

- Conservatories
- Extensions
- Carports
- Porches
- Swimming Pool Covers

Ideal wherever heat insulation, reduced condensation, or simply a more attractive glazing material is required.

Whether you are installing a veranda, canopy or carport **Corotherm multiwall polycarbonate sheet is the ideal choice**. This lightweight impact resistant glazing material is easy to handle, cut and install. For use in projects around the home and garden, Corotherm sheets are available in a range of thicknesses in light transmitting and solar controlling tints.

## KEY INSTALLATION POINTS

Make sure UV protected side of sheet is facing outwards.

Allow minimum of 10° roof slope for water drainage.

The Ariel purlin supported glazing bar and cap should be supported at intervals no greater than 1,500mm. See installer guide for full details.

Rafter glazing bars should be fully supported by rafters.

The lines of the flutes on the sheet must only run from the top to the bottom of the slope. They cannot be run from side to side.

Sheets cannot be joined top to bottom.

Glazing bars/F section cannot be joined - must be used as a continuous section.

When using F section run a suitable low-modulus silicone sealant down the inner top face of the enclosure before inserting sheet.

Watch Video Guide



View Installation Guide



## Energy Efficiency - Relative U-Values\*

| Sheet Thickness (mm) | Corotherm | Single Glass | Double Glass | Argon Filled Cavity |
|----------------------|-----------|--------------|--------------|---------------------|
| 6 (Twinwall)         | 3.7       | 5.7          | 2.65         | 1.6                 |
| 10 (Twinwall)        | 3.2       | 5.6          | 2.65         | 1.6                 |
| 16 (Triplewall)      | 2.4       | 5.4          | 2.65         | 1.6                 |
| 25 (Sevenwall)       | 1.4       | -            | 2.65         | 1.6                 |

\*A lower U-value indicates increased energy efficiency and thermal insulation

## ACCESSORIES



Rafter Glazing Bar Cap & Base  
Glazing Bar Base  
Glazing Bar End Cap  
Glazing Bar Cap  
Side Flashing  
End Cap  
Fixing Button  
Breather Tape  
Aluminium Sealing Tape

**4mm Clear Twinwall**

4mm for side cladding only, not suitable for roofing

| Code  | PG  | Disc | Product Description            | Width mm | Length mm | Price £ |
|-------|-----|------|--------------------------------|----------|-----------|---------|
| 76880 | 030 | 762  | Corotherm Clear Twinwall Sheet | 610      | 1220      | 16.59   |
| 76881 | 030 | 762  | Corotherm Clear Twinwall Sheet | 1220     | 1220      | 32.87   |

**6mm Clear Twinwall**

6mm for side cladding only, not suitable for roofing

| Code  | PG  | Disc | Product Description            | Width mm | Length mm | Price £ |
|-------|-----|------|--------------------------------|----------|-----------|---------|
| 76265 | 030 | 762  | Corotherm Clear Twinwall Sheet | 1050     | 6000      | 226.80  |
| 76160 | 030 | 762  | Corotherm Clear Twinwall Sheet | 2100     | 6000      | 453.59  |

**10mm Clear Twinwall**

| Code  | PG  | Disc | Product Description            | Width mm | Length mm | Price £ |
|-------|-----|------|--------------------------------|----------|-----------|---------|
| 76104 | 030 | 763  | Corotherm Clear Twinwall Sheet | 700      | 2000      | 72.78   |
| 76523 | 030 | 763  | Corotherm Clear Twinwall Sheet | 700      | 2500      | 90.95   |
| 76100 | 030 | 763  | Corotherm Clear Twinwall Sheet | 700      | 3000      | 109.17  |
| 76238 | 030 | 763  | Corotherm Clear Twinwall Sheet | 700      | 4000      | 145.55  |
| 76525 | 030 | 763  | Corotherm Clear Twinwall Sheet | 700      | 6000      | 218.31  |
| 76624 | 030 | 763  | Corotherm Clear Twinwall Sheet | 900      | 2000      | 93.60   |
| 76610 | 030 | 763  | Corotherm Clear Twinwall Sheet | 900      | 2500      | 116.90  |
| 76664 | 030 | 763  | Corotherm Clear Twinwall Sheet | 900      | 3000      | 140.33  |
| 76607 | 030 | 763  | Corotherm Clear Twinwall Sheet | 900      | 4000      | 187.12  |
| 76608 | 030 | 763  | Corotherm Clear Twinwall Sheet | 900      | 6000      | 280.66  |
| 76653 | 030 | 763  | Corotherm Clear Twinwall Sheet | 980      | 2000      | 101.87  |
| 76650 | 030 | 763  | Corotherm Clear Twinwall Sheet | 980      | 2500      | 127.36  |
| 76654 | 030 | 763  | Corotherm Clear Twinwall Sheet | 980      | 3000      | 152.82  |
| 76655 | 030 | 763  | Corotherm Clear Twinwall Sheet | 980      | 4000      | 203.73  |
| 76652 | 030 | 763  | Corotherm Clear Twinwall Sheet | 980      | 6000      | 305.63  |
| 76215 | 030 | 763  | Corotherm Clear Twinwall Sheet | 1050     | 2000      | 109.17  |
| 76218 | 030 | 763  | Corotherm Clear Twinwall Sheet | 1050     | 2500      | 136.46  |
| 76230 | 030 | 763  | Corotherm Clear Twinwall Sheet | 1050     | 3000      | 163.73  |
| 76245 | 030 | 763  | Corotherm Clear Twinwall Sheet | 1050     | 4000      | 218.31  |
| 76260 | 030 | 763  | Corotherm Clear Twinwall Sheet | 1050     | 6000      | 327.45  |
| 76782 | 030 | 763  | Corotherm Clear Twinwall Sheet | 1220     | 2000      | 126.80  |
| 76697 | 030 | 763  | Corotherm Clear Twinwall Sheet | 1220     | 2500      | 158.52  |
| 76790 | 030 | 763  | Corotherm Clear Twinwall Sheet | 1220     | 3000      | 190.23  |
| 76820 | 030 | 763  | Corotherm Clear Twinwall Sheet | 1220     | 4000      | 253.63  |
| 76764 | 030 | 763  | Corotherm Clear Twinwall Sheet | 1220     | 6000      | 380.49  |

**10mm Clear Twinwall**

| Code  | PG  | Disc | Product Description            | Width mm | Length mm | Price £ |
|-------|-----|------|--------------------------------|----------|-----------|---------|
| 76637 | 030 | 763  | Corotherm Clear Twinwall Sheet | 1600     | 2000      | 166.31  |
| 76331 | 030 | 763  | Corotherm Clear Twinwall Sheet | 1600     | 2500      | 207.91  |
| 76645 | 030 | 763  | Corotherm Clear Twinwall Sheet | 1600     | 3000      | 249.49  |
| 76625 | 030 | 763  | Corotherm Clear Twinwall Sheet | 1600     | 4000      | 332.62  |
| 76307 | 030 | 763  | Corotherm Clear Twinwall Sheet | 1600     | 6000      | 498.98  |
| 76170 | 030 | 763  | Corotherm Clear Twinwall Sheet | 2100     | 2000      | 218.31  |
| 76520 | 030 | 763  | Corotherm Clear Twinwall Sheet | 2100     | 2500      | 272.89  |
| 76185 | 030 | 763  | Corotherm Clear Twinwall Sheet | 2100     | 3000      | 327.45  |
| 76200 | 030 | 763  | Corotherm Clear Twinwall Sheet | 2100     | 4000      | 436.60  |
| 76155 | 030 | 763  | Corotherm Clear Twinwall Sheet | 2100     | 6000      | 654.88  |

**10mm Bronze Twinwall**

| Code  | PG  | Disc | Product Description             | Width mm | Length mm | Price £ |
|-------|-----|------|---------------------------------|----------|-----------|---------|
| 76216 | 030 | 765  | Corotherm Bronze Twinwall Sheet | 1050     | 2000      | 114.60  |
| 76231 | 030 | 765  | Corotherm Bronze Twinwall Sheet | 1050     | 3000      | 171.93  |
| 76246 | 030 | 765  | Corotherm Bronze Twinwall Sheet | 1050     | 4000      | 229.27  |
| 76261 | 030 | 765  | Corotherm Bronze Twinwall Sheet | 1050     | 6000      | 343.88  |
| 76171 | 030 | 765  | Corotherm Bronze Twinwall Sheet | 2100     | 2000      | 216.30  |
| 76186 | 030 | 765  | Corotherm Bronze Twinwall Sheet | 2100     | 3000      | 343.88  |
| 76201 | 030 | 765  | Corotherm Bronze Twinwall Sheet | 2100     | 4000      | 458.50  |
| 76156 | 030 | 765  | Corotherm Bronze Twinwall Sheet | 2100     | 6000      | 687.78  |

**16mm Clear Triplewall**

| Code  | PG  | Disc | Product Description              | Width mm | Length mm | Price £ |
|-------|-----|------|----------------------------------|----------|-----------|---------|
| 76876 | 030 | 764  | Corotherm Clear Triplewall Sheet | 610      | 2000      | 94.39   |
| 76849 | 030 | 764  | Corotherm Clear Triplewall Sheet | 610      | 2500      | 117.99  |
| 76874 | 030 | 764  | Corotherm Clear Triplewall Sheet | 610      | 3000      | 141.56  |
| 76898 | 030 | 764  | Corotherm Clear Triplewall Sheet | 610      | 4000      | 188.76  |
| 76899 | 030 | 764  | Corotherm Clear Triplewall Sheet | 610      | 6000      | 283.12  |
| 76709 | 030 | 764  | Corotherm Clear Triplewall Sheet | 700      | 2000      | 108.28  |
| 76543 | 030 | 764  | Corotherm Clear Triplewall Sheet | 700      | 2500      | 135.36  |
| 76103 | 030 | 764  | Corotherm Clear Triplewall Sheet | 700      | 3000      | 162.46  |
| 76251 | 030 | 764  | Corotherm Clear Triplewall Sheet | 700      | 4000      | 216.60  |


**16mm Clear Triplewall**

| Code  | PG  | Disc | Product Description              | Width mm | Length mm | Price £ |
|-------|-----|------|----------------------------------|----------|-----------|---------|
| 76630 | 030 | 764  | Corotherm Clear Triplewall Sheet | 800      | 2000      | 123.78  |
| 76364 | 030 | 764  | Corotherm Clear Triplewall Sheet | 800      | 2500      | 154.71  |
| 76679 | 030 | 764  | Corotherm Clear Triplewall Sheet | 800      | 3000      | 185.70  |
| 76286 | 030 | 764  | Corotherm Clear Triplewall Sheet | 800      | 4000      | 247.55  |
| 76900 | 030 | 764  | Corotherm Clear Triplewall Sheet | 800      | 6000      | 371.29  |
| 76671 | 030 | 764  | Corotherm Clear Triplewall Sheet | 900      | 2000      | 139.23  |
| 76639 | 030 | 764  | Corotherm Clear Triplewall Sheet | 900      | 2500      | 174.06  |
| 76613 | 030 | 764  | Corotherm Clear Triplewall Sheet | 900      | 3000      | 208.88  |
| 76620 | 030 | 764  | Corotherm Clear Triplewall Sheet | 900      | 4000      | 278.50  |
| 76612 | 030 | 764  | Corotherm Clear Triplewall Sheet | 900      | 6000      | 417.70  |
| 76659 | 030 | 764  | Corotherm Clear Triplewall Sheet | 980      | 2000      | 151.59  |
| 76656 | 030 | 764  | Corotherm Clear Triplewall Sheet | 980      | 2500      | 189.47  |
| 76660 | 030 | 764  | Corotherm Clear Triplewall Sheet | 980      | 3000      | 227.43  |
| 76661 | 030 | 764  | Corotherm Clear Triplewall Sheet | 980      | 4000      | 303.26  |
| 76658 | 030 | 764  | Corotherm Clear Triplewall Sheet | 980      | 6000      | 454.88  |
| 76210 | 030 | 764  | Corotherm Clear Triplewall Sheet | 1050     | 2000      | 162.46  |
| 76521 | 030 | 764  | Corotherm Clear Triplewall Sheet | 1050     | 2500      | 203.07  |
| 76225 | 030 | 764  | Corotherm Clear Triplewall Sheet | 1050     | 3000      | 243.70  |
| 76240 | 030 | 764  | Corotherm Clear Triplewall Sheet | 1050     | 4000      | 324.84  |
| 76255 | 030 | 764  | Corotherm Clear Triplewall Sheet | 1050     | 6000      | 487.34  |
| 76841 | 030 | 764  | Corotherm Clear Triplewall Sheet | 1220     | 2000      | 188.76  |
| 76766 | 030 | 764  | Corotherm Clear Triplewall Sheet | 1220     | 2500      | 235.91  |
| 76715 | 030 | 764  | Corotherm Clear Triplewall Sheet | 1220     | 3000      | 283.12  |
| 76769 | 030 | 764  | Corotherm Clear Triplewall Sheet | 1220     | 4000      | 377.48  |
| 76758 | 030 | 764  | Corotherm Clear Triplewall Sheet | 1220     | 6000      | 566.23  |
| 76621 | 030 | 764  | Corotherm Clear Triplewall Sheet | 1600     | 2000      | 247.54  |
| 76674 | 030 | 764  | Corotherm Clear Triplewall Sheet | 1600     | 2500      | 309.43  |
| 76616 | 030 | 764  | Corotherm Clear Triplewall Sheet | 1600     | 3000      | 371.32  |
| 76614 | 030 | 764  | Corotherm Clear Triplewall Sheet | 1600     | 4000      | 495.11  |
| 76316 | 030 | 764  | Corotherm Clear Triplewall Sheet | 1600     | 6000      | 742.62  |
| 76165 | 030 | 764  | Corotherm Clear Triplewall Sheet | 2100     | 2000      | 306.46  |
| 76540 | 030 | 764  | Corotherm Clear Triplewall Sheet | 2100     | 2500      | 406.13  |
| 76180 | 030 | 764  | Corotherm Clear Triplewall Sheet | 2100     | 3000      | 487.34  |
| 76195 | 030 | 764  | Corotherm Clear Triplewall Sheet | 2100     | 4000      | 649.80  |
| 76150 | 030 | 764  | Corotherm Clear Triplewall Sheet | 2100     | 6000      | 974.74  |


**16mm Bronze Triplewall**

| Code  | PG  | Disc | Product Description               | Width mm | Length mm | Price £ |
|-------|-----|------|-----------------------------------|----------|-----------|---------|
| 76918 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 610      | 2000      | 99.14   |
| 76919 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 610      | 2500      | 123.88  |
| 76845 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 610      | 3000      | 148.64  |
| 77112 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 610      | 4000      | 198.19  |
| 77073 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 610      | 6000      | 297.26  |
| 76234 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 700      | 2000      | 113.74  |
| 76707 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 700      | 2500      | 142.15  |
| 76183 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 700      | 3000      | 170.56  |
| 76239 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 700      | 4000      | 227.43  |
| 76106 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 700      | 6000      | 341.18  |
| 76871 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 800      | 2000      | 129.94  |
| 76867 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 800      | 2500      | 162.45  |
| 76846 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 800      | 3000      | 194.91  |
| 76792 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 800      | 4000      | 259.91  |
| 76971 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 800      | 6000      | 389.89  |
| 76852 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 900      | 2000      | 146.23  |
| 76746 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 900      | 2500      | 182.77  |
| 76755 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 900      | 3000      | 219.31  |
| 76796 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 900      | 4000      | 292.40  |
| 76635 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 900      | 6000      | 438.63  |
| 76756 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 980      | 2000      | 159.17  |
| 76213 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 980      | 2500      | 199.02  |
| 76761 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 980      | 3000      | 238.83  |
| 76767 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 980      | 4000      | 318.38  |
| 77183 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 980      | 6000      | 477.63  |
| 76211 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 1050     | 2000      | 170.56  |
| 76248 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 1050     | 2500      | 213.20  |
| 76226 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 1050     | 3000      | 255.86  |
| 76241 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 1050     | 4000      | 341.18  |
| 76256 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 1050     | 6000      | 511.72  |
| 76768 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 1220     | 2000      | 198.19  |
| 77074 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 1220     | 2500      | 247.72  |
| 76704 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 1220     | 3000      | 297.26  |
| 76754 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 1220     | 4000      | 396.36  |
| 77236 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 1220     | 6000      | 594.57  |



### 16mm Bronze Triplewall

| Code  | PG  | Disc | Product Description               | Width mm | Length mm | Price £  |
|-------|-----|------|-----------------------------------|----------|-----------|----------|
| 76786 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 1600     | 2000      | 259.91   |
| 76757 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 1600     | 2500      | 324.93   |
| 76789 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 1600     | 3000      | 389.89   |
| 77115 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 1600     | 4000      | 519.85   |
| 76743 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 1600     | 6000      | 779.73   |
| 76166 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 2100     | 2000      | 321.83   |
| 76214 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 2100     | 2500      | 426.44   |
| 76181 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 2100     | 3000      | 511.72   |
| 76178 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 2100     | 4000      | 682.30   |
| 76151 | 030 | 766  | Corotherm Bronze Triplewall Sheet | 2100     | 6000      | 1,023.46 |

### 16mm Opal Triplewall

| Code     | PG  | Disc | Product Description             | Width mm | Length mm | Price £ |
|----------|-----|------|---------------------------------|----------|-----------|---------|
| 76934    | 030 | 766  | Corotherm Opal Triplewall Sheet | 610      | 2000      | 99.14   |
| 77375    | 030 | 766  | Corotherm Opal Triplewall Sheet | 610      | 2500      | 123.88  |
| 77053    | 030 | 766  | Corotherm Opal Triplewall Sheet | 610      | 3000      | 148.64  |
| 77080    | 030 | 766  | Corotherm Opal Triplewall Sheet | 610      | 4000      | 198.19  |
| 606116OH | 030 | 766  | Corotherm Opal Triplewall Sheet | 610      | 6000      | 297.26  |
| 76742    | 030 | 766  | Corotherm Opal Triplewall Sheet | 700      | 2000      | 113.74  |
| 77262    | 030 | 766  | Corotherm Opal Triplewall Sheet | 700      | 2500      | 142.15  |
| 76233    | 030 | 766  | Corotherm Opal Triplewall Sheet | 700      | 3000      | 170.56  |
| 77082    | 030 | 766  | Corotherm Opal Triplewall Sheet | 700      | 4000      | 227.43  |
| 607016OH | 030 | 766  | Corotherm Opal Triplewall Sheet | 700      | 6000      | 341.18  |
| 76793    | 030 | 766  | Corotherm Opal Triplewall Sheet | 800      | 2000      | 129.94  |
| 77018    | 030 | 766  | Corotherm Opal Triplewall Sheet | 800      | 2500      | 162.45  |
| 77266    | 030 | 766  | Corotherm Opal Triplewall Sheet | 800      | 3000      | 194.91  |
| 76954    | 030 | 766  | Corotherm Opal Triplewall Sheet | 800      | 4000      | 259.91  |
| 77187    | 030 | 766  | Corotherm Opal Triplewall Sheet | 800      | 6000      | 389.89  |
| 77113    | 030 | 766  | Corotherm Opal Triplewall Sheet | 900      | 2000      | 146.23  |
| 76873    | 030 | 766  | Corotherm Opal Triplewall Sheet | 900      | 2500      | 182.77  |
| 76972    | 030 | 766  | Corotherm Opal Triplewall Sheet | 900      | 3000      | 219.31  |
| 77184    | 030 | 766  | Corotherm Opal Triplewall Sheet | 900      | 4000      | 292.40  |
| 609016OH | 030 | 766  | Corotherm Opal Triplewall Sheet | 900      | 6000      | 438.63  |



### 16mm Opal Triplewall

| Code  | PG  | Disc | Product Description             | Width mm | Length mm | Price £  |
|-------|-----|------|---------------------------------|----------|-----------|----------|
| 77086 | 030 | 766  | Corotherm Opal Triplewall Sheet | 980      | 2000      | 159.17   |
| 77119 | 030 | 766  | Corotherm Opal Triplewall Sheet | 980      | 2500      | 199.02   |
| 76810 | 030 | 766  | Corotherm Opal Triplewall Sheet | 980      | 3000      | 238.83   |
| 76981 | 030 | 766  | Corotherm Opal Triplewall Sheet | 980      | 4000      | 318.38   |
| 77281 | 030 | 766  | Corotherm Opal Triplewall Sheet | 980      | 6000      | 477.63   |
| 76212 | 030 | 766  | Corotherm Opal Triplewall Sheet | 1050     | 2000      | 170.56   |
| 77027 | 030 | 766  | Corotherm Opal Triplewall Sheet | 1050     | 2500      | 213.20   |
| 76227 | 030 | 766  | Corotherm Opal Triplewall Sheet | 1050     | 3000      | 255.86   |
| 76242 | 030 | 766  | Corotherm Opal Triplewall Sheet | 1050     | 4000      | 341.18   |
| 76257 | 030 | 766  | Corotherm Opal Triplewall Sheet | 1050     | 6000      | 511.72   |
| 76994 | 030 | 766  | Corotherm Opal Triplewall Sheet | 1220     | 2000      | 198.19   |
| 77191 | 030 | 766  | Corotherm Opal Triplewall Sheet | 1220     | 2500      | 247.72   |
| 76847 | 030 | 766  | Corotherm Opal Triplewall Sheet | 1220     | 3000      | 297.26   |
| 77195 | 030 | 766  | Corotherm Opal Triplewall Sheet | 1220     | 4000      | 396.36   |
| 76676 | 030 | 766  | Corotherm Opal Triplewall Sheet | 1220     | 6000      | 594.57   |
| 77088 | 030 | 766  | Corotherm Opal Triplewall Sheet | 1600     | 2000      | 259.91   |
| 77224 | 030 | 766  | Corotherm Opal Triplewall Sheet | 1600     | 2500      | 324.93   |
| 77081 | 030 | 766  | Corotherm Opal Triplewall Sheet | 1600     | 3000      | 389.89   |
| 77208 | 030 | 766  | Corotherm Opal Triplewall Sheet | 1600     | 4000      | 519.85   |
| 77149 | 030 | 766  | Corotherm Opal Triplewall Sheet | 1600     | 6000      | 779.73   |
| 76167 | 030 | 766  | Corotherm Opal Triplewall Sheet | 2100     | 2000      | 321.83   |
| 76727 | 030 | 766  | Corotherm Opal Triplewall Sheet | 2100     | 2500      | 426.44   |
| 76182 | 030 | 766  | Corotherm Opal Triplewall Sheet | 2100     | 3000      | 511.72   |
| 79196 | 030 | 766  | Corotherm Opal Triplewall Sheet | 2100     | 4000      | 682.30   |
| 76152 | 030 | 766  | Corotherm Opal Triplewall Sheet | 2100     | 6000      | 1,023.46 |


**25mm Clear Sevenwall**

| Code      | PG  | Disc | Product Description   | Width mm | Length mm | Price £  |
|-----------|-----|------|-----------------------|----------|-----------|----------|
| 2070255CH | 030 | 900  | Corotherm Clear Sheet | 700      | 2000      | 140.44   |
| 2570255CH | 030 | 900  | Corotherm Clear Sheet | 700      | 2500      | 175.56   |
| 3070255CH | 030 | 900  | Corotherm Clear Sheet | 700      | 3000      | 210.66   |
| 4070255CH | 030 | 900  | Corotherm Clear Sheet | 700      | 4000      | 280.88   |
| 6070255CH | 030 | 900  | Corotherm Clear Sheet | 700      | 6000      | 421.29   |
| 2080255CH | 030 | 900  | Corotherm Clear Sheet | 800      | 2000      | 160.50   |
| 2580255CH | 030 | 900  | Corotherm Clear Sheet | 800      | 2500      | 200.64   |
| 3080255CH | 030 | 900  | Corotherm Clear Sheet | 800      | 3000      | 240.74   |
| 4080255CH | 030 | 900  | Corotherm Clear Sheet | 800      | 4000      | 321.01   |
| 6080255CH | 030 | 900  | Corotherm Clear Sheet | 800      | 6000      | 481.50   |
| 2090255CH | 030 | 900  | Corotherm Clear Sheet | 900      | 2000      | 180.56   |
| 2590255CH | 030 | 900  | Corotherm Clear Sheet | 900      | 2500      | 225.66   |
| 3090255CH | 030 | 900  | Corotherm Clear Sheet | 900      | 3000      | 270.80   |
| 4090255CH | 030 | 900  | Corotherm Clear Sheet | 900      | 4000      | 361.12   |
| 6090255CH | 030 | 900  | Corotherm Clear Sheet | 900      | 6000      | 541.68   |
| 2010255CH | 030 | 900  | Corotherm Clear Sheet | 1050     | 2000      | 210.66   |
| 2510255CH | 030 | 900  | Corotherm Clear Sheet | 1050     | 2500      | 263.29   |
| 3010255CH | 030 | 900  | Corotherm Clear Sheet | 1050     | 3000      | 316.01   |
| 4010255CH | 030 | 900  | Corotherm Clear Sheet | 1050     | 4000      | 421.29   |
| 6010255CH | 030 | 900  | Corotherm Clear Sheet | 1050     | 6000      | 631.97   |
| 2016255CH | 030 | 900  | Corotherm Clear Sheet | 1600     | 2000      | 321.01   |
| 2516255CH | 030 | 900  | Corotherm Clear Sheet | 1600     | 2500      | 401.21   |
| 3016255CH | 030 | 900  | Corotherm Clear Sheet | 1600     | 3000      | 481.50   |
| 4016255CH | 030 | 900  | Corotherm Clear Sheet | 1600     | 4000      | 641.99   |
| 6016255CH | 030 | 900  | Corotherm Clear Sheet | 1600     | 6000      | 963.03   |
| 2021255CH | 030 | 900  | Corotherm Clear Sheet | 2100     | 2000      | 421.29   |
| 2521255CH | 030 | 900  | Corotherm Clear Sheet | 2100     | 2500      | 526.64   |
| 3021255CH | 030 | 900  | Corotherm Clear Sheet | 2100     | 3000      | 631.97   |
| 4021255CH | 030 | 900  | Corotherm Clear Sheet | 2100     | 4000      | 842.61   |
| 6021255CH | 030 | 900  | Corotherm Clear Sheet | 2100     | 6000      | 1,263.93 |



**25mm Bronze Sevenwall**

| Code      | PG  | Disc | Product Description    | Width mm | Length mm | Price £  |
|-----------|-----|------|------------------------|----------|-----------|----------|
| 2070255BH | 030 | 901  | Corotherm Bronze Sheet | 700      | 2000      | 147.46   |
| 2570255BH | 030 | 901  | Corotherm Bronze Sheet | 700      | 2500      | 184.32   |
| 3070255BH | 030 | 901  | Corotherm Bronze Sheet | 700      | 3000      | 221.19   |
| 4070255BH | 030 | 901  | Corotherm Bronze Sheet | 700      | 4000      | 294.92   |
| 6070255BH | 030 | 901  | Corotherm Bronze Sheet | 700      | 6000      | 442.39   |
| 2080255BH | 030 | 901  | Corotherm Bronze Sheet | 800      | 2000      | 168.50   |
| 2580255BH | 030 | 901  | Corotherm Bronze Sheet | 800      | 2500      | 210.66   |
| 3080255BH | 030 | 901  | Corotherm Bronze Sheet | 800      | 3000      | 252.78   |
| 4080255BH | 030 | 901  | Corotherm Bronze Sheet | 800      | 4000      | 337.03   |
| 6080255BH | 030 | 901  | Corotherm Bronze Sheet | 800      | 6000      | 505.56   |
| 2090255BH | 030 | 901  | Corotherm Bronze Sheet | 900      | 2000      | 189.59   |
| 2590255BH | 030 | 901  | Corotherm Bronze Sheet | 900      | 2500      | 236.96   |
| 3090255BH | 030 | 901  | Corotherm Bronze Sheet | 900      | 3000      | 284.38   |
| 4090255BH | 030 | 901  | Corotherm Bronze Sheet | 900      | 4000      | 379.23   |
| 6090255BH | 030 | 901  | Corotherm Bronze Sheet | 900      | 6000      | 568.81   |
| 2010255BH | 030 | 901  | Corotherm Bronze Sheet | 1050     | 2000      | 221.19   |
| 2510255BH | 030 | 901  | Corotherm Bronze Sheet | 1050     | 2500      | 276.51   |
| 3010255BH | 030 | 901  | Corotherm Bronze Sheet | 1050     | 3000      | 331.77   |
| 4010255BH | 030 | 901  | Corotherm Bronze Sheet | 1050     | 4000      | 442.39   |
| 6010255BH | 030 | 901  | Corotherm Bronze Sheet | 1050     | 6000      | 663.56   |
| 2016255BH | 030 | 901  | Corotherm Bronze Sheet | 1600     | 2000      | 337.03   |
| 2516255BH | 030 | 901  | Corotherm Bronze Sheet | 1600     | 2500      | 421.29   |
| 3016255BH | 030 | 901  | Corotherm Bronze Sheet | 1600     | 3000      | 505.56   |
| 4016255BH | 030 | 901  | Corotherm Bronze Sheet | 1600     | 4000      | 674.09   |
| 6016255BH | 030 | 901  | Corotherm Bronze Sheet | 1600     | 6000      | 1,011.15 |
| 2021255BH | 030 | 901  | Corotherm Bronze Sheet | 2100     | 2000      | 442.39   |
| 2521255BH | 030 | 901  | Corotherm Bronze Sheet | 2100     | 2500      | 553.00   |
| 3021255BH | 030 | 901  | Corotherm Bronze Sheet | 2100     | 3000      | 663.56   |
| 4021255BH | 030 | 901  | Corotherm Bronze Sheet | 2100     | 4000      | 884.75   |
| 6021255BH | 030 | 901  | Corotherm Bronze Sheet | 2100     | 6000      | 1,327.16 |




**25mm Opal Sevenwall**

| Code      | PG  | Disc | Product Description  | Width mm | Length mm | Price £  |
|-----------|-----|------|----------------------|----------|-----------|----------|
| 2070255OH | 030 | 901  | Corotherm Opal Sheet | 700      | 2000      | 147.46   |
| 2570255OH | 030 | 901  | Corotherm Opal Sheet | 700      | 2500      | 184.32   |
| 3070255OH | 030 | 901  | Corotherm Opal Sheet | 700      | 3000      | 221.19   |
| 4070255OH | 030 | 901  | Corotherm Opal Sheet | 700      | 4000      | 294.92   |
| 6070255OH | 030 | 901  | Corotherm Opal Sheet | 700      | 6000      | 442.39   |
| 2080255OH | 030 | 901  | Corotherm Opal Sheet | 800      | 2000      | 168.50   |
| 2580255OH | 030 | 901  | Corotherm Opal Sheet | 800      | 2500      | 210.66   |
| 3080255OH | 030 | 901  | Corotherm Opal Sheet | 800      | 3000      | 252.78   |
| 4080255OH | 030 | 901  | Corotherm Opal Sheet | 800      | 4000      | 366.16   |
| 6080255OH | 030 | 901  | Corotherm Opal Sheet | 800      | 6000      | 505.56   |
| 2090255OH | 030 | 901  | Corotherm Opal Sheet | 900      | 2000      | 189.59   |
| 2590255OH | 030 | 901  | Corotherm Opal Sheet | 900      | 2500      | 236.96   |
| 3090255OH | 030 | 901  | Corotherm Opal Sheet | 900      | 3000      | 284.38   |
| 4090255OH | 030 | 901  | Corotherm Opal Sheet | 900      | 4000      | 379.23   |
| 6090255OH | 030 | 901  | Corotherm Opal Sheet | 900      | 6000      | 568.81   |
| 2010255OH | 030 | 901  | Corotherm Opal Sheet | 1050     | 2000      | 221.19   |
| 2510255OH | 030 | 901  | Corotherm Opal Sheet | 1050     | 2500      | 276.51   |
| 3010255OH | 030 | 901  | Corotherm Opal Sheet | 1050     | 3000      | 331.77   |
| 4010255OH | 030 | 901  | Corotherm Opal Sheet | 1050     | 4000      | 442.39   |
| 6010255OH | 030 | 901  | Corotherm Opal Sheet | 1050     | 6000      | 663.56   |
| 2016255OH | 030 | 901  | Corotherm Opal Sheet | 1600     | 2000      | 337.03   |
| 2516255OH | 030 | 901  | Corotherm Opal Sheet | 1600     | 2500      | 421.29   |
| 3016255OH | 030 | 901  | Corotherm Opal Sheet | 1600     | 3000      | 505.56   |
| 4016255OH | 030 | 901  | Corotherm Opal Sheet | 1600     | 4000      | 674.09   |
| 6016255OH | 030 | 901  | Corotherm Opal Sheet | 1600     | 6000      | 1,011.15 |
| 2021255OH | 030 | 901  | Corotherm Opal Sheet | 2100     | 2000      | 442.39   |
| 2521255OH | 030 | 901  | Corotherm Opal Sheet | 2100     | 2500      | 553.00   |
| 3021255OH | 030 | 901  | Corotherm Opal Sheet | 2100     | 3000      | 663.56   |
| 4021255OH | 030 | 901  | Corotherm Opal Sheet | 2100     | 4000      | 884.75   |
| 6021255OH | 030 | 901  | Corotherm Opal Sheet | 2100     | 6000      | 1,327.16 |



**25mm Bronze Opal Sevenwall**

| Code       | PG  | Disc | Product Description         | Width mm | Length mm | Price £  |
|------------|-----|------|-----------------------------|----------|-----------|----------|
| 2070255BOH | 030 | 902  | Corotherm Bronze Opal Sheet | 700      | 2000      | 161.57   |
| 2570255BOH | 030 | 902  | Corotherm Bronze Opal Sheet | 700      | 2500      | 201.88   |
| 3070255BOH | 030 | 902  | Corotherm Bronze Opal Sheet | 700      | 3000      | 242.29   |
| 4070255BOH | 030 | 902  | Corotherm Bronze Opal Sheet | 700      | 4000      | 323.02   |
| 6070255BOH | 030 | 902  | Corotherm Bronze Opal Sheet | 700      | 6000      | 484.51   |
| 2010255BOH | 030 | 902  | Corotherm Bronze Opal Sheet | 1050     | 2000      | 242.29   |
| 2510255BOH | 030 | 902  | Corotherm Bronze Opal Sheet | 1050     | 2500      | 302.83   |
| 3010255BOH | 030 | 902  | Corotherm Bronze Opal Sheet | 1050     | 3000      | 363.34   |
| 4010255BOH | 030 | 902  | Corotherm Bronze Opal Sheet | 1050     | 4000      | 484.51   |
| 6010255BOH | 030 | 902  | Corotherm Bronze Opal Sheet | 1050     | 6000      | 726.76   |
| 2021255BOH | 030 | 902  | Corotherm Bronze Opal Sheet | 2100     | 2000      | 484.51   |
| 2521255BOH | 030 | 902  | Corotherm Bronze Opal Sheet | 2100     | 2500      | 605.64   |
| 3021255BOH | 030 | 902  | Corotherm Bronze Opal Sheet | 2100     | 3000      | 726.76   |
| 4021255BOH | 030 | 902  | Corotherm Bronze Opal Sheet | 2100     | 4000      | 969.01   |
| 6021255BOH | 030 | 902  | Corotherm Bronze Opal Sheet | 2100     | 6000      | 1,453.53 |

**25mm Heatguard Opal Sevenwall**

| Code       | PG  | Disc | Product Description            | Width mm | Length mm | Price £  |
|------------|-----|------|--------------------------------|----------|-----------|----------|
| 2070255HOH | 030 | 902  | Corotherm Heatguard Opal Sheet | 700      | 2000      | 161.57   |
| 2570255HOH | 030 | 902  | Corotherm Heatguard Opal Sheet | 700      | 2500      | 201.88   |
| 3070255HOH | 030 | 902  | Corotherm Heatguard Opal Sheet | 700      | 3000      | 242.29   |
| 4070255HOH | 030 | 902  | Corotherm Heatguard Opal Sheet | 700      | 4000      | 323.02   |
| 6070255HOH | 030 | 902  | Corotherm Heatguard Opal Sheet | 700      | 6000      | 484.51   |
| 2010255HOH | 030 | 902  | Corotherm Heatguard Opal Sheet | 1050     | 2000      | 242.29   |
| 2510255HOH | 030 | 902  | Corotherm Heatguard Opal Sheet | 1050     | 2500      | 302.83   |
| 3010255HOH | 030 | 902  | Corotherm Heatguard Opal Sheet | 1050     | 3000      | 363.34   |
| 4010255HOH | 030 | 902  | Corotherm Heatguard Opal Sheet | 1050     | 4000      | 484.51   |
| 6010255HOH | 030 | 902  | Corotherm Heatguard Opal Sheet | 1050     | 6000      | 726.76   |
| 2021255HOH | 030 | 902  | Corotherm Heatguard Opal Sheet | 2100     | 2000      | 484.51   |
| 2521255HOH | 030 | 902  | Corotherm Heatguard Opal Sheet | 2100     | 2500      | 605.64   |
| 3021255HOH | 030 | 902  | Corotherm Heatguard Opal Sheet | 2100     | 3000      | 726.76   |
| 4021255HOH | 030 | 902  | Corotherm Heatguard Opal Sheet | 2100     | 4000      | 969.01   |
| 6021255HOH | 030 | 902  | Corotherm Heatguard Opal Sheet | 2100     | 6000      | 1,453.53 |




## Accessories Multiwall polycarbonate

| Code  | PG  | Disc | Standard Rafter Glazing Bar Kit<br>(for 10/16mm sheet only)             | Colour  | Length<br>mm | Price £ |
|-------|-----|------|-------------------------------------------------------------------------|---------|--------------|---------|
| 76486 | 045 | 761  | Rafter Glazing bar cap, base & end cap                                  | White   | 3000         | 79.67   |
| 76551 | 045 | 761  | Rafter Glazing bar cap, base & end cap                                  | White   | 4000         | 104.83  |
| BSYT  | 045 | 761  | Rafter Glazing bar cap, base & end cap                                  | White   | 6000         | 155.12  |
| Code  | PG  | Disc | Aluminium Purlin Supported Glazing<br>Bar Base (for 10/16mm sheet only) | Colour  | Length<br>mm | Price £ |
| 76118 | 045 | 761  | Glazing bar base - used with cap                                        | Alumin. | 3000         | 65.55   |
| 76119 | 045 | 761  | Glazing bar base - used with cap                                        | Alumin. | 4000         | 87.33   |
| 76347 | 045 | 761  | Glazing bar base - used with cap                                        | Alumin. | 6000         | 130.98  |
| Code  | PG  | Disc | PVC Purlin Supported Glazing Bar<br>Top Cap (for 10/16mm sheet only)    | Colour  | Length<br>mm | Price £ |
| 76110 | 045 | 761  | Glazing bar cap - used with base                                        | White   | 3000         | 28.85   |
| 76111 | 045 | 761  | Glazing bar cap - used with base                                        | White   | 4000         | 38.49   |
| 76348 | 045 | 761  | Glazing bar cap - used with base                                        | White   | 6000         | 57.67   |
| 76460 | 045 | 761  | Glazing bar cap - used with base                                        | Brown   | 3000         | 38.09   |
| 76461 | 045 | 761  | Glazing bar cap - used with base                                        | Brown   | 4000         | 50.74   |
| 76468 | 045 | 761  | Glazing bar cap - used with base                                        | Brown   | 6000         | 76.13   |
| Code  | PG  | Disc | Glazing Bar End Cap                                                     | Colour  | Length       | Price £ |
| 76489 | 045 | 761  | 10/16/25mm Glazing Bar End Cap                                          | White   | -            | 4.13    |
| Code  | PG  | Disc | Universal Rafter Glazing Bar Kit<br>(10/16/25mm sheet)                  | Colour  | Length<br>mm | Price £ |
| BHPO  | 045 | 761  | Glazing bar cap & base - with end cap                                   | White   | 3000         | 102.66  |
| BHPR  | 045 | 761  | Glazing bar cap & base - with end cap                                   | White   | 4000         | 135.91  |
| BHOR  | 045 | 761  | Glazing bar cap & base - with end cap                                   | White   | 6000         | 202.73  |
| BJOP  | 045 | 761  | Glazing bar cap & base - with end cap                                   | Brown   | 3000         | 106.60  |
| BYTO  | 045 | 761  | Glazing bar cap & base - with end cap                                   | Brown   | 4000         | 141.33  |
| BGTY  | 045 | 761  | Glazing bar cap & base - with end cap                                   | Brown   | 6000         | 210.21  |
| Code  | PG  | Disc | Side Flashings                                                          | Colour  | Length<br>mm | Price £ |
| 76112 | 045 | 761  | 10mm Side Flashing                                                      | White   | 3000         | 25.31   |
| 76113 | 045 | 761  | 10mm Side Flashing                                                      | White   | 4000         | 33.72   |
| 76346 | 045 | 761  | 10mm Side Flashing                                                      | White   | 6000         | 50.60   |
| 76342 | 045 | 761  | 10mm Side Flashing                                                      | Brown   | 3000         | 31.68   |
| 76343 | 045 | 761  | 10mm Side Flashing                                                      | Brown   | 4000         | 42.12   |
| 76466 | 045 | 761  | 10mm Side Flashing                                                      | Brown   | 6000         | 63.25   |
| 76114 | 045 | 761  | 16mm Side Flashing                                                      | White   | 3000         | 25.31   |
| 76115 | 045 | 761  | 16mm Side Flashing                                                      | White   | 4000         | 33.72   |
| 76341 | 045 | 761  | 16mm Side Flashing                                                      | White   | 6000         | 50.60   |
| 76463 | 045 | 761  | 16mm Side Flashing                                                      | Brown   | 3000         | 31.68   |
| 76464 | 045 | 761  | 16mm Side Flashing                                                      | Brown   | 4000         | 42.12   |
| 76465 | 045 | 761  | 16mm Side Flashing                                                      | Brown   | 6000         | 63.25   |

## Accessories Multiwall polycarbonate

| Code  | PG  | Disc | Side Flashings                              | Colour  | Length mm | Price £ |
|-------|-----|------|---------------------------------------------|---------|-----------|---------|
| BCOS  | 045 | 761  | 25mm Side Flashing                          | White   | 3000      | 38.71   |
| BMOJ  | 045 | 761  | 25mm Side Flashing                          | White   | 4000      | 51.34   |
| BGVV  | 045 | 761  | 25mm Side Flashing                          | White   | 6000      | 76.63   |
| BYKZ  | 045 | 761  | 25mm Side Flashing                          | Brown   | 3000      | 42.12   |
| BHSS  | 045 | 761  | 25mm Side Flashing                          | Brown   | 4000      | 56.26   |
| BPWP  | 045 | 761  | 25mm Side Flashing                          | Brown   | 6000      | 84.09   |
| Code  | PG  | Disc | Sheet End Closures                          | Colour  | Length mm | Price £ |
| 76123 | 045 | 761  | 6mm Sheet End Closure - pack of 2           | Clear   | 2100      | 24.05   |
| 76116 | 045 | 761  | 10mm Sheet End Closure - pack of 2          | White   | 2100      | 24.05   |
| 76462 | 045 | 761  | 10mm Sheet End Closure - pack of 2          | Brown   | 2100      | 30.62   |
| 76117 | 045 | 761  | 16mm Sheet End Closure - pack of 2          | White   | 2100      | 24.05   |
| 76467 | 045 | 761  | 16mm Sheet End Closure - pack of 2          | Brown   | 2100      | 30.62   |
| BRBP  | 045 | 761  | 25mm Sheet End Closure - pack of 2          | White   | 2100      | 33.98   |
| BRTU  | 045 | 761  | 25mm Sheet End Closure - pack of 2          | Brown   | 2100      | 37.31   |
| Code  | PG  | Disc | Glazing Bar End Cap                         | Colour  | Length    | Price £ |
| 76489 | 045 | 761  | 10/16/25mm Glazing Bar End Cap              | White   | -         | 4.13    |
| Code  | PG  | Disc | Fixing Buttons                              | Colour  | Length    | Price £ |
| 76567 | 045 | 761  | 10mm Super Fixing Buttons - Pack of 10      | White   | -         | 28.21   |
| 76569 | 045 | 761  | 10mm Super Fixing Buttons - Pack of 10      | Brown   | -         | 28.21   |
| 76568 | 045 | 761  | 16mm Super Fixing Buttons - Pack of 10      | White   | -         | 28.21   |
| 76570 | 045 | 761  | 16mm Super Fixing Buttons - Pack of 10      | Brown   | -         | 28.21   |
| BVUT  | 045 | 761  | 25mm Super Fixing Buttons - Pack of 10      | White   | -         | 29.22   |
| BHUP  | 045 | 761  | 25mm Super Fixing Buttons - Pack of 10      | Brown   | -         | 29.22   |
| Code  | PG  | Disc | Tapes & Sealants                            | Colour  | Length mm | Price £ |
| BSTP  | 045 | 761  | 10/16mm Breather Tape (38mm x 10m)          | Grey    | 10,000    | 44.51   |
| BMNO  | 045 | 761  | 10/16mm Aluminium Sealing Tape              | Alumin. | 10,000    | 9.58    |
| BVTP  | 045 | 761  | 25mm Breather Tape (45mm x 10m)             | Grey    | 10,000    | 52.07   |
| BZOP  | 045 | 761  | 25mm Aluminium Sealing Tape<br>(45mm x 10m) | Alumin. | 10,000    | 11.29   |
| 76585 | 045 | 761  | Flashing Tape (225mm x 10m)                 | Grey    | 10,000    | 102.84  |
| 76590 | 045 | 761  | Low Modulus Silicone Sealant (310ml)        | White   | -         | 18.77   |



# Self supporting roofing system



A professionally engineered **Self Supporting Roofing System** which free-spans 4.0m and accommodates 16mm, 25mm and 35mm Corotherm Multiwall Polycarbonate Roofing sheets (pg 20-31).

## APPLICATIONS

- Carports
- Canopies
- Conservatories
- Replacement Roofing



- Professionally engineered
- Innovative design
- Accommodates 16, 25 & 35mm sheet
- Easy to install
- Low maintenance

Designed with flexibility in mind, this lean-to roofing system is suitable for a wide variety of applications. Easy to install and available in a range of sizes – the Self Supporting Roofing System is the tradesman's choice.

## Self Supporting Posts

| Code  | PG  | Disc | Product Description                         | Colour | Price £ |
|-------|-----|------|---------------------------------------------|--------|---------|
| SSGP2 | 046 | 920  | Self Supporting Goal Posts 2.4m (pack of 2) | White  | 480.35  |

## Intermediate Bars\*

Aluminium Glazing Bar with co-extruded PVC underclad and top capping

| Code   | PG  | Disc | Product Description   | Colour | Price £ |
|--------|-----|------|-----------------------|--------|---------|
| SSBI25 | 046 | 920  | 2.5m Intermediate Bar | White  | 216.01  |
| SSBI30 | 046 | 920  | 3.0m Intermediate Bar | White  | 259.07  |
| SSBI35 | 046 | 920  | 3.5m Intermediate Bar | White  | 301.45  |
| SSBI40 | 046 | 920  | 4.0m Intermediate Bar | White  | 345.45  |

\*End caps included

## End Bars\*

Aluminium Glazing Bar with co-extruded PVC underclad and top capping

| Code   | PG  | Disc | Product Description | Colour | Price £ |
|--------|-----|------|---------------------|--------|---------|
| SSBE25 | 046 | 920  | 2.5m End Bars       | White  | 215.95  |
| SSBE30 | 046 | 920  | 3.0m End Bars       | White  | 259.07  |
| SSBE35 | 046 | 920  | 3.5m End Bars       | White  | 302.31  |
| SSBE40 | 046 | 920  | 4.0m End Bars       | White  | 345.45  |

\*End caps included

## End Caps

| Code | PG  | Disc | Product Description | Colour | Price £ |
|------|-----|------|---------------------|--------|---------|
| SSEC | 046 | 920  | Bar End Caps        | White  | 26.69   |

## Wall Plates - Aluminium Wall Plate with PVC underclad and flashing

| Code   | PG  | Disc | Product Description | Colour | Price £ |
|--------|-----|------|---------------------|--------|---------|
| SSBW30 | 046 | 920  | 3.0m Wall Plate     | White  | 400.20  |
| SSBW40 | 046 | 920  | 4.0m Wall Plate     | White  | 533.59  |
| SSBW50 | 046 | 920  | 5.0m Wall Plate     | White  | 667.01  |

## Standard Eaves Beam - Aluminium Eaves Beam with PVC Cladding

| Code  | PG  | Disc | Product Description           | Colour | Price £ |
|-------|-----|------|-------------------------------|--------|---------|
| SSEB3 | 046 | 920  | 3.0m Standard Eaves Beam      | White  | 383.35  |
| SSEB4 | 046 | 920  | 4.0m Standard Eaves Beam      | White  | 425.34  |
| SSEBC | 046 | 920  | Standard Eaves Beam Connector | White  | 21.05   |



Watch Video Guide



View Installation Guide



## APPLICATIONS


- Carports
- Pool covers
- Canopies
- Veranda covers
- Patio covers

- Easy to handle
- Light in weight
- Simple DIY assembly
- Very strong
- Impact resistant
- UV protected

# Corotherm Clickfit

## DIY Polycarbonate Roof

Manufactured from damage resistant polycarbonate, **Corotherm Clickfit** is the easy fit DIY roofing system that guarantees long-term performance. Requiring no glazing bars, the easy fit panels simply click and lock together to provide an instant roof.



Perfect for DIY use, only standard tools are required to install. Simply cut panels to the required length, screw into place, click and fit the next panel and repeat, then finish with a U profile.

The panels are manufactured from impact resistant polycarbonate which

is hardwearing, durable and long-lasting. This super clear sheet has added UV protection so that you can enjoy the great outdoors whilst being protected from the harmful effects of the sun.

## Clickfit DIY Polycarbonate

| Code  | PG | Disc | Item Description                                        | Tint  | Price £ |
|-------|----|------|---------------------------------------------------------|-------|---------|
| 83001 | 32 | 500  | Corotherm Clickfit Polycarb Sheet 16mm x 3000mm x 500mm | Clear | 112.15  |
| 83011 | 32 | 500  | Corotherm Clickfit Polycarb Sheet 16mm x 3000mm x 500mm | Opal  | 117.75  |
| 83031 | 32 | 500  | Corotherm Clickfit F-Profile Aluminium 16mm x 3m        | -     | 59.03   |
| 83041 | 32 | 500  | Corotherm Clickfit U-Profile Aluminium 16mm x 3m        | -     | 25.10   |
| 84001 | 32 | 500  | Corotherm Clickfit Polycarb Sheet 16mm x 4000mm x 500mm | Clear | 149.55  |
| 84011 | 32 | 500  | Corotherm Clickfit Polycarb Sheet 16mm x 4000mm x 500mm | Opal  | 157.09  |
| 84031 | 32 | 500  | Corotherm Clickfit F-Profile Aluminium 16mm x 4m        | -     | 79.70   |
| 84041 | 32 | 500  | Corotherm Clickfit U-Profile Aluminium 16mm x 4m        | -     | 32.48   |
| 83051 | 32 | 500  | Corotherm Clickfit Channel Washer*                      | -     | 0.87    |
| BMNO  | 45 | 761  | 10/16mm Aluminium Sealing Tape 38mm x 10m               | -     | 9.58    |
| BSTP  | 45 | 761  | 10/16mm Breather Tape 38mm x 10m                        | -     | 44.51   |
| 76590 | 45 | 761  | Low Modulus Silicone Sealant 310ml White                | -     | 18.77   |

4m sizes also available POA. \* Please use 4mm panhead stainless steel screws and 6mm drill piece, for expansion.

# Corotherm Topfit

## Polycarbonate Standing Seam



**Corotherm Topfit** is a versatile modular panel glazing system with extruded standing seam profile. With a range of accessories the system can be adapted to suit a wide range of roofing and façade designs.



### APPLICATIONS

- Pitched rooflights
- Curved rooflights
- Canopies
- Vertical façades
- Cladding & partitioning

- High light transmission
- Thermally insulating multiwall panels
- Watertight
- 200 times stronger than glass
- Suitable for cold curving
- Free thermal expansion
- Longlife UV weather protection

### Corotherm Topfit 16mm 7wall Polycarbonate Standing Seam Glazing System

| Code  | PG | Disc | Item Description                                       | Tint  | Price £ |
|-------|----|------|--------------------------------------------------------|-------|---------|
| 88100 | 32 | 500  | Corotherm Topfit Polycarb Sheet 16mm x 6000mm x 1000mm | Clear | 538.36  |
| 88600 | 32 | 500  | Corotherm Topfit Polycarb Sheet 16mm x 6000mm x 600mm  | Clear | 323.02  |
| 88051 | 32 | 500  | Corotherm Topfit PC Cap 6000mm                         | -     | 77.94   |
| 88061 | 32 | 500  | Corotherm Topfit Aluminum mullion profile 6000mm       | -     | 169.22  |
| 88071 | 32 | 500  | Corotherm Topfit Standing Seam Clip (each)             | Clear | 3.22    |
| 88031 | 32 | 500  | Corotherm Topfit F-Profile Aluminium 16mm x 6m         | -     | 165.29  |
| 88041 | 32 | 500  | Corotherm Topfit U-Profile Aluminium 16mm x 3m         | -     | 44.08   |
| 88081 | 32 | 500  | Corotherm Topfit Polycarb Cap                          | Clear | 0.94    |
| BZOP  | 45 | 761  | Aluminium Sealing Tape 25mm x 10m                      | -     | 11.29   |
| BVTP  | 45 | 761  | Breather Tape 25mm x 10m                               | -     | 52.07   |
| 76590 | 45 | 761  | Low Modulus Silicone Sealant 310ml White               | -     | 18.77   |

# Corolite

## Corrugated Polycarbonate

Engineered to last, mega tough **Corolite** polycarbonate sheets combine strength and impact resistance with glass-like clarity and light transmission. This hardwearing and durable rooflight material is ideal for roofing applications which demand a sheet that punches above its weight for guaranteed long-term performance.



- High light transmission
- High optical clarity
- Impact resistant
- Lightweight
- UV protected
- Excellent fire performance
- Resistant to chemicals
- 10 year limited guarantee\*


RESISTANT  
TO IMPACT  
**10 YEAR  
GUARANTEE**

### APPLICATIONS

- Patio Canopies
- Awnings
- Greenhouses
- Carports
- Gazebos & Pergolas




\*When fitted to manufacturers instructions




### Corolite 6"ASB

| Code  | PG  | Disc | Product Description            | Colour | Width mm | Thickness mm | Length mm | Price £ |
|-------|-----|------|--------------------------------|--------|----------|--------------|-----------|---------|
| 76995 | 067 | 067  | Corrugated Polycarbonate Sheet | Clear  | 1086     | 1.3          | 3050      | 137.41  |
| 76999 | 067 | 067  | Corrugated Polycarbonate Sheet | Clear  | 1086     | 1.0          | 3050      | 105.72  |



### Corolite Iron Profile 10/3"

| Code  | PG  | Disc | Product Description            | Colour | Width mm | Thickness mm | Length mm | Price £ |
|-------|-----|------|--------------------------------|--------|----------|--------------|-----------|---------|
| 27004 | 067 | 067  | Corrugated Polycarbonate Sheet | Clear  | 812      | 1.0          | 1830      | 48.13   |
| 27008 | 067 | 067  | Corrugated Polycarbonate Sheet | Clear  | 812      | 1.0          | 2440      | 64.20   |
| 27012 | 067 | 067  | Corrugated Polycarbonate Sheet | Clear  | 812      | 1.0          | 3050      | 80.28   |



### Corolite Iron Profile 10.5/3"

| Code  | PG  | Disc | Product Description               | Colour | Width mm | Thickness mm | Length mm | Price £ |
|-------|-----|------|-----------------------------------|--------|----------|--------------|-----------|---------|
| 76902 | 067 | 067  | Corrugated 3" Polycarbonate Sheet | Clear  | 848      | 0.8          | 1800      | 55.40   |
| 76904 | 067 | 067  | Corrugated 3" Polycarbonate Sheet | Clear  | 848      | 0.8          | 2400      | 73.88   |
| 76906 | 067 | 067  | Corrugated 3" Polycarbonate Sheet | Clear  | 848      | 0.8          | 3000      | 92.34   |

# Corolite Diamond

Embossed Corrugated Polycarbonate Sheet



\*When fitted to manufacturers instructions


Corolite Diamond is a super tough corrugated polycarbonate sheet with an attractive diamond embossed pattern. At 2.8mm in thickness, the sheets are stronger and more rigid, providing superior spanning and load bearing capabilities. Naturally clear, these sheets provide exceptional glass like light transmission.

## APPLICATIONS

- Rooflights & Canopies
- Vertical Glazing & Screens
- Decorative Display
- Carports
- Gazebos



- Superior impact resistance
- Exceptional hail resistance
- Hardwearing and resilient
- Light in weight
- High levels of light transmission
- Excellent fire performance
- Co-extruded UV protection
- Distinctive diamond cut surface




## Corolite Diamond

| Code  | PG  | Disc | Product Description            | Colour | Width mm | Thickness mm | Length mm | Price £ |
|-------|-----|------|--------------------------------|--------|----------|--------------|-----------|---------|
| 28004 | 067 | 067  | Corrugated Polycarbonate Sheet | Clear  | 1045     | 2.8          | 1830      | 151.51  |
| 28008 | 067 | 067  | Corrugated Polycarbonate Sheet | Clear  | 1045     | 2.8          | 2440      | 202.01  |
| 28012 | 067 | 067  | Corrugated Polycarbonate Sheet | Clear  | 1045     | 2.8          | 3050      | 252.50  |

# Corolite CST

Corrugated Multiwall Polycarbonate

**Corolite CST** corrugated multiwall polycarbonate sheet provides all the durability and impact resistance of Corolite corrugated polycarbonate sheet with the added insulation and rigidity provided by the multiwall structure. It can be used along with other roofing materials such as fibre cement sheeting or as a complete roof covering or wall cladding material.



- Lightweight
- Reduced risk of condensation
- UV protected
- Excellent fire performance
- Resistant to chemicals
- 10 year limited guarantee\*




\*When fitted to manufacturers instructions




## APPLICATIONS

- Rooflights
- Greenhouses
- Vertical glazing
- Canopies
- Cladding
- Screens



### Corolite CST Iron Profile 13/3" Twinwall

| Code  | PG  | Disc | Product Description       | Colour | Width mm | Thickness mm | Length mm | Price £ |
|-------|-----|------|---------------------------|--------|----------|--------------|-----------|---------|
| 75004 | 067 | 067  | Corrugated Twinwall Sheet | Clear  | 1060     | 2.5          | 1830      | 86.28   |
| 75008 | 067 | 067  | Corrugated Twinwall Sheet | Clear  | 1060     | 2.5          | 2440      | 115.01  |
| 75012 | 067 | 067  | Corrugated Twinwall Sheet | Clear  | 1060     | 2.5          | 3050      | 143.79  |



### Corolite CST 177/51 Triplewall

| Code  | PG  | Disc | Product Description         | Colour | Width mm | Thickness mm | Length mm | Price £ |
|-------|-----|------|-----------------------------|--------|----------|--------------|-----------|---------|
| 76004 | 067 | 067  | Corrugated Triplewall Sheet | Clear  | 1097     | 6            | 1830      | 139.80  |
| 76008 | 067 | 067  | Corrugated Triplewall Sheet | Clear  | 1097     | 6            | 2440      | 186.51  |
| 76012 | 067 | 067  | Corrugated Triplewall Sheet | Clear  | 1097     | 6            | 3050      | 233.09  |

# Vistalux

Corrugated PVC

UV RESISTANT  
**10 YEAR  
GUARANTEE**



Watch Video  
Guide



View Installation  
Guide



Economic, lightweight and easy to install, **Vistalux** is a versatile corrugated rooflight sheet for car ports, canopies and gazebos. It is easy to cut, drill and install with standard DIY tools and is available in a choice of corrugated profiles in clear or translucent tint options.

- Clear or translucent
- Range of profiles
- Sheet weights: Lightweight 0.8mm, Heavy Duty 1.1mm, Superweight 1.3mm
- UV resistant for durability
- Largely self-cleaning
- 10 year guarantee

#### STORAGE ADVICE

Do not store sheets in direct sunlight as this can cause distortion.

#### APPLICATIONS


- Carports
- Covered Walkways
- Porches
- Splash Barriers
- Cloches & Cold Frames
- Planthouses
- Side Cladding



Scan QR code on page 48 to watch installation video

### Vistalux ASB 3"

(matches Asbestos profile)



| Code  | PG  | Disc | Product Description  | Thickness mm | Colour | Width mm | Length mm/ft | Price £ |
|-------|-----|------|----------------------|--------------|--------|----------|--------------|---------|
| 18004 | 056 | 180  | Lightweight Sheet    | 0.8          | Clear  | 762      | 1830/6       | 28.60   |
| 18006 | 056 | 180  | Lightweight Sheet    | 0.8          | Clear  | 762      | 2135/7       | 33.43   |
| 18008 | 056 | 180  | Lightweight Sheet    | 0.8          | Clear  | 762      | 2440/8       | 38.20   |
| 18010 | 056 | 180  | Lightweight Sheet    | 0.8          | Clear  | 762      | 2745/9       | 43.00   |
| 18012 | 056 | 180  | Lightweight Sheet    | 0.8          | Clear  | 762      | 3050/10      | 47.68   |
| 19004 | 056 | 190  | Heavy Duty Sheet     | 1.1          | Clear  | 762      | 1830/6       | 43.41   |
| 19006 | 056 | 190  | Heavy Duty Sheet     | 1.1          | Clear  | 762      | 2135/7       | 50.58   |
| 19008 | 056 | 190  | Heavy Duty Sheet     | 1.1          | Clear  | 762      | 2440/8       | 57.79   |
| 19010 | 056 | 190  | Heavy Duty Sheet     | 1.1          | Clear  | 762      | 2745/9       | 65.02   |
| 19012 | 056 | 190  | Heavy Duty Sheet     | 1.1          | Clear  | 762      | 3050/10      | 72.22   |
| 19016 | 056 | 190  | Heavy Duty Sheet     | 1.1          | Clear  | 762      | 3660/12      | 86.70   |
| 20002 | 056 | 200  | BS Superweight Sheet | 1.3          | Clear  | 762      | 1525/5       | 42.95   |
| 20004 | 056 | 200  | BS Superweight Sheet | 1.3          | Clear  | 762      | 1830/6       | 51.45   |
| 20006 | 056 | 200  | BS Superweight Sheet | 1.3          | Clear  | 762      | 2135/7       | 60.04   |
| 20008 | 056 | 200  | BS Superweight Sheet | 1.3          | Clear  | 762      | 2440/8       | 68.64   |
| 20010 | 056 | 200  | BS Superweight Sheet | 1.3          | Clear  | 762      | 2745/9       | 77.21   |
| 20012 | 056 | 200  | BS Superweight Sheet | 1.3          | Clear  | 762      | 3050/10      | 85.84   |
| 20016 | 056 | 200  | BS Superweight Sheet | 1.3          | Clear  | 762      | 3660/12      | 102.95  |

### Vistalux ASB 3" Accessories

| Code  | PG  | Disc | Product Description                            | Cover Width mm | Price £ |
|-------|-----|------|------------------------------------------------|----------------|---------|
| 35000 | 058 | 350  | 3" Super Fixings (Pack of 10)                  | -              | 3.77    |
| 37001 | 058 | 370  | 3" Wall Flashings Clear PVC 695mm              | -              | 17.03   |
| 39000 | 058 | 390  | 3" Polyethylene Eaves Filler (Pack of 6) 680mm | -              | 10.61   |
| ERDP  | 058 | 360  | 3" Adjustable Ridge Clear PVC - 685mm          | 574            | 39.91   |
| 38011 | 058 | 350  | Sealing Strip 15m                              | -              | 14.03   |

\*2 pieces required to make 1 metre ridge.



Fixings (35000)



Eaves Filler (39000)



Flashing (37001)




Ridge (36000)



Sealing Strip (38011)

### Vistalux ASB 6"


(matches Asbestos profile)



| Code  | PG  | Disc | Product Description  | Thickness mm | Colour | Width mm | Length mm/ft | Price £ |
|-------|-----|------|----------------------|--------------|--------|----------|--------------|---------|
| 22002 | 056 | 220  | BS Superweight Sheet | 1.3          | Clear  | 1086     | 1525/5       | 64.23   |
| 22004 | 056 | 220  | BS Superweight Sheet | 1.3          | Clear  | 1086     | 1830/6       | 80.82   |
| 22006 | 056 | 220  | BS Superweight Sheet | 1.3          | Clear  | 1086     | 2135/7       | 94.55   |
| 22008 | 056 | 220  | BS Superweight Sheet | 1.3          | Clear  | 1086     | 2440/8       | 107.77  |
| 22010 | 056 | 220  | BS Superweight Sheet | 1.3          | Clear  | 1086     | 2745/9       | 121.46  |
| 22012 | 056 | 220  | BS Superweight Sheet | 1.3          | Clear  | 1086     | 3050/10      | 134.73  |
| 22016 | 056 | 220  | BS Superweight Sheet | 1.3          | Clear  | 1086     | 3660/12      | 161.82  |

### Vistalux ASB 6" Accessories

| Code  | PG  | Disc | Product Description                            | Price £ |
|-------|-----|------|------------------------------------------------|---------|
| 35002 | 058 | 350  | 6" Fixings (Pack of 10)                        | 26.64   |
| 76853 | 058 | 390  | 6" Polyethylene Eaves Filler (Pack of 6) 950mm | 21.59   |
| 38011 | 058 | 350  | Ariel Sealing Strip per 15m                    | 14.03   |



### Vistalux 8/3"

(matches corrugated iron profile)


| Code  | PG  | Disc | Product Description | Thickness mm | Colour | Width mm | Length mm/ft | Price £ |
|-------|-----|------|---------------------|--------------|--------|----------|--------------|---------|
| 21004 | 056 | 210  | Heavy Duty Sheet    | 1.1          | Clear  | 660      | 1830/6       | 43.41   |
| 21008 | 056 | 210  | Heavy Duty Sheet    | 1.1          | Clear  | 660      | 2440/8       | 57.79   |
| 21012 | 056 | 210  | Heavy Duty Sheet    | 1.1          | Clear  | 660      | 3050/10      | 72.22   |

### Vistalux 8/3" Accessories

| Code  | PG  | Disc | Product Description                            | Price £ |
|-------|-----|------|------------------------------------------------|---------|
| 35000 | 058 | 350  | 3" Super Fixings (Pack of 10)                  | 3.77    |
| 38011 | 058 | 350  | Sealing Strip 15m                              | 14.03   |
| 39010 | 058 | 370  | C. Iron Wall Flashing PVC (Clear) *710mm       | 17.00   |
| 39003 | 058 | 390  | C. Iron Eaves Filler (Pack of 6, White) *810mm | 17.48   |

\*Nominal measurement.

### Corolux Miniature Profile



| Code  | PG  | Disc | Product Description | Thickness mm | Colour      | Width mm | Length mm/ft | Price £ |
|-------|-----|------|---------------------|--------------|-------------|----------|--------------|---------|
| 11004 | 055 | 110  | Lightweight Sheet   | 0.8          | Translucent | 662      | 1830/6       | 20.02   |
| 11008 | 055 | 110  | Lightweight Sheet   | 0.8          | Translucent | 662      | 2440/8       | 26.68   |
| 11012 | 055 | 110  | Lightweight Sheet   | 0.8          | Translucent | 662      | 3050/10      | 33.41   |
| 12004 | 055 | 120  | Lightweight Sheet   | 0.8          | Clear       | 662      | 1830/6       | 26.68   |
| 12008 | 055 | 120  | Lightweight Sheet   | 0.8          | Clear       | 662      | 2440/8       | 35.65   |
| 12012 | 055 | 120  | Lightweight Sheet   | 0.8          | Clear       | 662      | 3050/10      | 44.50   |

### Corolux Miniature Profile Accessories

| Code  | PG  | Disc | Product Description                                   | Price £ |
|-------|-----|------|-------------------------------------------------------|---------|
| 34000 | 058 | 340  | Miniature Profile Fixings (Pack of 10)                | 1.08    |
| 37002 | 058 | 370  | Mini Wall Flashings Clear PVC 710mm                   | 16.06   |
| 39002 | 058 | 390  | Miniature Polyethylene Eaves Filler (Pack of 6) 690mm | 7.23    |
| 38011 | 058 | 350  | Ariel Sealing Strip per 15m                           | 14.03   |

View Installation Guide



Visit the Ariel website  
for the latest product information  
and merchant support  
[arielplastics.com](http://arielplastics.com)



# Coroline

Corrugated Bituminous Roofing Sheet

# Onduline®



Environmentally friendly roofing options, **Coroline** and **Onduline** corrugated bitumen sheets are tough, lightweight roofing materials made from bitumen saturated organic fibres. Coroline is 2.6mm thick, Onduline is 3mm thick and Onduline Mini is 2.6mm thick.

- Economical • Resilient • Simple to fix
- Environmentally friendly
- Guaranteed waterproof for 15 years\*
- High insulation & sound absorbency values
- Compatible with most commercially available construction materials

## APPLICATIONS


- Garden Sheds
- Garages
- Stables
- Agricultural Buildings



\*When fitted to manufacturers instructions

| PROPERTIES      | COROLINE                  | ONDULINE MINI             | ONDULINE                  |
|-----------------|---------------------------|---------------------------|---------------------------|
| Sheet Size      | 2000mm x 950mm            | 2000mm x 866mm            | 2000mm x 950mm            |
| Cover Width     | 855mm                     | 768mm                     | 855mm                     |
| Thickness       | 2.6mm                     | 2.6mm                     | 3mm                       |
| Sheet Weight    | 5.6kg                     | 5.8 kg                    | 6.4kg                     |
| Material Weight | 2.9kg/m <sup>2</sup>      | 3.4kg/m <sup>2</sup>      | 3.3kg/m <sup>2</sup>      |
| Corrugation     | 38mm height<br>95mm width | 24mm height<br>48mm width | 38mm height<br>95mm width |

# Coroline




## Corrugated Bitumen (Sheet thickness 2.6mm)

| Code  | PG  | Disc | Product Description                            | Colour      | Length mm | Price £ |
|-------|-----|------|------------------------------------------------|-------------|-----------|---------|
| CBS   | 060 | 740  | Coroline Sheet - 950mm width                   | Black       | 2000      | 24.68   |
| CBR   | 060 | 740  | Ridge - 1000mm width                           | Black       | -         | 13.22   |
| 74502 | 060 | 740  | Fixings - Pack of 20                           | Black       | -         | 3.35    |
| 74503 | 060 | 740  | Fixings - Pack of 400                          | Black       | -         | 58.72   |
| CGS   | 060 | 740  | Coroline Sheet - 950mm width                   | Green       | 2000      | 31.99   |
| CGR   | 060 | 740  | Ridge - 1000mm width                           | Green       | -         | 14.76   |
| 74522 | 060 | 740  | Fixings - Pack of 20                           | Green       | -         | 3.35    |
| 74523 | 060 | 740  | Fixings - Pack of 400                          | Green       | -         | 58.72   |
| CRS   | 060 | 740  | Coroline Sheet - 950mm width                   | Red         | 2000      | 31.99   |
| CRR   | 060 | 740  | Ridge - 1000mm width                           | Red         | -         | 14.76   |
| 74512 | 060 | 740  | Fixings - Pack of 20                           | Red         | -         | 3.35    |
| 74513 | 060 | 740  | Fixings - Pack of 400                          | Red         | -         | 58.72   |
| CBRS  | 060 | 740  | Coroline Sheet - 950mm width                   | Brown       | 2000      | 31.99   |
| CBRR  | 060 | 740  | Ridge - 1000mm width                           | Brown       | -         | 14.76   |
| 74512 | 060 | 740  | Fixings - Pack of 20                           | Brown       | -         | 3.35    |
| 74513 | 060 | 740  | Fixings - Pack of 400                          | Brown       | -         | 58.72   |
| CGYR  | 060 | 740  | Coroline Anthracite Grey Ridge - 1m width      | Grey        | -         | 27.25   |
| 74575 | 060 | 740  | Coroline Eaves Fillers - 840mm width Pack of 6 | -           | -         | 24.12   |
| 74200 | 060 | 740  | PVC Sheet - 950mm width (1.2mm thick)          | Translucent | 2000      | 46.05   |
| 74202 | 060 | 740  | PVC Sheet - 950mm width (1.2mm thick)          | Clear       | 2000      | 35.34   |

Coroline Ridges, Eaves Fillers and Translucent sheet can be used with Onduline - Coroline discounts will apply. Ridge cover = 875mm



### Corrugated Bitumen (Sheet thickness 3mm)



| Code  | PG  | Disc | Product Description          | Colour | Length mm | Price £ |
|-------|-----|------|------------------------------|--------|-----------|---------|
| OBS   | 061 | 570  | Onduline Sheet - 950mm width | Black  | 2000      | 27.79   |
| OVV   | 061 | 570  | Verge                        | Black  | 1000      | 16.24   |
| OBFF  | 061 | 570  | Fixings - Pack of 20         | Black  | -         | 2.88    |
| OBFF  | 061 | 570  | Fixings - Pack of 400        | Black  | -         | 48.75   |
| OGYS  | 061 | 570  | Onduline Sheet - 950mm width | Grey   | 2000      | 37.03   |
| OVGY  | 061 | 570  | Verge                        | Grey   | 1000      | 20.16   |
| OGYF2 | 061 | 570  | Fixings - Pack of 20         | Grey   | -         | 2.88    |
| OGYF1 | 061 | 570  | Fixings - Pack of 100        | Grey   | -         | 14.12   |
| OGS   | 061 | 570  | Onduline Sheet - 950mm width | Green  | 2000      | 37.03   |
| OVG   | 061 | 570  | Verge                        | Green  | 1000      | 20.16   |
| OGF2  | 061 | 570  | Fixings - Pack of 20         | Green  | -         | 2.88    |
| OGF4  | 061 | 570  | Fixings - Pack of 400        | Green  | -         | 48.75   |
| ORS   | 061 | 570  | Onduline Sheet - 950mm width | Red    | 2000      | 37.03   |
| OVR   | 061 | 570  | Verge                        | Red    | 1000      | 20.16   |
| ORF2  | 061 | 570  | Fixings - Pack of 20         | Red    | -         | 2.88    |
| ORF4  | 061 | 570  | Fixings - Pack of 400        | Red    | -         | 48.75   |
| OBRS  | 061 | 570  | Onduline Sheet - 950mm width | Brown  | 2000      | 37.03   |
| OVBR  | 061 | 570  | Verge                        | Brown  | 1000      | 20.16   |
| ORBF2 | 061 | 570  | Fixings - Pack of 20         | Brown  | -         | 2.88    |
| ORBF4 | 061 | 570  | Fixings - Pack of 400        | Brown  | -         | 48.75   |

Onduline Verges can be used with Coroline - Onduline discounts will apply.


### Corrugated Bitumen Mini Profile (Sheet thickness 2.6mm)

| Code  | PG  | Disc | Product Description               | Colour | Length mm | Price £ |
|-------|-----|------|-----------------------------------|--------|-----------|---------|
| CM18B | 060 | 740  | Onduline Mini Sheet - 866mm width | Black  | 2000      | 31.38   |
| CM18G | 060 | 740  | Onduline Mini Sheet - 866mm width | Green  | 2000      | 43.54   |
| CMBF2 | 060 | 740  | Onduline Mini Fixings - pack 20   | Black  | -         | 3.09    |

### Corrugated Bitumen Accessories

| Code  | PG  | Disc | Product Description   | Colour | Width mm | Price £ |
|-------|-----|------|-----------------------|--------|----------|---------|
| OBA   | 061 | 570  | Apron Flashing        | Black  | 930      | 35.56   |
| FT150 | 077 | 780  | Ondutle Eaves Tray    | -      | 1500     | 6.58    |
| OBG   | 061 | 570  | Batten Cloaking Piece | -      | 1220     | 13.00   |
| OVS   | 061 | 570  | Ventilator Strip      | -      | 1010     | 12.44   |

• Verge cover = 875mm • Apron Flashing cover = 846mm • Eaves Tray cover = 1350mm  
• Batten Cloaking Piece Cover = 1120mm




**Onduline Duro SX35** is a premium quality bituminous corrugated roofing sheet designed for projects where a longer-lasting and modern looking roof covering is required.

The traditional boxed profiled sheets are available in the popular anthracite grey colour to match a range of other building accessories such as windows and doors.

- Traditional boxed profiled sheets
- Anthracite grey colour
- Ideal for projects where a long-lasting roof covering is required
- Tough and resilient
- Highly insulating and sound absorbing
- Easy to carry, handle and install
- Waterproof for up to 20 years
- Compliant with EN 534 category S

#### APPLICATIONS

- Carports
- Garden sheds
- Garages
- Outbuildings




### Onduline Duro SX 35 Anthracite Grey (Sheet thickness 3.5mm)

| Code   | PG  | Disc | Product Description                           | Price £ |
|--------|-----|------|-----------------------------------------------|---------|
| DUAGS  | 061 | 570  | Onduline Duro Anthracite Sheet (2m)           | 42.42   |
| DUAGR  | 061 | 570  | Onduline Duro Anthracite Grey Ridge           | 36.33   |
| DUAGSV | 061 | 570  | Onduline Duro Anthracite Grey Slim Verge (1m) | 21.32   |
| DUAGV  | 061 | 570  | Onduline Duro Anthracite Grey Verge (1m)      | 21.32   |
| DUAGF1 | 061 | 570  | Onduline Duro Anthracite Grey Fixings (Pk100) | 29.93   |

**onduline®**  
Bardoline Classic

**Coroshingle**  
Roofing Shingles




AVAILABLE IN A  
RANGE OF COLOURS  
**10 YEAR  
GUARANTEE**

**Bardoline Classic Roofing Shingles** are manufactured from high quality materials, using the latest production technology to produce an attractive, durable and weatherable roof finish.

- Durable and hardwearing
- Environmentally friendly
- Guaranteed waterproof for 10 years
- Choice of colours
- Easy fix using DIY tools

#### APPLICATIONS

- Playhouses
- Tool Sheds
- Kennels
- Garden Rooms
- Summer Houses
- Garages



#### Coroshingle Roofing Shingles

| Code    | PG  | Disc | Product Description                             | Colour | Width mm | Length mm | Price £ |
|---------|-----|------|-------------------------------------------------|--------|----------|-----------|---------|
| CGSH2   | 068 | 642  | Coroshingle Shingles (2m <sup>2</sup> per pack) | Green  | 340      | 1000      | 64.65   |
| CGDS225 | 068 | 642  | Coroshingle Detail Strip Roll                   | Green  | 300      | 7500      | 52.08   |
| CRSH2   | 068 | 642  | Coroshingle Shingles (2m <sup>2</sup> per pack) | Red    | 340      | 1000      | 64.65   |
| CRDS225 | 068 | 642  | Coroshingle Detail Strip Roll                   | Red    | 300      | 7500      | 52.08   |
| CSSH2   | 068 | 642  | Coroshingle Shingles (2m <sup>2</sup> per pack) | Grey   | 340      | 1000      | 64.65   |
| CSDS225 | 068 | 642  | Coroshingle Detail Strip Roll                   | Grey   | 300      | 7500      | 52.08   |



**CUT TO SIZE  
SERVICE**



**Leave the cutting  
to the experts**

- Cut to Size Service for
  - Polycarbonate
  - Acrylic
  - Styrene
- 48-hour service\*
- **See Page 70**


\*Terms & conditions apply



# Corotile

Lightweight Metal Roofing System

GUARANTEED  
15 YEARS



## APPLICATIONS

- Chalets
- Playhouses
- Tool sheds
- Garden offices
- Stables
- Garages

**Corotile** is an innovative lightweight metal roofing system which is easy to fit on any size of roof. Its distinct profile and charcoal finish can enhance a wide variety of small building projects, from tool sheds to garden offices.

**The cover length for Corotile is 925mm and the cover width is 635mm; these are the minimum overlaps.**

- Easy to install
- Strong & secure
- Lasts 20+ years
- 15 year guarantee

## Metal Roofing System

| Code    | PG  | Disc | Product Description                 | Colour        | Width mm | Price £ |
|---------|-----|------|-------------------------------------|---------------|----------|---------|
| CTPANEL | 069 | 944  | Corotile Panel - 1140mm length      | Charcoal Grey | 860mm    | 66.41   |
| CTBARGE | 069 | 944  | Corotile Barge Board - 900mm length | Charcoal Grey | 140mm    | 47.04   |
| CTRIDGE | 069 | 944  | Corotile Ridge - 905mm length       | Charcoal Grey | 340mm    | 41.22   |
| CTCAP   | 069 | 944  | Corotile End Cap                    | Charcoal Grey | -        | 20.87   |
| CTFIX   | 069 | 944  | Corotile Screws & Washers (10pk)    | Charcoal Grey | -        | 4.41    |

# Corozinc

Galvanised Corrugated Sheet


Suitable for roofing and cladding, Ariel's galvanised corrugated roofing sheet is available in the 8/3 profile in various lengths. Cover width is 610mm.

- Extremely hardwearing
- Zinc coated on both sides
- Choice of lengths available
- Easy fix using DIY tools



## APPLICATIONS

- Outhouses
- Tool Sheds
- Kennels
- Garages



## Corozinc Galvanised Sheet

| Code  | PG  | Disc | Product Description                  | Width mm | Length mm | Price £ |
|-------|-----|------|--------------------------------------|----------|-----------|---------|
| 55002 | 073 | 025  | Galvanised Corrugated 8/3 Roof Sheet | 660      | 1525      | 45.12   |
| 55004 | 073 | 025  | Galvanised Corrugated 8/3 Roof Sheet | 660      | 1830      | 54.12   |
| 55006 | 073 | 025  | Galvanised Corrugated 8/3 Roof Sheet | 660      | 2135      | 63.16   |
| 55008 | 073 | 025  | Galvanised Corrugated 8/3 Roof Sheet | 660      | 2440      | 72.16   |
| 55010 | 073 | 025  | Galvanised Corrugated 8/3 Roof Sheet | 660      | 2745      | 81.19   |
| 55012 | 073 | 025  | Galvanised Corrugated 8/3 Roof Sheet | 660      | 3050      | 90.20   |
| 55016 | 073 | 025  | Galvanised Corrugated 8/3 Roof Sheet | 660      | 3660      | 108.24  |

## Corozinc Galvanised Sheet Accessories

| Code  | PG  | Disc | Product Description                       | Width mm | Length mm | Price £ |
|-------|-----|------|-------------------------------------------|----------|-----------|---------|
| 55052 | 073 | 025  | Galvanised Corrugated 8/3 Angle 105°      | 200      | 2500      | 76.49   |
| 55054 | 073 | 025  | Galvanised Corrugated 8/3 Barge 90°       | 200      | 2500      | 76.49   |
| 55056 | 073 | 025  | Galvanised Corrugated 8/3 Ridge 145°      | 200      | 2500      | 76.49   |
| 55058 | 073 | 025  | Galvanised Corrugated 8/3 Fixings (100pk) | -        | 60        | 29.00   |

Angle (55052)



Barge (55054)




Ridge (55056)



## NOTE

It is advisable when fitting roof sheets to ensure that they are overlapping by at least one corrugation and to work from left to right on a building when installing. This product range should be handled with care and can only be offloaded with a forklift truck.

# Flat Glazing



Ariel Plastics offer an extensive range of **flat glazing** options in clear acrylic sheet and polystyrene sheet for a range of applications. Acrylic sheet offers UV protection.

- Flexible
- Light in weight
- Range of sizes

| PROPERTIES                | LITEGLAZE                     | STYRENE                       |
|---------------------------|-------------------------------|-------------------------------|
| Impact Resistance         | Good<br>7 times that of glass | Good<br>5 times that of glass |
| Suitable for exterior use | Yes                           | No                            |
| Optical Clarity           | Good                          | Good                          |
| Light Transmission        | 92%                           | 92%                           |
| Material Weight           | 2.38kg/m <sup>2</sup>         | 2.1kg/m <sup>2</sup>          |

Acrylic Sheet Exterior  
Polystyrene Sheet Interior Grade

Ariel is here to help and assist with any requirements to find the right material to keep people safe.

**Helping to  
protect people  
now and in  
the future**



**We will help  
find a product  
solution for any  
application**



We have a wide range of suitable products in a variety of sizes and thicknesses which can be used to create protective screens and partitions which will have an important role to play in providing a physical barrier to help maintain social distance and keep people safe.

Ariel products are ideal as they can all be easily cut, drilled and bent to suit the available space for quick installation. They are portable and come in transparent and translucent options which are easy to clean.

## Applications

### Protective Screens & Partitions

**Uses:** Retail, Manufacturing, Distribution, Public Spaces, Reception Desks, Open Plan Offices, Canteens etc.



## FEATURES

- Safer & stronger than glass
- Easily transportable
- Light in weight
- UV resistant
- Flexible
- Suitable for interior & exterior use

## Acrylic Sheet Range

UV Protected both sides. Suitable for interior and exterior use.

| Code  | PG  | Disc | Product Description | Thickness mm | Width mm | Length mm | Price £ |
|-------|-----|------|---------------------|--------------|----------|-----------|---------|
| 66000 | 064 | 660  | Acrylic Sheet       | 2            | 600      | 1200      | 47.38   |
| 66002 | 064 | 660  | Acrylic Sheet       | 2            | 600      | 1800      | 71.10   |
| 66001 | 064 | 660  | Acrylic Sheet       | 2            | 1200     | 1200      | 94.76   |
| 66003 | 064 | 660  | Acrylic Sheet       | 2            | 1200     | 1800      | 142.17  |
| 66004 | 064 | 660  | Acrylic Sheet       | 2            | 1200     | 2400      | 189.56  |
| 66025 | 064 | 660  | Acrylic Sheet       | 4            | 600      | 1200      | 94.76   |
| 66032 | 064 | 660  | Acrylic Sheet       | 4            | 600      | 1800      | 142.95  |
| 66021 | 064 | 660  | Acrylic Sheet       | 4            | 1200     | 1200      | 189.56  |
| 66019 | 064 | 660  | Acrylic Sheet       | 4            | 1200     | 1800      | 284.27  |
| 66031 | 064 | 660  | Acrylic Sheet       | 4            | 1200     | 2400      | 379.06  |
| 66040 | 064 | 660  | Acrylic Sheet       | 6            | 600      | 1200      | 123.03  |
| 66043 | 064 | 660  | Acrylic Sheet       | 6            | 900      | 1200      | 184.54  |
| 66046 | 064 | 660  | Acrylic Sheet       | 6            | 600      | 1800      | 202.99  |

## Acrylic Sheet Accessories

| Code  | PG  | Disc | Product Description     | Colour | Depth mm | Length mm | Price £ |
|-------|-----|------|-------------------------|--------|----------|-----------|---------|
| 76711 | 064 | 660  | Liteglaze Glazing Strip | White  | 10       | 1830      | 12.08   |

View Installation Guide



INTERIOR &amp; EXTERIOR USE

## APPLICATIONS

- Secondary Double Glazing
- Replacement Windows (Planhouses & Sheds)
- Cloches & Coldframes
- Room Dividers
- Display Cases & Door Panels



INTERIOR USE ONLY

## FEATURES

- Safer & stronger than glass
- Easily transportable
- Light in weight
- Economical
- Suitable for interior use only

## APPLICATIONS

- Splashbacks & Wallpaper Protection
- Display Cases & Cupboard Fronts
- Room Dividers
- Interior Door Panels
- Lightweight Shelving
- Picture Framing

## Clear Polystyrene Sheet Standard Range - Only suitable for interior use.

| Code  | PG  | Disc | Product Description | Thickness mm | Width mm | Length mm | Price £ |
|-------|-----|------|---------------------|--------------|----------|-----------|---------|
| 64120 | 065 | 645  | Polystyrene Sheet   | 2            | 600      | 1200      | 35.77   |
| 64122 | 065 | 645  | Polystyrene Sheet   | 2            | 600      | 1800      | 53.60   |
| 64121 | 065 | 645  | Polystyrene Sheet   | 2            | 900      | 1200      | 53.60   |
| 64124 | 065 | 645  | Polystyrene Sheet   | 2            | 1200     | 1200      | 71.50   |
| 64125 | 065 | 645  | Polystyrene Sheet   | 2            | 1200     | 1800      | 107.20  |
| 64126 | 065 | 645  | Polystyrene Sheet   | 2            | 1200     | 2400      | 142.95  |
| 64130 | 065 | 645  | Polystyrene Sheet   | 4            | 600      | 1200      | 67.29   |
| 64133 | 065 | 645  | Polystyrene Sheet   | 4            | 600      | 1800      | 100.90  |
| 64131 | 065 | 645  | Polystyrene Sheet   | 4            | 900      | 1200      | 100.90  |
| 64132 | 065 | 645  | Polystyrene Sheet   | 4            | 1200     | 1200      | 134.51  |
| 64134 | 065 | 645  | Polystyrene Sheet   | 4            | 1200     | 1800      | 201.78  |
| 64136 | 065 | 645  | Polystyrene Sheet   | 4            | 1200     | 2400      | 269.04  |

# Brett Martin Mardome

POLYCARBONATE DOME ROOFLIGHTS RANGE



Designed to bring natural daylight into new build and extension projects, these quality dome rooflights are perfect for low pitched roof projects and will transform open plan living areas, kitchens, bathrooms, hallways and commercial units into modern and bright spaces.

- Thermally efficient single, double, triple glazed options with U values as low as 0.96 W/m<sup>2</sup>K
- Up to 27% more daylight area than other rooflights
- Impact resistant outer glazing in Marlon FSX Longlife polycarbonate with UV protection
- BBA approved
- 10 year guarantee



Need a rooflight on site quick?  
Try our 48 hour Hi-Lights service.

A selection of the most popular Mardome polycarbonate rooflights (pages 68-69) are available from stock within 48 hours\* of placing an order for delivery direct to site.

\* Terms & Conditions apply – see page 4.



Bringing style, quality and adaptability, the Mardome rooflights range from Brett Martin offers options to satisfy the requirements of most projects and budgets.

## Mardome Trade



Mardome Trade is supplied with a PVC kerb or to fit a builders upstand. A range of ventilation and opening options are also available.

## Mardome Reflex



Mardome Reflex is suitable where glazing only is required for fixing to existing kerb or upstand on refurbishment projects.

### Polycarbonate Glazing


- Outer glazing with UV protection
- Impact resistant
- Dome shape as standard with optional pyramid
- Clear, textured or opal tint



Single Glazed



Double Glazed



Triple Glazed



### Security Fixings

Mardome Trade dome rooflights have secure fixings with tamper-proof caps for added security.

| Material                  | U-value*               |
|---------------------------|------------------------|
| Double Skin Polycarbonate | 2.7 W/m <sup>2</sup> K |
| Triple Skin Polycarbonate | 1.8 W/m <sup>2</sup> K |

\*Centre pane U-value is a measure of the thermal efficiency of the glazing type.

### Thermal Efficiency

To meet requirements of Part L of the Building Regulations 2013, Ariel recommends installing triple skin rooflights.

Further information on thermal performance can be found in the technical data sheets.




Mardome Trade



Mardome Reflex


### Guidance on Measuring

#### Mardome with kerb



Measure (length x width) of opening

#### For builders upstand



Measure (length x width) of external dimensions of upstand

# Mardome Trade

Mardome Trade is supplied with a PVC kerb or to fit a builders upstand. A range of ventilation and opening options mean these dome rooflights can be tailored to suit a variety of project requirements and budget.



The most popular Mardome Trade rooflights are available for 48 hour delivery and have pricing highlighted in orange.

## Mardome Trade Range - Non-opening

| Size mm     | With PVC Kerb |     |     | To Fit Builders Upstand |     |     |               |     |     |
|-------------|---------------|-----|-----|-------------------------|-----|-----|---------------|-----|-----|
|             | Glazing Skin  |     |     | Unvented                |     |     | Vented        |     |     |
|             | x3            | x2  | x1  | x3                      | x2  | x1  | x3            | x2  | x1  |
| 600 x 600   | 430           | 331 | 278 | 317                     | 218 | 165 | 433           | 334 | 282 |
| 600 x 900   | 545           | 420 | 352 | 395                     | 271 | 202 | 542           | 418 | 350 |
| 600 x 1200  | 681           | 527 | 438 | 508                     | 353 | 265 | 674           | 519 | 431 |
| 750 x 750   | 535           | 410 | 342 | 397                     | 273 | 205 | 532           | 409 | 341 |
| 750 x 900   | 591           | 454 | 381 | 431                     | 296 | 221 | 585           | 450 | 376 |
| 900 x 900   | 612           | 474 | 398 | 446                     | 308 | 232 | 604           | 466 | 392 |
| 900 x 1200  | 879           | 671 | 537 | 692                     | 484 | 350 | 869           | 662 | 528 |
| 1050 x 1050 | 715           | 553 | 463 | 530                     | 369 | 278 | 704           | 543 | 452 |
| 1200 x 1200 | 903           | 690 | 554 | 699                     | 485 | 350 | 889           | 675 | 540 |
| 1200 x 1800 | 1,340         | 983 | 725 | 1,097                   | 741 | 482 | 1,318         | 963 | 703 |
| Options     |               |     |     |                         |     |     |               |     |     |
| Manual Vent | 43            | 43  | 43  | -                       | -   | -   | Vent included |     |     |

Products with prices highlighted are available for 48 hour delivery. See pages 68-69 for product codes.

# Mardome Trade



## Mardome Trade Range - Opening Options

## Additional Extras

|             | Manual Opening with PVC Kerb |       | Manual Opening to Fit Builders Upstand |       | Powered Opening | Powered Opening with Remote & Rain Sensor | Access Hatch |
|-------------|------------------------------|-------|----------------------------------------|-------|-----------------|-------------------------------------------|--------------|
| Size mm     | Glazing Skin                 |       | Glazing Skin                           |       |                 |                                           |              |
|             | x3                           | x2    | x3                                     | x2    |                 |                                           |              |
| 600 x 600   | 624                          | 524   | 583                                    | 484   | 189             | 678                                       | -            |
| 600 x 900   | 782                          | 659   | 737                                    | 614   | 226             | 713                                       | -            |
| 600 x 1200  | 1,106                        | 950   | 1,056                                  | 901   | 223             | 712                                       | -            |
| 750 x 750   | 754                          | 629   | 710                                    | 585   | 205             | 693                                       | -            |
| 750 x 900   | 832                          | 696   | 784                                    | 649   | 226             | 713                                       | 96           |
| 900 x 900   | 857                          | 718   | 807                                    | 669   | 226             | 713                                       | 96           |
| 900 x 1200  | 1,144                        | 936   | 1,092                                  | 884   | 227             | 714                                       | 97           |
| 1050 x 1050 | 971                          | 811   | 919                                    | 758   | 223             | 712                                       | 94           |
| 1200 x 1200 | 1,189                        | 977   | 1,131                                  | 917   | 226             | 713                                       | 96           |
| 1200 x 1800 | 1,862                        | 1,507 | 1,799                                  | 1,443 | 507             | 994                                       | -            |

Products with prices highlighted are available for 48 hour delivery. See pages 68-69 for product codes.

## ROOFLIGHT ACCESSORIES

### Security Grille

Range of sizes available POA.



### Opening Poles



| Code | Description     | Price £ |
|------|-----------------|---------|
| M100 | 2m Opening Pole | 39      |
| M101 | 3m Opening Pole | 52      |

# Mardome Trade

## POLYCARBONATE DOME ROOFLIGHT RANGE



**Double Glazed** with PVC kerb providing 150mm waterproofing termination height



|                                            |         | Rooflight Size = finished roof opening size |             |             |             |               |               |
|--------------------------------------------|---------|---------------------------------------------|-------------|-------------|-------------|---------------|---------------|
|                                            |         | 600 x 600mm                                 | 600 x 900mm | 750 x 750mm | 900 x 900mm | 1050 x 1050mm | 1200 x 1200mm |
| <b>Double Glazed with PVC Kerb</b>         | Code    | M001                                        | M002        | M003        | M004        | M005          | M006          |
|                                            | Price £ | 331                                         | 420         | 410         | 474         | 553           | 690           |
| <b>Double Glazed Opening with PVC Kerb</b> | Code    | M007                                        | M008        | M009        | M010        | M011          | M012          |
|                                            | Price £ | 524                                         | 659         | 629         | 718         | 811           | 977           |

**Part L Compliant Triple Glazed** with PVC kerb providing 150mm waterproofing termination height



|                                                    |         | Rooflight Size = finished roof opening size |             |             |             |               |               |
|----------------------------------------------------|---------|---------------------------------------------|-------------|-------------|-------------|---------------|---------------|
|                                                    |         | 600 x 600mm                                 | 600 x 900mm | 750 x 750mm | 900 x 900mm | 1050 x 1050mm | 1200 x 1200mm |
| <b>Triple Glazed Mardome with PVC Kerb</b>         | Code    | M013                                        | M014        | M015        | M016        | M017          | M018          |
|                                                    | Price £ | 430                                         | 545         | 535         | 612         | 715           | 903           |
| <b>Triple Glazed Opening Mardome with PVC Kerb</b> | Code    | M019                                        | M020        | M021        | M022        | M023          | M024          |
|                                                    | Price £ | 624                                         | 782         | 754         | 857         | 971           | 1,189         |

# Mardome Trade

## POLYCARBONATE DOME ROOFLIGHT RANGE



**Direct Fix** without Kerb & unvented

|                                 |         | Rooflight Size = external upstand distance |             |             |             |               |               |
|---------------------------------|---------|--------------------------------------------|-------------|-------------|-------------|---------------|---------------|
|                                 |         | 600 x 600mm                                | 600 x 900mm | 750 x 750mm | 900 x 900mm | 1050 x 1050mm | 1200 x 1200mm |
| <b>Direct Fix Single Glazed</b> | Code    | M025                                       | M026        | M027        | M028        | M029          | M030          |
|                                 | Price £ | 165                                        | 202         | 205         | 232         | 278           | 350           |
| <b>Direct Fix Double Glazed</b> | Code    | M031                                       | M032        | M033        | M034        | M035          | M036          |
|                                 | Price £ | 218                                        | 271         | 273         | 308         | 369           | 485           |
| <b>Direct Fix Triple Glazed</b> | Code    | M037                                       | M038        | M039        | M040        | M041          | M042          |
|                                 | Price £ | 317                                        | 395         | 397         | 446         | 530           | 699           |



# Mardome Reflex

**Mardome Reflex** is a glazing only unit designed specifically for refurbishment projects where the glazing only needs to be replaced and can be easily fixed to existing kerbs or upstands. The unit is supplied with a fixing kit including weathertight washers and cover plugs.

*Products highlighted in orange are available for 48 hour delivery.*

## Reflex Range

| Size mm     | Glazing Skin |       |     |
|-------------|--------------|-------|-----|
|             | x3           | x2    | x1  |
| 450 x 450   | 288          | 218   | 165 |
| 600 x 600   | 288          | 218   | 165 |
| 600 x 900   | 362          | 271   | 202 |
| 600 x 1200  | 480          | 353   | 265 |
| 750 x 750   | 362          | 273   | 205 |
| 750 x 900   | 393          | 296   | 221 |
| 900 x 900   | 403          | 308   | 232 |
| 900 x 1200  | 660          | 484   | 350 |
| 1050 x 1050 | 484          | 369   | 278 |
| 1200 x 1200 | 662          | 485   | 350 |
| 1200 x 1800 | 1,055        | 741   | 482 |
| 1200 x 2400 | 1,524        | 1,049 | 628 |
| 1350 x 1350 | 895          | 660   | 463 |

# Leave the cutting to our trained experts



Ariel provides a quick and easy **Cut to Size Service** for Polycarbonate, Acrylic and Styrene sheet delivered within 48 hours nationwide.

## Terms & Conditions

Delivery 48hr -  
Cut off time on day of order 3pm.  
Delivery charges.  
1: Yard (invoice address) Free.  
2: Site £30.00.  
Mainland GB only -  
excluding Postcode areas  
beginning KW,IV,AB & PH.

**Cut To Size Sheet is a bespoke product and non returnable**

**A full range of Styrene Sheet is available on request**




Download order form

## CUT TO SIZE SERVICE

71

## Acrylic Sheet



With a superior gloss finish and scratch resistance, Acrylic is a preferred material for projects which require its high end appeal and durability. It can also be flame polished for a clear, shiny edge finish which replicates glass. Excellent weatherability means Acrylic is an excellent glazing material whilst ease of workability makes it suitable for fabrication.

### At a glance:

High gloss surface  
Optically clear sheet  
Half the weight of glass  
Scratch resistant  
Weatherable

### Use for:

POS Displays  
Poster Covers  
Picture Framing  
Splashbacks  
Glazing




### Cut to Size Prices

| Code | PG  | Disc | Product Description | Thickness mm | Colour | Sqm Price £ | Max. Dimensions mm |
|------|-----|------|---------------------|--------------|--------|-------------|--------------------|
| A2C  | 043 | 403  | Solid Acrylic Sheet | 2            | Clear  | 25.47       | 3050 x 2050        |
| A3C  | 043 | 403  | Solid Acrylic Sheet | 3            | Clear  | 38.21       | 3050 x 2050        |
| A4C  | 043 | 403  | Solid Acrylic Sheet | 4            | Clear  | 50.95       | 3050 x 2050        |
| A5C  | 043 | 403  | Solid Acrylic Sheet | 5            | Clear  | 63.68       | 3050 x 2050        |
| A6C  | 043 | 403  | Solid Acrylic Sheet | 6            | Clear  | 76.40       | 3050 x 2050        |

### Full Sheet Prices

| Code  | PG  | Disc | Product Description | Thickness mm | Colour | Price £ | Sheet Size mm |
|-------|-----|------|---------------------|--------------|--------|---------|---------------|
| 79800 | 043 | 407  | Solid Acrylic Sheet | 2            | Clear  | 159.25  | 3050 x 2050   |
| 79801 | 043 | 407  | Solid Acrylic Sheet | 3            | Clear  | 238.86  | 3050 x 2050   |
| 79802 | 043 | 407  | Solid Acrylic Sheet | 4            | Clear  | 318.50  | 3050 x 2050   |
| 79803 | 043 | 407  | Solid Acrylic Sheet | 5            | Clear  | 398.13  | 3050 x 2050   |
| 79804 | 043 | 407  | Solid Acrylic Sheet | 6            | Clear  | 477.74  | 3050 x 2050   |

# Multiwall Polycarbonate



Multiwall polycarbonate is a lightweight, impact resistant glazing and roofing sheet that is very easy to handle and install. It has a protective UV layer which safeguards against the effects of weathering for a longer lasting sheet. A full range of installation accessories are also available.

## At a glance:

A range of thicknesses and tints  
Strong and durable  
Impact resistant  
UV protected  
Class 1 fire rating

## Use for:

Lean-to  
Patio Covers  
Carports  
Greenhouses  
Cold Frames



## Cut to Size Prices

| Code     | PG  | Disc | Product Description     | Thickness mm | Colour         | Sqm Price £ | Max. Dimensions mm |
|----------|-----|------|-------------------------|--------------|----------------|-------------|--------------------|
| BMR10C   | 050 | 952  | Multiwall Polycarbonate | 10           | Clear          | 43.21       | 4000 x 2100        |
| BMR10B   | 050 | 952  | Multiwall Polycarbonate | 10           | Bronze         | 43.21       | 4000 x 2100        |
| BMR10O   | 050 | 952  | Multiwall Polycarbonate | 10           | Opal           | 43.21       | 4000 x 2100        |
| BMR16C   | 050 | 953  | Multiwall Polycarbonate | 16           | Clear          | 68.74       | 4000 x 2100        |
| BMR16B   | 050 | 953  | Multiwall Polycarbonate | 16           | Bronze         | 68.74       | 4000 x 2100        |
| BMR16O   | 050 | 953  | Multiwall Polycarbonate | 16           | Opal           | 68.74       | 4000 x 2100        |
| BMR25C   | 050 | 954  | Multiwall Polycarbonate | 25           | Clear          | 86.42       | 4000 x 2100        |
| BMR25B   | 050 | 954  | Multiwall Polycarbonate | 25           | Bronze         | 86.42       | 4000 x 2100        |
| BMR25O   | 050 | 954  | Multiwall Polycarbonate | 25           | Opal           | 86.42       | 4000 x 2100        |
| BMR25BO  | 050 | 954  | Multiwall Polycarbonate | 25           | Bronze Opal    | 99.56       | 4000 x 2100        |
| BMR25HO  | 050 | 954  | Multiwall Polycarbonate | 25           | Heatguard Opal | 99.56       | 4000 x 2100        |
| BMR35C7  | 050 | 955  | Multiwall Polycarbonate | 35           | Clear          | 99.22       | 4000 x 2100        |
| BMR35B7  | 050 | 955  | Multiwall Polycarbonate | 35           | Bronze         | 99.22       | 4000 x 2100        |
| BMR35O7  | 050 | 955  | Multiwall Polycarbonate | 35           | Opal           | 99.22       | 4000 x 2100        |
| BMR35BO7 | 050 | 955  | Multiwall Polycarbonate | 35           | Bronze Opal    | 114.22      | 4000 x 2100        |
| BMR35HO7 | 050 | 955  | Multiwall Polycarbonate | 35           | Heatguard Opal | 114.22      | 4000 x 2100        |



10mm Clear



10mm Bronze



16mm Clear



16mm Opal



25mm Bronze Opal



25mm Heatguard Opal

**Self Supporting Roof** (suitable for 16, 25 & 35mm sheet)

| Code     | PG  | Disc | Product Description            | Colour | Price £ |
|----------|-----|------|--------------------------------|--------|---------|
| BMSSGP2  | 050 | 951  | Self supporting goal posts (2) | White  | 480.35  |
| BMSSBI25 | 050 | 951  | 2.5m Intermediate bar          | White  | 216.01  |
| BMSSBI30 | 050 | 951  | 3.0m Intermediate bar          | White  | 259.07  |
| BMSSBI35 | 050 | 951  | 3.5m Intermediate bar          | White  | 301.45  |
| BMSSBI40 | 050 | 951  | 4.0m Intermediate bar          | White  | 345.45  |
| BMSSBE25 | 050 | 951  | 2.5m End bar                   | White  | 215.95  |
| BMSSBE30 | 050 | 951  | 3.0m End bar                   | White  | 259.07  |
| BMSSBE35 | 050 | 951  | 3.5m End bar                   | White  | 302.31  |
| BMSSBE40 | 050 | 951  | 4.0m End bar                   | White  | 345.45  |
| BMSSEC   | 050 | 951  | Bar end caps                   | White  | 26.69   |
| BMSSBW30 | 050 | 951  | 3.0m Wall plate                | White  | 400.20  |
| BMSSBW40 | 050 | 951  | 4.0m Wall plate                | White  | 533.59  |
| BMSSBW50 | 050 | 951  | 5.0m Wall plate                | White  | 667.01  |
| BMSSEB3  | 050 | 951  | 3.0m standard eaves beam       | White  | 383.35  |
| BMSSEB4  | 050 | 951  | 4.0m standard eaves beam       | White  | 425.34  |
| BMSSEBC  | 050 | 951  | Eaves beam connector           | White  | 21.05   |

**Polycarbonate Accessories** (suitable for 10, 16 & 25mm sheet)

| Code   | PG  | Disc | Product Description                   | Colour | Length mm | Unit Price £ |
|--------|-----|------|---------------------------------------|--------|-----------|--------------|
| BMBHPO | 050 | 950  | Glazing bar cap and base with end cap | White  | 3000      | 102.66       |
| BMBHPR | 050 | 950  | Glazing bar cap and base with end cap | White  | 4000      | 135.91       |
| BMBHOR | 050 | 950  | Glazing bar cap and base with end cap | White  | 6000      | 202.73       |
| BMBJOP | 050 | 950  | Glazing bar cap and base with end cap | Brown  | 3000      | 106.60       |
| BMBYTO | 050 | 950  | Glazing bar cap and base with end cap | Brown  | 4000      | 141.33       |
| BMBGTY | 050 | 950  | Glazing bar cap and base with end cap | Brown  | 6000      | 210.21       |

**Tapes**

| Code      | PG  | Disc | Product Description              | Price £ |
|-----------|-----|------|----------------------------------|---------|
| BM76585   | 050 | 950  | Flashing tape 225mm x 10m Grey   | 102.84  |
| BMBT16/10 | 050 | 950  | 10/16mm Breather tape 38mm x 10m | 44.51   |
| BMBT25/10 | 050 | 950  | Breather tape 45mm x 10m         | 52.07   |

**Side Flashing**

| Code    | PG  | Disc | Product Description | Width | Colour | Length mm | Price £ |
|---------|-----|------|---------------------|-------|--------|-----------|---------|
| BM76112 | 050 | 950  | 10mm Side Flashing  | 10mm  | White  | 3000      | 25.31   |
| BM76113 | 050 | 950  | 10mm Side Flashing  | 10mm  | White  | 4000      | 33.72   |
| BM76346 | 050 | 950  | 10mm Side Flashing  | 10mm  | White  | 6000      | 50.60   |
| BM76342 | 050 | 950  | 10mm Side Flashing  | 10mm  | Brown  | 3000      | 31.68   |
| BM76343 | 050 | 950  | 10mm Side Flashing  | 10mm  | Brown  | 4000      | 42.12   |
| BM76466 | 050 | 950  | 10mm Side Flashing  | 10mm  | Brown  | 6000      | 63.25   |
| BM76114 | 050 | 950  | 16mm Side Flashing  | 16mm  | White  | 3000      | 25.31   |
| BM76115 | 050 | 950  | 16mm Side Flashing  | 16mm  | White  | 4000      | 33.72   |
| BM76341 | 050 | 950  | 16mm Side Flashing  | 16mm  | White  | 6000      | 50.60   |
| BM76463 | 050 | 950  | 16mm Side Flashing  | 16mm  | Brown  | 3000      | 31.68   |
| BM76464 | 050 | 950  | 16mm Side Flashing  | 16mm  | Brown  | 4000      | 42.12   |
| BM76465 | 050 | 950  | 16mm Side Flashing  | 16mm  | Brown  | 6000      | 63.25   |
| BMBCOS  | 050 | 950  | 25mm Side Flashing  | 25mm  | White  | 3000      | 38.71   |
| BMBMOJ  | 050 | 950  | 25mm Side Flashing  | 25mm  | White  | 4000      | 51.34   |
| BMBGVV  | 050 | 950  | 25mm Side Flashing  | 25mm  | White  | 6000      | 76.63   |
| BMBYKZ  | 050 | 950  | 25mm Side Flashing  | 25mm  | Brown  | 3000      | 42.12   |
| BMBHSS  | 050 | 950  | 25mm Side Flashing  | 25mm  | Brown  | 4000      | 56.26   |
| BMBPWP  | 050 | 950  | 25mm Side Flashing  | 25mm  | Brown  | 6000      | 84.09   |


**End Closures**

| Code     | PG  | Disc | Product Description    | Length mm | Price £ per linear metre |
|----------|-----|------|------------------------|-----------|--------------------------|
| BMSEC10W | 050 | 950  | 10mm end closure white | 2100      | 5.73                     |
| BMSEC10B | 050 | 950  | 10mm end closure brown | 2100      | 7.27                     |
| BMS16W   | 050 | 950  | 16mm end closure white | 2100      | 5.73                     |
| BMS16B   | 050 | 950  | 16mm end closure brown | 2100      | 7.27                     |
| BMB25W   | 050 | 950  | 25mm end closure white | 3500      | 8.06                     |
| BMB25B   | 050 | 950  | 25mm end closure brown | 3500      | 8.86                     |
| BMB35W   | 050 | 950  | 35mm end closure white | 3500      | 11.29                    |
| BMB35B   | 050 | 950  | 35mm end closure brown | 3500      | 12.44                    |

**Fixing Buttons**

| Code    | PG  | Disc | Product Description                        | Price £ |
|---------|-----|------|--------------------------------------------|---------|
| BM76567 | 050 | 950  | 10mm super fixing buttons white (Pk of 10) | 28.21   |
| BM76569 | 050 | 950  | 10mm super fixing buttons brown (Pk of 10) | 28.21   |
| BM76568 | 050 | 950  | 16mm super fixing buttons white (Pk of 10) | 28.21   |
| BM76570 | 050 | 950  | 16mm super fixing buttons brown (Pk of 10) | 28.21   |
| BMBVUT  | 050 | 950  | 25mm super fixing buttons white (Pk of 10) | 29.22   |
| BMBHUP  | 050 | 950  | 25mm super fixing buttons brown (Pk of 10) | 29.22   |

# Flat Polycarbonate



Polycarbonate is the perfect substitute for glass. It is lightweight yet at 200 times stronger than glass it is an exceptionally strong, impact resistant glazing material. With a double-sided UV protection to both sides of the sheet it is the ideal material for exterior glazing. The protective UV layer provides a longer sheet life expectancy, prevents yellowing and guards against loss of strength.

### At a glance:

- Impact resistant
- Lightweight
- UV resistant
- Class 1 fire rating

### Use for:

- Canopies
- Patio Covers
- Walkways
- Greenhouses
- Glazing



### Cut to Size Prices

| Code | PG  | Disc | Product Description | Thickness mm | Colour | Sqm Price £ | Max. Dimensions mm |
|------|-----|------|---------------------|--------------|--------|-------------|--------------------|
| F2C  | 043 | 401  | Solid Polycarbonate | 2            | Clear  | 35.36       | 3050 x 2050        |
| F3C  | 043 | 401  | Solid Polycarbonate | 3            | Clear  | 53.04       | 3050 x 2050        |
| F4C  | 043 | 401  | Solid Polycarbonate | 4            | Clear  | 70.72       | 3050 x 2050        |
| F5C  | 043 | 401  | Solid Polycarbonate | 5            | Clear  | 88.39       | 3050 x 2050        |
| F6C  | 043 | 401  | Solid Polycarbonate | 6            | Clear  | 106.09      | 3050 x 2050        |
| F8C  | 043 | 401  | Solid Polycarbonate | 8            | Clear  | 141.47      | 3050 x 2050        |
| F10C | 043 | 401  | Solid Polycarbonate | 10           | Clear  | 176.82      | 3050 x 2050        |
| F12C | 043 | 401  | Solid Polycarbonate | 12           | Clear  | 212.18      | 3050 x 2050        |
| F3O  | 043 | 401  | Solid Polycarbonate | 3            | Opal   | 55.79       | 3050 x 2050        |
| F5O  | 043 | 401  | Solid Polycarbonate | 5            | Opal   | 93.00       | 3050 x 2050        |

### Full Sheet Prices

| Code  | PG  | Disc | Product Description | Thickness mm | Colour | Price £  | Sheet Size mm |
|-------|-----|------|---------------------|--------------|--------|----------|---------------|
| 79500 | 043 | 405  | Solid Polycarbonate | 2            | Clear  | 221.08   | 3050 x 2050   |
| 79501 | 043 | 405  | Solid Polycarbonate | 3            | Clear  | 331.65   | 3050 x 2050   |
| 79502 | 043 | 405  | Solid Polycarbonate | 4            | Clear  | 442.20   | 3050 x 2050   |
| 79503 | 043 | 405  | Solid Polycarbonate | 5            | Clear  | 552.76   | 3050 x 2050   |
| 79504 | 043 | 405  | Solid Polycarbonate | 6            | Clear  | 663.30   | 3050 x 2050   |
| 79505 | 043 | 405  | Solid Polycarbonate | 8            | Clear  | 884.42   | 3050 x 2050   |
| 79506 | 043 | 405  | Solid Polycarbonate | 10           | Clear  | 1,105.51 | 3050 x 2050   |
| 79507 | 043 | 405  | Solid Polycarbonate | 12           | Clear  | 1,326.62 | 3050 x 2050   |
| 79600 | 043 | 405  | Solid Polycarbonate | 3            | Clear  | 157.91   | 2440 x 1220   |
| 79601 | 043 | 405  | Solid Polycarbonate | 4            | Clear  | 210.53   | 2440 x 1220   |
| 79602 | 043 | 405  | Solid Polycarbonate | 6            | Clear  | 315.82   | 2440 x 1220   |
| 79508 | 043 | 405  | Solid Polycarbonate | 3            | Opal   | 348.85   | 3050 x 2050   |
| 79509 | 043 | 405  | Solid Polycarbonate | 5            | Opal   | 581.42   | 3050 x 2050   |

# Hygienic Cladding



Ariel's hygienic cladding sheets offer an attractive finish to walls and ceilings. The range includes solid PVC sheets in a satin finish and a gloss foam PVC sheet. Both options offer resistance to moisture and chemicals and prohibit microbial materials from being absorbed into the sheets, making them a popular choice for hygienic cladding projects.

#### Use for:

Health settings  
Food preparation areas  
Commercial kitchens  
Clean rooms  
Bathrooms  
Changing room facilities  
Agricultural sheds



For full details of the characteristics of both hygienic cladding sheets, please refer to the Cladding brochure.



- Solid PVC in satin white finish
- Non-porous surface prohibits microbial material from absorbing into sheets
- Resistant to moisture and chemicals
- Very tough and durable
- Easy clean, smooth surface

#### Solid PVC Hygienic Cladding Sheet

| Code  | PG  | Disc | Product Description                     | Thickness mm | Sheet Size mm | Price £ |     |
|-------|-----|------|-----------------------------------------|--------------|---------------|---------|-----|
| 69000 | 066 | 933  | Coroclad Satin Solid PVC Hygienic Sheet | 1.5          | 2440 x 1220   | 124.61  | NEW |
| 69004 | 066 | 933  | Coroclad Satin Solid PVC Hygienic Sheet | 2.0          | 2440 x 1220   | 160.73  | NEW |
| 69008 | 066 | 933  | Coroclad Satin Solid PVC Hygienic Sheet | 2.5          | 2440 x 1220   | 180.79  |     |
| 69012 | 066 | 933  | Coroclad Satin Solid PVC Hygienic Sheet | 2.5          | 3050 x 1220   | 195.03  | NEW |
| 69014 | 066 | 933  | Coroclad Satin Solid PVC Hygienic Sheet | 3.0          | 2440 x 1220   | 216.90  | NEW |



- Foam PVC with co-extruded white gloss finish
- Non-porous surface means microbial material cannot absorb into sheets
- Resistant to moisture and chemicals
- Wipe clean surface

#### Foam PVC Hygienic Cladding Sheet

| Code  | PG  | Disc | Product Description                    | Thickness mm | Sheet Size mm | Price £ |
|-------|-----|------|----------------------------------------|--------------|---------------|---------|
| 68008 | 066 | 933  | Coroclad Gloss Foam PVC Hygienic Sheet | 3.0          | 2440 x 1220   | 162.13  |

A complete range of white PVC profile accessories are available in two lengths (2.44m and 3m). See page 97.


# Economy Clad

Foam PVC General Cladding Sheet

For projects of a lesser specification and where contact from trolleys or loading equipment is unlikely, a general foam PVC cladding sheet is available.

## Use for:

Store rooms  
Offices  
Short term outdoor use



For full details of the characteristics of both hygienic cladding sheets, please refer to the Cladding brochure.

## Foam PVC General Cladding Sheet

| Code  | PG  | Disc | Product Description                   | Thickness mm | Sheet Size mm | Price £ |
|-------|-----|------|---------------------------------------|--------------|---------------|---------|
| 67008 | 066 | 933  | Economy Clad Solid PVC Cladding Sheet | 3.0          | 2440 x 1220   | 77.78   |

## PVC Cladding Accessories

| Code  | PG  | Disc | Product Description         | Length mm | Price £ |
|-------|-----|------|-----------------------------|-----------|---------|
| 76140 | 066 | 933  | H-Section Division Bar      | 2440      | 8.25    |
| 76141 | 066 | 933  | J-Section Starter Trim      | 2440      | 6.20    |
| 76142 | 066 | 933  | Internal Corner             | 2440      | 4.85    |
| 76143 | 066 | 933  | External Corner             | 2440      | 7.95    |
| 76144 | 066 | 933  | H-Section Division Bar Top  | 2440      | 4.30    |
| 76145 | 066 | 933  | H-Section Division Bar Base | 2440      | 5.10    |
| 76130 | 066 | 933  | H-Section Division Bar      | 3000      | 10.14   |
| 76131 | 066 | 933  | J-Section Starter Trim      | 3000      | 7.62    |
| 76132 | 066 | 933  | Internal Corner             | 3000      | 5.96    |
| 76133 | 066 | 933  | External Corner             | 3000      | 9.78    |
| 76134 | 066 | 933  | H-Section Division Bar Top  | 3000      | 5.29    |
| 76135 | 066 | 933  | H-Section Division Bar Base | 3000      | 6.27    |
| 76136 | 066 | 933  | Fix All High Tack 290ml     | -         | 30.08   |



J Starter Trim



F External corner



C Internal Corner



H Division Bar



H Division Bar Base



H Division Bar Top

## Delivery Schedule (England & Wales)

| Order cut-off time<br>Zone | Mon<br>3.30pm | Tue<br>3.30pm | Wed<br>3.30pm | Thur<br>3.30pm | Fri<br>3.30pm |
|----------------------------|---------------|---------------|---------------|----------------|---------------|
| <b>A</b>                   | Fri           | Tue           | Tue           | Thur           | Thur          |
| Lead time                  | 4             | 5             | 4             | 5              | 4             |
| <b>B</b>                   | Fri           | Fri           | Tue           | Wed            | Thur          |
| Lead time                  | 4             | 3             | 4             | 4              | 4             |
| <b>C</b>                   | Fri           | Tue           | Tue           | Wed            | Thur          |
| Lead time                  | 4             | 5             | 4             | 4              | 4             |
| <b>D</b>                   | Tue           | Tue           | Tue           | Thur           | Thur          |
| Lead time                  | 5/6           | 5             | 4             | 5              | 4             |
| <b>E</b>                   | Fri           | Fri           | Tue           | Thur           | Thur          |
| Lead time                  | 4             | 3             | 4             | 5              | 4             |
| <b>F</b>                   | Fri           | Tue           | Tue           | Fri            | Fri           |
| Lead time                  | 4             | 5             | 4             | 5/6            | 5             |
| <b>G</b>                   | Fri           | Tue           | Tue           | Fri            | Fri           |
| Lead time                  | 4             | 5             | 4             | 5/6            | 5             |
| <b>H</b>                   | Fri           | Tue           | Tue           | Wed            | Thur          |
| Lead time                  | 4             | 5             | 4             | 4              | 4             |
| <b>J</b>                   | Fri           | Tue           | Tue           | Thur           | Thur          |
| Lead time                  | 4             | 5             | 4             | 5              | 4             |
| <b>K</b>                   | Fri           | Tue           | Tue           | Fri            | Fri           |
| Lead time                  | 4             | 5             | 4             | 5/6            | 5             |
| <b>L</b>                   | Fri           | Tue           | Tue           | Fri            | Fri           |
| Lead time                  | 4             | 5             | 4             | 5/6            | 5             |
| <b>M</b>                   | Fri           | Tue           | Tue           | Wed            | Fri           |
| Lead time                  | 4             | 5             | 4             | 4              | 5             |
| <b>N</b>                   | Fri           | Tue           | Tue           | Wed            | Fri           |
| Lead time                  | 4             | 5             | 4             | 4              | 5             |
| <b>O</b>                   | Fri           | Fri           | Tue           | Wed            | Thur          |
| Lead time                  | 4             | 3             | 4             | 4              | 4             |
| <b>P</b>                   | Fri           | Fri           | Tue           | Thur           | Thur          |
| Lead time                  | 4             | 3             | 4             | 5              | 4             |

## Delivery Schedule (Scotland)

| Order cut-off time<br>Zone | Mon<br>3.30pm | Tue<br>3.30pm | Wed<br>3.30pm | Thur<br>3.30pm | Fri<br>3.30pm |
|----------------------------|---------------|---------------|---------------|----------------|---------------|
| <b>Borders</b>             | Thur          | Thur          | Tue           | Tue            | Tue           |
| Lead time                  | 3             | 2             | 4             | 3              | 3             |
| <b>Central</b>             | Fri           | Fri           | Fri           | Wed            | Wed           |
| Lead time                  | 4             | 3             | 2             | 4              | 4             |
| <b>Dumfries</b>            | Thur          | Thur          | Tue           | Tue            | Tue           |
| Lead time                  | 3             | 2             | 4             | 3              | 3             |
| <b>Fife</b>                | Fri           | Fri           | Fri           | Tue            | Tue           |
| Lead time                  | 4             | 3             | 2             | 3              | 3             |
| <b>Grampian</b>            | Thur          | Thur          | Thur          | Thur           | Thur          |
| Lead time                  | 6/7           | 5/6           | 4/5           | 4              | 8             |
| <b>Highland</b>            | Wed           | Wed           | Wed           | Wed            | Wed           |
| Lead time                  | 6/7           | 5/6           | 4/5           | 4              | 8             |
| <b>Lothian</b>             | Fri           | Fri           | Fri           | Wed            | Wed           |
| Lead time                  | 4             | 3             | 2             | 4              | 4             |
| <b>Strathclyde</b>         | Fri           | Fri           | Fri           | Wed            | Wed           |
| Lead time                  | 4             | 3             | 2             | 4              | 4             |
| <b>Tayside</b>             | Fri           | Fri           | Fri           | Tue            | Tue           |
| Lead time                  | 4             | 3             | 2             | 3              | 3             |

### Notes

1. Refer to GB Postcodes Zone Table for zone location.
2. Delivery days shown will, where appropriate, always be the second of any two day run.
3. Please utilise this delivery schedule to organise your most beneficial ordering pattern.
4. Delivery schedules should be used as a guide, actual delivery day may be rescheduled at short notice due to reasons beyond our control.

 Denotes following week

 Denotes 8 working day delivery

## GB Postcode Delivery Zones

| Postcode Prefix    | Zone | Postcode Prefix            | Zone | Postcode Prefix   | Zone |
|--------------------|------|----------------------------|------|-------------------|------|
| AL1 - 10           | O    | HP1-27                     | O    | SP1 - 10          | M    |
| B1 - 98            | C    | HR1 - 9                    | F    | SR1 - 8           | D    |
| B74,75,77,78,79    | B    | HU1-20                     | H    | SS0 - 17          | P    |
| BA1 - 22           | L    | HX1-7 B                    | B    | ST1-18            | B    |
| BB1 - 18           | E    | IG1-11                     | P    | ST19-21           | F    |
| BD1 - 22           | B    | IM1-9*                     | E    | SW1,3,5-7,10      | M    |
| BD23 - 24          | H    | IP1-12                     | P    | SW2,4,8,9,11-20   | N    |
| BH1 - 25           | M    | IP13-33                    | P    | SY1 - 25          | F    |
| BLO - 9            | B    | JE1-4*                     | M    | TA1-7,9-24        | L    |
| BN1-3,5-7,9-18     | N    | KT1-24                     | N    | TA8               | C    |
| BN 8,20-27         | J    | L1-70                      | E    | TF1 - 13          | F    |
| BN41-45            | N    | LA1-6,10                   | E    | TN1 - 40          | J    |
| BR1-8              | J    | LA7-9,11-23                | K    | TQ1 - 14          | L    |
| BS1 - 49           | C    | LD1 - 8                    | F    | TR1 - 27          | L    |
| CA1-7,10-15,18-28  | K    | LE1-7,11-15,16,65,67       | B    | TS1 - 29          | D    |
| CA8,9,16,17        | D    | LE8-10,17-19               | C    | TW1 - 20          | M    |
| CB1,5,8-10,22      | P    | LL11-78                    | G    | UB1 - 11          | O    |
| CB2,3,11           | O    | LN1-5,7-13                 | B    | W1-14             | M    |
| CB4,6,7,21,23-25   | A    | LS1-13,15,18-20,26-28      | B    | W1B-D,F-K,M,S-U,W | O    |
| CF10 - 83          | F    | LS14,16,17,21-25,29        | H    | WA1-14,16         | E    |
| CH1-6,9-66         | E    | LU1-7                      | O    | WA15              | B    |
| CH7,8              | G    | M1-24,31-37,40,43,50,60,90 | B    | WC1               | O    |
| CM0-15,17, 25-77   | P    | M25-30,38,41,44-46         | E    | WD1               | O    |
| CM16,18,20-24      | O    | ME1-20                     | J    | WF1               | B    |
| CO1-16             | P    | MK1-46                     | O    | WN1               | E    |
| CRO-9              | J    | N1 - 22                    | O    | WR1-6,8,9,13-15   | F    |
| CT1-21             | J    | NE1 - 71                   | D    | WR7,10-12         | C    |
| CV1 - 47           | C    | NG1 - 34                   | B    | WS1,2,5,10        | C    |
| CV9,13             | B    | NN1 - 29                   | C    | WS3,4,6-9,11-15   | B    |
| CW1-10             | L    | NP7 - 44                   | F    | WV1-4,11-13 C     | O    |
| CW4,11,12          | B    | NR1 - 35                   | A    | WV5-10,14-16 F    | F    |
| DA1-18             | J    | NW1 - 11                   | O    | YO1 - 62 H        | H    |
| DE175              | B    | OL1 - 16                   | B    |                   |      |
| DH1-9              | D    | OX1-4,9,33,39,44,49        | O    |                   |      |
| DL1,2,5,12-17      | D    | OX5,7,15-20, 25-29         | C    |                   |      |
| DL6-11             | H    | OX10-14                    | M    |                   |      |
| DN1-12,14,17,21,22 | B    | PE1 - 38                   | A    |                   |      |
| DN15,16,18-20,2341 | A    | PL1 - 35                   | L    |                   |      |
| DT1-5,10,11        | M    | PO1-12,17-22               | N    |                   |      |
| DT6-9              | L    | PO30-41*                   | N    |                   |      |
| DY1 - 10           | C    | PR1 - 26                   | E    |                   |      |
| DY11 - 14          | F    | RG1 - 45                   | M    |                   |      |
| E1-19              | P    | RH1 - 20                   | N    |                   |      |
| E20                | O    | RM1 - 20                   | P    |                   |      |
| EC1                | O    | S1 - 81                    | B    |                   |      |
| EC2-4              | P    | SA1 - 73                   | F    |                   |      |
| EN1-10             | P    | SE1 - 28                   | J    |                   |      |
| EX1-39             | L    | SG1 - 19                   | O    |                   |      |
| FY1-8              | E    | SK1 - 23                   | B    |                   |      |
| GL1 - 56           | C    | SL0 - 9                    | M    |                   |      |
| GL14 - 19          | F    | SM1 - 7                    | N    |                   |      |
| GU1-47             | N    | SN1,11,25,26               | M    |                   |      |
| GY1-9*             | M    | SN12,13                    | L    |                   |      |
| HA0-9              | O    | SN14-16                    | C    |                   |      |
| HDI-9              | B    | SO14 - 53                  | M    |                   |      |
| HG1-5              | H    |                            |      |                   |      |

\*Off Shore destinations - delivery to agreed mainland port.

## Scotland

| Postcode Prefix                         | Zone        |
|-----------------------------------------|-------------|
| AB10-56                                 | Grampian    |
| DG1-16                                  | Dumfries    |
| DD1-11                                  | Tayside     |
| EH1-2, 4, 6-29, 31-42, 47-48, 50, 52-55 | Lothian     |
| EH3,5,30,49,51                          | Central     |
| EH43-46                                 | Borders     |
| FK1-21                                  | Central     |
| TD1-15                                  | Borders     |
| G1-84                                   | Strathclyde |
| IV1-63                                  | Highlands   |
| KA1-30                                  | Strathclyde |
| KY1-16                                  | Fife        |
| KW1-17                                  | Highlands   |
| ZE1-3                                   | Highlands   |
| ML1-12                                  | Strathclyde |
| HS1-9                                   | Highlands   |
| PA1-78                                  | Strathclyde |
| PH1-50                                  | Perthshire  |

For the latest product information  
and merchant support  
[www.arielplastics.com](http://www.arielplastics.com)

Speedwell Industrial Estate  
Staveley  
Derbyshire  
S43 3JP

Tel: 01246 281111  
Fax: 01246 561111  
Email: [info@arielplastics.com](mailto:info@arielplastics.com)

Blairlinn Road  
Cumbernauld  
Glasgow  
G67 2TF

Tel: 01236 725536  
Fax: 01236 725871  
Email: [scotland@arielplastics.com](mailto:scotland@arielplastics.com)



Orderline email:  
[sales@arielplastics.com](mailto:sales@arielplastics.com)

Ariel Plastics Customer Services:  
[APCustomerservices@arielplastics.com](mailto:APCustomerservices@arielplastics.com)



**Call us:**  
**01246 281111**

**Press #1**  
**for Sales**



**Press #2**  
**for our**  
**Cut to Size**  
**Ninja Experts**

All reasonable care has been taken in the compilation of the information contained within this price list. Ariel Plastics reserves the right to amend specifications and prices without prior notice.

All recommendations on the use of our products are made without guarantee as conditions of use are beyond the control of Ariel Plastics. It is the customer's responsibility to ensure that the product is fit for its intended purpose and that the actual conditions of use are suitable.