


# DART<sup>®</sup>

THE POWER OF PRECISION

PRODUCT CATALOGUE | 2017







## OUR MISSION

The DART mission is to increase market share in the power tool accessories industry by offering a serious alternative to leading brands at an affordable price. We achieve this by offering our customers **quality** products with a **reliable** service which provides **value** and **choice** in the marketplace that is unrivalled to none.

## OUR VISION

Our goal is for DART to be a brand that is the first choice by the user and requested by name.

### QUALITY PRODUCTS

All products come with a full no quibble guarantee.

### QUALITY SERVICES

High stocks and next day delivery ensure a superior service.

### QUALITY PERSONNEL

Highly motivated, trained staff ensures excellent after sales care.

### WASTE REDUCTION

Committed to recycling.

### ENVIRONMENTAL RESPONSIBILITY

All regulations meticulously maintained.

### PRODUCT SAFETY

All products come with user safety instructions.

### SAFETY AT WORK

Customer and staff safety is our top priority.





# CONTENTS

## DART POWER TOOL ACCESSORIES

Holesaws	20
HSS Twist Drills	25
Blacksmith Drills	31
Stub Drills	32
Auger Bits	33
Flat Bits	34
Countersink Bits	35
Step Drills	38
Tile/Glass Drills	39
Masonry Drills	40
SDS Drills	42
Circular Saw Blades	49
Reciprocating Blades	59
Jigsaw Blades	60
Hacksaw Blades	61
Planer Blades	62
Router Cutters	62
Knives	64
Forstner Bits	66

## DART CONDOR

Premium Double Magnetic Holder	70
Impact Driver Bits	71
Driver Bits	73
Angle Drivers	74
Chucks / Jointing Biscuits	75
Tape Measures	76

## DART RED TEN

Landscape Multipurpose Diamond Blades	80
BMI-10 Multipurpose Diamond Blades	81
SMI-7 Multipurpose Diamond Blades	82
BM-15 Professional Diamond Blades	83
SGP-15 High Performance Diamond Blades	84
MR-6 Mortar Raker Diamond Blades	85
DCD/Spiro Premium Dry Core Bits	86
Mini Diamond Porcelain Drills	88
ST-10 Super Thin Diamond Tile Blades	89
RT-10 Smooth Cut Diamond Ceramic Blades	90
SS/INOX Abrasive Disks	91

## DART NAILMASTER

1st Fix Nails & Gas	96
2nd Fix Nails & Gas	98

## DART HANDMAX

PU Glove	102
Orange Latex Builders Glove	104
Thermal Latex Glove	105
Thermal Plus Latex Glove	106
Foam Nitrile Glove	107
Nitrile Glove	108
Cut 3 PU Glove	109
Cut 4 PU Glove	110
Cut 5 PU Glove	111
Kevlar Dupont Latex Glove	112

## POINT OF SALE

Display Stands	116
----------------	-----



# DART IS ALL ABOUT PRECISION

DART's power tool accessories are designed precisely for performance. Engineered precisely for exceptional lifetime value, and backed by a service that's precision-tuned to meet your needs. That's what makes DART the right choice for thousands of users and resellers globally...


**THE POWER OF PRECISION®**



---

# AN UNRIVALLED RANGE AT A COMPETITIVE PRICE

DART delivers a portfolio of products that brings you an unrivalled range of high performance, great-value professional equipment – no matter which trade; from builders in the construction industry to highly skilled joiners and carpenters in the timber industry. All our power tool accessories have been carefully researched and selected to ensure enduring quality and state-of-the-art technology while remaining value for money. DART offers a serious alternative to leading brand products, at a competitive price.





# EXTREME STANDARDS IN QUALITY

Established close to a decade ago, DART has grown year on year, taking the industry by storm. The business is an independent company run by a proactive board of directors with a team consisting of industry experts who really understand how our power tool accessories are used.

By carefully managing our manufacturing process, we ensure extreme standards in quality, durability and choice, while remaining highly desirable in price; therefore delivering outstanding value to our customers. In addition, we provide easy on-line ordering, next day delivery and superb technical advice. Our aim is simple: to be a brand that will be a first choice by the user and requested by name.

---

“ Our approach is to create a product that’s both superior and more competitive than the leading brand in each key category. A standard has been set. DART hold the ISO9001 accreditation. We provide defect free products to our customers on time and within budget.”

**ROBERT PATERSON**  
Managing Director

# PRECISION ENGINEERED FOR PROJECT EFFICIENCY

Our products are designed for better functionality and engineered for a longer life. We have reached this by combining high quality raw materials with manufacturing expertise, pushing DART ahead of many other brands.

The accessories in our core range include products unique to DART. Manufactured to our precise specification, the DART brand is only available through our network of resellers. What's more, we have an unrivalled position in the market providing a portfolio of products under one brand, including the DART Condor range, the highly respected DART Red Ten professional diamond blades, the DART NailMaster brand and the DART Handmax range of gloves – providing you with a single source supplier for all your needs.

Our products are rarely the cheapest on the market, but they're consistently more affordable than other leading brands and they represent value for money. It's been proven that by choosing a DART product, there will be less machine down-time as the frequent need to change your accessory disappears. This, therefore, saves not only on money but also on time.








## HOW CAN DART HELP YOU?

DART's team, who work from our headquarters and satellite offices throughout the UK and Europe – is made up of experts who really understand how DART products can meet your needs. Together we share the same skills and trades associated with our industry – that's part of what makes us different.

We're highly responsive to what you, our customer, wants. From our product and industry knowledge to our service and aftercare, we can advise on every aspect and will always recommend what we believe to be right for you. And that in turn, means you can offer your customers exceptional quality, choice and value.

---

**IF WE DON'T HAVE  
WHAT YOU NEED,  
WE WILL SOON!**



---

At DART we're able to act fast – it's one of the advantages of being an independent, family-owned company. That means that if we foresee a need in the market – whether it's a particular item, size, quality or price point – we have the ability to respond quickly and source what is required.

We do this in a multitude of ways. We proactively keep in touch with the world around us whether it's the industry, economy or environment and we listen to feedback from people, like you. This data is then collated and communicated to our research and development team.

As a result, we can develop and deliver new products quickly and effectively, growing our range organically in response to what our customers really want and need.

---





# YOUR QUESTIONS ANSWERED

Got a question or need product advice?  
Don't hesitate to contact us at DART.  
Our aftercare is as important to us as  
any part of our service.

We provide a full aftercare support service  
offering both technical advice and solutions  
to your challenges. We can fix most of  
your queries efficiently and effectively  
by means of a short phone call or email.

We offer this service because we can –  
thanks to the depth of knowledge and  
experience shared by our team of  
skilled engineers.

Also, everything is covered by our no  
quibble guarantee so you can be assured  
that you're dealing with a company who  
really cares.





**DART®**

# ACCESSORIES RANGE

The DART range provides you with a choice of quality cutting and drilling accessories for use by the professional tradesman in the construction industries; including holesaws, circular saw blades and drill bits. The DART brand stands for quality, precision and longevity, and represents exceptional value in comparison with leading brand names.

# HSS PREMIUM COBALT BI-METAL HOLESAWS

Variable pitched premium  
8% cobalt holesaw for  
professional use



## FEATURES

Features a smooth and fast  
cutting action

Precision set teeth for  
aggressive material  
penetration and swarf  
clearance

38mm cutting depth

Will cut thin and thick  
gauge materials

Suitable for cutting  
aluminium, steel, stainless  
steel, brass, cast iron,  
wood and plastic

8% cobalt for resistance  
and long life

## PREMIUM HOLESAWS

Product Code	Size min	Product Code	Size min
<b>DPH014</b>	14	<b>DPH065</b>	65
<b>DPH016</b>	16	<b>DPH067</b>	67
<b>DPH017</b>	17	<b>DPH068</b>	68
<b>DPH019</b>	19	<b>DPH070</b>	70
<b>DPH020</b>	20	<b>DPH073</b>	73
<b>DPH021</b>	21	<b>DPH075</b>	75
<b>DPH022</b>	22	<b>DPH076</b>	76
<b>DPH024</b>	24	<b>DPH079</b>	79
<b>DPH025</b>	25	<b>DPH082</b>	82
<b>DPH027</b>	27	<b>DPH083</b>	83
<b>DPH029</b>	29	<b>DPH086</b>	86
<b>DPH030</b>	30	<b>DPH089</b>	89
<b>DPH032</b>	32	<b>DPH092</b>	92
<b>DPH033</b>	33	<b>DPH095</b>	95
<b>DPH035</b>	35	<b>DPH098</b>	98
<b>DPH038</b>	38	<b>DPH100</b>	100
<b>DPH040</b>	40	<b>DPH102</b>	102
<b>DPH041</b>	41	<b>DPH105</b>	105
<b>DPH043</b>	43	<b>DPH108</b>	108
<b>DPH044</b>	44	<b>DPH111</b>	111
<b>DPH045</b>	45	<b>DPH114</b>	114
<b>DPH046</b>	46	<b>DPH121</b>	121
<b>DPH048</b>	48	<b>DPH127</b>	127
<b>DPH050</b>	50	<b>DPH133</b>	133
<b>DPH051</b>	51	<b>DPH140</b>	140
<b>DPH052</b>	52	<b>DPH152</b>	152
<b>DPH054</b>	54	<b>DPH160</b>	160
<b>DPH055</b>	55	<b>DPH165</b>	165
<b>DPH056</b>	56	<b>DPH168</b>	168
<b>DPH057</b>	57	<b>DPH177</b>	177
<b>DPH060</b>	60	<b>DPH200</b>	200
<b>DPH062</b>	62	<b>DPH210</b>	210
<b>DPH064</b>	64		

## PREMIUM HOLESAW SETS

Product Code	Size min
<b>DPHK10</b>	19, 22, 29, 38, 44, 51, 57
<b>DPHK13</b>	16, 20, 25, 32, 40, 52, 64, 70, 82



## PREMIUM ARBORS

Product Code	Size mm	Shank Size mm
<b>DPA1</b>	14 - 30	9.5
<b>DPA2</b>	32 - 210	11



## SDS ARBORS

Product Code	Size min
<b>SDSDPA1</b>	14 - 30
<b>SDSDPA2</b>	32 - 210




## PILOT DRILLS

Product Code	Size min	Dia. mm	Quantity
<b>DAP75</b>	75	6.3	Pk. 5
<b>DAP83</b>	83	6.3	Pk. 5
<b>DAP90</b>	90	6.3	Pk. 5
<b>DAP104</b>	104	6.3	Pk. 5



## EXTENSION BARS

Product Code	Size
<b>DAEBA1</b>	12" (To fit A1 Arbor)
<b>DAEBA2</b>	12" (To fit A2 Arbor)



## EJECTOR SPRING

Product Code	Size min
<b>DAES50</b>	44



# HSS BI-METAL HOLESAWS

Variable pitched bi-metal  
holesaw for multi-use

## FEATURES

Features a smooth and fast  
cutting action

Aggressive material  
penetration and swarf  
clearance

38mm cutting depth

Will cut thin and thick  
gauge materials

Enhanced heat and wear  
resistance for greater  
product life

Suitable for cutting  
aluminium, steel, brass,  
cast iron, wood and plastic



## BI-METAL HOLESAWS

Product Code	Size min	Product Code	Size min
<b>DAH014</b>	14	<b>DAH067</b>	67
<b>DAH016</b>	16	<b>DAH068</b>	68
<b>DAH017</b>	17	<b>DAH070</b>	70
<b>DAH019</b>	19	<b>DAH073</b>	73
<b>DAH020</b>	20	<b>DAH075</b>	75
<b>DAH021</b>	21	<b>DAH076</b>	76
<b>DAH022</b>	22	<b>DAH079</b>	79
<b>DAH024</b>	24	<b>DAH082</b>	82
<b>DAH025</b>	25	<b>DAH083</b>	83
<b>DAH027</b>	27	<b>DAH086</b>	86
<b>DAH029</b>	29	<b>DAH089</b>	89
<b>DAH030</b>	30	<b>DAH092</b>	92
<b>DAH032</b>	32	<b>DAH095</b>	95
<b>DAH033</b>	33	<b>DAH098</b>	98
<b>DAH035</b>	35	<b>DAH100</b>	100
<b>DAH038</b>	38	<b>DAH102</b>	102
<b>DAH040</b>	40	<b>DAH105</b>	105
<b>DAH041</b>	41	<b>DAH108</b>	108
<b>DAH043</b>	43	<b>DAH111</b>	111
<b>DAH044</b>	44	<b>DAH114</b>	114
<b>DAH045</b>	45	<b>DAH121</b>	121
<b>DAH046</b>	46	<b>DAH127</b>	127
<b>DAH048</b>	48	<b>DAH133</b>	133
<b>DAH050</b>	50	<b>DAH140</b>	140
<b>DAH051</b>	51	<b>DAH146</b>	146
<b>DAH052</b>	52	<b>DAH152</b>	152
<b>DAH054</b>	54	<b>DAH160</b>	160
<b>DAH055</b>	55	<b>DAH165</b>	165
<b>DAH057</b>	57	<b>DAH168</b>	168
<b>DAH060</b>	60	<b>DAH177</b>	177
<b>DAH062</b>	62	<b>DAH200</b>	200
<b>DAH064</b>	64	<b>DAH210</b>	210

## BI-METAL HOLESAW SETS

Product Code	Size min
<b>DAHK10</b>	19, 22, 29, 38, 44, 51, 57
<b>DAHK13</b>	16, 20, 25, 32, 40, 52, 64, 70, 82



## ARBORS

Product Code	Size mm	Shank Size mm
<b>DAA1</b>	14 - 30	9.5
<b>DAA2</b>	32 - 210	11



## SDS ARBORS

Product Code	Size min
<b>SDSDAA1</b>	14 - 30
<b>SDSDAA2</b>	32 - 210



## PILOT DRILLS

Product Code	Size min	Dia. mm	Quantity
<b>DAP75</b>	75	6.3	Pk. 5
<b>DAP83</b>	83	6.3	Pk. 5
<b>DAP90</b>	90	6.3	Pk. 5
<b>DAP104</b>	104	6.3	Pk. 5



## EXTENSION BARS

Product Code	Size
<b>DAEBA1</b>	12 " (To Fit A1 Arbor)
<b>DAEBA2</b>	12 " (To Fit A2 Arbor)



## EJECTOR SPRING

Product Code	Size
<b>DAES50</b>	44



# TUNGSTEN CARBIDE TIPPED HOLESAWS

Professional holesaw with tough steel body and tungsten carbide tipped teeth which can be re-sharpened for extended life



## FEATURES

55mm cutting depth

Smooth cut, with minimal heat build-up

Designed for fast accurate drilling in machinable material up to 60mm thick

Suitable for cutting solid wood, laminate coated board, plywood, PVC, plasterboard, clay tile, hollow gauged brick and tiles up to a score hardness of 6

## TCT HOLESAWS

Product Code	Size min	Product Code	Size min
<b>TCH019</b>	19	<b>TCH064</b>	64
<b>TCH020</b>	20	<b>TCH065</b>	65
<b>TCH022</b>	22	<b>TCH068</b>	68
<b>TCH025</b>	25	<b>TCH070</b>	70
<b>TCH029</b>	29	<b>TCH073</b>	73
<b>TCH032</b>	32	<b>TCH076</b>	76
<b>TCH035</b>	35	<b>TCH079</b>	79
<b>TCH038</b>	38	<b>TCH083</b>	83
<b>TCH040</b>	40	<b>TCH086</b>	86
<b>TCH044</b>	44	<b>TCH089</b>	89
<b>TCH051</b>	51	<b>TCH092</b>	92
<b>TCH054</b>	54	<b>TCH102</b>	102
<b>TCH057</b>	57	<b>TCH127</b>	127
<b>TCH060</b>	60		

## ARBORS

Product Code	Size mm	Shank Size mm
<b>TCA1</b>	14 - 30	9.5
<b>TCA2</b>	32 - 127	11

# HSS COBALT TWIST DRILLS

Precision engineered steel drill bits, with 5% cobalt shaft, for use on tough materials and hard steel, including stainless steel



## FEATURES

Manufactured to DIN338 standards

135° split point tip for spot drilling without pre-centring

Reduced drilling pressure required

Excellent resistance to heat and wear

M35 shaft with 5% cobalt

Right hand cutting at 30°, Type N

Suitable for drilling sheet metal, non-ferrous metal, steel, stainless steel and cast iron

## HSS COBALT TWIST DRILL PACKS

Product Code	Size mm	Overall Length mm	Working Length mm	Qty
CHSS100	1.0	34	12	Pk. 10
CHSS150	1.5	40	18	Pk. 10
CHSS200	2.0	49	24	Pk. 10
CHSS240	2.4	57	30	Pk. 10
CHSS250	2.5	57	30	Pk. 10
CHSS300	3.0	61	33	Pk. 10
CHSS320	3.2	65	36	Pk. 10
CHSS330	3.3	65	36	Pk. 10
CHSS350	3.5	70	39	Pk. 10
CHSS380	3.8	75	43	Pk. 10
CHSS400	4.0	75	43	Pk. 10
CHSS420	4.2	75	43	Pk. 10
CHSS450	4.5	80	47	Pk. 10
CHSS480	4.8	86	52	Pk. 10
CHSS490	4.9	86	52	Pk. 10
CHSS500	5.0	86	52	Pk. 10
CHSS510	5.1	86	52	Pk. 10
CHSS520	5.2	86	52	Pk. 10

Product Code	Size mm	Overall Length mm	Working Length mm	Qty
CHSS530	5.3	86	52	Pk. 10
CHSS550	5.5	93	57	Pk. 10
CHSS590	5.9	93	57	Pk. 10
CHSS600	6.0	93	57	Pk. 10
CHSS650	6.5	101	63	Pk. 10
CHSS700	7.0	109	69	Pk. 10
CHSS750	7.5	109	69	Pk. 10
CHSS800	8.0	117	75	Pk. 10
CHSS850	8.5	117	75	Pk. 10
CHSS900	9.0	125	81	Pk. 10
CHSS950	9.5	125	81	Pk. 10
CHSS1000	10.0	133	87	Pk. 5
CHSS1050	10.5	133	87	Pk. 5
CHSS1100	11.0	142	94	Pk. 5
CHSS1150	11.5	142	94	Pk. 5
CHSS1200	12.0	151	101	Pk. 5
CHSS1250	12.5	151	101	Pk. 5
CHSS1300	13.0	151	101	Pk. 5

## HSS COBALT TWIST DRILL SETS

Product Code	Size mm	Quantity
CHSSSET19	19 Piece, 1-10mm (in ½ Increments)	1
CHSSSET25	25 Piece, 1-13mm (in ½ Increments)	1

# HSS GROUND TWIST DRILLS

Precision ground steel drill bits for a wide range of applications



## FEATURES

Manufactured to DIN338 standards

135° Split point tip for spot drilling without pre-centring

Ground cutting edge offers fast drilling and perfect finishing

Ground flute ensures fast chip removal

Right hand cutting at 30°, Type N

Industrial quality drill bits manufactured from high quality High Speed Steel and hardened for superb strength

Suitable for drilling cast iron, sheet metal, non-ferrous metal, steel, wood and PVC

## HSS GROUND TWIST DRILL PACKS (METRIC)

Product Code	Size mm	Overall Length mm	Working Length mm	Qty	Product Code	Size mm	Overall Length mm	Working Length mm	Qty
<b>BHSS100</b>	1.0	34	12	Pk. 10	<b>BHSS530</b>	5.3	86	52	Pk. 10
<b>BHSS150</b>	1.5	40	18	Pk. 10	<b>BHSS550</b>	5.5	93	57	Pk. 10
<b>BHSS200</b>	2.0	49	24	Pk. 10	<b>BHSS570</b>	5.7	93	57	Pk. 10
<b>BHSS250</b>	2.5	57	30	Pk. 10	<b>BHSS590</b>	5.9	93	57	Pk. 10
<b>BHSS280</b>	2.8	61	33	Pk. 10	<b>BHSS600</b>	6.0	93	57	Pk. 10
<b>BHSS300</b>	3.0	61	33	Pk. 10	<b>BHSS640</b>	6.4	101	63	Pk. 10
<b>BHSS320</b>	3.2	65	36	Pk. 10	<b>BHSS650</b>	6.5	101	63	Pk. 10
<b>BHSS330</b>	3.3	65	36	Pk. 10	<b>BHSS680</b>	6.8	109	63	Pk. 10
<b>BHSS350</b>	3.5	70	39	Pk. 10	<b>BHSS700</b>	7.0	109	69	Pk. 10
<b>BHSS360</b>	3.6	70	39	Pk. 10	<b>BHSS750</b>	7.5	109	69	Pk. 10
<b>BHSS370</b>	3.7	70	39	Pk. 10	<b>BHSS800</b>	8.0	117	75	Pk. 10
<b>BHSS380</b>	3.8	75	43	Pk. 10	<b>BHSS850</b>	8.5	117	75	Pk. 10
<b>BHSS400</b>	4.0	75	43	Pk. 10	<b>BHSS900</b>	9.0	125	81	Pk. 10
<b>BHSS410</b>	4.1	75	43	Pk. 10	<b>BHSS950</b>	9.5	125	81	Pk. 10
<b>BHSS420</b>	4.2	75	43	Pk. 10	<b>BHSS1000</b>	10.0	133	87	Pk. 5
<b>BHSS430</b>	4.3	80	47	Pk. 10	<b>BHSS1050</b>	10.5	133	87	Pk. 5
<b>BHSS450</b>	4.5	80	47	Pk. 10	<b>BHSS1100</b>	11.0	142	94	Pk. 5
<b>BHSS480</b>	4.8	86	52	Pk. 10	<b>BHSS1150</b>	11.5	142	94	Pk. 5
<b>BHSS490</b>	4.9	86	52	Pk. 10	<b>BHSS1200</b>	12.0	151	101	Pk. 5
<b>BHSS500</b>	5.0	86	52	Pk. 10	<b>BHSS1250</b>	12.5	151	101	Pk. 5
<b>BHSS520</b>	5.2	86	52	Pk. 10	<b>BHSS1300</b>	13.0	151	101	Pk. 5

## HSS GROUND TWIST DRILLS

Product Code	Size mm	Overall Length mm	Working Length mm	Qty
<b>SGTD100</b>	1.0	34	12	Pk. 2
<b>SGTD150</b>	1.5	40	18	Pk. 2
<b>SGTD200</b>	2.0	49	24	Pk. 2
<b>SGTD250</b>	2.5	57	30	Pk. 2
<b>SGTD300</b>	3.0	57	30	Pk. 1
<b>SGTD350</b>	3.5	65	36	Pk. 1
<b>SGTD400</b>	4.0	70	39	Pk. 1
<b>SGTD450</b>	4.5	75	43	Pk. 1

Product Code	Size mm	Overall Length mm	Working Length mm	Qty
<b>SGTD500</b>	5.0	80	47	Pk. 1
<b>SGTD550</b>	5.5	86	52	Pk. 1
<b>SGTD600</b>	6.0	93	57	Pk. 1
<b>SGTD650</b>	6.5	93	57	Pk. 1
<b>SGTD700</b>	7.0	109	69	Pk. 1
<b>SGTD750</b>	7.5	109	69	Pk. 1
<b>SGTD800</b>	8.0	117	75	Pk. 1
<b>SGTD850</b>	8.5	117	75	Pk. 1

Product Code	Size mm	Overall Length mm	Working Length mm	Qty
<b>SGTD900</b>	9.0	125	81	Pk. 1
<b>SGTD950</b>	9.5	125	81	Pk. 1
<b>SGTD1000</b>	10.0	133	87	Pk. 1
<b>SGTD1100</b>	11.0	142	94	Pk. 1
<b>SGTD1200</b>	12.0	151	101	Pk. 1
<b>SGTD1300</b>	13.0	151	101	Pk. 1



## HSS GROUND TWIST DRILL SETS (METRIC)

Product Code	Size mm	Quantity
<b>BHSSSET19</b>	19 Piece, 1 - 10 mm (in 1/2 increments)	1
<b>BHSSSET25</b>	25 Piece, 1 - 13 mm (in 1/2 increments)	1



## HSS GROUND TWIST DRILL PACKS (IMPERIAL)

Product Code	Size mm	Overall Length mm	Working Length mm	Qty
<b>IHSS0116</b>	1/16"	43	20	Pk. 10
<b>IHSS0564</b>	5/64"	49	24	Pk. 10
<b>IHSS0332</b>	3/32"	57	30	Pk. 10
<b>IHSS0764</b>	7/64"	61	33	Pk. 10
<b>IHSS0108</b>	1/8"	65	36	Pk. 10
<b>IHSS0964</b>	9/64"	70	39	Pk. 10
<b>IHSS0532</b>	5/32"	75	43	Pk. 10
<b>IHSS1164</b>	11/64"	80	47	Pk. 10
<b>IHSS0316</b>	3/16"	86	52	Pk. 10
<b>IHSS1364</b>	13/64"	86	52	Pk. 10
<b>IHSS0732</b>	7/32"	93	57	Pk. 10

Product Code	Size mm	Overall Length mm	Working Length mm	Qty
<b>IHSS1564</b>	15/64"	93	57	Pk. 10
<b>IHSS0104</b>	1/4"	101	63	Pk. 10
<b>IHSS1764</b>	17/64"	109	69	Pk. 10
<b>IHSS0932</b>	9/32"	109	69	Pk. 10
<b>IHSS1964</b>	19/64"	109	69	Pk. 10
<b>IHSS0516</b>	5/16"	117	75	Pk. 10
<b>IHSS2164</b>	21/64"	117	75	Pk. 10
<b>IHSS1132</b>	11/32"	125	81	Pk. 10
<b>IHSS2364</b>	23/64"	125	81	Pk. 10
<b>IHSS0308</b>	3/8"	125	81	Pk. 10
<b>IHSS2564</b>	25/64"	133	87	Pk. 5

Product Code	Size mm	Overall Length mm	Working Length mm	Qty
<b>IHSS1332</b>	13/32"	133	87	Pk. 5
<b>IHSS2764</b>	27/64"	142	94	Pk. 5
<b>IHSS0716</b>	7/16"	142	94	Pk. 5
<b>IHSS2964</b>	29/64"	142	94	Pk. 5
<b>IHSS1532</b>	15/32"	151	101	Pk. 5
<b>IHSS3164</b>	31/64"	151	101	Pk. 5
<b>IHSS0102</b>	1/2"	151	101	Pk. 5
<b>IHSS0916</b>	9/16"	169	114	Pk. 5
<b>IHSS0508</b>	5/8"	178	120	Pk. 5



HSS LONG SERIES GROUND TWIST DRILL PACKS

Product Code	Size mm	Overall Length mm	Working Length mm	Qty	Product Code	Size mm	Overall Length mm	Working Length mm	Qty	Product Code	Size mm	Overall Length mm	Working Length mm	Qty
LHSS200	2.0	85	56	Pk. 10	LHSS450	4.5	116	82	Pk. 10	LHSS800	8.0	165	109	Pk. 5
LHSS250	2.5	95	62	Pk. 10	LHSS490	4.9	132	87	Pk. 10	LHSS850	8.5	165	109	Pk. 5
LHSS300	3.0	100	66	Pk. 10	LHSS500	5.0	132	87	Pk. 10	LHSS900	9.0	170	115	Pk. 5
LHSS320	3.2	106	69	Pk. 10	LHSS550	5.5	139	91	Pk. 10	LHSS950	9.5	170	115	Pk. 5
LHSS350	3.5	112	73	Pk. 10	LHSS600	6.0	139	91	Pk. 10	LHSS1000	10.0	184	121	Pk. 5
LHSS380	3.8	119	78	Pk. 10	LHSS650	6.5	148	97	Pk. 10	LHSS1100	11.0	195	128	Pk. 5
LHSS400	4.0	119	78	Pk. 10	LHSS700	7.0	156	102	Pk. 10	LHSS1200	12.0	205	134	Pk. 5
LHSS420	4.2	119	78	Pk. 10	LHSS750	7.5	156	102	Pk. 5	LHSS1300	13.0	205	134	Pk. 5



HSS LONG SERIES GROUND TWIST DRILL SET

Product Code	Size mm	Quantity
LHSSSET19	19 Piece, 1-10mm (in ½ increments)	1



# M2 TIN COATED TWIST DRILLS

Precision ground M2 TiN coated steel drill bits for use on the toughest materials



## FEATURES

Manufactured to DIN338 standards

135° split point tip for spot drilling without pre-centring

Excellent resistance to heat and wear

Right hand cutting at 30°, Type N

Suitable for drilling sheet metal, non-ferrous metal, steel, stainless steel and cast iron

## M2 TIN COATED TWIST DRILL PACKS

Product Code	Size mm	Overall Length mm	Working Length mm	Qty
<b>THSS100</b>	1.0	34	12	Pk. 10
<b>THSS150</b>	1.5	40	18	Pk. 10
<b>THSS200</b>	2.0	49	24	Pk. 10
<b>THSS250</b>	2.5	57	30	Pk. 10
<b>THSS300</b>	3.0	57	30	Pk. 10
<b>THSS330</b>	3.3	61	33	Pk. 10
<b>THSS350</b>	3.5	65	36	Pk. 10
<b>THSS400</b>	4.0	70	39	Pk. 10
<b>THSS450</b>	4.5	75	43	Pk. 10
<b>THSS500</b>	5.0	80	47	Pk. 10
<b>THSS550</b>	5.5	86	52	Pk. 10
<b>THSS600</b>	6.0	93	57	Pk. 10
<b>THSS650</b>	6.5	93	57	Pk. 10
<b>THSS670</b>	6.7	101	63	Pk. 10

Product Code	Size mm	Overall Length mm	Working Length mm	Qty
<b>THSS700</b>	7.0	109	69	Pk. 10
<b>THSS750</b>	7.5	109	69	Pk. 10
<b>THSS800</b>	8.0	117	75	Pk. 10
<b>THSS850</b>	8.5	117	75	Pk. 10
<b>THSS900</b>	9.0	125	81	Pk. 10
<b>THSS950</b>	9.5	125	81	Pk. 10
<b>THSS1000</b>	10.0	133	87	Pk. 5
<b>THSS1050</b>	10.5	133	87	Pk. 5
<b>THSS1100</b>	11.0	142	94	Pk. 5
<b>THSS1150</b>	11.5	142	94	Pk. 5
<b>THSS1200</b>	12.0	151	101	Pk. 5
<b>THSS1250</b>	12.5	151	101	Pk. 5
<b>THSS1300</b>	13.0	151	101	Pk. 5

## HSS TIN COATED TWIST DRILL SETS

Product Code	Size mm	Quantity
<b>THSSSET19</b>	19 Piece, 1 - 10 mm (in ½ increments)	1
<b>THSSSET25</b>	25 Piece, 1 - 13 mm (in ½ increments)	1

# HSS ROLLED TWIST DRILLS

High speed steel drill bits for general purpose applications



## FEATURES

Manufactured to DIN338 standards

118° standard tip angle

Right hand cutting at 30°, Type N

Black finish

Suitable for drilling sheet metal, non-ferrous metal, iron, wood and PVC

## HSS ROLLED TWIST DRILL PACKS

Product Code	Size mm	Overall Length mm	Working Length mm	Qty
<b>HSS100</b>	1.0	34	12	Pk. 10
<b>HSS150</b>	1.5	40	18	Pk. 10
<b>HSS200</b>	2.0	49	24	Pk. 10
<b>HSS250</b>	2.5	57	30	Pk. 10
<b>HSS280</b>	2.8	61	33	Pk. 10
<b>HSS300</b>	3.0	61	33	Pk. 10
<b>HSS320</b>	3.2	65	36	Pk. 10
<b>HSS330</b>	3.3	65	36	Pk. 10
<b>HSS350</b>	3.5	70	39	Pk. 10
<b>HSS370</b>	3.7	70	39	Pk. 10
<b>HSS380</b>	3.8	75	43	Pk. 10
<b>HSS400</b>	4.0	75	43	Pk. 10
<b>HSS410</b>	4.1	75	43	Pk. 10
<b>HSS420</b>	4.2	75	43	Pk. 10
<b>HSS450</b>	4.5	80	47	Pk. 10
<b>HSS480</b>	4.8	86	52	Pk. 10
<b>HSS490</b>	4.9	86	52	Pk. 10
<b>HSS500</b>	5.0	86	52	Pk. 10
<b>HSS530</b>	5.3	86	52	Pk. 10
<b>HSS550</b>	5.5	93	57	Pk. 10

Product Code	Size mm	Overall Length mm	Working Length mm	Qty
<b>HSS570</b>	5.7	93	57	Pk. 10
<b>HSS590</b>	5.9	93	57	Pk. 10
<b>HSS600</b>	6.0	93	57	Pk. 10
<b>HSS650</b>	6.5	101	63	Pk. 10
<b>HSS680</b>	6.8	109	63	Pk. 10
<b>HSS700</b>	7.0	109	69	Pk. 10
<b>HSS750</b>	7.5	109	69	Pk. 10
<b>HSS770</b>	7.7	117	75	Pk. 10
<b>HSS800</b>	8.0	117	75	Pk. 10
<b>HSS850</b>	8.5	117	75	Pk. 10
<b>HSS900</b>	9.0	125	81	Pk. 10
<b>HSS950</b>	9.5	125	81	Pk. 10
<b>HSS1000</b>	10.0	133	87	Pk. 5
<b>HSS1050</b>	10.5	133	87	Pk. 5
<b>HSS1100</b>	11.0	142	94	Pk. 5
<b>HSS1150</b>	11.5	142	94	Pk. 5
<b>HSS1200</b>	12.0	151	101	Pk. 5
<b>HSS1250</b>	12.5	151	101	Pk. 5
<b>HSS1300</b>	13.0	151	101	Pk. 5

## HSS ROLLED TWIST DRILL SETS

Product Code	Size mm	Quantity
<b>HSSSET19</b>	19 Piece, 1 - 10 mm (in ½ Increments)	1
<b>HSSSET25</b>	25 Piece, 1 - 13 mm (in ½ Increments)	1

# BLACKSMITH DRILLS

Precision engineered HSS-G twist drills with reduced shank and split point for drilling



## FEATURES

Manufactured to DIN338 standards

Milled flute

135° Split point for spot drilling without pre-centring

Right hand cutting at 30°, Type N

Suitable for drilling cast iron, non-ferrous metals, sheet metal and PVC

## BLACKSMITH DRILLS

Product Code	Size mm	Overall Length mm	Working Length mm	Shank mm	Quantity
<b>BSD13010</b>	13.0	151	101	10	1
<b>BSD13510</b>	13.5	160	108	10	1
<b>BSD14010</b>	14.2	169	114	10	1
<b>BSD14510</b>	14.5	169	114	10	1
<b>BSD15010</b>	15.0	169	114	10	1
<b>BSD15510</b>	15.5	178	120	10	1
<b>BSD16010</b>	16.0	178	120	10	1
<b>BSD16513</b>	16.5	184	125	13	1
<b>BSD17013</b>	17.0	184	125	13	1
<b>BSD17513</b>	17.5	191	130	13	1
<b>BSD18013</b>	18.0	191	130	13	1
<b>BSD18513</b>	18.5	198	135	13	1
<b>BSD19013</b>	19.0	198	135	13	1
<b>BSD19513</b>	19.5	205	140	13	1
<b>BSD20013</b>	20.0	205	140	13	1
<b>BSD22013</b>	22.0	215	145	13	1
<b>BSD24013</b>	24.0	230	160	13	1
<b>BSD25013</b>	25.0	230	160	13	1

DART

CONDOR

RED TEN

NAILMASTER

HANDMAX

POINT OF SALE

# HSS GROUND STUB DRILLS

Precision ground stub drill bits for accurate drilling in sheet metal



## FEATURES

Manufactured to DIN1897 standards

135° Split point tip for spot drilling without pre-centring

Ground flute ensures fast chip removal

Ground cutting edge offers fast drilling and perfect finishing

Suitable for drilling sheet metal, cast iron, non-ferrous metal and steel.

## HSS GROUND STUB DRILL PACKS

Product Code	Size mm	Overall Length mm	Working Length mm	Quantity
<b>STB320</b>	3.20	49	18	Pk. 10
<b>STB330</b>	3.30	49	18	Pk. 10
<b>STB350</b>	3.50	52	20	Pk. 10
<b>STB400</b>	4.00	55	22	Pk. 10
<b>STB410</b>	4.10	55	22	Pk. 10
<b>STB420</b>	4.20	55	22	Pk. 10
<b>STB490</b>	4.90	62	26	Pk. 10
<b>STB500</b>	5.00	62	26	Pk. 10
<b>STB510</b>	5.10	62	26	Pk. 10



# AUGER BITS

Precision ground bit for fast clean drilling in all types of wood

## FEATURES

Threaded tip for self centring and self feeding

Flute geometry enables fast drilling

One main spur and one pre-cutting spur for accuracy

Available in Hex and SDS shanks

Smooth flute ensures chip removal without jamming

Suitable for drilling soft and hard woods – dry or wet



## AUGER BITS

Product Code	Size mm	Overall Length mm	Working Length mm	Product Code	Size mm	Overall Length mm	Working Length mm
<b>DAB0623</b>	6	230	170	<b>DAB2046</b>	20	460	370
<b>DAB0823</b>	8	230	170	<b>DAB2210</b>	22	100	57
<b>DAB0846</b>	8	460	370	<b>DAB2223</b>	22	230	170
<b>DAB1010</b>	10	100	57	<b>DAB2226</b>	22	260	200
<b>DAB1023</b>	10	230	170	<b>DAB2246</b>	22	460	370
<b>DAB1046</b>	10	460	370	<b>DAB2423</b>	24	230	170
<b>DAB1210</b>	12	100	57	<b>DAB2446</b>	24	460	370
<b>DAB1223</b>	12	230	170	<b>DAB2510</b>	25	100	57
<b>DAB1246</b>	12	460	370	<b>DAB2523</b>	25	230	170
<b>DAB1323</b>	13	230	170	<b>DAB2526</b>	25	260	200
<b>DAB1423</b>	14	230	170	<b>DAB2546</b>	25	460	370
<b>DAB1446</b>	14	460	370	<b>DAB2623</b>	26	230	170
<b>DAB1610</b>	16	100	57	<b>DAB2823</b>	28	230	170
<b>DAB1623</b>	16	230	170	<b>DAB2846</b>	28	460	370
<b>DAB1646</b>	16	460	370	<b>DAB3023</b>	30	230	170
<b>DAB1823</b>	18	230	170	<b>DAB3046</b>	30	460	370
<b>DAB1846</b>	18	460	370	<b>DAB3210</b>	32	100	57
<b>DAB1923</b>	19	230	170	<b>DAB3223</b>	32	230	170
<b>DAB1946</b>	19	460	370	<b>DAB3246</b>	32	460	370
<b>DAB2010</b>	20	100	57	<b>DAB3810</b>	38	100	57
<b>DAB2023</b>	20	230	170	<b>DAB3823</b>	38	230	170
<b>DAB2026</b>	20	260	200	<b>DAB3846</b>	38	460	370

## AUGER BIT SET

Product Code	Size mm
<b>DABSET236</b>	13,16, 18, 20, 22, 25 x 230



## SDS AUGER BITS

Product Code	Size mm	Overall Length mm	Working Length mm
<b>SDSDAB0623</b>	6	230	160
<b>SDSDAB0823</b>	8	230	160
<b>SDSDAB1023</b>	10	230	160
<b>SDSDAB1323</b>	13	230	160
<b>SDSDAB1623</b>	16	230	160
<b>SDSDAB2023</b>	20	230	160
<b>SDSDAB2223</b>	22	230	160
<b>SDSDAB2523</b>	25	230	160



# FLAT BITS

Precision engineered flat bit for fast and exact cutting



## FEATURES

Features double side spurs providing cleaner holes and reduces vibration

Designed to ensure faster and easier drilling

Side scoops optimises removal of wood chippings

Suitable for general use in drilling wood, plastic and plasterboard

## FLAT BITS

Product Code	Size mm	Overall Length mm	Working Length mm	Product Code	Size mm	Overall Length mm	Working Length mm
<b>DFB06</b>	6	152	45-50	<b>DFB24</b>	24	152	45-50
<b>DFB08</b>	8	152	45-50	<b>DFB25</b>	25	152	45-50
<b>DFB10</b>	10	152	45-50	<b>DFB28</b>	28	152	45-50
<b>DFB12</b>	12	152	45-50	<b>DFB30</b>	30	152	45-50
<b>DFB13</b>	13	152	45-50	<b>DFB32</b>	32	152	45-50
<b>DFB14</b>	14	152	45-50	<b>DFB34</b>	34	152	45-50
<b>DFB16</b>	16	152	45-50	<b>DFB35</b>	35	152	45-50
<b>DFB18</b>	18	152	45-50	<b>DFB36</b>	36	152	45-50
<b>DFB19</b>	19	152	45-50	<b>DFB38</b>	38	152	45-50
<b>DFB20</b>	20	152	45-50	<b>DFB40</b>	40	152	45-50
<b>DFB22</b>	22	152	45-50				

## FLAT BIT SETS

Product Code	Size mm
<b>DFB6SET</b>	10, 12, 16, 18, 20, 25
<b>DFB8SET</b>	10, 13, 16, 20, 22, 25, 32, 38

## LONG SERIES FLAT BITS

Product Code	Size mm	Overall Length mm	Working Length mm	Product Code	Size mm	Overall Length mm	Working Length mm
<b>DFBL08</b>	8	400	45-50	<b>DFBL20</b>	20	400	45-50
<b>DFBL10</b>	10	400	45-50	<b>DFBL22</b>	22	400	45-50
<b>DFBL12</b>	12	400	45-50	<b>DFBL24</b>	24	400	45-50
<b>DFBL14</b>	14	400	45-50	<b>DFBL25</b>	25	400	45-50
<b>DFBL16</b>	16	400	45-50	<b>DFBL32</b>	32	400	45-50
<b>DFBL18</b>	18	400	45-50	<b>DFBL38</b>	38	400	45-50

## FLAT BIT EXTENSION

Product Code	Size mm
<b>DFBE300</b>	300

# COUNTERSINK BITS - 90°

High speed ground deburring countersinks with three sharp 90° cutting edges for rapid swarf clearance



## FEATURES

Manufactured to DIN335C standards

HSS Ground with 3 90° cutting edges

Vibration free working

Suitable for use on sheet metal, cast iron, aluminium, non-ferrous metals and plastic

## COUNTERSINK BITS 90°, 3 FLUTED

Product Code	Size mm
CS3063	6.3
CS3083	8.3
CS3104	10.4
CS3124	12.4
CS3165	16.5
CS3205	20.5
CS3250	25.0
CS3310	31.0

## COUNTERSINK BIT 90°, 3 FLUTED SET

Product Code	Size mm
CS3SET6	6.3, 8.3, 10.4, 12.4, 16.5, 20.5

# COUNTERSINK BITS - 90° SLANTING HOLE

High speed ground steel bits with 90° slanting hole for a smooth, burr free finish



## FEATURES

HSS Ground with 90° slanting hole

Burr free

Vibration free working

Suitable for use on sheet metal, cast iron, aluminium, non-ferrous metals and plastic

## COUNTERSINK BITS - 90° SLANTING HOLE

Product Code	Size mm
<b>CSCH2-5</b>	2-5
<b>CSCH5-10</b>	5-10
<b>CSCH10-15</b>	10-15
<b>CSCH15-20</b>	15-20
<b>CSCH20-25</b>	20-25
<b>CSCH25-30</b>	25-30
<b>CSCH30-35</b>	30-35
<b>CSCH35-40</b>	35-40



## COUNTERSINK BITS - 90° SLANTING HOLE SET

Product Code	Size mm
<b>CSCHSET4</b>	2-5, 5-10, 10-15, 15-20

# QUICK CHANGE COUNTERSINKS

Countersink with a replaceable HSS drill that creates a sharp clean finish without burring



## FEATURES

Drill bit produces a pilot hole ahead of countersinking

Adjustable HSS drill that can be used for different length screws

Split point pilot drill for more accurate drilling

Quick change keyless operation

Heat treated for greater strength

Hex shank

Suitable for wood and PVC

## QUICK CHANGE COUNTERSINKS

Product Code	Drill Diameter mm	Screw No.	
		Softwood	Hardwood
<b>DCS04</b>	2.0 (5/64")	-	4
<b>DCS06</b>	2.5 (3/32")	6	-
<b>DCS08</b>	2.75 (7/64")	8	6
<b>DCS10</b>	3.25 (1/8")	10	8
<b>DCS12</b>	3.5 (9/64")	12	10

## QUICK CHANGE COUNTERSINK SET

Product Code	Drill Diameter mm
<b>DCSSET5</b>	2.0 (5/64"), 2.5 (3/32"), 2.75 (7/64"), 3.25 (1/8"), 3.5 (9/64")

## QUICK CHANGE COUNTERSINK REPLACEMENT DRILLS

Product Code	Size mm	Quantity
<b>DCSDB04</b>	2.0 (5/64")	Pk. 10
<b>DCSDB06</b>	2.5 (3/32")	Pk. 10
<b>DCSDB08</b>	2.75 (7/64")	Pk. 10
<b>DCSDB10</b>	3.25 (1/8")	Pk. 10
<b>DCSDB12</b>	3.5 (9/64")	Pk. 10

# STEP DRILLS

Precision engineered steel bits with straight or spiral flute tapered cutting edges allowing for de-burring or chamfering of the hole drilled



## FEATURES

HSS Ground with straight or spiral flute

Split point for spot drilling without pre-centring

Vibration free working

Suitable for use on sheet metal, stainless steel, cast iron, aluminium, non-ferrous metals and plastic

## STRAIGHT FLUTE STEP DRILLS

Product Code	Size mm
<b>SSTF094-12</b>	4-12 (9 steps)
<b>SSTF094-20</b>	4-20 (9 steps)
<b>SSTF144-30</b>	4-30 (14 steps)
<b>SSTF134-39</b>	4-39 (12 steps)
<b>SSTF126-37</b>	6-37 (13 steps)

## STRAIGHT FLUTE STEP DRILL SET

Product Code	Size mm
<b>SSTFSET3</b>	4-12, 4-20, 4-30

## SPIRAL FLUTE STEP DRILLS

Product Code	Size mm
<b>SSPF094-12</b>	4-12 (9 steps)
<b>SSPF094-20</b>	4-20 (9 steps)
<b>SSPF144-30</b>	4-30 (14 steps)
<b>SSPF134-39</b>	4-39 (13 steps)
<b>SSPF126-37</b>	6-37 (12 steps)

## SPIRAL FLUTE STEP DRILL SET

Product Code	Size mm
<b>SSPFSET3</b>	4-12, 4-20, 4-30

# TILE/GLASS DRILLS

Quality straight shank carbon steel drill bits for clean cutting



## FEATURES

Spear point, tungsten carbide bit heads

For use with portable drills

Best used at low rpm

Use water to cool when drilling. Failure to do so will result in premature wear and overheating

Suitable for drilling through glass, tiles, mirrors and ceramics

## TILE/GLASS DRILLS

Product Code	Size mm	Overall Length mm
<b>TDC05</b>	5	70
<b>TDC06</b>	6	75
<b>TDC07</b>	7	80
<b>TDC08</b>	8	80
<b>TDC10</b>	10	100



## TILE/GLASS DRILL SET

Product Code	Size mm
<b>TDCSET5</b>	5,6,7,8,10

# PREMIUM MASONRY DRILLS

Extra durable and long life multi-purpose masonry drills with sharp diamond ground cutting edges, reduces unnecessary time to change bits



## FEATURES

Manufactured to DIN8039 standard

Carbide tipped 130° point

Pointed main spur ensures accurate centring

Excellent resistance to heat

Not suitable for use with hammer action

Suitable for use on masonry, concrete, natural stone, ceramics, cast iron, aluminium, plastic and wood

## PREMIUM MASONRY DRILLS

Product Code	Size mm	Overall Length mm	Working Length mm
MUL03070	3.0	70	42
MUL04075	4.0	75	45
MUL05085	5.0	85	51
MUL05585	5.5	85	51
MUL060100	6.0	100	60
MUL065100	6.5	100	60
MUL070100	7.0	100	60
MUL080120	8.0	120	72
MUL090120	9.0	120	72
MUL100120	10.0	120	72
MUL060150	6.0	150	90
MUL065150	6.5	150	90
MUL070150	7.0	150	90
MUL110150	11.0	150	90
MUL120150	12.0	150	90
MUL050200	5.0	200	120
MUL055200	5.5	200	120
MUL060200	6.0	200	120
MUL065200	6.5	200	120
MUL070200	7.0	200	120
MUL080200	8.0	200	120
MUL100200	10.0	200	120
MUL120200	12.0	200	120
MUL080250	8.0	250	150
MUL100250	10.0	250	150
MUL120250	12.0	250	150

# MASONRY DRILLS

Precision engineered masonry drill bit for general purpose applications

## FEATURES

Manufactured to DIN8039 standards

Excellent resistance to heat

Carbide tipped 130° point

Suitable for use on masonry, concrete and stone.

Milled flute

For use on all brands of impact drills



## MASONRY DRILLS

Product Code	Size mm	Overall Length mm	Working Length mm
<b>MAS04075</b>	4.0	75	45
<b>MAS040100</b>	4.0	100	60
<b>MAS05085</b>	5.0	85	51
<b>MAS050100</b>	5.0	100	60
<b>MAS050150</b>	5.0	150	90
<b>MAS050200</b>	5.0	200	120
<b>MAS05585</b>	5.5	85	51
<b>MAS055150</b>	5.5	150	90
<b>MAS055200</b>	5.5	200	120
<b>MAS060100</b>	6.0	100	60
<b>MAS060150</b>	6.0	150	90
<b>MAS060200</b>	6.0	200	120
<b>MAS065100</b>	6.5	100	60
<b>MAS065150</b>	6.5	150	90
<b>MAS065200</b>	6.5	200	120
<b>MAS070100</b>	7.0	100	60
<b>MAS070150</b>	7.0	150	90
<b>MAS070200</b>	7.0	200	120
<b>MAS080120</b>	8.0	120	72
<b>MAS080150</b>	8.0	150	90
<b>MAS080200</b>	8.0	200	120
<b>MAS090120</b>	9.0	120	72
<b>MAS100120</b>	10.0	120	72
<b>MAS100150</b>	10.0	150	90
<b>MAS120150</b>	12.0	150	90
<b>MAS140150</b>	14.0	150	90

# PREMIUM SDS+ HAMMER DRILLS

High quality hammer masonry drills manufactured in Germany for the professional tradesman



## FEATURES

SDS+ shank

Carbide tip with special centring point for accurate drilling

Toothed carbide tip guides the drilling dust directly into the flute and increases the speed in Hex and SDS shanks

Certified by the Prüfgemeinschaft Mauerbohrer (PGM)

Suitable for rapid drilling in masonry and the hardest concrete or granite

## PREMIUM SDS+ HAMMER DRILLS

Product Code	Size mm	Overall Length mm	Working Length mm	Product Code	Size mm	Overall Length mm	Working Length mm
<b>GSDS05011</b>	5.0	115	50	<b>GSDS12026</b>	12.0	265	200
<b>GSDS05016</b>	5.0	165	100	<b>GSDS12031</b>	12.0	315	250
<b>GSDS05021</b>	5.0	215	150	<b>GSDS12045</b>	12.0	465	400
<b>GSDS05511</b>	5.5	115	50	<b>GSDS12060</b>	12.0	615	550
<b>GSDS05516</b>	5.5	165	100	<b>GSDS120100</b>	12.0	1005	950
<b>GSDS05521</b>	5.5	215	150	<b>GSDS14016</b>	14.0	165	100
<b>GSDS06011</b>	6.0	115	50	<b>GSDS14021</b>	14.0	215	150
<b>GSDS06016</b>	6.0	165	100	<b>GSDS14026</b>	14.0	265	200
<b>GSDS06021</b>	6.0	215	150	<b>GSDS14031</b>	14.0	315	250
<b>GSDS06026</b>	6.0	265	200	<b>GSDS14045</b>	14.0	465	400
<b>GSDS06516</b>	6.5	165	100	<b>GSDS14060</b>	14.0	615	550
<b>GSDS06521</b>	6.5	215	150	<b>GSDS140100</b>	14.0	1005	950
<b>GSDS07011</b>	7.0	115	50	<b>GSDS16021</b>	16.0	215	150
<b>GSDS07016</b>	7.0	165	100	<b>GSDS16031</b>	16.0	315	250
<b>GSDS07021</b>	7.0	215	150	<b>GSDS16045</b>	16.0	465	400
<b>GSDS08016</b>	8.0	165	100	<b>GSDS16060</b>	16.0	615	550
<b>GSDS08021</b>	8.0	215	150	<b>GSDS160100</b>	16.0	1005	950
<b>GSDS08026</b>	8.0	265	200	<b>GSDS18020</b>	18.0	200	150
<b>GSDS08031</b>	8.0	315	250	<b>GSDS18045</b>	18.0	450	400
<b>GSDS10016</b>	10.0	165	100	<b>GSDS20020</b>	20.0	200	150
<b>GSDS10021</b>	10.0	215	150	<b>GSDS20031</b>	20.0	315	250
<b>GSDS10026</b>	10.0	265	200	<b>GSDS20045</b>	20.0	450	400
<b>GSDS10031</b>	10.0	315	250	<b>GSDS20060</b>	20.0	600	550
<b>GSDS10045</b>	10.0	65	400	<b>GSDS200100</b>	20.0	1000	950
<b>GSDS10060</b>	10.0	615	550	<b>GSDS22045</b>	22.0	450	400
<b>GSDS100100</b>	10.0	1005	950	<b>GSDS25045</b>	25.0	450	400
<b>GSDS12016</b>	12.0	165	100	<b>GSDS250100</b>	25.0	1000	950
<b>GSDS12021</b>	12.0	215	150				



The drill bits bear the test mark from Prüfgemeinschaft Mauerbohrer e.V. (masonry drill bit testing association) (PGM). The PGM test mark guarantees compliance with tighter tolerances.

The PGM seal:

- The guarantor for good hammer drill bits
- The guarantor for exact drill holes
- The guarantor for firm hold of fixings

# SUPER FLUTE SDS+ HAMMER DRILLS

Hardened steel hammer masonry drills for general purpose applications



## FEATURES

SDS+ shank

Super flute spiral aids consistent drilling speed and efficient debris removal

Special centring tip for accurate drilling

Tungsten carbide tipped for longer life

Hardened steel body for extra strength and reduced breakage

Suitable for masonry, concrete and stone

## SUPER FLUTE SDS+ HAMMER DRILLS

Product Code	Size mm	Overall Length mm	Working Length mm	Product Code	Size mm	Overall Length mm	Working Length mm
<b>MSDS04016</b>	4.0	160	100	<b>MSDS12046</b>	12.0	460	400
<b>MSDS05011</b>	5.0	110	50	<b>MSDS12060</b>	12.0	600	550
<b>MSDS05016</b>	5.0	160	100	<b>MSDS120100</b>	12.0	1000	950
<b>MSDS05511</b>	5.5	110	50	<b>MSDS14016</b>	14.0	160	100
<b>MSDS05516</b>	5.5	160	100	<b>MSDS14021</b>	14.0	210	150
<b>MSDS05521</b>	5.5	210	150	<b>MSDS14026</b>	14.0	260	200
<b>MSDS06011</b>	6.0	110	50	<b>MSDS14046</b>	14.0	460	400
<b>MSDS06016</b>	6.0	160	100	<b>MSDS140100</b>	14.0	1000	950
<b>MSDS06021</b>	6.0	210	150	<b>MSDS15046</b>	15.0	460	400
<b>MSDS06026</b>	6.0	260	200	<b>MSDS16016</b>	16.0	160	100
<b>MSDS06516</b>	6.5	160	100	<b>MSDS16021</b>	16.0	210	150
<b>MSDS06521</b>	6.5	210	150	<b>MSDS16046</b>	16.0	460	400
<b>MSDS06526</b>	6.5	260	200	<b>MSDS16060</b>	16.0	600	550
<b>MSDS07011</b>	7.0	110	50	<b>MSDS160100</b>	16.0	1000	950
<b>MSDS07016</b>	7.0	160	100	<b>MSDS18021</b>	18.0	210	150
<b>MSDS07021</b>	7.0	210	150	<b>MSDS18046</b>	18.0	460	400
<b>MSDS08016</b>	8.0	160	100	<b>MSDS20021</b>	20.0	210	150
<b>MSDS08021</b>	8.0	210	150	<b>MSDS20046</b>	20.0	460	400
<b>MSDS08026</b>	8.0	260	200	<b>MSDS20060</b>	20.0	600	550
<b>MSDS10016</b>	10.0	160	100	<b>MSDS200100</b>	20.0	1000	950
<b>MSDS10021</b>	10.0	210	150	<b>MSDS22046</b>	22.0	460	400
<b>MSDS10026</b>	10.0	260	200	<b>MSDS220100</b>	22.0	1000	950
<b>MSDS10046</b>	10.0	460	400	<b>MSDS25046</b>	25.0	460	400
<b>MSDS10060</b>	10.0	600	550	<b>MSDS25060</b>	25.0	600	950
<b>MSDS100100</b>	10.0	1000	950	<b>MSDS250100</b>	25.0	1000	950
<b>MSDS12016</b>	12.0	160	100	<b>MSDS28046</b>	28.0	460	400
<b>MSDS12021</b>	12.0	210	150	<b>MSDS30046</b>	30.0	460	400
<b>MSDS12026</b>	12.0	260	200	<b>MSDS32046</b>	32.0	460	400

DART

CONDOR

RED TEN

NAILMASTER

HANDMAX

POINT OF SALE

SDS+ HAMMER DRILL SETS

Product Code	Size mm
SDSSET5	5.5x110, 6.0x110, 7.0x160, 8.0x160, 10.0x160
SDSSET11	10.0x210, 12.0x210, 10.0x450, 12.0x450 16.0x450, 20.0x450



SDS+ HAMMER CHISEL BITS

Product Code	Size mm
SDSPP25	250 Pointed
SDSP2025	20 x 250 Flat
SDSP4025	40 x 250 Spade



## PREMIUM SDS MAX HAMMER DRILL BITS

Product Code	Size mm	Overall Length mm	Working Length mm	Product Code	Size mm	Overall Length mm	Working Length mm
<b>SDSGX2032</b>	20	320	200	<b>SDSGX2857</b>	28	570	450
<b>SDSGX2232</b>	22	320	200	<b>SDSGX3057</b>	30	570	450
<b>SDSGX2432</b>	24	320	200	<b>SDSGX3257</b>	32	570	450
<b>SDSGX2532</b>	25	320	200	<b>SDSGX3557</b>	35	570	450
<b>SDSGX1234</b>	12	340	200	<b>SDSGX3857</b>	38	570	450
<b>SDSGX1434</b>	14	340	200	<b>SDSGX4057</b>	40	570	450
<b>SDSGX1634</b>	16	340	200	<b>SDSGX4557</b>	45	570	450
<b>SDSGX1834</b>	18	340	200	<b>SDSGX5057</b>	50	570	450
<b>SDSGX2837</b>	28	370	250	<b>SDSGX3567</b>	35	670	550
<b>SDSGX3037</b>	30	370	250	<b>SDSGX2092</b>	20	920	800
<b>SDSGX3237</b>	32	370	250	<b>SDSGX2292</b>	22	920	800
<b>SDSGX3537</b>	35	370	250	<b>SDSGX2592</b>	25	920	800
<b>SDSGX3837</b>	38	370	250	<b>SDSGX3292</b>	32	920	800
<b>SDSGX4037</b>	40	370	250	<b>SDSGX4092</b>	40	920	800
<b>SDSGX2052</b>	20	520	400	<b>SDSGX4592</b>	45	920	800
<b>SDSGX2252</b>	22	520	400	<b>SDSGX1694</b>	16	940	800
<b>SDSGX2452</b>	24	520	400	<b>SDSGX1894</b>	18	940	800
<b>SDSGX2552</b>	25	520	400	<b>SDSGX20132</b>	20	1320	1200
<b>SDSGX1254</b>	12	540	400	<b>SDSGX22132</b>	22	1320	1200
<b>SDSGX1454</b>	14	540	400	<b>SDSGX25132</b>	25	1320	1200
<b>SDSGX1654</b>	16	540	400	<b>SDSGX32132</b>	32	1320	1200
<b>SDSGX1854</b>	18	540	400	<b>SDSGX40132</b>	40	1320	1200



## SDS MAX HAMMER CHISEL BITS

Product Code	Size mm
<b>SDSMP28</b>	280 Pointed
<b>SDSMP40</b>	400 Pointed
<b>SDSMP60</b>	600 Pointed
<b>SDSM2528</b>	25 x 280 Flat
<b>SDSM2540</b>	25 x 400 Flat
<b>SDSM2560</b>	25 x 600 Flat
<b>SDSM5040</b>	50 x 400 Spade
<b>SDSM8030</b>	80 x 300 Spade
<b>SDSM11535</b>	115 x 350 Spade



DART

CONDOR


RED TEN

NAILMASTER

HANDMAX

POINT OF SALE

# KNOW YOUR DART BLADE



# CIRCULAR SAW BLADE CUT TYPE

## WOOD - COARSE FINISH

These blades have between 16 and 20 teeth for smaller blades and 28 teeth for blades with a diameter greater than 190mm. Suitable for ripping through woods such as softwood, hardwood and plywood.



## WOOD - MEDIUM FINISH

These blades have between 20 and 28 teeth for small blades and 40 teeth for blades with a diameter greater than 190mm. Suitable for cutting through woods such as softwood, hardwood and plywood.



## WOOD - FINE FINISH

These blades have between 40 and 80 teeth; 40 teeth for blades with a diameter of up to 190mm, 60 teeth for 210-260mm diameter and 80 teeth for blades with a larger diameter. Suitable for cutting through woods such as softwood, hardwood, particle board, MDF, single-sided wood laminates, hardboard and plywood.



## WOOD - EXTRA FINE FINISH

These blades have between 60 and 100 teeth; 60 teeth for blades with a diameter of up to 190mm, 80 teeth for 210-260mm diameter and 100 teeth for blades with a larger diameter. Use for an extra fine finish cut through woods such as softwood, hardwood, particle board, MDF, wood laminates, hardboard and plywood.



## ALU/PLASTIC/LAMINATES - FINE FINISH

These Blades have Triple Chip Tooth configurations and have between 40 and 100 teeth. Suitable for cutting non-ferrous metals including aluminium, plastic and wood laminates.



## TOOTH TYPE KEY

### ATB TOOTH

Suitable for most applications including rip saws and table saws.

### ATB NEG TOOTH

Suitable for use on mitre saws and chop saws. Minimises snatching and pick up of material.


### ATB 30° TOOTH

Suitable for laminate material to reduce damage to the surface. Fast cut.


### TCG TOOTH

Suitable for materials such as aluminium, plastic, wood laminates and other manmade materials. Leaves a chip-free finish due to its bevelled corner tooth which cuts first followed by a flat top tooth.


ATB Tooth Form



ATB Neg Tooth Form



TCG Tooth Form



## BLADE PERFORMANCE RATING

PERFORMANCE RATING: EXCELLENT ■ GOOD ■ FAIR ■

TEETH	TYPE	MATERIAL	NATURAL WOOD FAST CUT	NATURAL WOOD MEDIUM CUT	NATURAL WOOD FINE CUT	NATURAL WOOD	PLYWOOD FINE CUT	LAMINATED CHIPBOARD/ MDF	EXTRUDED ALUMINIUM PLASTIC LAMINATES
16-24	ATB	Wood	■	■	■				
28-32	ATB	Wood	■	■	■	■	■		
40	ATB	Wood	■	■	■	■	■	■	
40	ATB NEG	Wood		■	■	■			
60	ATB	Wood	■	■	■	■	■	■	
60	ATB30°	Wood		■	■	■	■	■	
60	ATB NEG	Wood		■	■	■			
80	ATB	Wood		■	■	■	■	■	
80	ATB30°	Wood		■	■	■	■	■	
100	ATB	Wood			■	■	■	■	
100	ATB NEG	Wood		■	■	■			
40-60	TFZ/T.CHIP	Alu/Plastic/Laminates			■			■	■
80	TFZ/T.CHIP	Alu/Plastic/Laminates			■			■	■
100	TFZ/T.CHIP	Alu/Plastic/Laminates			■			■	■

# GOLD TCT WOOD SAW BLADES – THIN KERF

Professional TCT Thin Kerf blades designed for cordless machines to reduce power drain



## CUT TYPE

- WOOD – Coarse Finish    ■ WOOD – Medium Finish
- WOOD – Fine Finish    ■ WOOD – Extra Fine Finish
- ALU/PLASTIC/LAMINATES – Fine Finish

## FEATURES

Quality blades featuring an Alternate Top Bevel (ATB) tooth configuration for the professional tradesman

Unique 'Gold' coating creates ultra low friction and wear resistance

Reamed bore ensures precise fit to spindle

Front bevel tooth form for a superior quality of cut

Suitable for use on rip saws

Anti-kickback for smooth action & safety during use

Body hardened and tempered to maintain trueness

Range includes blades from 120mm to 190mm diameter for coarse cutting through to fine cutting

Suitable for cutting softwood, hardwood, particle board, MDF, hardboard and plywood

Reducing rings available

## GOLD TCT WOOD BLADES – THIN KERF

Product Code	Diameter	Bore	Teeth	Kerf	Body	Type	Cut Type
<b>STK1202028</b>	120	20	28	1.8	1.2	ATB	<span style="color: pink;">■</span>
<b>STK1361020</b>	136	10	20	1.5	1.0	ATB	<span style="color: pink;">■</span>
<b>STK1362020</b>	136	20	20	1.5	1.0	ATB	<span style="color: pink;">■</span>
<b>STK1501016</b>	150	10	16	1.5	1.0	ATB	<span style="color: yellow;">■</span>
<b>STK1602024</b>	160	20	24	1.5	1.0	ATB	<span style="color: pink;">■</span>
<b>STK1602040</b>	160	20	40	1.6	1.0	ATB	<span style="color: blue;">■</span>
<b>STK1602060</b>	160	20	60	1.6	1.0	ATB	<span style="color: green;">■</span>
<b>STK1651016</b>	165	10	16	1.5	1.0	ATB	<span style="color: yellow;">■</span>
<b>STK1651024</b>	165	10	24	1.6	1.0	ATB	<span style="color: pink;">■</span>
<b>STK1651624</b>	165	16	24	1.6	1.0	ATB	<span style="color: pink;">■</span>
<b>STK1652012</b>	165	20	12	1.6	1.0	ATB	<span style="color: yellow;">■</span>
<b>STK1652024</b>	165	20	24	1.6	1.0	ATB	<span style="color: pink;">■</span>
<b>STK1652040</b>	165	20	40	1.6	1.0	ATB	<span style="color: blue;">■</span>
<b>STK1653024</b>	165	30	24	1.6	1.0	ATB	<span style="color: pink;">■</span>
<b>STK1653036</b>	165	30	36	1.6	1.0	ATB	<span style="color: blue;">■</span>
<b>STK1841620</b>	184	16	20	1.6	1.0	ATB	<span style="color: yellow;">■</span>
<b>STK1841628</b>	184	16	28	1.6	1.0	ATB	<span style="color: pink;">■</span>
<b>STK1841640</b>	184	16	40	1.6	1.0	ATB	<span style="color: blue;">■</span>
<b>STK1842024</b>	184	20	24	1.6	1.0	ATB	<span style="color: pink;">■</span>
<b>STK1842036</b>	184	20	36	1.6	1.0	ATB	<span style="color: blue;">■</span>
<b>STK1901628</b>	190	16	28	1.6	1.0	ATB	<span style="color: pink;">■</span>
<b>STK1901640</b>	190	16	40	1.6	1.0	ATB	<span style="color: blue;">■</span>



Expansion Slots



Axial Front Shear Cutting Angle



Ventilation Ports



Embedded Tungsten Tip



Hardened Steel Saw Blade



Chip Limiter Tooth

# GOLD TCT WOOD SAW BLADES

Professional TCT blades featuring an Alternate Top Bevel (ATB) tooth configuration for a professional finish and long cutting life



## CUT TYPE

- WOOD – Coarse Finish    ■ WOOD – Medium Finish
- WOOD – Fine Finish    ■ WOOD – Extra Fine Finish
- ALU/PLASTIC/LAMINATES – Fine Finish

## FEATURES

Unique 'Gold' coating creates ultra low friction and wear resistance

Reamed bore ensures precise fit to spindle

Front bevel tooth form for a superior quality of cut

Cooling slots to negate heat build up. Ideal for continuous use

Cooling slots also assist in clearing swarf

Body hardened and tempered to maintain trueness

Range includes blades from 150mm to 305mm diameter for coarse cutting through to fine cutting

Suitable for cutting softwood, hardwood, particle board, MDF, hardboard and plywood

Reducing rings available

## GOLD TCT WOOD BLADES

Product Code	Diameter	Bore	Teeth	Kerf	Body	Type	Cut Type
<b>DES1502028</b>	150	20	28	2.6	1.8	ATB	<span style="color: pink;">■</span>
<b>DES1602020</b>	160	20	20	2.6	1.8	ATB	<span style="color: yellow;">■</span>
<b>DES1602028</b>	160	20	28	2.6	1.8	ATB	<span style="color: pink;">■</span>
<b>DES1602040</b>	160	20	40	2.6	1.8	ATB	<span style="color: blue;">■</span>
<b>DES1602048</b>	160	20	48	2.2	1.6	ATB +5°	<span style="color: blue;">■</span>
<b>DES1602060</b>	160	20	60	2.6	1.8	ATB	<span style="color: green;">■</span>
<b>SLC1602060</b>	160	20	60	2.6	1.8	ATB 30°	<span style="color: green;">■</span>
<b>DES1803024</b>	180	30	24	2.8	2.0	ATB	<span style="color: pink;">■</span>
<b>DES1803040</b>	180	30	40	2.8	2.0	ATB	<span style="color: blue;">■</span>
<b>SLC1803060</b>	180	30	60	2.6	1.8	ATB 30°	<span style="color: green;">■</span>
<b>DES1843028</b>	184	30	28	2.8	2.0	ATB	<span style="color: pink;">■</span>
<b>DES1843040</b>	184	30	40	2.8	2.0	ATB	<span style="color: blue;">■</span>
<b>DES1902028</b>	190	20	28	2.8	2.0	ATB	<span style="color: pink;">■</span>
<b>DES1902040</b>	190	20	40	2.8	2.0	ATB	<span style="color: pink;">■</span>
<b>DES1903020</b>	190	30	20	2.8	2.0	ATB	<span style="color: yellow;">■</span>
<b>DES1903028</b>	190	30	28	2.8	2.0	ATB	<span style="color: pink;">■</span>
<b>DES1903040</b>	190	30	40	2.8	2.0	ATB	<span style="color: blue;">■</span>
<b>DES1903048</b>	190	30	48	2.8	2.0	ATB	<span style="color: blue;">■</span>
<b>DES1903060</b>	190	30	60	2.8	2.0	ATB	<span style="color: green;">■</span>
<b>SLC1903060</b>	190	30	60	2.8	2.0	ATB 30°	<span style="color: green;">■</span>
<b>DES2103028</b>	210	30	28	2.8	2.0	ATB	<span style="color: yellow;">■</span>
<b>DES2103040</b>	210	30	40	2.8	2.0	ATB	<span style="color: pink;">■</span>
<b>DES2103048</b>	210	30	48	2.8	2.0	ATB	<span style="color: blue;">■</span>
<b>DES2103060</b>	210	30	60	2.8	2.0	ATB	<span style="color: blue;">■</span>
<b>SSK2163028</b>	216	30	28	2.8	2.0	ATB	<span style="color: yellow;">■</span>
<b>SSK2163040</b>	216	30	40	2.8	2.0	ATB	<span style="color: pink;">■</span>
<b>SNA2163040</b>	216	30	40	2.8	2.0	ATB neg.	<span style="color: pink;">■</span>
<b>SSK2163060</b>	216	30	60	2.8	2.0	ATB	<span style="color: blue;">■</span>
<b>SNA2163060</b>	216	30	60	2.8	2.0	ATB neg.	<span style="color: blue;">■</span>
<b>SSK2163080</b>	216	30	80	2.8	2.0	ATB	<span style="color: green;">■</span>



## GOLD TCT WOOD BLADES (CONT.)

Product Code	Diameter	Bore	Teeth	Kerf	Body	Type	Cut Type
<b>DES2253028</b>	225	30	28	2.8	2.0	ATB	■
<b>DES2253040</b>	225	30	40	2.8	2.0	ATB	■
<b>SLC2253060</b>	225	30	60	2.8	2.0	ATB 30°	■
<b>DES2303018</b>	230	30	18	2.8	2.0	ATB	■
<b>DES2303028</b>	230	30	28	2.8	2.0	ATB	■
<b>DES2303040</b>	230	30	40	2.8	2.0	ATB	■
<b>DES2303048</b>	230	30	48	2.8	2.0	ATB	■
<b>DES2303060</b>	230	30	60	2.8	2.0	ATB	■
<b>DES2353028</b>	235	30	28	2.8	2.0	ATB	■
<b>DES2353040</b>	235	30	40	2.8	2.0	ATB	■
<b>DES2353060</b>	235	30	60	2.8	2.0	ATB	■
<b>SLC2353080</b>	235	30	80	3.0	2.2	ATB 30°	■
<b>DES2403028</b>	240	30	28	2.8	2.0	ATB	■
<b>DES2403040</b>	240	30	40	2.8	2.0	ATB	■
<b>SLC2403060</b>	240	30	60	2.8	2.0	ATB 30°	■
<b>SSK2503028</b>	250	30	28	2.8	2.0	ATB	■
<b>SSK2503040</b>	250	30	40	2.8	2.0	ATB	■
<b>SSK2503060</b>	250	30	60	2.8	2.0	ATB	■
<b>SNA2503060</b>	250	30	60	2.8	2.0	ATB neg.	■
<b>SSK2503080</b>	250	30	80	2.8	2.0	ATB	■
<b>SSK25030100</b>	250	30	100	2.8	2.0	ATB	■
<b>SSK2603048</b>	260	30	48	2.8	2.0	ATB	■
<b>SSK2603060</b>	260	30	60	2.8	2.0	ATB	■
<b>SNA2603060</b>	260	30	60	2.8	2.0	ATB neg.	■
<b>SSK3003024</b>	300	30	24	3.0	2.0	ATB	■
<b>SSK3003048</b>	300	30	48	3.0	2.0	ATB	■
<b>SSK3003060</b>	300	30	60	3.0	2.0	ATB	■
<b>SSK3003080</b>	300	30	80	3.0	2.0	ATB	■
<b>SSK3053032</b>	305	30	32	3.0	2.0	ATB	■
<b>SSK3053060</b>	305	30	60	3.0	2.0	ATB	■
<b>SSK3053096</b>	305	30	96	3.0	2.0	ATB	■
<b>SNA30530100</b>	305	30	100	3.0	2.0	ATB neg.	■



Expansion Slots



Axial Front Shear Cutting Angle



Ventilation Ports



Embedded Tungsten Tip



Hardened Steel Saw Blade



Chip Limiter Tooth

## CUT TYPE

- WOOD – Coarse Finish    ■ WOOD – Medium Finish
- WOOD – Fine Finish    ■ WOOD – Extra Fine Finish
- ALU/PLASTIC/LAMINATES – Fine Finish

# GOLD TCT ALUMINIUM/PLASTIC/LAMINATE SAW BLADES

Professional TCT blades featuring a Triple Chip Grind (TCG) tooth configuration for a professional finish and long cutting life

## FEATURES

Unique 'Gold' coating creates ultra low friction and wear resistance

Reamed bore ensures precise fit to spindle

Negative tooth angle for superior quality of cut

Body hardened and tempered to maintain trueness

Range includes blades from 120mm to 300mm diameter with 40 teeth to 100 teeth

Suitable for cutting non-ferrous metals including aluminium, plastic and wood laminates

Reducing rings available

## GOLD TCT ALUMINIUM/PLASTIC/LAMINATE BLADES

Product Code	Diameter	Bore	Teeth	Kerf	Body	Type	Cut Type
<b>SNT1202040</b>	120	20	40	1.8	1.2	TCG	■
<b>SNT1502040</b>	150	20	40	2.4	1.8	TCG	■
<b>SNT1602048</b>	160	20	48	2.4	1.8	TCG	■
<b>SNT1652048</b>	165	20	48	2.4	1.8	TCG	■
<b>SNT1841648</b>	184	16	48	2.4	1.8	TCG	■
<b>SNT1903048</b>	190	30	48	2.6	2.0	TCG	■
<b>SNT2163060</b>	216	30	60	2.8	2.2	TCG	■
<b>SNT2163080</b>	216	30	80	2.8	2.2	TCG	■
<b>SNT2353056</b>	235	30	56	2.8	2.2	TCG	■
<b>SNT2503080</b>	250	30	80	2.8	2.2	TCG	■
<b>SNT25030100</b>	250	30	100	2.8	2.2	TCG	■
<b>SNT2603080</b>	260	30	80	2.8	2.2	TCG	■
<b>SNT30030100</b>	300	30	100	3.0	2.4	TCG	■



Expansion Slots



Axial Front Shear Cutting Angle



Ventilation Ports



Embedded Tungsten Tip



Hardened Steel Saw Blade



Chip Limiter Tooth

## CUT TYPE

- WOOD – Coarse Finish    ■ WOOD – Medium Finish
- WOOD – Fine Finish      ■ WOOD – Extra Fine Finish
- ALU/PLASTIC/LAMINATES – Fine Finish

# SILVER TCT WOOD SAW BLADES

Professional TCT blades featuring an Alternate Top Bevel (ATB) tooth configuration for universal wood cutting applications

## FEATURES

Reamed bore ensures precise fit to spindle

Body hardened and tempered to maintain trueness

Range includes blades from 136mm to 305mm diameter for coarse cutting through to fine cutting

Suitable for cutting softwood, hardwood, particle board, MDF, hardboard and plywood

Reducing rings available

## SILVER TCT WOOD BLADES

Product Code	Diameter	Bore	Teeth	Kerf	Body	Type	Cut Type
<b>SVR1362020</b>	136	20	20	1.5	1.0	ATB	■
<b>SVR1602048</b>	160	20	48	2.2	1.6	ATB	■
<b>SVR1602060</b>	160	20	60	1.6	1.0	ATB	■
<b>SVR1652024</b>	165	20	24	1.6	1.0	ATB	■
<b>SVR1652040</b>	165	20	40	1.6	1.0	ATB	■
<b>SVR1841624</b>	184	16	24	1.6	1.0	ATB	■
<b>SVR1841640</b>	184	16	40	1.6	1.0	ATB	■
<b>SVR1843024</b>	184	30	24	2.8	2.0	ATB	■
<b>SVR1843040</b>	184	30	40	2.8	2.0	ATB	■
<b>SVR1903024</b>	190	30	24	2.8	2.0	ATB	■
<b>SVR1903040</b>	190	30	40	2.8	2.0	ATB	■
<b>SVR2163040</b>	216	30	40	2.8	2.0	ATB	■
<b>SVR2163060</b>	216	30	60	2.8	2.0	ATB	■
<b>SVR2303024</b>	230	30	24	2.8	2.0	ATB	■
<b>SVR2303040</b>	230	30	40	2.8	2.0	ATB	■
<b>SVR2353024</b>	235	30	24	2.8	2.0	ATB	■
<b>SVR2353040</b>	235	30	40	2.8	2.0	ATB	■
<b>SVR2503040</b>	250	30	40	2.8	2.0	ATB	■
<b>SVR2503060</b>	250	30	60	2.8	2.0	ATB	■
<b>SVR3053060</b>	305	30	60	3.0	2.0	ATB	■
<b>SVR3053096</b>	305	30	96	3.0	2.0	ATB	■



Expansion Slots



Axial Front Shear Cutting Angle



Ventilation Ports



Embedded Tungsten Tip



Hardened Steel Saw Blade



Chip Limiter Tooth

## CUT TYPE

- WOOD – Coarse Finish    ■ WOOD – Medium Finish
- WOOD – Fine Finish    ■ WOOD – Extra Fine Finish
- ALU/PLASTIC/LAMINATES – Fine Finish



# PLATINUM TCT SAW BLADES

Professional TCT blades manufactured in Germany to the highest specifications and include superior length of tungsten tip



## FEATURES

Each tooth is diamond ground for longer durability

Body of blade is precision flattened for good cutting quality

Suitable for use on Festool TS55 plunge saw\*

Alternate Top Bevel (ATB) Blades suitable for clean cuts in softwood, hardwood and panel materials

Triple Chip Ground (TCG) Blades suitable for aluminium, plastic and wood laminates

## PLATINUM TCT WOOD BLADES

Product Code	Diameter	Bore	Teeth	Kerf	Body	Type
<b>PWC1602028*</b>	160	20	28	2.2	1.6	ATB +15°
<b>PWC1602048*</b>	160	20	48	2.2	1.6	ATB +5°
<b>PWC1652028</b>	165	20	28	2.2	1.6	ATB +23°
<b>PWC1652048</b>	165	20	48	2.2	1.6	ATB +8°
<b>PWC2103036</b>	210	30	36	2.4	1.9	ATB +15°
<b>PWC2163048</b>	216	30	48	3.0	2.0	ATB +8°
<b>PWC2603060</b>	260	30	60	2.5	1.8	ATB -5°



Expansion Slots



Axial Front Shear Cutting Angle



Embedded Tungsten Tip



Hardened Steel Saw Blade



## PLATINUM TCT ALUMINIUM/ PLASTIC/LAMINATE BLADES

Product Code	Diameter	Bore	Teeth	Kerf	Body	Type
<b>PAC1602052*</b>	160	20	52	2.2	1.6	TCG -5°

# METAL TCT SAW BLADES

Quality TCT blades featuring a Triple Chip Ground (TCG) tooth configuration for fast and clean cuts in various metal sections

## FEATURES

Anti-kick back tooth for smooth action and increased safety during use

Reamed bore ensures precise fit to spindle

Hardened steel body with lock embedded tungsten tip

Range includes blades from 136mm to 355mm diameter with 32 teeth to 72 teeth

Suitable for cutting construction steel, metal tube, U-steel, H-profiles and sheet metal cased insulation panels



## METAL TCT BLADES

Product Code	Diameter	Bore	Teeth	Kerf	Body	Type
<b>PMC1362032</b>	136	20	32	1.6	1.1	TCG
<b>PMC1652040</b>	165	20	40	2.0	1.6	TCG
<b>PMC1802036</b>	180	20	36	2.2	1.6	TCG
<b>PMC1853038</b>	185	30	38	2.2	1.6	TCG
<b>PMC23025444</b>	230	25.4	44	2.4	2.0	TCG
<b>PMC25525444</b>	255	25.4	44	2.2	1.6	TCG
<b>PMC30525460</b>	305	25.4	60	2.4	2.0	TCG
<b>PMC35525472</b>	355	25.4	72	2.5	2.0	TCG
<b>PMC3553072</b>	355	30	72	2.5	2.0	TCG



Expansion Slots



Embedded Tungsten Tip



Hardened Steel Saw Blade



Metal Cold Cut

## BLADE CUTTING SPEED

BLADE Diameter	faster                 slower		
	Thin Sections Up to 1.6mm (20-45 m/sec)	Medium Sections 2mm to 4mm (20 - 25 m/sec)	Thick Sections 5mm to 12mm (20 - 30 m/sec)
136mm	2800-6300 rpm	2800-4900 rpm	2800-4200 rpm
165mm	2400-5300 rpm	2400-4200 rpm	2400-3600 rpm
180mm	2100-4800 rpm	2100-3700 rpm	2100-3200 rpm
185mm	2100-4800 rpm	2100-3700 rpm	2100-3200 rpm
230mm	1800-4100 rpm	1800-3200 rpm	1800-2700 rpm
255mm	1500-3600 rpm	1500-3100 rpm	1500-2100 rpm
305mm	1250-2800 rpm	1250-2200 rpm	1250-1900 rpm
355mm	1100-2400 rpm	1100-1900 rpm	1100-1600 rpm

# POLY CRYSTALLINE DIAMOND SAW BLADES

Quality Poly Crystalline Diamond (PCD) blades with flat teeth configuration for use in specialist applications, providing durability and long life



## FEATURES

Extra large gullet design minimises dust and improves removal of material

Range includes blades from 160mm to 300mm diameter with 4 teeth to 8 teeth

Suitable for cutting fibre cement boards and ultra hard materials – HardiePlank, Minerit, Eternit, MDF and Corian

## DIAMOND (PCD) BLADES

Product Code	Diameter	Bore	Teeth	Kerf	Body	Type
<b>PCD160204</b>	160	20	4	2.4	1.6	PCD
<b>PCD160208</b>	160	20	8	2.4	1.6	PCD
<b>PCD160304</b>	160	30	4	2.4	1.6	PCD
<b>PCD165304</b>	165	30	4	2.4	1.6	PCD
<b>PCD185164</b>	185	16	4	2.4	1.6	PCD
<b>PCD190204</b>	190	20	4	2.4	1.6	PCD
<b>PCD190208</b>	190	20	8	2.4	1.6	PCD
<b>PCD190304</b>	190	30	4	2.4	1.6	PCD
<b>PCD190308</b>	190	30	8	2.4	1.6	PCD
<b>PCD216308</b>	216	30	8	2.4	1.6	PCD
<b>PCD230206</b>	230	20	6	2.4	1.6	PCD
<b>PCD230306</b>	230	30	6	2.4	1.6	PCD
<b>PCD250306</b>	250	30	6	2.4	1.6	PCD
<b>PCD300308</b>	300	30	8	2.4	1.6	PCD



Poly Crystalline Diamond Tip (PCD)



Reduces Dust from Cement Sheet



Cuts Cement Sheets of any thickness



Ventilation Ports



Hardened Steel Saw Blade

**NEVER HAVE THE BLADE STICKING MORE THAN 1MM OUT OF THE BOTTOM OF THE SUBSTRATE**



1mm Max

# INDUSTRIAL TCT WOOD SAW BLADES

High quality TCT Industrial Wood-Cutting saw blades manufactured to satisfy the demands of the professional



## FEATURES

Suitable for industrial applications and fixed bed machines with blades for ripping, cross-cutting and panel trimming.

Body of blades are laser cut from hardened steel, tempered and tensioned, complete with euro slots

Reamed bore ensures precise fit to spindle

Superior length of tungsten tip to give maximum number of re-sharpenings

Range includes ATB and TCG blades from 250mm to 500mm diameter from 24 teeth for ripping through to 132 teeth for panel trimming

## INDUSTRIAL TCT WOOD BLADES

Product Code	Diameter	Bore	Teeth	Kerf	Body	Type
<b>DSP2503024</b>	250	30	24	3.2	2.2	ATB
<b>CSP2503042</b>	250	30	42	3.2	2.2	ATB
<b>PSP2503080</b>	250	30	80	3.2	2.2	TCG
<b>DSP3003028</b>	300	30	28	3.2	2.2	ATB
<b>CSP3003048</b>	300	30	48	3.2	2.2	ATB
<b>CSP3003060</b>	300	30	60	3.2	2.2	ATB
<b>PSP3003096</b>	300	30	96	3.2	2.2	TCG
<b>DSP3153028</b>	315	30	28	3.2	2.2	ATB
<b>CSP3153060</b>	315	30	60	3.2	2.2	ATB
<b>DSP3503032</b>	350	30	32	3.5	2.5	ATB
<b>CSP3503072</b>	350	30	72	3.2	2.2	ATB
<b>PSP35030108</b>	350	30	108	3.5	2.5	TCG
<b>DSP4003036</b>	400	30	36	3.5	2.5	ATB
<b>CSP4003096</b>	400	30	96	3.5	2.5	ATB
<b>PSP40030120</b>	400	30	120	3.5	2.5	TCG
<b>DSP4503040</b>	450	30	40	3.8	2.8	ATB
<b>CSP45030108</b>	450	30	108	3.8	2.8	ATB
<b>PSP45030132</b>	450	30	132	3.8	2.8	TCG
<b>DSP5003044</b>	500	30	44	4.0	3.0	ATB
<b>CSP50030120</b>	500	30	120	4.4	3.4	ATB

## SCORER BLADES

Product Code	Diameter	Bore	Teeth	Kerf	Body	Type
<b>DSB120201212</b>	120	20	12+12	3.6	2.8	HW (HM)
<b>DSB120221212</b>	120	22	12+12	3.6	2.8	HW (HM)

# REDUCING RINGS

Quality reducing rings to ensure that blades fit safely to your machine when the bore size is different - accurately machined with reamed bores and splined outside edges for precision fit



## NOTE

Must be inserted correctly; pressed or glued into the body of the blade

Extra care must be taken when mounting saw blades onto a saw machine spindle when using reducing rings

For use in DART saw blades only

## REDUCING RINGS

Product Code	Outside D mm	Inside D mm	Thickness mm	Quantity
<b>DBW201611</b>	20	16	1.1	1
<b>DBW302010</b>	30	20	1.0	1
<b>DBW201618</b>	20	16	1.8	1
<b>DBW252018</b>	25	20	1.8	1
<b>DBW3012718</b>	30	12.7	1.8	1
<b>DBW3015918</b>	30	15.9	1.8	1
<b>DBW301618</b>	30	16	1.8	1
<b>DBW302018</b>	30	20	1.8	1
<b>DBW302518</b>	30	25	1.8	1
<b>DBW3025418</b>	30	25.4	1.8	1

# BISCUIT JOINT CUTTER SAW BLADE

Quality TCT blade designed to cut the exact size for wooden jointing biscuits



## FEATURES


Manufactured with fixed carbide tips

Suitable for Panel material and solid wood

Anti-kickback for smooth action and safety during use

## BISCUIT JOINT CUTTER BLADE

Product Code	Diameter	Bore	Teeth	Kerf	Body
<b>BJC1002212</b>	100	22	12	4.0	3.0
<b>BJC1022212</b>	102	22	12	4.0	3.0



# RECIPROCATING BLADES

Popular range of quality blades designed for a wide variety of applications

## FEATURES

Each blade manufactured specifically for the application of use

Suitable for use on most reciprocating/sabre saws

Universal 1/2" shaft



## RECIPROCATING BLADES - WOOD CUTTING

Product Code	Bosch Ref.	Application	TPI	Working Length	Quantity
<b>DRB51</b>	S1531L	Ideal for cuts in wooden exteriors. For fast, rough cuts and tree pruning. Hardened teeth for extra durability.	5	210mm	Pk. 5
<b>DRB52</b>	S644D	For straight and curved cuts. For fast, clean cuts in hardwoods, softwoods, chipboard, plywood and synthetics.	6	130mm	Pk. 5
<b>DRB53</b>	S1111K	Ideal for rough, fast cuts in hardwoods and softwoods.	3	210mm	Pk. 5

## RECIPROCATING BLADES - METAL CUTTING

Product Code	Bosch Ref.	Application	TPI	Working Length	Quantity
<b>DRB71</b>	S922HF	Ideal for wood with nails. Flexible and shatter-proof, metals, non-ferrous metals, aluminium, sheet metal, pipes and profiling.	10	210mm	Pk. 5
<b>DRB72</b>	S1122VF	Variable tooth spacing for cuts in different materials, flexible and shatter-proof. For cutting metals, woods with nails and synthetics.	14	210mm	Pk. 5
<b>DRB73</b>	S922BF	For thick metals. Fast, straight cuts, flexible and shatter-proof, metals, non-ferrous metals, aluminium, sheet metal, pipes and profiling.	14	130mm	Pk. 5
<b>DRB74</b>	S922EF	For thin metals. Fast, straight cuts, flexible and shatter-proof, metals, sheet metal, pipes and profiling.	18	130mm	Pk. 5
<b>DRB75</b>	S1122EF	For thin metals. Fast, straight cuts, flexible and shatter-proof, metals, sheet metal, pipes and profiling.	18	180mm	Pk. 5
<b>DRB76</b>	S1122BF	For thick metals. Fast, straight cuts, flexible and shatter-proof, metals, non-ferrous metals, aluminium, sheet metal, pipes and profiling.	14	210mm	Pk. 5
<b>DRB77</b>	S922VF	Variable tooth spacing for cutting in various materials. Flexible and shatter-proof. For cuts in metals, woods with nails and synthetics.	14	130mm	Pk. 5

# JIGSAW BLADES

Popular range of quality blades designed for a wide variety of applications

## FEATURES

HCS carbon steel quality for cutting softer materials such as wood, laminated chipboard and plastic

HSS fully hardened quality for cutting harder materials such as metal, aluminium and non-ferrous metals

T shaped shank suitable for most popular jigsaws

## JIGSAW BLADES - WOOD CUTTING

Product Code	Bosch Ref.	Application	TPI	Working Length	Quantity
<b>DJB11</b>	T101B	Wood to 30mm, plastics, finer cut.	10	75mm	Pk. 5
<b>DJB12</b>	T101D	Wood to 60mm, plastics, fast cut.	6	75mm	Pk. 5
<b>DJB13</b>	T101BR	Laminated boards to 30mm, chip-free finish. Cuts on down stroke (use without orbital action).	10	75mm	Pk. 5
<b>DJB14</b>	T111C	Wood to 60mm, plastics, coarse fast cut HSS.	8	75mm	Pk. 5
<b>DJB15</b>	T101AO	Wood and laminated chipboard to 25mm, plastics, curve cuts.	20	50mm	Pk. 5
<b>DJB16</b>	T144D	Hard and soft woods to 60mm, plastics to 50mm and acrylic glass to 30mm. Fast coarse cut.	6	75mm	Pk. 5
<b>DJB17</b>	T119B	Ideal for acrylic glass. For straight cuts in hardwoods, softwoods, plywood, insulation materials and plastic.	12	50mm	Pk. 5
<b>DJB18</b>	T119BO	For tight curved cuts in hardwoods, softwoods, plywood, chipboard, synthetic materials and acrylic glass.	12	50mm	Pk. 5
<b>DJB19</b>	T301CD	Ideal for fast, precise cuts in hardwoods, softwoods, chipboard, fibre board, wooden fibreboard and synthetic materials.	8	90mm	Pk. 5
<b>DJB20</b>	T244D	Ideal for curved cuts. High-speed cuts in hardwoods, softwoods and chipboard.	6	75mm	Pk. 5
<b>DJB21</b>	T344D	Ideal for straight, parallel cuts. High-speed cuts in hardwoods, softwoods and chipboard.	6	110mm	Pk. 5
<b>DJB22</b>	T301DL	Ideal for fast, clean cuts in hardwoods, softwoods, chipboard, fibre board and synthetic materials.	6	110mm	Pk. 5

## JIGSAW BLADES - METAL CUTTING

Product Code	Bosch Ref.	Application	TPI	Working Length	Quantity
<b>DJB31</b>	T 118 A	Mild steel, non ferrous and aluminium 1.5-4mm, acrylic to 3mm. HSS Blade.	21	50mm	Pk. 5
<b>DJB32</b>	T118B	For thicker metals. Straight cuts in metals, non-ferrous metals and aluminium.	12	50mm	Pk. 5
<b>DJB33</b>	T 318 A	Mild steel profiles, aluminium, stainless steel 1.5-4mm and sandwich-material to 70mm.	21	100mm	Pk. 5
<b>DJB34</b>	T 127 D	Mild steel 3-6mm, aluminium 3-15mm.	8	75mm	Pk. 5
<b>DJB35</b>	T 118 AF	Mild steel and non-ferrous metal to 4mm, perspex to 20mm, aluminium to 10mm, stainless steel to 2mm, curve cuts. Bi-metal for long life.	21	50mm	Pk. 5

# HACKSAW BLADES

Top quality Bi-metal blades  
for cutting metal and plastic



## FEATURES

- Excellent cutting efficiency due to tooth geometry
- Suitable for use in standard hacksaws
- High resistance to breakage due to flexibility

## HACKSAW BLADES

Product Code	Length	TPI	Quantity
DAHB18	12"/300mm	18	Pk. 10
DAHB24	12"/300mm	24	Pk. 10
DAHB32	12"/300mm	32	Pk. 10



# JUNIOR HACKSAW BLADES

High quality carbon steel  
blades suitable for cutting all  
types of metal and plastic

## FEATURES

- Teeth hardened and tempered to give optimum blade life
- 32TPI, Fine teeth for high quality sawing

## JUNIOR HACKSAW BLADES

Product Code	Length	TPI	Quantity
DAHBJ32	6"/150mm	32	Pk.10



# PLANER BLADES

High quality, solid tungsten carbide reversible blades



## FEATURES

Precision ground with 2 cutting edges

Reversible for extended life

Suitable for most makes of portable electric planers

2 Blades per pack

## PLANER BLADES

Product Code	Size mm
<b>PB82</b>	82

# PREMIUM ROUTER CUTTERS

TCT Premium Router cutter designed to give a fast and precise cut with the added advantage of tungsten end tip, making it suitable for plunging



## FEATURES

Extra long life cutter

Twin straight fluted cutters

PTFE anti-stick coating on body to minimise resin and heat build up

Suitable for cutting high quality laminates giving a quality finish for the top tradesman. Can be used in extensive range of timbers and hard plastics

## PREMIUM ROUTER CUTTERS

Product Code	Size	Cutting Length mm
<b>PDAR383</b>	1/2"	50

# ROUTER CUTTERS

TCT Router cutters designed to meet the needs of the tradesman and woodworker for quality and performance



## FEATURES

PTFE anti-stick coating on body to minimise resin and heat build up

Twin straight fluted cutters give a clean finish to the cutting edges

Straight fluted cutters suitable for plunging

Suitable for cutting chipboard, MDF, plywood, hardwood, softwood and laminate

## ROUTER CUTTERS

Product Code	Size	Cutting Length mm
<b>DAR381</b>	1/2"	32
<b>DAR383</b>	1/2"	50
<b>DAR386</b>	1/2"	75

## ROUTER CUTTER SETS

Product Code	Size
<b>DASET1/4</b>	1/4"
<b>DASET1/2</b>	1/2"

# KNIVES

A range of knives and replacement blades for the professional tradesman and general user



## FEATURES

Manufactured using modern technology to a high standard

The safety cutter meets all regulations imposed by health and safety regulations

The unique auto-load retractable knife features a 10 blade compartment with a quick release mechanism

Range of replacement blades available to suit all knives

## KNIVES - 10 BLADE AUTO-LOAD

Product Code	Description	Blade Size mm
<b>DASX2600</b>	Quality Metal Retractable	60



Press the button to release used blade



Slide the blade advance button completely backward to refill new blade



Slide the blade advance button forward to use normally

## KNIVES - SAFETY CUTTER

Product Code	Description	Blade Size mm
<b>DASX1200</b>	Safety Cutter	60



Even if slider is still at extending position, blade retracts automatically when it loses contact with material being cut.



## KNIVES

Product Code	Description	Blade Size mm
<b>DASX3600</b>	Red Satin Quality Metal Retractable	60
<b>DASX97</b>	Metal Quality Auto Retractable	60
<b>DASX34</b>	Budget Retractable (Metal Slider)	60
<b>DASX9801</b>	Standard Snap Off	9
<b>DASX2689</b>	Metal Snap Off	9
<b>DASX9633</b>	Cast Alu Snap Off	9
<b>DASX2665</b>	Medium Snap Off	18
<b>DASX2010</b>	Cast Alu Snap Off	18

## REPLACEMENT BLADE DISPENSERS AND BOXES

Product Code	Description	Blade Size mm	Quantity
<b>DASX0010</b>	Stanley Type	60	Dispenser 10
<b>DASX0100</b>	Stanley Type	60	Box 100
<b>DASXH010</b>	Stanley Type SK5	60	Dispenser 10
<b>DASXH100</b>	Stanley Type SK5	60	Box 100
<b>DASXC100</b>	Stanley Type Carpet SK5	60	Box 100
<b>DASX0910</b>	Snap Off	9	Dispenser 10
<b>DASX1810</b>	Snap Off	18	Dispenser 10

# FORSTNER BITS

Precision drill bits for drilling wood materials quickly and efficiently



## FEATURES

- Ideal for hinge sinking
- Smooth hole drilling action giving tear free hole edges
- Features 2 cutting blades

## FORSTNER BITS

Product Code	Size mm	Overall Length mm	Shank Size mm
FOR015	15	9.5	8
FOR020	20	10.5	8
FOR025	25	11.5	8
FOR030	30	12.5	8
FOR035	35	13.5	10
FOR050	50	18.5	10



## FORSTNER BIT SET

Product Code	Size mm
FORST5	15, 20, 25, 30, 35



**DART'S PREMIUM COBALT  
BI-METAL HOLESAW**

---

**DART®**

# CONDOR RANGE

DART Condor extends our offering into countertop accessories, including the popular German-made double magnetic bit holders, impact driver bits, angle drivers and tape measures to help the professional tradesman get the job done efficiently.



# PREMIUM DOUBLE MAGNETIC HOLDER

This unique device enables accurate fixing in overhead or awkward positions without the necessity of pre-drilling

## FEATURES

The surface of the screw head is held on by an additional ultra strong, powerful rare earth magnet allowing for vertical or horizontal screwing without slippage

Allows precision screwing with a single hand operation, saving time

The in-built spring allows for countersinking

Suitable for use with all 25mm driver bits. The bits retract within the mechanism allowing the screw to magnetically attach to the end of the holder

Suitable for use with all standard 1/4" insert bits

German made, premium quality



## PREMIUM DOUBLE MAGNETIC HOLDERS

Product Code	Description	Quantity
<b>GMHS25</b>	Countertop Display	Pk. 25
<b>GMH01</b>	Refill Pack	Pk. 1
<b>GMH05</b>	Refill Pack	Pk. 5
<b>GMH10</b>	Refill Pack	Pk. 10
<b>GMH20</b>	Refill Pack	Pk. 20
<b>GMH25</b>	Refill Pack	Pk. 25



# PREMIUM IMPACT DRIVER BITS

High quality impact resistant 25mm driver bits ideal for use in the most demanding applications



## FEATURES

1/4" Hexagon Drive 25mm Bits

Specially designed for use with impact drivers

Tough - absorbing

Magnesium Phosphate coated for excellent wear resistance

## PREMIUM IMPACT DRIVER BITS

Product Code	Size	Quantity
<b>DDIPH1-10</b>	PH1 - 1/4" x 25mm	Pk. 10
<b>DDIPH2-10</b>	PH2 - 1/4" x 25mm	Pk. 10
<b>DDIPH3-10</b>	PH3 - 1/4" x 25mm	Pk. 10
<b>DDIPZ1-10</b>	PZ1 - 1/4" x 25mm	Pk. 10
<b>DDIPZ2-10</b>	PZ2 - 1/4" x 25mm	Pk. 10
<b>DDIPZ3-10</b>	PZ3 - 1/4" x 25mm	Pk. 10
<b>DDIT10-10</b>	T10 - 1/4" x 25mm	Pk. 10
<b>DDIT15-10</b>	T15 - 1/4" x 25mm	Pk. 10
<b>DDIT20-10</b>	T20 - 1/4" x 25mm	Pk. 10
<b>DDIT25-10</b>	T25 - 1/4" x 25mm	Pk. 10
<b>DDIT30-10</b>	T30 - 1/4" x 25mm	Pk. 10
<b>DDIT40-10</b>	T40 - 1/4" x 25mm	Pk. 10
<b>DDIPZ2-25</b>	PZ2 - 1/4" x 25mm	Pk. 25
<b>DDIPZ2-100</b>	PZ2 - 1/4" x 25mm	Pk. 100
<b>DDIPH2-100</b>	PH2 - 1/4" x 25mm	Pk. 100

# PREMIUM 50mm IMPACT DRIVER BITS

High quality impact resistant 50mm driver bits ideal for use in the most demanding applications



## FEATURES

1/4" Hexagon Drive 50mm Bits

Specially designed for use with impact drivers

Tough - absorbing

Magnesium Phosphate coated for excellent wear resistance

## PREMIUM 50mm IMPACT DRIVER BITS

Product Code	Size	Quantity
<b>DI50PH1-10</b>	PH1 - 1/4" x 50mm	Pk. 10
<b>DI50PH2-10</b>	PH2 - 1/4" x 50mm	Pk. 10
<b>DI50PH3-10</b>	PH3 - 1/4" x 50mm	Pk. 10
<b>DI50PZ1-10</b>	PZ1 - 1/4" x 50mm	Pk. 10
<b>DI50PZ2-10</b>	PZ2 - 1/4" x 50mm	Pk. 10
<b>DI50PZ3-10</b>	PZ3 - 1/4" x 50mm	Pk. 10
<b>DI50T20-10</b>	T20 - 1/4" x 50mm	Pk. 10
<b>DI50T30-10</b>	T30 - 1/4" x 50mm	Pk. 10

# PREMIUM IMPACT DRIVER BIT SETS

High quality impact resistant driver bits ideal for use in the most demanding applications

## FEATURES

- 1/4" Hexagon Bits
- Tough - absorbing
- Specially designed for use with impact drivers
- Magnesium Phosphate coated for excellent wear resistance

## PREMIUM IMPACT DRIVER BIT SETS

Product Code	Description	Quantity
DDIBS37	37 Piece Impact Set incl PH, PZ, TX, SL, HX, SQ, Nutsetters & Magnetic Quick Release Bit Holder	Pk. 1
DMIBS22-6	22 Piece Mini Impact Driver Bit Sets	Pk. 6
DMIBS31-6	31 Piece Mini Impact Driver Bit Sets	Pk. 6
DMINS4-6	4 Piece Magnetic Impact Nutsetter Set	Pk. 6



DDIBS37



DMIBS22-6



DMINS4-6



DMIBS31-6

# BIT HOLDERS

Specially designed towards the needs and practice of the tradesman



## FEATURES

Stainless steel 60mm magnetic bit holders, suitable for all 1/4" Hexagon insert bits

Ideal for difficult and general screw driving applications

Tough absorbing

Impact Holder with quick release mechanism

## IMPACT BIT HOLDER

Product Code	Description	Quantity
<b>DIMBH-1</b>	Torsion Magnetic Impact Bit Holder	1

## BIT HOLDER

Product Code	Description	Quantity
<b>DSSBH-1</b>	Stainless Steel Bit Holder	1

# INSERT DRIVER BITS

25mm quality driver bits ideal for general purpose applications



## FEATURES

1/4" Hexagon Drive 25mm Bits

Tough - absorbing

Ideal for difficult and general screw driving applications

Zinc phosphate coated

## INSERT DRIVER BITS

Product Code	Description	Quantity
<b>DDBPH1-10</b>	PH1 - 1/4" x 25mm	Pk. 10
<b>DDBPH2-10</b>	PH2 - 1/4" x 25mm	Pk. 10
<b>DDBPH3-10</b>	PH3 - 1/4" x 25mm	Pk. 10
<b>DDBPZ1-10</b>	PZ1 - 1/4" x 25mm	Pk. 10
<b>DDBPZ2-10</b>	PZ2 - 1/4" x 25mm	Pk. 10
<b>DDBPZ3-10</b>	PZ3 - 1/4" x 25mm	Pk. 10
<b>DDBPZ4-5</b>	PZ4 - 1/4" x 25mm	Pk. 5
<b>DDBPZ2-25</b>	PZ2 - 1/4" x 25mm	Pk. 25

## INSERT DRIVER BIT SET

Product Code	Description	Quantity
<b>DDSBS27</b>	27 Piece Set incl PH, PZ, TX, SL, H, SQ, Bit Socket, Magnetic Quick Release Bit Holder & Mini Ratchet	Pk. 1

# ANGLE DRIVERS

A right angle 25mm driver and magnetic bit holder to help loosen and tighten screw or fixings in the most inaccessible places



ADB01



ADS01

## FEATURES

Helps you achieve the seemingly impossible

Head rotates 360° enabling the user to access any tight space

Adjustable handle can be fixed at 0°, 45° or 90° providing stability when screwing

Suitable for all 1/4" Hexagon insert bits.

Set is packaged in a metal box with hinged lid and latch and includes 31 pieces of high quality bits including PZ, PH, TORX and Flat bits.

## ANGLE DRIVERS

Product Code	Description	Quantity
ADB01	Angle Driver Single	1
ADS01	Premium Mini Angle Driver Single	1
ADBSET31	31 Piece Set incl PH, PZ, Torx & Flat Bits	1

ADBSET31



# CHUCKS

High quality drill chucks  
for all applications

CU4070



## FEATURES

1/2" x 20 unf

Supplied with SDS+ Adaptor making them suitable for both Hex and SDS drills

Keyed chuck suitable for bits between 1.5-13mm

Keyless chuck suitable for bits between 2.0 – 13mm and is Impact Rated.

## CHUCKS

Product Code	Description	Quantity
CU4070	1/2" x 20 unf, 1.5-13mm Keyed	1
CU4080	1/2" x 20 unf, 2.0-13mm Keyless	1

CU4080



# JOINTING BISCUITS



## FEATURES

Quick and effective joint creation

Strong, accurate joints

More precise than dowelling

## JOINTING BISCUITS

Product Code	Size	Quantity
5551	0	Pk. 1000
5552	10	Pk. 1000
5553	20	Pk. 1000

# PREMIUM TAPE MEASURES

Professional, robust tape measures with 30% thicker blade which triples the durability



## FEATURES

Magnetic Ended Hook making it easy to use when working with metal and enables the user to take a measurement single handed

Rubber casing reduces breakage on impact

The matt finish of the tape makes it much easier to read measurement

II Accuracy Mark (Roman Numeral 2). This marker will give any site foreman confidence of the accuracy when using these tapes on site

## PROFESSIONAL TAPE MEASURES

Product Code	Length m	Quantity
ATP05-12	5	Display of 12
ATP08-12	8	Display of 12

# REGULAR TAPE MEASURES



## FEATURES

The matt finish of the tape makes it much easier to read measurement

II Accuracy Mark (Roman Numeral 2). This marker will give any site foreman confidence of the accuracy when using these tapes on site

## REGULAR TAPE MEASURES

Product Code	Length m	Quantity
ATS05-12	5	Display of 12



**DART PREMIUM DOUBLE  
MAGNETIC HOLDER**





**DART®**

# RED TEN DIAMOND RANGE

The highly respected brand of diamond blades and cores is supplied exclusively by DART in the UK. Manufactured to the highest standards by a company renowned for quality, performance and integrity. Included in this range is the popular and unique Mini Diamond Porcelain Drill which has a proven record of high speed, continuous multiple hole-cutting.

# LANDSCAPER MULTIPURPOSE DIAMOND BLADES

Ultra Performance Hard Materials Blade



## FEATURES

Fast-cutting, laser-welded blade with long life turbo segments

Big 15mm Diamond hard wearing turbo segment

Reinforced flange, cooling holes allowing for constant use


Cuts all concrete and hard building materials including:  
Indian Stone, Granite, Limestone, Block Paving, Kerbs, All Clay & Brick Products, Concrete Building Materials and Concrete Slabs

Light use for:  
Abrasive Breeze and Concrete Blocks, Sandstone, Reconstituted Stone, Roof Tiles and Thin Metal

## LANDSCAPER MULTIPURPOSE DIAMOND BLADES

Product Code	Dmm	Bore	Segment Height
DB04298	115	22	12
DB04299	125	22	12
DB04300	230	22	15
DB04310	300	20	15
DB04320	350	20	15

Cuts all these materials:



# BMI-10 MULTIPURPOSE DIAMOND BLADES

Pro Performance Hard Materials Blade



## FEATURES

The popular fast cutting multi-purpose blade

Turbo rim for smooth cut


Cuts all masonry construction products including: Steel, Granite, Indian Stone, Very Hard & Medium Stone, Block Paving, Kerbs, All Clay & Brick Products, Concrete Building Materials and Concrete Slabs

Light use for: Abrasive Breeze and Concrete Blocks, Sandstone, Reconstituted Stone and Roof Tiles

## BMI-10 MULTIPURPOSE DIAMOND BLADES

Product Code	Dmm	Bore	Segment Height
<b>DB00070</b>	115	22	10
<b>DB00080</b>	125	22	10
<b>DB00090</b>	230	22	10
<b>DB00100</b>	300	20	10
<b>DB00110</b>	350	20	10

Cuts all these materials:



# SMI-7 MULTIPURPOSE DIAMOND BLADES

Trademan's Hard Materials Blade



## FEATURES

Cuts all general purpose masonry.

Turbo rim for fast cutting speed


Cuts all masonry construction products including: Granite, Indian Stone, Very Hard & Medium Stone, Block Paving, Kerbs, All Clay & Brick Products, Concrete Building Materials, Concrete Slabs and Metal

Light use for:  
Steel and Abrasive  
Concrete

## SMI-7 MULTIPURPOSE DIAMOND BLADES

Product Code	Dmm	Bore	Segment Height
DB00120	115	22	8
DB00130	125	22	8
DB00140	230	22	8
DB00150	300	20	10
DB00160	350	20	10
DB00161	350	25	10

Cuts all these materials:



# BM-15 PROFESSIONAL DIAMOND BLADES

Pro Performance Concrete and  
General Purpose



## FEATURES

Big 15mm long life  
diamond segment for all  
concrete applications


Ideal for Groundwork  
and Civil Engineers.

Cuts all concrete  
products: All Bricks,  
All Paving, All Stone,  
All Roof Tiles, Asphalt  
and Macadam

## BM-15 PROFESSIONAL DIAMOND BLADES

Product Code	Dmm	Bore	Segment Height
<b>DB00210</b>	115	22	12
<b>DB00220</b>	125	22	12
<b>DB00230</b>	230	22	15
<b>DB00240</b>	300	20	15
<b>DB00250</b>	350	20	15
<b>DB00251</b>	350	25	15
<b>DB00260</b>	400	20	15
<b>DB00261</b>	400	25	15
<b>DB00270</b>	450	25	15

Cuts all these materials:



# SGP-15 HIGH PERFORMANCE DIAMOND BLADES

Tradesman's concrete and general purpose



## FEATURES

Impressive cutting speeds and life with 15mm segment height.


Light use for: Asphalt and Macadam, Abrasive Breeze and Concrete Blocks

Cuts all concrete products: All Bricks, All Paving, All Stone, All Roof Tiles,

## SGP-15 HIGH PERFORMANCE DIAMOND BLADES

Product Code	Dmm	Bore	Segment Height
DB00290	115	22	13
DB00300	125	22	13
DB00332	230	22	15
DB00333	300	20	15

Cuts all these materials:



# MR-6 MORTAR RAKER DIAMOND BLADES

Popular 6mm Mortar Raker Blade



## FEATURES

Fast cutting speed

8mm Long life segment

Suitable for mortar raking, brick raking and abrasive materials

## MR-6 MORTAR RAKER DIAMOND BLADES

Product Code	Dmm	Bore	Segment Height
<b>DB01740</b>	115	22	8
<b>DB01750</b>	125	22	8

Cuts all these materials:



# DCD/SPIRO PREMIUM DRY CORE BITS

A premium dry core bit with spiral barrel design for swift dust removal

## FEATURES

Fast start segments

Side vents help keep the bits cool resulting in longer life

Suitable for use in masonry, brick, concrete with light or medium steel reinforcing


Also effective for granite, marble and stone

## DCD/SPIRO PREMIUM DRY CORE BITS

Product Code	Sizes mm	Length mm	Quantity
DB00740	22	300	1
DB00750	28	300	1
DB00760	32	145	1
DB00770	38	145	1
DB00780	48	145	1
DB00790	52	145	1
DB00800	65	145	1
DB00810	78	145	1
DB00820	107	145	1
DB00830	117	145	1
DB00840	127	145	1
DB00850	152	145	1
DB00860	162	145	1
DB00870	182	145	1



Cuts all these materials:



ISO

EN  
STANDARDS

BS  
COMPLIANT

ULTRA  
LOW  
HAV

DUST  
REMOVAL  
TECHNOLOGY

## DCD/SPIRO CORE KIT

Product Code	Sizes mm	Quantity
<b>DB00880</b>	38, 52, 65, 117, 127	1

5 Piece Core Kit includes:

127mm Spiro Core, 117mm Spiro Core,  
65mm Spiro Core, 52mm Spiro Core,  
38mm Spiro Core, SDS Adaptor, Drift Key,  
1/2" BSP Extension, Heavy Duty, Carry  
Case, A-Taper, Pilot Drill



## CORE BIT ACCESSORIES

Product Code	Description	Quantity
<b>DB02340</b>	Hex Adaptor Pack Includes: Hex Adaptor, A-Taper Pilot Drill, Drift Key	1
<b>DB02350</b>	SDS Adaptor Pack Includes: SDS Adaptor, A-Taper Pilot Drill, Drift Key	1
<b>DB02370</b>	1/2" BSP Drive Extension Rod 250mm	1
<b>DB02390</b>	A-Taper Pilot Drill	1
<b>DB02410</b>	Drift Key	1
<b>DB02420</b>	Hex Adaptor	1
<b>DB02430</b>	SDS Adaptor	1



## 2 STROKE OIL

Product Code	Description	Quantity
<b>SE00020</b>	2 Stroke Oil	Pk. 10



# MINI DIAMOND PORCELAIN DRILLS

A unique product that requires no guiding, minimal coolant, and fast easy waste ejection, which allows for continuous multiple hole cutting



## FEATURES

High grade exposed diamond for fast smooth cutting

No drill guide required

Excellent performance on cordless and corded drills (1500 - 200rpm)

Suitable for very hard tiles, porcelain, ceramic, granite, marble, glass, slate and stone

## MINI DIAMOND PORCELAIN DRILLS

Product Code	Sizes mm	Quantity
74005-1	5	1
74006-1	6	1
74007-1	7	1
74008-1	8	1
74010-1	10	1
74012-1	12	1
74015-1	15	1
74020-1	20	1
74025-1	25	1
74035-1	35	1



## MINI DIAMOND PORCELAIN DRILL SET

Product Code	Sizes mm	Quantity
74100-1	5, 6, 10, 15, 20	1

# ST-10 SUPER THIN DIAMOND TILE BLADES

Pro Performance Super Thin  
Porcelain Tile Blade



## FEATURES


Super-thin and super-fast diamond blade.

Suitable for all tiles including porcelain, ceramic and marble

## ST-10 SUPER THIN DIAMOND TILE BLADES

Product Code	Dmm	Bore	Segment Height
<b>DB01580</b>	100	16	10
<b>DB01590</b>	115	22	10
<b>DB01600</b>	125	22	10
<b>DB01601</b>	150	22	10
<b>DB01610</b>	180	22	10
<b>DB01611</b>	180	25	10
<b>DB01620</b>	200	22	10
<b>DB01630</b>	230	22	10
<b>DB01631</b>	250	22	10
<b>DB01632</b>	250	25	10
<b>DB01640</b>	300	20	10
<b>DB01641</b>	300	22	10
<b>DB01642</b>	300	25	10
<b>DB01650</b>	350	20	10
<b>DB01651</b>	350	25	10

Cuts all these materials:



# RT-10 SMOOTH CUT DIAMOND CERAMIC BLADES

Smooth and Effective Ceramic Tile Blade

## FEATURES

Continuous rim for a very smooth cut.

Suitable for all tiles including ceramic, porcelain and marble



## RT-10 SMOOTH CUT DIAMOND CERAMIC BLADES

Product Code	Dmm	Bore	Segment Height
DB01660	100	16	8
DB01670	115	22	8
DB01680	125	22	8
DB01685	150	22	8
DB01690	180	22	8
DB01700	200	22	8
DB01710	230	22	8
DB01711	250	22	8
DB01720	300	20	8
DB01721	300	22	8
DB01723	300	30	8
DB01730	350	25	8

Cuts all these materials:



ISO

EN  
STANDARDS

BS  
COMPLIANT

ULTRA  
LOW  
HAV

DUST  
REMOVAL  
TECHNOLOGY

# SS/INOX ABRASIVE DISKS

Professional high quality resin bonded abrasive wheels

## FEATURES

Thin blade suitable for use on angle grinders

Manufactured to ISO 9001 and EN 12413

Not approved for side grinding

Suitable for cutting stainless steel/INOX



## SS/INOX ABRASIVE DISKS

Product Code	Dmm	Bore	Blade Thickness	Quantity
<b>DB0510</b>	115	22.2	1	5
<b>DB0520</b>	125	22.2	1	5
<b>DB0530</b>	230	22.2	1.9	5

Cuts all these materials:



# CUTTING CHART AND SAFETY GUIDELINES



**DO** observe the Abrasive Wheel Regulations 1970.

**DO** wear protective clothing.

**DO** ensure that the arrow on the blade corresponds with the direction of rotation of the machine spindle.

**DO** ensure that the machine bearings and spindle are not worn. Vibration causes excessive wear and danger.

**DO** use the blade with a gentle reciprocating motion.

**DON'T** tilt the blade when cutting, this will cause centre fatigue and danger.

**DON'T** apply pressure and force on your diamond blade through the cut. The weight of the machine will suffice.  
INCREASED PRESSURE MEANS INCREASED WEAR, INCREASED HEAT AND DANGER.

**DON'T** let excessive heat be generated at the cutting edge of the blade. Let the blade run free at short intervals to allow for cooling.

**DON'T** use your blade on metals or other unsuitable materials or use a damaged blade. If you have any doubt please contact us for further advice.

**IMPORTANT:** Diamond blades sometimes need "sharpening". This is necessary if the cutting surface glazes over which can produce hot spots. Sharpen by running the blade through a soft/abrasive material such as aerated concrete or breeze block.

**IMPORTANT:** These are high performance blades. To achieve optimum output ensure that your saw is serviced regularly and that the air filter is clean.

**IMPORTANT:** Inspect the blade at regular intervals for damage to centre or segments. Do not use a damaged or worn out blade.

## BLADE TYPE

	All Roof Tiles	All Concrete	All Paving	All Brick	All Stone	All Granite	All Clay	Steel	Light Steel	Asphalt & Macadam	Mortar	Porcelain Tiles	Ceramic Tiles	Marble	INOX/ Stainless Steel
LANDSCAPER	✓	✓	✓	✓	✓	✓									
BMI-10	✓	✓	✓	✓		✓	✓	✓							
SMI-7	✓	✓	✓	✓		✓	✓		✓						
BM-15	✓	✓	✓	✓	✓										
SG-15	✓	✓	✓	✓	✓					✓					
MR-MORTAR											✓				
DCD/Spiro	✓	✓		✓	✓										
ST-10												✓	✓	✓	
RT-10												✓	✓	✓	
SS/INOX															✓



**DART RED TEN  
BM-15 PROFESSIONAL  
DIAMOND BLADE**



**DART**

# NAILMASTER RANGE

The DART NailMaster range of nails is suitable for all popular makes of nail guns, available in a wide range of sizes, with or without gas cells, giving you the freedom of choice.



# 1ST FIX NAILS & GAS

1st Fix 34° clipped D-head galvanised nails and gas cells

## FEATURES

Suitable for use in most cordless nailers

Diamond point for maximum penetration

High quality paper strip increases performance and reduces nail jam

CE Compliant and EN 14592 approved

Ring shanked nails provide secure fixing with super high pull out resistance

Straight shank nails allow low resistance in to all materials

## 1ST FIX NAIL & GAS CARBOARD BOXES

Product Code	Description	Nail Quantity	Gas Quantity
<b>FN50RG</b>	2.8 x 50mm 34° Clipped D-Head Ring Shank Galvanised Nails and Gas	3300	3
<b>FN64RG</b>	2.8 x 64mm 34° Clipped D-Head Ring Shank Galvanised Nails and Gas	3300	3
<b>FN75RG</b>	3.1 x 75mm 34° Clipped D-Head Ring Shank Galvanised Nails and Gas	2200	2
<b>FN90SG</b>	3.1 x 90mm 34° Clipped D-Head Straight Shank Galvanised Nails and Gas	2200	2

## 1ST FIX NAIL CARBOARD BOXES WITHOUT GAS

Product Code	Description	Nail Quantity	Gas Quantity
<b>FN50RG-NG</b>	2.8 x 50mm 34° Clipped D-Head Ring Shank Galvanised Nails (No Gas)	3300	0
<b>FN64RG-NG</b>	2.8 x 64mm 34° Clipped D-Head Ring Shank Galvanised Nails (No Gas)	3300	0
<b>FN75RG-NG</b>	3.1 x 75mm 34° Clipped D-Head Ring Shank Galvanised Nails (No Gas)	2200	0
<b>FN90SG-NG</b>	3.1 x 90mm 34° Clipped D-Head Straight Shank Galvanised Nails (No Gas)	2200	0





1ST FIX NAIL & GAS BUCKETS

Product Code	Description	Nail Quantity	Gas Quantity
F62-030	2.8 x 50mm 34° Clipped D-Head Ring Shank Galvanised Nails and Gas	3300	3
F62-080	2.8 x 64mm 34° Clipped D-Head Ring Shank Galvanised Nails and Gas	3300	3
F62-140	3.1 x 75mm 34° Clipped D-Head Ring Shank Galvanised Nails and Gas	2200	2
F62-180	3.1 x 90mm 34° Clipped D-Head Straight Shank Galvanised Nails and Gas	2200	2



HANDY PACK 1ST FIX NAIL & GAS BUCKETS

Product Code	Description	Nail Quantity	Gas Quantity
F62-035	2.8 x 50mm 34° Clipped D-Head Ring Shank Galvanised Nails and Gas Handy Pack	1100	1
F62-085	2.8 x 64mm 34° Clipped D-Head Ring Shank Galvanised Nails and Gas Handy Pack	1100	1
F62-145	3.1 x 75mm 34° Clipped D-Head Ring Shank Galvanised Nails and Gas Handy Pack	1100	1
F62-185	3.1 x 90mm 34° Clipped D-Head Straight Shank Galvanised Nails and Gas Handy Pack	1100	1



GAS CELLS

Product Code	Description	Quantity
RED1	1st Fix Single Gas Cell	1



# 2ND FIX NAILS & GAS

2nd fix galvanised  
straight brad nails  
and gas cells

## FEATURES

16 gauge straight brad nails allow low resistance in to all materials      T-head to give concealed fixings

## 2ND FIX NAIL & GAS CARDBOARD BOXES

Product Code	Description	Nail Qty	Gas Qty
<b>FBN19ST</b>	19mm 16 Gauge Straight Brad Nails and Gas	2000	2
<b>FBN25ST</b>	25mm 16 Gauge Straight Brad Nails and Gas	2000	2
<b>FBN32ST</b>	32mm 16 Gauge Straight Brad Nails and Gas	2000	2
<b>FBN38ST</b>	38mm 16 Gauge Straight Brad Nails and Gas	2000	2
<b>FBN45ST</b>	45mm 16 Gauge Straight Brad Nails and Gas	2000	2
<b>FBN50ST</b>	50mm 16 Gauge Straight Brad Nails and Gas	2000	2
<b>FBN64ST</b>	64mm 16 Gauge Straight Brad Nails and Gas	2000	2

## GAS CELLS

Product Code	Description	Quantity
<b>FBNGAS</b>	2nd Fix Brad Yellow Gas Cell	1





## DART NAILMASTER 1ST FIX NAILS





**DART**

# HANDMAX RANGE

The DART Handmax PPE gloves are tailored for multiple applications within the construction industries. Strong wearing but designed for maximum dexterity, the range offers protection from oily or chemical environments, extreme cold weather and glass handling.

# PU GLOVE

A seamless knitted 13g polyester general purpose glove designed to be tight fitting to give maximum dexterity



## FEATURES

Polyurethane-coated lightweight palm and fingers

Suitable for general purpose, detailed assembly, product protection and packaging protection

Protects against minor cuts and abrasions on the palm and fingers

Prevents fingerprints being left on surfaces

Individually packed in pairs with punched euro slot

## MECHANICAL DATA - EN388

Abrasion	Level 4
Cut	Level 1
Tear	Level 3
Puncture	Level 1

## ATLANTA BLACK PU GLOVE

Product Code	Size	Bag Quantity	Box Quantity
ATLANTA-M	M (8)	12 Pairs	120 Pairs
ATLANTA-L	L (9)	12 Pairs	120 Pairs
ATLANTA-XL	XL (10)	12 Pairs	120 Pairs
ATLANTA-XXL	XXL (11)	12 Pairs	120 Pairs



## ARIZONA GREY PU GLOVE

Product Code	Size	Bag Quantity	Box Quantity
<b>ARIZONA-L</b>	L (9)	12 Pairs	120 Pairs
<b>ARIZONA-XL</b>	XL (10)	12 Pairs	120 Pairs



## ALASKA WHITE PU GLOVE

Product Code	Size	Bag Quantity	Box Quantity
<b>ALASKA-M</b>	M (8)	12 Pairs	120 Pairs
<b>ALASKA-L</b>	L (9)	12 Pairs	120 Pairs
<b>ALASKA-XL</b>	XL (10)	12 Pairs	120 Pairs



# ORANGE LATEX BUILDERS GLOVE

A flexible latex coating provides excellent grip in wet and dry conditions for safe handling



## FEATURES

Seamless knitted cotton liner provides exception comfort and reduces hand fatigue

Suitable for general handling, construction, automotive, warehousing, horticulture, utilities, refuse collection

Back of glove is uncoated allowing the hand to breathe

Individually packed in pairs with punched euro slot

## MECHANICAL DATA - EN388

Abrasion	Level 3
Cut	Level 1
Tear	Level 4
Puncture	Level 1

## OREGON ORANGE LATEX BUILDERS GLOVE

Product Code	Size	Bag Quantity	Box Quantity
<b>OREGON-M</b>	M (8)	12 Pairs	120 Pairs
<b>OREGON-L</b>	L (9)	12 Pairs	120 Pairs
<b>OREGON-XL</b>	XL (10)	12 Pairs	120 Pairs
<b>OREGON-XXL</b>	XXL (11)	12 Pairs	120 Pairs

# THERMAL LATEX GLOVE

A thermal, heavy duty, very long life glove with crink latex coated for excellent wet and dry grip



## FEATURES

Seamless and lined for exceptional comfort

Fleece liner keeps the hands warm in cold conditions

Suitable for cold protection/working conditions, general handling, construction & site use and warehousing

Back of the glove is uncoated to allow hand to breath

Can be used all year round

Individually packed in pairs with punched euro slot

## MECHANICAL DATA - EN388

Abrasion	Level 1
Cut	Level 1
Tear	Level 4
Puncture	Level 1

## DAKOTA GREY THERMAL LATEX GLOVE

Product Code	Size	Bag Quantity	Box Quantity
<b>DAKOTA-L</b>	L (9)	12 Pairs	120 Pairs
<b>DAKOTA-XL</b>	XL (10)	12 Pairs	120 Pairs

DART

CONDOR

RED TEN

NAILMASTER

HANDMAX

POINT OF SALE

# THERMAL PLUS LATEX GLOVE

A warm and comfortable fluorescent glove, ideal for dark environments where visibility is essential



## FEATURES

High visibility due to fluorescent yellow cotton liner

Blue high grip latex coating on the palm

Suitable for cold protection/working conditions, general handling, construction & site use and warehousing

Suitable for outdoor and indoor use such as warehouses

Individually packed in pairs with punched euro slot

## MECHANICAL DATA - EN388

Abrasion	Level 2
Cut	Level 1
Tear	Level 4
Puncture	Level 2

## MAINE NEON THERMAL PLUS LATEX GLOVE

Product Code	Size	Bag Quantity	Box Quantity
MAINE-M	M (8)	12 Pairs	120 Pairs
MAINE-L	L (9)	12 Pairs	120 Pairs
MAINE-XL	XL (10)	12 Pairs	120 Pairs

# FOAM NITRILE GLOVE

A breathable foam nitrile coated glove designed for outstanding grip where precision handling is required



## FEATURES

Glove make up ensures outstanding comfort during extended wear

Nylon and Lycra blend liner provides extreme comfort and support

Suitable for detailed assembly, inspection, light fabrication and small parts handling (including oily items)

Good abrasion resistant with maximum dexterity

Individually packed in pairs with punched euro slot

## MECHANICAL DATA - EN388

Abrasion	Level 4
Cut	Level 1
Tear	Level 3
Puncture	Level 2

## KANSAS FOAM NITRILE GLOVE

Product Code	Size	Bag Quantity	Box Quantity
<b>KANSAS-M</b>	M (8)	12 Pairs	120 Pairs
<b>KANSAS-L</b>	L (9)	12 Pairs	120 Pairs
<b>KANSAS-XL</b>	XL (10)	12 Pairs	120 Pairs
<b>KANSAS-XXL</b>	XXL (11)	12 Pairs	120 Pairs

DART

CONDOR

RED TEN

NAILMASTER

HANDMAX

POINT OF SALE

# NITRILE GLOVE

A lightweight glove with nitrile coating on palm and fingers which offers a good grip on oily and wet surfaces

## FEATURES

Uncoated on the back to keep hands cool

Seamless knitted 13g polyester liner

Suitable for light detail assembly, light fabrication, small parts handling including oily items, scaffolding

Excellent protection against abrasion and chemical resistance

Individually packed in pairs with punched euro slot



## MECHANICAL DATA - EN388

Abrasion	Level 3
Cut	Level 1
Tear	Level 2
Puncture	Level 1

## MICHIGAN NITRILE GLOVE

Product Code	Size	Bag Quantity	Box Quantity
<b>MICHIGAN-L</b>	L (9)	12 Pairs	120 Pairs
<b>MICHIGAN-XL</b>	XL (10)	12 Pairs	120 Pairs

# CUT 3 PU GLOVE

A cut 3 resistance  
lightweight HPPE glove



## FEATURES

HPPE (High Performance Polyethylene) fibre is lightweight, low-linting and doesn't easily absorb liquids

Suitable for glass & sheet metal handling, construction, general purpose

Fine dark grey polyurethane coating on palm and fingers

Coating gives the high cut resistance but is still thin enough for excellent levels of dexterity and comfort

## MECHANICAL DATA - EN388

Abrasion	Level 4
Cut	Level 3
Tear	Level 4
Puncture	Level 3

## MISSOURI CUT 3 PU GLOVE

Product Code	Size	Bag Quantity	Box Quantity
<b>MISSOURI-M</b>	M (8)	10 Pairs	300 Pairs
<b>MISSOURI-L</b>	L (9)	10 Pairs	300 Pairs
<b>MISSOURI-XL</b>	XL (10)	10 Pairs	300 Pairs

DART

CONDOR

RED TEN

NAILMASTER

HANDMAX

POINT OF SALE

# CUT 4 PU GLOVE

A cut 4 resistance  
lightweight HPPE glove



## FEATURES

Seamless strong anti-cut fiberglass mix

Suitable for glass and sheet metal handling, construction and general purpose

Grey polyurethane coating on palm and fingers

Coating gives the high cut resistance combined with the touch element

## MECHANICAL DATA - EN388

Abrasion	Level 4
Cut	Level 4
Tear	Level 4
Puncture	Level 3

## MINNESOTA CUT 4 PU GLOVE

Product Code	Size	Bag Quantity	Box Quantity
<b>MINNESOTA-M</b>	M (8)	10 Pairs	300 Pairs
<b>MINNESOTA-L</b>	L (9)	10 Pairs	300 Pairs
<b>MINNESOTA-XL</b>	XL (10)	10 Pairs	300 Pairs

# CUT 5 PU GLOVE

A cut 5 resistance  
lightweight HPPE glove



## FEATURES

High dexterity provides user with excellent sensitivity

Suitable for glass and sheet metal handling, automotive, construction and recycling

Coated palm enhances grip

Individually packed in pairs with punched euro slot

## MECHANICAL DATA - EN388

Abrasion	Level 4
Cut	Level 5
Tear	Level 4
Puncture	Level 3

## VERMONT CUT 5 PU GLOVE

Product Code	Size	Bag Quantity	Box Quantity
<b>VERMONT-L</b>	L (9)	12 Pairs	120 Pairs
<b>VERMONT-XL</b>	XL (10)	12 Pairs	120 Pairs

DART

CONDOR

RED TEN

NAILMASTER

HANDMAX

POINT OF SALE

# KEVLAR DUPONT LATEX GLOVE

A heavy duty performance glove with Kevlar liner which enhances durability and minimises puncturing



## FEATURES

Crinkle latex coating offers exceptional grip in both wet and dry conditions

Suitable for glass and light sheet metal handling, automotive, construction and recycling

Seamless knitted Kevlar liner provides exceptional comfort and reduces hand fatigue

Increases protection against cuts, slashes and abrasions

Individually packed in pairs with punched euro slot

## MECHANICAL DATA - EN388

Abrasion	Level 2
Cut	Level 3
Tear	Level 4
Puncture	Level 4

## TEXAS KEVLAR DUPONT LATEX GLOVE

Product Code	Size	Bag Quantity	Box Quantity
TEXAS-L	L (9)	12 Pairs	120 Pairs
TEXAS-XL	XL (10)	12 Pairs	120 Pairs



**DART HANDMAX  
TEXAS KEVLAR DUPONT  
LATEX GLOVE**



**DART®**

**POINT OF  
SALE**

All product displayed on stands are for illustrative purposes only



COUNTER STAND

Product Code	Size
DASTAN2	h700 x w375 x d220mm



PERSPEX STAND

Product Code	Size
DASTAN2	h345 x w340 x d230mm



TWIST DRILL  
DISPLAY BOX

Product Code	Size
DASTAN2	h700 x w375 x d220mm



SPINNER STAND

Product Code	Size
DASTANSP	h1760 x w520 x d520mm



## 1 METRE WALL STAND

Product Code	Item	Size
<b>DASTANSP</b>	Stand	h2120 x w1010 x d630mm
<b>DASTAN1H</b>	Header	-



Multiple 1m stands create a panorama display



## EURO HOOK

Product Code	Size
<b>DASTAN200EH</b>	200mm
<b>DASTAN100EH</b>	100mm



## SINGLE HOOK

Product Code	Size
<b>DASTAN150SH</b>	150mm



## BLADE BAR

Product Code	Size
<b>DASTANBB</b>	1 metre



## HANDMAX MESH GLOVE STAND

Product Code	Size
<b>HASTAN660</b>	h1950 x w660 x d460mm



## MESH STAND 200MM EURO HOOK

Product Code	Size
<b>HASTAN200EH</b>	200mm



## MESH STAND HANGING BASKET

Product Code	Size
<b>HASTANHB</b>	h110 x w610 x d310mm



## MESH STAND FLOOR BASKET

Product Code	Size
<b>HASTANFB</b>	h250 x w580 x d340mm



## THE POWER OF PRECISION®

DART Tool Group, 1 Wheatfield Road, Dunnikier Business Park, Kirkcaldy KY1 3PD  
T +44 (0)1592 652900 F +44 (0)1592 654854 E [sales@darttoolgroup.com](mailto:sales@darttoolgroup.com)



[darttoolgroup.com](http://darttoolgroup.com)

