

The OX logo is rendered in a bold, italicized, blue sans-serif font. The 'O' and 'X' are connected, with a small registered trademark symbol (®) to the right of the 'X'.

OX[®]

The Spectrum Diamond logo features the word 'spectrum' in a white, lowercase, sans-serif font, with 'DIAMOND' in a smaller, uppercase, sans-serif font positioned above the 'um'. A registered trademark symbol (®) is located to the right of 'DIAMOND'.

spectrum[®] DIAMOND

**DIAMOND TOOL
CATALOGUE
2018 - VERSION 2**





Our story

OX Group is a world leading manufacturer of hand tools, diamond tools and safety products.

The Spectrum diamond tool range was developed in 1992 and is now clearly recognised as the leading brand of choice and at the forefront of diamond tool technology.

Developed and proven in Australia over the past 44 years, our tools are recognised as tough, dynamic and dependable across the globe.

As manufacturer of professional tools we sell direct to the merchants, providing them with excellent service: innovative merchandising solutions and a very powerful brand.

Issue date: July 2018

Subject to availability and OX Products Group UK Ltd terms & conditions of sale. All prices exclude VAT. E & OE.

Contents



PRODUCT GUARANTEES & SAFETY 07



SPECTRUM RANGE 10



STANDARD RANGE 12



TRADE RANGE 13



PRO RANGE 16



ULTIMATE RANGE 18



FLOORSAW BLADES 20



SPECIALIST BLADES 22



DIAMOND DRY CORE RANGE 30



TILE DRILLING 37



DIAMOND WET CORE RANGE 41



MERCHANDISING / STANDS 42

18 offices, 15 countries, one **OX**




OX UK -
Europe/Middle East
- France
- Spain
- Sweden
- The Netherlands
- Malta
- Italy
- Finland
- Saudi Arabia
- Argentina
- United Arab Emirates

OX Australia -
Australasia/Asia Pacific
- New Zealand

OX USA -
North America
- Canada

World leading technology...



Only the finest quality of diamond is used in the production of Spectrum products




State of the art laser technology for ultimate performance and safety



Blade cores are made of the highest quality steel, precision engineered, ground and hardened

What is 'auto-array' technology?

The diamonds are placed in a regular pattern using advanced auto-array technology. This allows the diamonds to be placed exactly where they will give the optimum performance, over against traditional random diamond grit segments.



Reduced cutting times from the ultra fast auto blade means less time to do the work, offering massive savings on cost per cut

Full back up support



Staff training



National Sales Representatives



Demonstrations & trade shows



Service & support on site

Product guarantees & safety

The concept of safety is fundamental to the philosophy of the Spectrum range. It is interwoven into the very fibre of innovation, design and production from concept to after sales service.



ISO 9001:2000

OX Group UK systems have been fully certified to BS EN ISO 9001:2000 Since 1996.



EN13236

Blades conform with European and UK standards.



Full 'No Hassle' Guarantee

All Spectrum products are backed by our full 'No Hassle' guarantee – Ensuring confidence of distributors and their customers.



Diamond Innovation

Ongoing development provides increased performance on existing products, and innovative new diamond solutions.



Safety Instructions

Products undergo rigorous safety and vibration testing at our research & development facility, and in the field.



Professional Builders Award

Professional builders coveted 'Top Product' Award was won by the Spectrum TX10R superior diamond blade in 2006.



Ultimate Guarantee

Ultimate products undergo extreme testing – the ZX15 Zenith undergoes factory testing +80% more demanding than the requirements of EN13236.



Hand/Arm Vibration

Spectrum products were among the first to be tested and certified safe for hand/arm vibration.



Extra Safe

Our safety policy is an integral part of our company ethos with policies incorporating ISO18001.



Environmental

Showing that we care: Manufacturing operations accredited to ISO 14001 environmental systems.



Staff

Staff safety and care is no afterthought. Our personal and individual approach is reflected in our attitude to customers and staff alike.

We have a responsibility. Quality control systems and environmental and safety management ensure that our care covers not only our products and our customers – but that our ethical guidelines address issues such as staff safety and care for the environment.

Whatever the level of merchandising support you need, we have the answer!



Promotional displays & packs...



New look Spectrum diamond tool packaging!



Blade selection & presentation



Performance Classes

STANDARD SERIES

Entry level contractor range and Spectrum standard DE – an industry benchmark.

TRADE SERIES

Exceptional value for the price conscious buyer who wants something better.

PRO SERIES

The award winning, best selling superior blades – including the TX10R – the best all round builders blade on the market.

ULTIMATE SERIES

When nothing but the best will do. 'Ultimate' says it all.

Quality – our priority

Very concise & logical diamond range

Material Classes

X-class

UNIVERSAL HARD

Hard materials & metal
Fast cutting universal
Hard natural stone
Clay products
Engineering bricks

CX-class

CONCRETE

Concrete & concrete products
General purpose
Unabrasive products
Building products

CA-class

ABRASIVE

Abrasive materials
Concrete & asphalt
Dual purpose
Concrete products
Concrete roof tiles

A-class

ASPHALT

Asphalt & extremely
abrasive products
Cement screed
Lignacite blocks

Logical separation
of each different
diamond blade
into different
material classes

QUALITY: **TRADE SERIES**

prefix: D



DX10



DCX



DCA



DA

QUALITY: **PRO SERIES**

prefix: M (except TX10R)



TX10R



MCX



MCA



MA


Very clear
quality bands

QUALITY: **ULTIMATE SERIES**

prefix: Z



ZX10



ZCX



ZCA



ZA

The STANDARD Series gives the benefit of a safe performing product for the cost conscious user.



CGS GENERAL PURPOSE

STANDARD DIAMOND BLADE

Entry level diamond blade for the cost conscious user. General purpose use.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
CGS-115/22	5060135477998	115	22.2	6.56
CGS-230/22	5060135478001	230	22.2	21.01
CGS-300/20	5060135478018	300	20	38.06



CGS GENERAL PURPOSE

DIAMOND BLADE TRIPLE PACK

Contractor CGS Diamond Blade Triple Pack 115/22.23mm

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
X3-CGS-115/22	5060359914507	115	22.2	17.52



GTT G P, TURBO & CERAMIC

DIAMOND BLADE TRIPLE PACK

3 Pack includes General Purpose, Turbo & Ceramic Blades.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
X3-GTT-115/22	5060359919229	115	22.2	17.52



DE10

STANDARD GENERAL PURPOSE

Best selling general purpose blade with robust 10mm segment height.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
DE10-105/16	5060135477936	105	16	10.50
DE10-115/22	5060135477943	115	22.2	11.81
DE10-125/22	5060135477950	125	22.2	13.14
DE10-230/22	5060135477967	230	22.2	27.56
DE10-300/20	5060135477974	300	20	51.19

Applications include: bricks and slabs, concrete paviors, roof tiles, concrete products.

The turbo segment general purpose blade...



DU10

STANDARD TURBO GENERAL PURPOSE

Turbo general purpose blade with a 10mm segment for faster cutting and longer life.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
DU10-115/22	5060359915481	115	22.2	16.29
DU10-230/22	5060359915504	230	22.2	41.00
DU10-300/20	5060359915511	300	20	74.69

Applications include: bricks and slabs, concrete paviers, roof tiles, concrete products.

Exceptional value for the price conscious buyer who wants something better.

SPECTRUM TRADE SERIES

The TRADE Series allows blade users to get value for money without compromising on performance or safety. Not only are these the best blades available at this price level, they also offer the most comprehensive and clear choice.

The exceptionally keen pricing of the DCX DOUBLE SIX (with the maxim 'don't chance it – get a double six every time') has won over many users who previously bought only the least expensive discs.

BLADE SELECTOR :

UNIVERSAL HARD

Hard materials & metal
Fast cutting universal
Hard natural stone
Clay products
Engineering bricks



DX10

CONCRETE

Concrete & concrete products
General purpose
Unabrasive products
Building products



DCX

ABRASIVE

Abrasive materials
Concrete & asphalt
Dual purpose
Concrete products
Concrete roof tiles



DCA

ASPHALT

Asphalt & extremely
abrasive products
Cement screed
Lignacite blocks



DA



TC10

TRADE GENERAL PURPOSE

Look no further for extreme value in this price sector with no compromise on performance or safety.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
TC10-115/22	5060135479442	115	22.2	9.18
TC10-125/22	5060135479459	125	22.2	11.80
TC10-230/22	5060135479466	230	22.2	24.94
TC10-300/20	5060135479473	300	20	51.19
TC10-350/20	5060242330957	350	20	89.15
TC10-350/25	5060242330964	350	25.4	89.15

Applications include: kerbs and slabs, bricks, concrete paviors and blocks, roof tiles and general building materials.



TC15

TRADE CONCRETE/GENERAL PURPOSE

Universal concrete blade with a 15mm segment height.
Combining excellent performance in speed of cut and life – this product provides exceptional quality/price ratio.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
TC15-115/22	5060242338236	115	22.2	21.03
TC15-230/22	5060242338243	230	22.2	46.73
TC15-300/20	5060242338250	300	20	81.76

Applications include: concrete products, roof tiles, blocks, bricks, and all general building products.

The best diamond blades you can buy at this price level.

DX10 TURBO

TRADE UNIVERSAL/HARD

Fast cutting universal blade, with 10mm segment. Features super fast turbo segment and cooling holes. CUTS IT ALL – GUARANTEED.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
DX10-105/16	5060135478278	105	16	23.62
DX10-115/22	5060135478285	115	22.2	24.94
DX10-125/22	5060135478292	125	22.2	26.25
DX10-150/22	5060135478308	150	22.2	36.75
DX10-180/22	5060135478315	180	22.2	42.00
DX10-230/22	5060135478322	230	22.2	56.44
DX10-300/20	5060135478339	300	20	94.50
DX10-350/20	5060135478353	350	20	129.95
DX10-350/25	5060135478360	350	25.4	129.95



Applications include: concrete products, clay products, granite, engineering bricks, building products.

DCX DOUBLE SIX

TRADE GENERAL PURPOSE

The general purpose blade with a 12mm segment. All round performance

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
DCX115/22	5060135478377	115	22.2	18.38
DCX125/22	5060135478384	125	22.2	22.32
DCX230/22	5060135478391	230	22.2	43.31
DCX300/20	5060135478407	300	20	74.82
DCX350/20	5060135478421	350	20	103.68
DCX350/25	5060135478438	350	25.4	103.68



Applications include: building products, general purpose, kerbs and slabs, concrete paviors and blocks, roof tiles.

DCA

TRADE ABRASIVE/GENERAL PURPOSE

Abrasive and general purpose blade with 10mm segment.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
DCA105/16	5060135478445	105	16	23.62
DCA115/22	5060135478452	115	22.2	24.94
DCA125/22	5060135478469	125	22.2	26.25
DCA150/22	5060135478476	150	22.2	36.75
DCA180/22	5060135478483	180	22.2	42.00
DCA230/22	5060135478490	230	22.2	56.44
DCA300/20	5060135478506	300	20	94.50
DCA350/20	5060135478520	350	20	129.95
DCA350/25	5060135478537	350	25.4	129.95
DCA450/25	5060359914811	450	25.4	245.98



Applications include: general and abrasive building products, concrete paviors, concrete roof tiles, hard asphalt, breeze blocks.

DA

TRADE ASPHALT

Asphalt blade with 10mm wedge segment undercut protection.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
DA300/20	5060135471521	300	20	94.50
DA350/25	5060135478551	350	25.4	129.95

Applications include: asphalt and extremely abrasive materials, render.



SPECTRUM PRO SERIES

The award winning, best selling PRO Series blades – including the TX10R – the best all round builders blade on the market. These are simply the best value for money blades available in this sector, giving performance you would associate with a professional product at a price that has revolutionised the market.

BLADE SELECTOR :
UNIVERSAL HARD

Hard materials & metal
Fast cutting universal
Hard natural stone
Clay products
Engineering bricks



TX10R

CONCRETE

Concrete & concrete products
General purpose
Unabrasive products
Building products



MCX

ABRASIVE

Abrasive materials
Concrete & asphalt
Dual purpose
Concrete products
Concrete roof tiles




MCA

ASPHALT

Asphalt & extremely
abrasive products
Cement screed
Lignacite blocks



MA


TCX15
PRO UNIVERSAL

Extreme performance – the revolutionary ‘civils’ blade for endurance and cutting ability.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
TCX15-115/22	5060135479541	115	22.2	30.29
TCX15-125/22	5060242334153	125	22.2	37.86
TCX15-230/22	5060135479558	230	22.2	74.46
TCX15-300/20	5060135479565	300	20	124.95

Applications include: all concrete products and general building materials including bricks, blocks, paviors and concrete roof tiles.


MX10 SUPERFAST
PRO UNIVERSAL/HARD

New technology produces exceptionally fast cutting speed and the ability to cut the hardest concrete and natural stone. Excellent value universal blade.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
MX10-115/22	5060242338892	115	22.2	39.31
MX10-125/22	5060242339455	125	22.2	44.93
MX10-230/22	5060242338908	230	22.2	81.99
MX10-300/20	5060242338915	300	20	131.41

Applications include: hard natural stone, hard concrete, clay products, general building materials.

Superior performance from the best value for money blades available.

TX10R SUPERFAST

PRO MULTI-STEEL

Guaranteed to cut all construction products including metal. Excellent fast cut universal & hard materials. Reinforced flange. Cooling holes. Semi-transparent.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
TX10R-105/16	5060135476656	105	16	37.86
TX10R-115/22	5060135476663	115	22.2	37.86
TX10R-125/22	5060135476670	125	22.2	44.17
TX10R-150/22	5060135476687	150	22.2	56.79
TX10R-180/22	5060135476694	180	22.2	63.10
TX10R-230/22	5060135476700	230	22.2	94.65
TX10R-300/20	5060135476717	300	20	157.76
TX10R-350/20	5060135476731	350	20	220.86
TX10R-350/25	5060135476748	350	25.4	220.86



Applications include: granite, natural stone, clay products, engineering bricks, metal, concrete products, all building materials. Wear will increase on abrasive materials.

MCX SUPERCUT

PRO CONCRETE PRODUCTS

Durable 'Cuts it all' general purpose and concrete products blade with 15mm segment and cooling holes.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
MCX115/22	5060135478209	115	22.2	37.86
MCX230/22	5060135478223	230	22.2	94.65
MCX300/20	5060135478230	300	20	157.76
MCX350/20	5060135478254	350	20	220.86
MCX350/25	5060135478261	350	25.4	220.86



Applications include: concrete kerbs and slabs, concrete paviors, roof tiles, bricks, general building materials.

MCA ZEBRA

PRO ABRASIVE

High performance dual purpose blade with 10mm segment and wedge undercut protection.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
MCA105/16	5060135473990	105	16	50.48
MCA115/22	5060135474003	115	22.2	56.79
MCA125/22	5060135474010	125	22.2	63.10
MCA150/22	5060135474027	150	22.2	82.04
MCA180/22	5060135474034	180	22.2	94.65
MCA230/22	5060135474041	230	22.2	113.58
MCA300/20	5060135474058	300	20	183.00
MCA350/20	5060135474072	350	20	296.58
MCA350/25	5060135474089	350	25.4	296.58
MCA400/20	5060135474096	400	20	372.30
MCA400/25	5060135474102	400	25.4	372.30
MCA450/25	5060135474119	450	25.4	473.26



Applications include: abrasive building materials, concrete products, roof tiles, blocks, floorsaw concrete & dual concrete/asphalt.

MA SHARK

PRO ASPHALT

Undercut protected blade with 10mm segment and wedge undercut protection.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
MA300/20	5060135473846	300	20	183.00
MA350/20	5060135473860	350	20	296.58
MA350/25	5060135473877	350	25.4	296.58
MA400/20	5060135478568	400	20	372.30
MA400/25	5060135478575	400	25.4	372.30
MA450/25	5060135473884	450	25.4	473.26



Applications include: asphalt and extremely abrasive products.



SUPER FAST



STRENGTH



VERSATILE



ENDURANCE

Satisfaction is not just promised, it's guaranteed!



SPECTRUM **ULTIMATE SERIES**

The Ultimate range. Sophisticated, yet concise. Comprehensive, without compromising clarity. We've put together this range with careful consideration to everything you would expect from the highest quality blades on the market – and a lot you may never have thought of.

With the range consisting of four main blades to cover every situation, your discerning customer need look no further. Impressive presentation backed up by excellent merchandising creates blades that are desirable. Backed by every safety standard including ISO 9001 & EN13236. Guaranteed safe. Guaranteed to perform.

BLADE SELECTOR :

UNIVERSAL HARD


Hard materials
Fast cutting universal
Hard natural stone
Clay products
Engineering bricks



ZX10

CONCRETE

Concrete & concrete products
General purpose
Unabrasive products
Building products



ZCX

ABRASIVE

Abrasive materials
Concrete & asphalt
Dual purpose
Concrete products
Concrete roof tiles



ZCA

ASPHALT

Asphalt & extremely
abrasive products
Cement screed
Lignacite blocks



ZA

The Ultimate performance: blades don't come better than this.

ZX10 AUTO

ULTIMATE UNIVERSAL/HARD

New Auto-Array technology allows the diamonds to be placed evenly to an exact specification. This produces exceptionally fast cutting speed and the ability to cut the hardest concrete and natural stone.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
ZX10-350/25/20	5060242338311	350	20/25.4	334.43
ZX10-450/25	5060242338328	450	25.4	561.60
ZX10-500/25	5060530352388	500	25.4	613.16

Applications include: hard natural stone, hard concrete, clay products & general building materials.products.



ZCX CYCLONE

ULTIMATE CONCRETE PRODUCTS

Blade with 10mm segment height. Featuring tear drop gullet design, cooling holes, reinforced centre flange.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
ZCX115/22	5060135477639	115	22.2	78.25
ZCX125/22	5060135477646	125	22.2	83.29
ZCX230/22	5060135477653	230	22.2	150.18
ZCX300/20	5060135477660	300	20	251.14
ZCX350/25/20	5060135477691	350	25.4/20	334.43

Applications include: in-situ concrete (including reinforced), concrete products, natural stone, building materials, steel. Ideal 'civils' blade.



ZCA ZEBRA

ULTIMATE ABRASIVE

Dual purpose blade with 10mm segment height. Featuring 'wedge segment' undercut protection, narrow gullet.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
ZCA115/22	5060135478919	115	22.2	78.25
ZCA125/22	5060135478926	125	22.2	83.29
ZCA230/22	5060135477752	230	22.2	150.18
ZCA300/20	5060135477769	300	20	251.14
ZCA350/20	5060135477783	350	20	334.43
ZCA350/25	5060135477707	350	25.4	334.43
ZCA400/20	5060135477714	400	20	440.45
ZCA400/25	5060135477790	400	25.4	440.45
ZCA450/25	5060135477806	450	25.4	561.60

Applications include: dual purpose concrete & asphalt, abrasive materials and abrasive concrete products (e.g. roof tiles, blocks).



ZA BLACK SHARK

ULTIMATE ASPHALT

Asphalt blade with 10mm segment height. Featuring 'wedge segment' undercut protection, 'U' clearance gullet.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
ZA230/22	5060135477813	230	22.2	150.18
ZA300/20	5060135477837	300	20	251.14
ZA350/20	5060135477844	350	20	334.43
ZA350/25	5060135477875	350	25.4	334.43
ZA450/25	5060135477868	450	25.4	561.60

Applications include: asphalt & extremely abrasive products, cement screed, lignacite blocks.



FLOORSAW BLADES

Floorsaws are more powerful machines than angle grinders and petrol saws, and typically the substrate being cut is more demanding.

This is why – especially for concrete – we recommend dedicated floorsaw blades. We also have professional floorsaw blades up to 900mm diameter and slot cutting blades up to 450mm diameter in 8mm, 10mm and 12mm widths.

FLOORSAW BLADE PROFILE: ZCF



FLOORSAW BLADE RANGE

BLADE SELECTOR : CONCRETE

All aggregate reinforced concrete

DUAL PURPOSE

Concrete & asphalt

ASPHALT

Asphalt & screed

PRO



MC



MCA



MA

ULTIMATE



ZCF



ZCA



ZA

FLOORSAW BLADES

MC

PRO FLOORSAW CONCRETE

High quality blade with 10mm segment. Used by professionals.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
MC350/25	5060135473952	350	25.4	314.25
MC450/25	5060135473983	450	25.4	503.55

Applications include: in-situ concrete - flint and limestone aggregate, reinforced concrete.



ZCF CYCLONE

ULTIMATE FLOORSAW CONCRETE

Extremely high quality blade with 10mm segment. Used by professionals.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
ZCF350/25	5060135477721	350	25.4	364.73
ZCF450/25	5060135477745	450	25.4	617.13

Applications include: in-situ concrete - flint and limestone aggregate, reinforced concrete.



MCA ZEBRA

PRO ABRASIVE DUAL PURPOSE

Dual purpose blade with 10mm segment. Featuring 'wedge segment' undercut protection.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
MCA350/25	5060135474089	350	25.4	296.58
MCA400/25	5060135474102	400	25.4	372.30
MCA450/25	5060135474119	450	25.4	473.26

Applications include: Concrete and asphalt, abrasive concrete, concrete paviors.



ZCA ZEBRA

ULTIMATE ABRASIVE DUAL PURPOSE

Dual purpose blade with 10mm segment height. Featuring 'wedge segment' undercut protection, narrow gullet.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
ZCA350/25	5060135477707	350	25.4	334.43
ZCA400/25	5060135477790	400	25.4	440.45
ZCA450/25	5060135477806	450	25.4	561.60
ZCA500/25	5060242336355	500	25.4	613.16
ZCA600/25	5060242336362	600	25.4	720.31

Applications include: Concrete and asphalt, abrasive concrete, asphalt over concrete, concrete paviors.



MA SHARK

PRO FLOORSAW ASPHALT

High quality blade with 10mm segment. Featuring 'wedge segment' undercut protection.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
MA350/25	5060135473877	350	25.4	296.58
MA400/25	5060135478575	400	25.4	372.30
MA450/25	5060135473884	450	25.4	473.26

Applications include: Hot rolled and footway asphalt, cement screed.



ZA BLACK SHARK

ULTIMATE FLOORSAW ASPHALT

Asphalt blade with 10mm segment height. Featuring 'wedge segment' undercut protection, 'U' clearance gullet.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
ZA350/25	5060135477875	350	25.4	334.43
ZA450/25	5060135477868	450	25.4	561.60
ZA500/25	5060242336331	500	25.4	613.16
ZA600/25	5060242336348	600	25.4	720.31

Applications include: Hot rolled and footway asphalt, cement screed, extremely abrasive new green concrete.




ZRX

GREEN CONCRETE & ASPHALT OVER CONCRETE

Specialist blade with 10mm segment height. Featuring 'wedge segment' undercut protection and narrow slot.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
ZRX350/25	5060135478933	350	25.4	364.73
ZRX450/25	5060135478940	450	25.4	617.13

Applications include: green concrete, asphalt over concrete, dual concrete and asphalt, abrasive materials.



The Spectrum Ultimate KARBITE is a saw blade made up of carbide clusters welded to a reduced noise and vibration centreplate which can cut equally well in either direction, and can rip through many products which cannot be cut using a diamond blade or chainsaw. Available in 300mm (12") for use on hand held disc cutters and 230mm (9") and 115mm (4½") for angle grinders.

For a blade that's got some bite, the KARBITE gives a remarkably even cut in many products from timber to plastic, tree roots to rubber and is not put off by nails or screws! As it is bi-directional, the KARBITE does not need to be sharpened – simply turn it round and carry on cutting.

MULTI-PURPOSE BLADE PROFILE: KRB



KRB KARBITE

ULTIMATE MULTI-PURPOSE

A saw blade made up of carbide clusters to cut many products from timber to plastic, tree roots to rubber and is not put off by nails or screws. Available in 300 & 350mm for use on hand held disc cutters and 115 & 230mm for angle grinders.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
KRB-115/22	5060135479770	115	22.2	87.08
KRB-230/22	5060135479787	230	22.2	238.52
KRB-300/20	5060135479596	300	20	352.10
KRB-350/25/20	5060242331435	350	25.4/20	440.45

Applications include: tree roots & soil, wooden boards & planks, fence panels, railway sleepers, small trees & branches, thin sheet metal, scaffold boards, wooden / plastic pallets, plywood, chipboard, nails & screws, PE & PP plastics, flashing, decking, rubber, abrasive blocks, tar & mastic, flat roofing.

DO NOT USE ON CONCRETE, CERAMICS, MASONRY PRODUCTS OR THICK METAL.

Who can benefit from Karbrite?

Many different trades have benefitted from the Karbrite, here's a few of them:

- Groundworkers
- Tree surgeons
- Pipeline utilities
- Roofers
- Demolition gangs
- Landscapers
- Forestry workers
- Railway contractors
- Civil engineers
- Farmers
- Decking contractors

World Leading Technology...
The USB super blade!
The new way to cut ALL metals...FAST!

METAL CUTTING BLADE PROFILE: USB



USB

ULTIMATE METAL CUTTING BLADE

Suitable for handsaw. Cuts ductile iron pipe, cast iron, rebar, steel, fibreglass, plastic pipe & concrete.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
USB-115/22	5060242338205	115	22.2	56.16
USB-230/22	5060242338212	230	22.2	134.78
USB-300/20	5060242338229	300	20	196.56



OX has redefined excellence in the world of circular saw blades with the introduction of it's new superfast range. Blade cores are made from the highest quality steel, precision engineered, ground and hardened.



Wood – speed cut/coarse finish

For ripping through softwood, hardwood & plywood.



Wood – cross cut/medium finish

For cutting through softwood, hardwood & plywood.



Wood – fine finish

For cutting through softwood, hardwood, plywood, MDF, hardboard and wood laminates.



Wood – extra fine finish

For very fine finish when cutting through softwood, hardwood, plywood, MDF, hardboard and wood laminates.



Aluminium/Plastic/Laminate – extra fine finish

For cutting non-ferrous metals including aluminium, plastic and wood laminates.



PCD Fibre Cement Cutting Blade

Polycrystalline diamond tipped teeth for fast cutting and long life when cutting fibre cement board.



MORTAR RAKING BLADES

Mortar raking diamond blades provide fast, effective removal of mortar joints prior to re-pointing. With a segment width of 6mm, Spectrum mortar rakes are designed to cope with removal of most joint widths.

CG6

STANDARD MORTAR RAKE

6mm wide segment. Entry level product for the cost conscious user.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
CG6-115/22	5060135479831	115	22.2	32.81
CG6-125/22	5060135479848	125	22.2	39.37

Applications include: mortar raking, brick raking, abrasive materials.



RD6

TRADE MORTAR RAKE

6mm wide segment blade. Fantastic value for money product.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
RD6-115/22	5060135475413	115	22.2	51.19
RD6-125/22	5060135475420	125	22.2	59.06

Applications include: mortar raking, brick raking, abrasive materials.



RX6

PRO MORTAR RAKE

High quality 6mm wide segment blade. The market leader – a great product to use. Fast cut/long life.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
RX6-115/22	5060135475451	115	22.2	109.79
RX6-125/22	5060135475468	125	22.2	119.89
RX6-180/22	5060135475475	180	22.2	175.42

Applications include: mortar raking, abrasive materials.



RZ6

ULTIMATE MORTAR RAKE

Professional 6mm wide segment blade. For the professional user, offers ultimate endurance where life is the greatest issue. With undercut protection.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
RZ6-115/22	5060135475437	115	22.2	184.26
RZ6-125/22	5060135475444	125	22.2	200.66

Applications include: mortar raking, abrasive materials.



CERAMIC & STONE TILING BLADES

Tiling is a big thing in today's world, and the last few years have seen a massive increase in the use of natural stone and man-made ceramics in commercial and domestic situations. For cutting ceramics, a smooth continuous rim diamond blade is used to give a fine clean cut – where a segmented blade could cause chipping. Our ceramic tile cutting blades are available in the Plus and Superior ranges, with our flagship ultimate SL-PRO blade 'guaranteed to cut all tiles' and super-thin turbo LST for the hardest of porcelains.



CERAMIC & STONE PRODUCTS

Understanding diamond cutting rim types:

CONTINUOUS RIM	diamond impregnated bonds	SEGMENTED	fused diamond ELECTROPLATED
SEMI-CONTINUOUS (TURBO) Characteristics: Fine, clean cutting and good life. No chipping. Typically used for ceramic and glass cutting products.	SEGMENTED Characteristics: Aggressive cutting, long life. Typically used for benchsaws and high powered machines.	CONTINUOUS RIM Characteristics: Fine, clean cutting and good life. No chipping. Typically used for ceramic and glass cutting products.	SEMI-CONTINUOUS (TURBO) Characteristics: Fine and aggressive cutting, long life. Typically used for porcelain and granite.

The image shows four diamond blades from left to right:

- CERAMIC BLADES SPD TILE HOLESAWS**: A continuous rim blade.
- PORCELAIN & GRANITE BLADES TURBO CUP GRINDERS**: A semi-continuous (turbo) rim blade.
- BENCHSAW BLADES CURVE CUTTING BLADES**: A segmented rim blade.
- ELECTROPLATED BLADES EPX & XT TILE DRILLS**: An electroplated rim blade.

CERAMIC & STONE TILING BLADES

SD

TRADE CERAMICS

Continuous rim diamond blade for cutting ceramic tiles. Popular sizes.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
SD115/22	5060135475505	115	22.2	11.81
SD180/25/22	5060135475543	180	25.4/22.2	28.88
SD200/25/22	5060135475567	200	25.4/22.2	35.43

Applications include: ceramic tiles.



SM

PRO CERAMICS

Continuous superior blade for cutting ceramic tiles. All sizes from 100mm - 230mm

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
SM100/16	5060135475772	100	16	18.93
SM115/22	5060135475789	115	22.2	20.20
SM125/22	5060135475796	125	22.2	23.98
SM150/25/22	5060135475802	150	25.4/22.2	32.81
SM180/25/22	5060135475819	180	25.4/22.2	40.38
SM200/25/22	5060135475833	200	25.4/22.2	49.22
SM230/25/22	5060135475857	230	25.4/22.2	61.84

Applications include: ceramic and medium hard natural stone tiles.



SL-PRO

ULTIMATE – CUTS ALL TILES – GUARANTEED!

Featuring 8mm continuous rim, fine cut, high concentration, s-slot cool cutting, s-detenso silencing. Cuts all tiles – guaranteed!

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
SL080/22/15	5060135475598	80	22.2/15	27.77
SL105/22/16	5060135475604	105	22.2/16	29.03
SL115/22	5060135475611	115	22.2	31.55
SL125/22	5060135475628	125	22.2	34.07
SL150/25/22	5060135475635	150	25.4/22.2	49.22
SL180/25/22	5060135475659	180	25.4/22.2	56.79
SL200/25/22	5060135475673	200	25.4/22.2	65.62
SL230/25/22	5060135475697	230	25.4/22.2	78.25
SL250/25	5060135475703	250	25.4	102.22
SL300/25/20	5060135475741	300	25.4/20	123.68
SL350/25	5060135475758	350	25.4	157.76

Applications include: ceramic tiles, natural stone, porcelain, granite, marble.



LST

ULTIMATE FINE TURBO PORCELAIN

Super thin turbo with 7mm segment. The finest cut for porcelain.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
LST115/22	5060135473587	115	22.2	70.68
LST125/22	5060135473594	125	22.2	84.55
LST150/25/22	5060135473600	150	25.4/22.2	119.89
LST180/25/22	5060135473624	180	25.4/22.2	141.35
LST200/25/22	5060135473648	200	25.4/22.2	155.23
LST230/25/22	5060135473662	230	25.4/22.2	175.42
LST250/25	5060135473679	250	25.4	238.52
LST300/25/20	5060135473686	300	25.4/20	314.25
LST350/25	5060135473693	350	25.4	373.56

Applications include: porcelain, ceramic, natural stone, granite.



CUP GRINDERS



Precision manufactured diamond grinding cups and heads for angle grinders and concrete planers.

We also provide a range of specialist and bespoke grinding heads and tools for a variety of machines and applications.



TK

PRO TURBO CUP GRINDER

For stock removal, surface grinding and finishing. Universal applications. Transform your 4½" grinder into a handy diamond grinding machine.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
TK100/22	5060135476625	100	22.2	49.22

Applications include: concrete and concrete products, natural stone, general building products.



KDR

ULTIMATE DOUBLE ROW CUP GRINDER

Professional double row cup grinder for universal concrete, construction products and stone. Long life.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
KDR105/22	5060135472825	105	22.2	94.65
KDR115/22	5060135478988	115	22.2	109.79
KDR125/22	5060135472832	125	22.2	124.95
KDR180/22	5060135472856	180	22.2	210.76

Applications include: concrete, natural stone and construction products.



PFC

ULTIMATE FAN CUP GRINDER

Professional fan cup grinding disc for universal concrete, construction products and stone. Long life.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
PFC105/22	5060359913302	105	22.2	94.65
PFC115/22	5060359913319	115	22.2	109.79
PFC125/22	5060359913326	125	22.2	124.95
PFC150/19	5060359913333	150	19	162.80

Applications include: concrete, natural stone and construction products.

CUP GRINDERS, GRINDING HEADS & SPECIALIST BLADES

MKT

ULTIMATE TURBO CUP GRINDER

Extremely versatile wide turbo design for use with Makita PC1100. Fast cutting, long life.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
MKT105/22/15	5060135474225	105	22/15	179.20

Applications include: concrete and natural stone.



KP

ULTIMATE PLANING HEADS

250mm concrete planing heads with universal mounting configuration for most floor planers. Available in 10, 16 and 20 segments for floor levelling, surface preparation and removal of adhesives, etc.

Product code	Barcode	Diameter (mm)	No. of segments	List price £
KP10-250	5060135472863	250	10	364.73
KP16-250	5060135472870	250	16	473.26
KP20-250	5060135472887	250	20	580.53



LCRV

ULTIMATE CURVE CUTTING BLADE

For cutting radii in concrete products and stone. Ideal for decorative patio work. 'Must have' blade for landscape gardeners.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
LCRV115/22	5060135474201	115	22.2	78.25
LCRV230/22	5060135474218	230	22.2	150.18

Applications include: concrete products, slabs, natural stone, paving blocks.



MCM

PRO TURBO – CORDLESS MACHINE

Blade designed for use with cordless machines, where speed, reduced dust and cable free working are required.

Product code	Barcode	Diameter (mm)	Bore (mm)	List price £
MCM115/22	5060359916990	115	22.2	39.58

Applications include: concrete products, clay products, granite, engineering bricks, building products.



DIAMOND CORE DRILLING

With a wealth of experience in all types of diamond core drilling, Spectrum has the most complete range of products available in the market today.

No.1 FOR DRY CORE DRILLING


INDUSTRY BENCHMARK:

The most popular



ULTIMATE LIFE

The most durable



ULTIMATE SPEED

The fastest



No.1 FOR TILE DRILLING


XT Tile Drilling revolution. Quite simply, exactly what the market has been asking for. Fast, easy to use, and completely trouble free.



With the EPX cores for occasional users, and a choice of the XT or SPD cores for professional users – Spectrum have the answers.

No.1 FOR WET CORE DRILLING

The professional choice for the professional contractor. PCX wet concrete drills have been tested and proven in the most demanding aggregates in the world.



DRY CORE CASE DEALS

The perfect start to dry core drilling, our aluminium cases are sturdier, smarter and contain more accessories than the competition. Often copied, but never surpassed, these are the cores to be seen with – and use.



CDC5

STANDARD CORE CASE

The new CDC5 contractor core case provides exceptional value for money and considerably outperforms other manufacturers 'mainstream' products.

Product code	Barcode	Core diameter (mm)	Accessories	List price £
CDC5	5060135477912	38, 52,65,117,127	Hex & SDS adapters and extensions	271.34



MBD (BD CORES)

TRADE DRY CORE CASE

Everything you need to get going with dry core drilling in a sturdy, aluminium case. Renowned BD cores and HEX and SDS accessories. For more information on BD range see page 32.

Product code	Barcode	Core diameter (mm)	Accessories	List price £
MBD3	5060135473891	38,52,117	JX01, JS01, JB05, JB09, JB13, JB26	246.10
MBD5	5060135473907	38, 52,65,117,127	JX01, JS01, JB05, JB09, JB13, JB26	314.25

MBD5: Best seller



MS5

PRO DRY CORE CASE

Everything you need to get started with dry core drilling in a sturdy, aluminium case.

Product code	Barcode	Core diameter (mm)	Accessories	List price £
MS5	5060135479992	38, 52,65,117,127	JX01, JS01, JB05, JB09, JB13, JB26	334.44



MBX5

ULTIMATE DRY CORE CASE

Everything you need to get going with dry core drilling in a sturdy, aluminium case. Revolutionary BX10 long life dry core and HEX and SDS accessories. For more information on BX10 range see page 33.

Product code	Barcode	Core diameter (mm)	Accessories	List price £
MBX5	5060135477547	38, 52,65,117,127	JX01, JS01, JB05, JB09, JB13, JB26	464.42

MBX5: Best seller



DRY CORE ACCESSORIES

Spectrum dry core accessories are manufactured from the highest grade steel to ensure that they can withstand the toughest use. Zinc plating enhances the visual appearance and protects against rust without leaving oil deposits. The most complete range of accessories to cover all machinery options and personal preferences.

ADAPTORS – ½" BSP (M)

With ½" BSP male fitting to suit BD, BX10 and BLU cores.



Product code	Barcode	Description	List price £
JX01	5060135472764	HEX ADAPTOR ONLY	16.41
JX31	5060135479145	HEX 250MM LONG ADAPTOR	30.29
JS01	5060135472696	SDS (PLUS) ADAPTOR ONLY	22.71
JS25	5060135472740	SDS (PLUS) 250MM LONG ADAPTOR	36.60
JM01	5060135472382	SDS MAX ADAPTOR ONLY	40.38
JBA12	5060135472313	½X20 UN(F)-½" BSP(M) ADAPTOR"	40.38
JBA18	5060135472320	M18 X 2.5 (F) TO ½ BSP (M) ADAPTOR"	40.38
JBA58	5060135472337	5/8 X 16UN(F) TO ½" BSP(M) ADAPTOR"	40.38

ADAPTOR PACKS

Product code	Barcode	Description	List price £
JX03	5060135472771	HEX ADAPTOR PACK (JX01, JB09, JB05)	30.29
JX03-13	5060135472788	HEX A TAPER DRILL ADAPTOR PACK (JX01, JB13, JB05)	35.34
JS03	5060135472702	SDS ADAPTOR PACK (JS01, JB09, JB05)	36.60
JS03-13	5060135472719	SDS A TAPER DRILL ADAPTOR PACK (JS01, JB13, JB05)	41.64
JM03	5060135472399	SDS MAX ADAPTOR PACK (JM01, JB09, JB05)	54.27

PILOTS & DRIFTS



Product code	Barcode	Description	List price £
JB09	5060135472245	12MM GUIDE ROD (X210MM)	10.10
JB13	5060135472269	13MM A TAPER DRILL (X210MM)	15.14
JB05	5060135472238	DRIFT KEY	5.04
JB22	5060135472276	12MM PLASTIC GUIDE FOR 22MM CORE	8.83
JB28	5060135472306	12MM PLASTIC GUIDE FOR 28MM CORE	8.83

EXTENSIONS



Product code	Barcode	Description	List price £
JB26	5060135472290	½" BSP 250MM SOLID EXTENSION + A TAPER	40.38
JB25	5060135472283	½" BSP 250MM HOLLOW EXTENSION	40.38
JX25	5060135472818	HEX 250MM EXTENSION (C/W ALLEN KEY)	25.24
JB04	5060135472221	4MM ALLEN KEY FOR HEX EXT	2.53
JB10	5060135472252	10 GRUB SCREWS FOR HEX EXT	6.31


DUST EXTRACTION



Product code	Barcode	Description	List price £
JD30	5060135472368	½" BSP DUST EXTRACTION SWIVEL	148.92
JD09	5060135472351	12MM DUST EXTRACTION GUIDE ROD TO SUIT JD30	49.22

Rapid, clean cutting; long life.

BD PROFILE: AN INDUSTRY BENCHMARK



FACT: 40,000+ BD cores sold every year!

BD

TRADE DRY CORE DRILL


Universal dry diamond core drill in all popular plumbers sizes up to 182mm. ½" BSP female thread takes Spectrum dry core accessories. Slotted barrel provides efficient dust clearance and ease of removing drilled core. For brick and blockwork.

Product code	Barcode	Diameter (mm)	Length (mm)	Back end	List price £
BD022-HEX	5060135470005	22	300	HEX	43.31
BD028-HEX	5060135470012	28	300	HEX	47.26
BD032	5060135470029	32	150	½" BSP (F)	44.63
BD038	5060135470036	38	150	½" BSP (F)	47.26
BD048	5060135470043	48	150	½" BSP (F)	51.19
BD052	5060135470050	52	150	½" BSP (F)	56.44
BD065	5060135470067	65	150	½" BSP (F)	60.37
BD078	5060135470074	78	150	½" BSP (F)	64.31
BD091	5060135470081	91	150	½" BSP (F)	69.56
BD102	5060135470098	102	150	½" BSP (F)	74.82
BD107	5060135470104	107	150	½" BSP (F)	78.75
BD117	5060135470111	117	150	½" BSP (F)	81.38
BD127	5060135470128	127	150	½" BSP (F)	85.32
BD142	5060135470135	142	150	½" BSP (F)	101.07
BD152	5060135470142	152	150	½" BSP (F)	111.57
BD162	5060135470159	162	150	½" BSP (F)	116.81
BD172	5060135470166	172	150	½" BSP (F)	128.63
BD182	5060135470173	182	150	½" BSP (F)	141.75



Applications include: Medium and soft bricks, concrete blocks (lightweight and dense), abrasive concrete products. Occasional use in harder materials e.g. semi engineering bricks and clay products

BX10 Ultimate Dry Core...Extremely long life



The universal super-core!



BX10

ULTIMATE DRY DIAMOND CORE

Universal dry core for long life in most building materials including semi-engineering bricks, clay products, and limestone aggregate concrete.

Product code	Barcode	Diameter (mm)	Length (mm)	Back end	List price £
BX10-022-HEX	5060135470401	22	300	HEX	61.84
BX10-022-BSP	5060135470418	22	300	½" BSP (F)	61.84
BX10-028-HEX	5060135470425	28	300	HEX	69.41
BX10-028-BSP	5060135470432	28	300	½" BSP (F)	69.41
BX10-032	5060135470449	32	150	½" BSP (F)	60.58
BX10-038	5060135470456	38	150	½" BSP (F)	63.10
BX10-048	5060135470463	48	150	½" BSP (F)	66.88
BX10-052	5060135470470	52	150	½" BSP (F)	74.46
BX10-065	5060135470487	65	150	½" BSP (F)	80.77
BX10-078	5060135470494	78	150	½" BSP (F)	95.91
BX10-091	5060135470500	91	150	½" BSP (F)	102.22
BX10-102	5060135470517	102	150	½" BSP (F)	112.32
BX10-107	5060135470524	107	150	½" BSP (F)	114.85
BX10-117	5060135470531	117	150	½" BSP (F)	119.89
BX10-127	5060135470548	127	150	½" BSP (F)	123.68
BX10-142	5060135470555	142	150	½" BSP (F)	136.30
BX10-152	5060135470562	152	150	½" BSP (F)	156.49
BX10-162	5060135470579	162	150	½" BSP (F)	162.80
BX10-172	5060135470586	172	150	½" BSP (F)	174.16
BX10-182	5060135470593	182	150	½" BSP (F)	200.66
BX10-200	5060135470609	200	150	½" BSP (F)	230.76

Applications include: all bricks, concrete blocks, general building materials, lightly reinforced limestone aggregate concrete, most natural stone.

Ultimate Superfast Zenith Core...

The fastest, most universal dry core EVER...guaranteed!



BZX ZENITH

ULTIMATE SUPERFAST DRY CORE

The fastest core on the market guaranteed, will even drill hard concrete. With laser welded segments for ultimate strength the BZX is an incredibly versatile core, drilling almost anything including engineering and concrete.

Product code	Barcode	Diameter (mm)	Length (mm)	Back end	List price £
BZX-022	5060135479251	22	300	½" BSP (F)	90.87
BZX-028	5060135479268	28	300	½" BSP (F)	92.12
BZX-032	5060135479275	32	150	½" BSP (F)	95.91
BZX-038	5060135479282	38	150	½" BSP (F)	99.69
BZX-048	5060135479299	48	150	½" BSP (F)	107.28
BZX-052	5060135479305	52	150	½" BSP (F)	128.73
BZX-065	5060135479312	65	150	½" BSP (F)	159.02
BZX-078	5060135479329	78	150	½" BSP (F)	186.78
BZX-091	5060135479336	91	150	½" BSP (F)	208.23
BZX-102	5060135479343	102	150	½" BSP (F)	242.31
BZX-107	5060135479350	107	150	½" BSP (F)	251.14
BZX-117	5060135479367	117	150	½" BSP (F)	262.50
BZX-127	5060135479374	127	150	½" BSP (F)	270.08
BZX-142	5060135479381	142	150	½" BSP (F)	309.19
BZX-152	5060135479398	152	150	½" BSP (F)	326.86
BZX-162	5060135479404	162	150	½" BSP (F)	410.16
BZX-172	5060135479411	172	150	½" BSP (F)	431.61
BZX-182	5060135479428	182	150	½" BSP (F)	440.45



Applications include: all house bricks, engineering bricks, concrete blocks, general building materials, concrete, natural stone

Spectrum have the most complete range of tile drills and holesaws available, from the low cost EPX Plus holesaws to the Ultimate SPD system. Unparalleled performance from the market leading brand.



EPX TRADE DIAMOND HOLESAW



Fast, fine cutting of marble, ceramics and stone. Low cost for the occasional user. Straight shank for use in 3 jaw chuck. Recommended for use with water feed and guide.

Product code	Barcode	Diameter (mm)	List price £
EPX-06	5060135477080	6	11.81
EPX-08	5060135477097	8	13.14
EPX-10	5060135477103	10	15.75
EPX-15	5060135477110	15	19.69
EPX-20	5060135477127	20	24.94
EPX-25	5060135477134	25	27.56
EPX-30	5060135477141	30	32.81
EPX-35	5060135477158	35	39.37
EPX-40	5060135477165	40	42.00
EPX-45	5060135477172	45	47.26
EPX-50	5060135477189	50	52.50
EPX-55	5060135477196	55	61.68
EPX-60	5060135477202	60	69.56
EPX-65	5060135477219	65	74.82
EPX-70	5060135477226	70	80.06
EPX-75	5060135477233	75	84.00
EPX-80	5060135477240	80	89.25

JP HOLESAW ACCESSORIES



6 – 80mm suction guide for accurate positioning.

Product code	Barcode	Description	List price £
JP76	5060135472603	6-80MM UNIVERSAL SUCTION GUIDE	32.81

The No.1 Diamond System for drilling porcelain and hard tiles.

The Spectrum XT diamond drill system is the most efficient option for drilling the hardest natural and man made tiles on the market today.



XT1

PRO DIAMOND DRILL – WET

Fast drilling, long life diamond drills supplied with unique water container for accurate positioning and cooling of the diamond tip. Superfast drilling and core ejection. Quick change 6.3 standard hex shank. Precision drilling.

Product code	Barcode	Diameter (mm)	List price £
XT1-05	5060135478582	5	21.46
XT1-06	5060135478599	6	22.71
XT1-07	5060135478605	7	26.50
XT1-08	5060135478612	8	29.03
XT1-10	5060135478629	10	32.81
XT1-12	5060135478636	12	35.34
XT1-15	5060135478643	15	37.86
XT1-20	5060135478650	20	40.38
XT1-25	5060135478667	25	44.17
XT1-30	5060242333651	30	50.48
XT1-35	5060135478674	35	55.53



Applications include: GUARANTEED TO DRILL ALL TILES, porcelain, ceramics, granite, glass, quarry, everything!

The professional solution for dry drilling of all tiles including porcelain.

- DRILLS ALL TILES including porcelain
- WORKS WITHOUT WATER
- FITS ALMOST ANY DRILL motor including cordless
- SUPERFAST drilling speed
- Drills Porcelain, Marble, Granite & Ceramic.



PTD

PRO DIAMOND DRILL – DRY

Drills all tiles including porcelain. Fits almost any drill motor including cordless. Superfast drilling speed. Works without water.

Product code	Barcode	Diameter (mm)	List price £
PTD-06	5060359914354	6	33.58
PTD-07	5060359914361	7	37.15
PTD-08	5060359914378	8	39.53
PTD-10	5060359914385	10	49.06
PTD-14	5060359914392	14	51.80
PTD-18	5060359914408	18	54.76
PTD-25	5060359914415	25	65.71
PTD-30	5060359914422	30	80.53
PTD-35	5060359914439	35	94.69

DISPLAY STAND AVAILABLE

JP

ACCESSORIES

6 – 80mm suction guide for accurate positioning.



Product code	Barcode	Description	List price £
JP76	5060135472603	6-80MM UNIVERSAL SUCTION GUIDE	32.81

Extra long life 10mm segment diamond impregnated holesaws. Effortlessly drills holes in all tiles including porcelain. Complete, efficient water system supplies water feed direct to cutting face. Available up to 126mm diameter.

SPD1

ULTIMATE ½" BSP (M) HOLES AW

Ultra long life diamond impregnated specialist holesaws with ½" BSP (M) back end for mounting in JP35 water swivel.

Product code	Barcode	Diameter (mm)	List price £
SPD1-008	5060135475895	8	42.91
SPD1-010	5060135475901	10	45.44
SPD1-012	5060135475918	12	51.74
SPD1-016	5060135475925	16	59.31
SPD1-018	5060135477363	18	60.58
SPD1-022	5060135475932	22	64.37
SPD1-030	5060135477370	30	88.34
SPD1-032	5060135475956	32	92.12
SPD1-035	5060135477387	35	95.91
SPD1-038	5060135475963	38	98.44
SPD1-040	5060135477394	40	99.69
SPD1-052	5060135475970	52	119.89
SPD1-060	5060135477424	60	124.95
SPD1-065	5060135475987	65	137.56
SPD1-070	5060135477431	70	156.49
SPD1-075	5060135475994	75	170.37
SPD1-085	5060135477455	85	185.52
SPD1-090	5060135476007	90	199.40
SPD1-100	5060135476014	100	213.28
SPD1-125	5060135476038	125	238.52



JP

SPECIALIST HOLES AW ACCESSORIES

Holesaw accessory options for accurate positioning and water cooling.

Product code	Barcode	Description	List price £
JP35	5060135472597	½" BSP(F) - STRAIGHT SHANK WATER SWIVEL	112.32
JP76	5060135472603	6-80MM UNIVERSAL SUCTION GUIDE	32.81



Spectrum have a full range of wet diamond core drills for professional users, combining ultra precise engineering and high concentration, high quality diamonds. Rigorously tested in the toughest of aggregates.

PCX-S

ULTIMATE ½" BSP WET CORE



Laser welded
'rooftop' segment

Ultimate wet diamond core drill for professional hand held and rig mounted use. ½" BSP (male) back end. 300mm drilling length. 10mm segment height. Universal/all concrete.

Product code	Barcode	Diameter (mm)	List price £
PCX-S014	5060135479152	14	76.98
PCX-S016	5060135479169	16	78.25
PCX-S018	5060135479176	18	79.51
PCX-S020	5060135475307	20	80.77
PCX-S022	5060135475314	22	83.29
PCX-S024	5060135475321	24	88.34
PCX-S025	5060135475338	25	89.61
PCX-S028	5060135475345	28	94.65
PCX-S030	5060135475352	30	97.18
PCX-S032	5060135475369	32	99.69
PCX-S036	5060135475376	36	114.85
PCX-S040	5060135475383	40	121.15
PCX-S045	5060135475390	45	132.52
PCX-S052	5060135475406	52	141.35

Applications include: flint and limestone aggregate concrete; reinforced concrete; universal building products.

PCX-N

ULTIMATE 1¼" UNC WET CORE



Laser welded
'rooftop' segment

Ultimate wet diamond core drill for professional rig mounted use. 1¼" UNC (female) back end. 450mm drilling length. 10mm segment height. Universal/all concrete.

Product code	Barcode	Diameter (mm)	List price £
PCX-N052	5060135475024	52	142.61
PCX-N056	5060135475031	56	148.92
PCX-N062	5060135475048	62	153.96
PCX-N065	5060135475055	65	167.85
PCX-N072	5060135475062	72	184.26
PCX-N076	5060135475079	76	194.36
PCX-N082	5060135475086	82	208.23
PCX-N087	5060135475093	87	218.33
PCX-N092	5060135475109	92	238.52
PCX-N102	5060135475116	102	247.35
PCX-N107	5060135475123	107	256.19
PCX-N112	5060135475130	112	259.98
PCX-N117	5060135475147	117	270.08
PCX-N122	5060135475154	122	275.12
PCX-N127	5060135475161	127	297.84
PCX-N132	5060135475178	132	325.60
PCX-N142	5060135475185	142	339.49
PCX-N152	5060135475192	152	377.34
PCX-N162	5060135475208	162	398.80
PCX-N172	5060135475215	172	437.92
PCX-N182	5060135475222	182	456.85
PCX-N200	5060135475239	200	523.75
PCX-N225	5060135475246	225	750.91
PCX-N250	5060135475253	250	830.41
PCX-N300	5060135475260	300	918.76

Applications include: flint and limestone aggregate concrete; light to medium reinforced concrete; universal building products.

JN

WET CORE ACCESSORIES

Tough, durable adaptors and extensions for wet core drilling.

Product code	Barcode	Diameter (mm)	List price £
JN55	5060135472498	½" BSP(M) - ½" BSP(M) ADAPTOR	30.29
JN56	5060135472504	½" BSP(F) - ½" BSP(F) ADAPTOR	30.29
JN65	5060135472511	½" BSP(M) - 1¼" UNC(M) ADAPTOR	30.29
JN66	5060135472528	½" BSP(F) - 1¼" UNC(F) ADAPTOR	30.29
JNHAD3	5060135477257	½" BSP(F) - HILTI DD100/130 ADAPTOR	99.69
JN25	5060135472467	½" BSP 250MM HOLLOW EXTENSION	32.81
JN20	5060135472450	1¼" UNC 150MM EXTENSION	32.81
JN30	5060135472474	1¼" UNC 250MM EXTENSION	42.91

DIAMOND BLADE APPLICATION CHART

RECOMMENDATION GUIDE

For specific advice, refer to your supplier

✓✓✓	Highly recommended
✓✓	Recommended (not continuous use)
✓	Occasional use
✗	Not recommended

CONSTRUCTION BLADES

BLADE REFERENCE	METAL	VERY HARD	CONCRETE	GENERAL PURPOSE	ABRASIVE	ASPHALT
	Exposed steel, RSJs and sheet metal	Granite, engineering bricks and hard clay products, hard Indian stone	Limestone and flint aggregate reinforced concrete, hard, unabrasive concrete products	Kerbs and slabs, medium hard bricks, yorkstone, concrete paviors	Concrete roof tiles, sandstone, abrasive concrete paviors	Asphalt, green concrete, render, cement screed, lignacite blocks
CGS	✗	✗	✓✓	✓✓✓	✓	✗
DU10	✗	✗	✓✓	✓✓✓	✓	✗
DE10	✗	✗	✓✓	✓✓✓	✓	✗
TC10	✗	✗	✓✓	✓✓✓	✓✓	✗
TC15	✗	✗	✓✓	✓✓✓	✓✓	✗
DX10	✓	✓✓✓	✓✓	✓✓✓	✓	✗
DCX	✗	✗	✓✓	✓✓✓	✓✓	✗
DCA	✗	✗	✓✓	✓✓✓	✓✓✓	✓
DA	✗	✗	✗	✗	✓	✓✓✓
TX10R	✓✓	✓✓✓	✓✓	✓✓✓	✓	✗
MX10	✗	✓✓✓	✓✓✓	✓✓✓	✓	✗
MCX	✗	✓	✓✓✓	✓✓✓	✓✓	✗
TCX15	✗	✗	✓✓✓	✓✓✓	✓✓	✗
MCA	✗	✗	✓✓✓	✓✓✓	✓✓✓	✓
MA	✗	✗	✗	✗	✓	✓✓✓
ZCX	✗	✓✓	✓✓✓	✓✓✓	✓	✗
ZX10	✓	✓✓✓	✓✓	✓✓	✗	✗
ZCA	✗	✗	✓✓✓	✓✓✓	✓✓✓	✓
ZA	✗	✗	✗	✗	✓	✓✓✓
MC	✗	✓	✓✓✓	✓✓	✗	✗
ZCF	✗	✓	✓✓✓	✓✓	✗	✗
ZRX	✗	✗	✗	✓	✓✓✓	✓✓✓
USB	✓✓✓	✓	✓	✓	✓	✗
MCM	✗	✓✓✓	✓✓	✓✓✓	✓	✗
BLADE REFERENCE	CERAMIC & STONE BLADES					
SL ULTIMATE	Continuous rim; s-slots; GUARANTEED TO CUT ALL TILES					
LST ULTIMATE	Fine turbo rim; porcelain, granite, hard natural stone and ceramics					

Recommendation guide only: for specific advice, please speak to a member of the technical support team.

A full range of stands is available to suit every situation.

Your Spectrum area sales manager or a member of the marketing team would be delighted to discuss your requirements.



OX POS-LARGE

Dimensions:

W: 100cm

H: 220cm

D: 50cm



OX POS-MULTI

4 sided stand

Dimensions:

W: 66cm

H: 178cm

D: 66cm



OX POS-TRIANGLE

2 sided stand

Dimensions:

W: 81cm

H: 170cm

D: 52cm



OXPOS-DIAMONDSHELF1

Dimensions:

W: 32cm

H: 17cm

D: 30cm



OXPOS-PTDCTU

Dimensions:
W: 99.5cm
H: 25cm
D: 24.5cm



OX POS-CORESET

Dimensions:
W: 60cm
H: 134cm
D: 42cm



OX POS-LECTERN

Dimensions:
W: 55cm
H: 170cm
D: 55cm



OX POS-DISPLAY BOX

Dimensions are approximate and displays may vary slightly from images shown.



OX POS-CTU1

Dimensions:
W: 54cm
H: 47cm
D: 18cm

Performance begins with safety...

The concept of safety is fundamental to the philosophy of the Spectrum range. It is interwoven into the very fibre of innovation, design and production from concept to after sales service.

We have a responsibility. Quality control systems to ISO 9001 and environmental management to ISO 14001 ensure that our care covers not only our products and our customers – but that our ethical guidelines address issues such as staff safety and care for the environment.



Safety is not an add-on. Every diamond blade complies with EN13236. Only the highest quality raw materials and manufacturing processes are used in the production of the Spectrum range.

But it doesn't stop there. Spectrum products undergo extreme testing – the TX10R undergoes factory testing +80% more demanding than the requirements of EN13236. Testing for Hand Arm Vibration; for ongoing development; for our peace of mind. And yours.

So that is why every product, and every packet, carries the ISO/EN/US triple disk logo and insignia 'ultimate safety'. And, of course, safe code of practice when using diamond tools. To give your customer complete confidence in the Spectrum range.

CONTACT DETAILS



OX Group UK sales:

Telephone: 020 8676 9990
Fax: 020 8626 7520
Email: sales@oxgroup.co.uk
Web: oxtools.com

Please ask for details for your area sales manager.

ORDER DESPATCH & DELIVERY

OX Group UK have built up a reputation for excellence in customer service and care, with exceptionally high stock levels and an efficient fulfillment and despatch system. Our policy is 100% fulfillment of customer requirements.

Orders placed by 3.30pm will be despatched on guaranteed next day delivery – free on orders over £100.00 nett.



UK Mainland delivery charges:

Next day delivery	orders over £100 nett	FREE
Next day delivery	orders £50–£100 nett	£4.00
Next day delivery	orders under £50 nett	£6.50
AM delivery	additional	£4.50
Before 10.00 delivery	additional	£16.00
Direct deliveries (to your customer)	additional	£6.00

Northern Ireland delivery charges:

24/48 Hour delivery	orders over £175 nett	FREE
24/48 Hour delivery	orders £100–£175 net	£5.00
24/48 Hour delivery	orders £50–£100 net	£9.00
24/48 Hour delivery	orders under £50 net	£11.50

EIRE, Channel Islands, Isle of Man & Scottish Islands delivery charges:

48 Hour delivery	orders over £250 nett	FREE
48 Hour delivery	orders £100–£250 nett	£10.00
48 Hour delivery	orders £50–£100 nett	£14.00
48 Hour delivery	orders under £50 nett	£16.50

All prices exclude VAT.

TERMS AND CONDITIONS

All prices within this Product Guide are subject to VAT at the current rate. Specifications are subject to change at any time without prior notice. Illustrations are indicative and may vary slightly from actual product. All business is transacted subject to and in accordance with OX Products Group UK Ltd terms and conditions of sale (copy available on request). E&OE. © OX Products Group UK Ltd



OX[®]
UNLEASH THE POWER




Powerful, dynamic and advanced, the phenomenal OX range raises the benchmark for tool performance, to unprecedented new levels.



spectrum[®] D I A M O N D

Please request a copy of our other brochures.



OX Group UK
Unit 2 Riverside, Kangley Bridge Road,
London SE26 5DA

T: 020 8676 9990
F: 020 8676 7520
E: sales@oxgroup.co.uk

For more information visit: oxtools.com

Subject to availability and OX Products Group UK Ltd terms & conditions of sale. All prices exclude VAT. E & OE.