

FOR CEILINGS AND WALLS IN SHOWERS, BATHROOMS AND WET ROOMS





BASIX PVC WATERPROOF PANELLING for ceilings and walls in showers, bathrooms and wet rooms.

- Suitable for wet and dry areas
- Simple and quick to fit
 no wet trades required
- Full range of accessories available
- Easy to clean and hygienicsimply wipe clean
- A cost-effective alternative to tiling
- Non-porous and mould free
- Virtually maintenance free
- Provides excellent insulation and sound proofing
- Suitable for domestic installations




► Pergamon Marble









► White Ash



► White High Gloss



DIMENSIONS

Tongue & groove panels	Material	Height x width	Thickness	Per pack (4 panels)
White High Gloss	PVC	2700mm x 250mm	5mm	2.7m ²
White Embedded High Gloss	PVC	2700mm x 250mm	5mm	2.7m ²
White Silver Embedded High Gloss	PVC	2700mm x 200mm	8mm	2.16m ²
White Silver Embedded High Gloss	PVC	4000mm x 200mm	8mm	3.2m ²
White Wave High Gloss	PVC	2700mm x 250mm	5mm	2.7m ²
White Ash Matt	PVC	2700mm x 250mm	5mm	2.7m ²
White Sparkle High Gloss	PVC	2700mm x 250mm	5mm	2.7m ²
Green Marble High Gloss	PVC	2700mm x 250mm	5mm	2.7m ²
Beige Marble High Gloss	PVC	2700mm x 250mm	5mm	2.7m ²
White Wood High Gloss	PVC	2700mm x 250mm	5mm	2.7m ²
Soft Grey Marble High Gloss	PVC	2700mm x 250mm	5mm	2.7m ²
Pearl White Marble High Gloss	PVC	2700mm x 250mm	5mm	2.7m ²
Grey Marble High Gloss	PVC	2700mm x 250mm	5mm	2.7m ²
Pergamon Marble High Gloss	PVC	2700mm x 250mm	5mm	2.7m ²
Pastel Grey Marble High Gloss	PVC	2700mm x 250mm	5mm	2.7m ²
Red Marble High Gloss	PVC	2700mm x 250mm	5mm	2.7m ²
Red Sparkle High Gloss	PVC	2700mm x 250mm	5mm	2.7m ²
Purple Sparkle High Gloss	PVC	2700mm x 250mm	5mm	2.7m ²
Black Sparkle High Gloss	PVC	2700mm x 250mm	5mm	2.7m ²
Black Marble High Gloss	PVC	2700mm x 250mm	5mm	2.7m ²
Black Wood High Gloss	PVC	2700mm x 250mm	5mm	2.7m ²

INSTALLATION INSTRUCTIONS

A full set of installation instructions is available from your BASIX PVC WATERPROOF PANELLING supplier and are also included within the product packaging.

WARRANTY

BASIX PVC WATERPROOF PANELLING has a two year domestic use warranty against manufacturing defects. A copy of the warranty is available from your BASIX PVC supplier.

Installation of your BASIX PVC WATERPROOF PANELLING must be as per the instructions supplied, as incorrect installation will void the warranty.

FIRE RATED


Fire Rating tested to BS EN 13501-1:2007 achieving an F.R classification of C, s3, d0.





Panel Adhesive and Silicone Sealant also available.

ACCESSORY GUIDE




1 END U CAP To start or end the assembly of the panels.




2 EXTERNAL CORNERTo make an outside corner.



3 INTERNAL CORNER To make an inside corner.



DÉCOR STRIP
To make an H join or décor strip between
2 panels.



5 SCOTIA

To finish the corner between wall and ceiling or floor and wall.

5mm trims available in 2.7m lengths	Bright Silver	White	Black
End U cap	•	•	•
External corner	•	•	•
Internal corner	•	•	•
H joint & décor strip	•	•	•
Scotia		•	•
8mm trims available in 2.7m and 4m lengths	Bright silver	White	Black
End U cap	•	•	
Internal corner	•	•	

CARE AND MAINTENANCE

BASIX PVC WATERPROOF PANELLING is more hygienic and easier to maintain than tiles. The non-porous surface provides excellent protection against bacteria and stains.

BASIX PVC anti-bacterial

BASIX PVC anti-bacterial cleaner kills germs and keeps hard surfaces clean without scratching.

Abrasive cleaners and bleaches MUST NOT be used on BASIX PVC panelling.



► White Silver Embedded



FOR CEILINGS AND WALLS IN SHOWERS, BATHROOMS AND WET ROOMS

info@basixpvc.co.uk www.basixpvc.co.uk