SEPTEMBER 2018

REFINA

Power Tools & Equipment, Hand Tools & Trowels

- MEGAMIXER[®] Plaster & Render Mixers
- ROTAMIXER[®] Mortar & Epoxy Mixers
- ROTAPUMP[®] Coating & Finish Spray Pumps
- Masonry & Render Scabbler
- Drywall Sander
- SUPERFLEX[®] Skimming Trowels
- FINATEX[®] Premium Trowels
- PLAZIFLEX[®] Skimming Trowels & Rules
- CLIKCLAK[®] Sponge Floats
- Rendering Tools & Scrapers
- Aluminium Rules
- Flooring Trowels, Spike Rollers & Levellers

PLASTER, RENDER DAMP PROOFING & SCREEDING TRADES

> EIBENSTOCK Elektrowerkzeuge







REFINA EQUIPMENT





MIXING EQUIPMENT

REFINA supply the most comprehensive range of specialist mixing equipment for the plaster, render, floor, concrete repair and conservation trades

The equipment includes the best selling, most reliable and durable range of German made MEGAMIXER mixer drills and mixer paddles

REFINA produce the ROTAMIXER and DAINES force action rotary tub and drum mixers. The latest mixer being produced in the UK is the RESIMIXER stainless steel rotary paddle mixer for resins and epoxies

SPRAY EQUIPMENT

REFINA air powered spray equipment is designed to complement our range of mixers, applying decorative coatings, textures, cements, mortars, plasters and renders

There is equipment for applying thin coat render, masonry paints and external coatings, finish plasters, fireproofing and intumescent coatings, tyrolean and external wall textures, acrylic and silicone renders, tanking and waterproofing finishes

SURFACE PREP EQUIPMENT

We supply a range of specialist application power tools that will handle a variety of surface preparation and refurbishment jobs, rendering, concrete repair and screeding

All are dust free when used with dustex hood and vac

The power tools and equipment are available for hire and sale across the country



🗾 in UK

REFINA PLASTER & MORTAR MEGAMIXER[®] H HANDLE



MM30 1800W H HANDLE MEGAMIXER®

- new design H handle for improved cable protection
- powerful motor & long life two speed gearbox
- supplied with MR3 spiral paddle
- · dust cover for switch
- soft start & low splash
- smooth, lump free mixes
- easy & comfortable handling
- · high torque, slow speed for powerful mixing
- · heavy duty plaster & mortar mixers
- large range of interchangeable paddles
- guaranteed German made mixers & paddles

The plastering and rendering trades' favourite MEGAMIXER, the MM30 is a well proven and robust power tool with an 1800w motor that will generate a fast, thorough mix action for consistent results. The new H handle gives easy handling and a comfortable work position whilst protecting the power tool motor from damage

All MEGAMIXERs have soft start variable speed that minimises splashing when starting. The power mixers are supplied with an MR3 spiral paddle that is the most efficient for converting power tool torque to an easy and consistent mix action

With its heavy duty 1800w high torque motor and two speed gearbox, this is the most powerful mixer for contractors requiring constant output

The two speed mixer MM30 is best for mixing heavy materials and large volume mixes including plasters, hardwall and bonding, external renders, floor screed, repair and epoxy mortars. It will easily handle a four bag mix without strugging and it will do so day in, day out

MM30
1800w
250/580rpm
6.9kg
MR3 160G 61/4"
50-100kg
1200kg/hr
1.7m/s
72dBA
110v or 230v



H HANDLE MEGAMIXER®

MEGAMIXER, with paddle, H handle, variable two speed, soft start							
Stock no	Description	Power	Weight	Speed	Paddle	Mix	£ ex VAT
45303160	MM30 two speed mixer drill	1800w	6.9kg	250/580rpm	MR3 160G 6¼"	50-100kg	389.00

REFINA PLASTER & MORTAR MEGAMIXER® H HANDLE

✓ mix finish & backing plaster MM21 & MM22 1150W H HANDLE **EIBENSTOCK** ✓ render & external wall insulation • new design H handle for improved cable protection ✓ mortars & epoxy • powerful motor & long life gearbox ✓ floor screed, latex & coatings soft start, low splash ✓ heavy bodied coatings & paints smooth, lump free mixes ✓ mix quantity 2-3 bags easy & comfortable handling · high torque, slow speed for powerful mixing medium weight plaster & mortar mixer **MEGAMIXER** large range of interchangeable paddles guaranteed German made mixers & paddles The MM21 & MM22 MEGAMIXERs are medium weight MM21 MEGAMIXER power mixers with H handle, all metal gearbox and & MR3 140G paddle They generate a fast, thorough mix action suitable for modern plasters and building materials All MEGAMIXERs have soft start, variable speed, that minimises splashing when starting The H handle gives easy handling and a comfortable mix position; the new design handle helps protect the power tool motor from damage **MEGAMIXER**[®] The power mixers are supplied with an MR3 spiral paddle but can also be supplied with a variety of different MM22 MEGAMIXER The two speed MM22 with the extra slow speed will & MR3 140G mix both heavy mortars as well as lightweight powders, paddle plaster, bonding, drylining adhesive and epoxy coatings, **MM21 MM22** 1150w 1150w 580rpm 250/450rpm 4.9kg 5.1kg MR3 140G 51/2" MR3 140G 51/2" 25-75kg 25-75kg 600kg/hr 600kg/hr 1.3m/s 1.8m/s 74dBA 76dBA 110v or 230v 110v or 230v

H HANDLE MEGAMIXER®

MEGAMIXE	R, with paddle, H handle, variable	e single speed, so	oft start				
Stock no	Description	Power	Weight	Speed	Paddle	Mix	£ ex VAT
45213140	MM21 mixer drill	1150w	4.9kg	580rpm	MR3 140G 51/2"	25-75kg	279.00
MEGAMIXE	R, with paddle, H handle, variable	e two speed, soft	start				
Stock no	Description	Power	Weight	Speeds	Paddle	Mix	£ ex VAT
45223140	MM22 two speed mixer drill	1150w	5.1kg	250/450rpm	MR3 140G 51/2"	25-75kg	309.00

•

٠

٠

٠

reliable 1150w motor

paddle designs

Power

Speed Weight

Paddle

Capacity

Noise level

Voltage

Output Vibration level

liquid and stiff mixes **MEGAMIXER®**

TWIN PADDLE MEGAMIXER®



MZR21 & EZR23 TWIN PADDLE

- new design H handle for improved cable protection
- powerful contra-rotating positive mix action
- twin paddles for thorough mixing
- soft start, low splash
- easy & comfortable handling
- · for heavy & difficult to mix materials

The twin contra-rotating paddles generate a thorough and consistent mix action that reduces air entrainment The twin paddles reduce counter rotational torque and the mixer drill does not try and twist when mixing heavier materials; minimising operator fatigue particularly with stiff mixes

The twin paddles give the most thorough mix for heavy mortars, fibre filled cements, pastes, putties and epoxies The mixers are suited to multi-component, specialist materials and critical mix applications

MEGAMIXER®	MZR21	EZR23
Power	1200w	1800w
Speed	400rpm	200-530rpm
Weight	6.7kg	7.1kg
Paddles	2 x EZR120	2xEZR130
Capacity	25-75kg	75-100kg
Output	600kg/hr	800kg/hr
Vibration level	4.3m/s	4.3m/s
Noise level	77dBA	77dBA
Voltage	110v or 230v	110v or 230v





TWIN PADDLE MEGAMIXER®

MEGAMIXE	ER, with double contra-rotating pa	addles, variable si	ngle speed, so	ft start			
Stock no	Description	Power	Weight	Speed	Paddles	Mix	£ ex VAT
452210	MZR21 twin paddle mixer	1150w	6.7kg	400rpm	2x120mm	25-75kg	569.00
MEGAMIX	ER, with double contra-rotating pa	addles, variable si	ngle speed, so	ft start			
Stock no	Description	Power	Weight	Speed	Paddles	Mix	£ ex VAT
452310	EZR23 twin paddle mixer	1800w	7.1kg	530rpm	2x130mm	75-100kg	599.00

REFINA PLASTER & MORTAR MEGAMIXER® D & H HANDLE



MM19 D HANDLE & MM20 H HANDLE

- · solidly made, hard working power tools
- heavy duty motor & long life gearbox
- MM19 back & hoop handle mixer for easy handling
- MM20 with ergonomic H handle
- high torque & slow speed for heavy materials
- large range of paddle sizes & designs
- reliable power tools with fast service backup
- guaranteed German made mixer drills & paddles

The MM19 MEGAMIXER is a D handle power mixer and combines a simple well proven design, reliable gearbox and powerful 1050w motor

The MM19 will mix finish and browning plasters, bonding and drywall adhesive, floor coatings and epoxy paints; ideal for one and two bag mixes

The MM19 is our best selling multi purpose mixer for the plastering and building trades

The MM20 MEGAMIXER is a single speed 1100w power mixer with H handle design. The H handle gives easy handling and a comfortable mix position; the new design handle helps protect the power tool motor from damage Both mixers have robust well proven motors, soft start switches and MR3 130 spiral mixer paddles

The simple robust designs make them powerful and reliable power tools for plastering and building trades

MM19	MM20
1050w	1100w
450rpm	450rpm
3.1kg	4.1kg
MR3 130G 5"	MR3 130G 5"
25-50kg	25-50kg
400kg/hr	400kg/hr
1.9m/s	1.9m/s
71dBA	71dBA
110v or 230v	110v or 230v
	1050w 450rpm 3.1kg MR3 130G 5" 25-50kg 400kg/hr 1.9m/s 71dBA



D & H HANDLE MEGAMIXER®

MEGAMIXE	ER, with paddle, D back hand	le, variable single spec	ed, soft start				
Stock no	Description	Power	Weight	Speed	Paddle	Mix	£ ex VAT
45193130	MM19 mixer drill	1050w	3.1kg	450rpm	MR3 130G 5"	25-50kg	209.00
MEGAMIXE	ER, with paddle, H handle, va	riable single speed, so	ft start				
Stock no	Description	Power	Weight	Speed	Paddle	Mix	£ ex VAT
451801	MM20 mixer drill	1100w	4.1kg	450rpm	MR3 130G 5"	25-50kg	249.00

REFINA PLASTER & MORTAR MEGAMIXER® D HANDLE

MM29 D HANDLE MIXER

- solidly made, hard working power tool
- heavy duty motor & long life gearbox
- D back handle, easy handling
- high torque & slow speed for heavy materials
- large range of paddle sizes & designs
- · reliable power tool with fast service backup
- guaranteed German made mixer drill & paddles

The MM29 is a single speed power mixer with slow speed, high torque gearbox, 1800w motor, soft start variable speed switch and spiral mixer paddle

The D handle gives easy handling and a comfortable mix position

This design has been a particular favourite with the rendering trade for many years

It's simple robust design makes it a powerful and reliable power tool for contractors mixing large volumes of heavy materials

It is supplied with an MR3 160G 6¹/4" paddle and is best for mixing heavy materials including render and monocouche, hardwall and bonding, polymer renders, floor screed, epoxy and repair mortars

MEGAMIXER®	MM29
Power	1800w
Speed	400rpm
Weight	5.2kg
Paddle	MR3 160G 61/4"
Capacity	50-100kg
Output	1200kg/hr
Vibration level	1.8m/s
Noise level	75dBA
Voltage	110v or 230v



- ✓ finish & backing coat plaster
- ✓ render & external wall insulation
- ✓ mortars & epoxy
- ✓ floor screed, latex & coatings
- ✓ paints & heavy bodied coatings



D HANDLE MEGAMIXER®

MEGAMIXER, with paddle, D back handle, variable single speed, soft start							
Stock no	Description	Power	Weight	Speed	Paddle	Mix	£ ex VAT
45293160	MM29 mixer drill	1800w	5.2kg	400rpm	MR3 160G 61/4"	50-100kg	359.00

THREADED MIXER PADDLES

EPI MIXER THREADED PADDLES

• trade quality technically designed paddles

- generate a thorough mix action
- threaded shaft to fit directly into mixer drill
- largest range of designs & sizes
- guaranteed German made quality

Threaded EPI mixer paddles fit directly into the front end M14 thread of the mixer drill

The paddles are of proven design to give efficient mix action; they are produced to ensure a perfectly balanced shape that eliminates paddle wobble

MR3 paddles with negative top to bottom mix action are the most popular design for a wide range of bagged materials, plaster, cements, resins, coatings, wet and pourable mixes. The mix action is thorough and consistent; the paddle floats in the mix making handling easy

The MR3R paddles are the same design but with a right hand spiral and positive bottom to top mix action

The MR4 design are a screw spiral, turning and lifting the material. The MR4 paddles are for stiffer mortars and epoxies

The MR1 hoop paddles whisk the mix and are used for lighter weight powder mixes

The MR8 paddles are an impellor design that generates a semi-dispersion mix for paints and coatings





BS connector M14 to hex shaft

433101 mixer drill chuck & connector for hex shaft paddles



MR3 spiral paddle negative mix action plaster mixes



spiral paddle positive mix action render mixes



- ✓ plasters & textures
- \checkmark renders & lime mortars
- ✓ paints & coatings
- ✓ cements & mortars
- ✓ resins & epoxies✓ latex & screed
- ✓ tile cements & adhesives





MR1 hoop paddle powder mixes



impellor paddle latex mixes

THREADED M14 PADDLES

MR1 HOOI Stock no	P PADDLES, basket type for multi-finit Description	sh plasters, coa Drill size	atings, cemen Paddle	t powders & latex Length	Mix	£ ex VAT
011402	MR1 140G 5 ¹ /2" paddle	550w	140mm	600mm	25-75 ltr	17.00
011602	MR1 160G 6 ¹ / ₄ " paddle	650w	160mm	600mm	30-100 ltr	19.00
011802	MR1 180G 7" paddle	750w	180mm	600mm	40-150 ltr	21.00
MR3 SPIR	AL PADDLES, reverse spiral for wet m	ixes, plasters,	coatings and	powders		
Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
031002	MR3 100G 4" paddle	600w	100mm	600mm	10-25 ltr	26.00
031202	MR3 120G 4 ³ /4" paddle	650w	120mm	600mm	20-50 ltr	28.00
031302	MR3 130G 5" paddle	700w	130mm	600mm	20-50 ltr	29.00
031402	MR3 140G 5 ¹ /2" paddle	750w	140mm	600mm	25-75 ltr	29.00
031602	MR3 160G 6 ¹ /4" paddle	850w	160mm	600mm	30-100 ltr	33.00
031802	MR3 180G 7" paddle	950w	180mm	600mm	40-150 ltr	39.00
032002	MR3 200G 8" paddle	1000w	200mm	600mm	50-200 ltr	43.00
MR3R SPI	RAL PADDLES, right hand spiral for w	et mixes, plast	ers, coatings	and powders		
Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
031203	MR3R 120G 43/4" paddle	650w	120mm	600mm	20-50 ltr	28.00
031403	MR3R 140G 51/2" paddle	750w	140mm	600mm	25-75 ltr	30.00
031603	MR3R 160G 61/4" paddle	850w	160mm	600mm	30-100 ltr	33.00
MR4 SCRE	EW SPIRAL PADDLES, for dry & stiff m	nixes, mortars,	renders & epo	xies		
Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
041002	MR4 100G 4" paddle	600w	100mm	600mm	10-25 ltr	25.00
041202	MR4 120G 4 ³ / ₄ " paddle	650w	120mm	600mm	20-50 ltr	27.00
041402	MR4 140G 5 ¹ / ₂ " paddle	750w	140mm	600mm	25-75 ltr	29.00
041602	MR4 160G 6 ¹ / ₄ " paddle	850w	160mm	600mm	30-100 ltr	33.00
MR8 IMPE	LLOR PADDLES, use with higher spee	d drills, for flui	d & pourable	latex & coatings		
Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
081202	MR8 120G 4 ³ / ₄ " paddle	600w	120mm	600mm	20-50 ltr	26.00
081502	MR8 150G 6" paddle	700w	150mm	600mm	30-100 ltr	39.00
	CKS, for use with mixer drills & hex s	haft paddles				
Stock no	Description					£ ex VAT
433101	mixer drill chuck & M14 connector					25.00
000203G	BS connector M14 female to hex shaft	adapter				10.00

MIXING TUBS & SPOT BOARD STANDS

MIXING TUBS

- · heavy duty plastic tubs
- for mixing & gauging
- plaster & cement
- epoxy & mortar

• can be used for material handling & transport The black mixing tubs are produced in heavy gauge plastic and are tapered for easy stacking

The narrower 32 ltr tub with hoop handle is often used for finish plaster and coatings

The white plastic mixing tubs are produced from rigid plastic with a heavy gauge wall thickness

They are designed for site use, handling and mixing construction materials

The tubs have moulded side handles and are used for mixing plaster, render, mortar and epoxy

The Mack bucket scoop is designed by Andy McKay from Ringwood and is available to buy on the REFINA website



35 Itr mixing tub & Mack bucket scoop

MIXING TUBS & SPOT BOARD STANDS

329934 spot board stand

HEAVY DU	TY PLASTIC TUB, with metal hoop ha	andle			
Stock no	Description	Top width	Height	Capacity	£ ex VAI
323001	mixing tub, 8 gallons	32cm	40cm	32 ltr	13.00
HEAVY DU	TY MIXING TUBS, black plastic, with	side grips			
Stock no	Description	Top width	Height	Capacity	£ ex VAT
326502	mixing tub, 17 gallons	60cm	33cm	65 ltr	12.00
329002	mixing tub, 23 gallons	68cm	35cm	90 ltr	13.00
HEAVY DU	TY MIXING TUBS, white plastic, with	side handles			
Stock no	Description	Top width	Height	Capacity	£ ex VAT
321010	plastic mixing vessel 9 gallons	39cm	41cm	35 ltr	11.00
321011	plastic mixing vessel 13 gallons	45cm	47cm	50 ltr	16.00
321012	plastic mixing vessel 19 gallons	49cm	57cm	75 ltr	21.00
321013	Plastic mixing vessel 26 gallons	52cm	67cm	100 ltr	27.00
SPOT BOA	RD STANDS				
Stock no	Description	Height			£ ex VAT
329932	spot board stand 32" high	80cm			29.95
329934	spot board stand 36" high	90cm			29.95
329936	spot board stand 40" high	100cm			29.95

PETROL RENDER & MORTAR MIXER

NEW PRODUCT



- powerful 4 stroke petrol engine
- supplied with a 140mm spiral paddle
- electronic ignition

REFINA

- more powerful than battery mixers
- easy & comfortable handling
- high torque, slow speed for powerful mixingproduced by EIBENSTOCK Germany

This hand held petrol powered mixer is recommended for external use mixing mortar and epoxies

The mixer is ideal for external work involving bridge and road construction, concrete repair and renovation The EHR750 will mix monocouche and one coat (OCR) renders

PETROL MIXER	EHR750B
Power	0.75kw
Speed	450rpm
Weight	8.9kg
Paddle	MR3 140G 51/2"
Capacity	50-100kg
Output	600kg/hr
Vibration level	1.7m/s
Noise level	72dBA





- ✓ repair mortars
- ✓ adhesives & cements
- ✓ external coatings & ocr
- ✓ mix quantity 2-3 bags



PETROL MIXER

PETROL MIXER, with paddle, single speed, petrol engineStock noDescriptionPower451700PEHR750 petrol mixer0.75kw

Paddle 140mm spiral

FLOORING LATEX & LIQUID SCREED MIXER



FLOORMIX MOBILE MIXER

- heavy duty motor
- two mechanical speeds
- · additional electronic speed reductions
- 5 x 20kg capacity for pourable cement floor toppings
- large diameter stirring paddle
- · centrally located paddle gives full sweep of material
- paddle mixes right to the tub base & edge
- no unmixed powders at the tub base
- connection for dust extraction
- drive unit & paddle easily removed
- mobile mix & pour station
- · inexpensive additional tubs

The FloorMix will thoroughly and quickly mix up to 5 x 20kg bags of liquid cementitious materials

The centre mounted full sweep paddle ensures a thorough mix with no unmixed pockets

A range of paddles are available for floor paints and pourable epoxies

Mixing and placing of floor toppings is easy and fast, boosts productivity, lowers labour costs and reduces physical effort

It will mix, transport and pour directly onto the floor The FloorMix is designed for self levelling floor compounds but will mix a range of pourable floor paints, coatings and grouts

There is a dust extraction port for vacuum connection. The mixer top is partly covered to reduce air born dust. There is an additional removable cover for dust and splash reduction fully enclosing the mix

The mixer will run off 110v construction site electrics using a 32 amp 5kva transformer or 6kva generator

FLOORMIX	FM2300
Power	2300w
Speed 1	70/ 130 rpm
Speed 2	160/ 280 rpm
Machine weight	48kg
Capacity	100kg
Noise level	67dBA
Voltage	110 or 230v

Recommended speed 130rpm for liquid screed





✓ self levelling latex screed

- levelling compounds
- ✓ pourable coatings & epoxies
- ✓ grouts & adhesives
- ✓ liquid floor screeds

full sweep mixer paddle no unmixed pockets in tub corners



326110 mixing tub

FLOORMIX MOBILE FLOOR MIXER

MOBILE M	IXER, with spiral paddle and side so	rapers, for pour	able floor top	pings & coatings		
Stock no	Description	Power	Weight	Tub	Mix	£ ex VAT
458280	FloorMix 2300 mobile mixer	2300w	48kg	110 ltr	100kg	1295.00
REPLACEN	IENT PLASTIC TUB					
Stock no	Description	Width Ø	Depth			£ ex VAT
326110	mixing tub, 110 ltr black plastic	52cm	73cm			49.00

FloorMix 2300 mobile mixer

REFINA DAIN

DAINES® MIXAL FORCED ACTION MIXER

DAINES® MR40 MIXER

compact forced action mixer

- simple L shape paddle for thorough mix action
- light weight & easy to use
- easy clean & low maintenance
- produced in the UK

The DAINES Mixal MR40 drum mixer is solidly built with a rigid grp shell, L shape paddle, 32 litre metal drum and simple basket drive. It is easy to clean and gives an excellent mix

The rotating drum produces a centrifugal action and the paddle mixes from the outside in $\label{eq:constraint}$

The mixer uses a 32 ltr steel drum with pail type handle and is for one bag mixes of mortar and epoxy, floor paints and coatings $% \left({{\left[{{{\rm{D}}_{\rm{T}}} \right]}_{\rm{T}}} \right)$

The new MR30 mixer is built around the same grp shell but includes a tapered 32 litre plastic tub and tapered drive basket

DAINES [®] MIXAL MIXER	MR40
Power	0.75kw
Machine weight	36kg
Size WxL	55x170cm
Height	87cm
Paddle	L shape
Capacity	15-30kg
Output	600kg/hr
Noise level	65dBA
Voltage	110v or 230v





- ✓ mixing cement repair mortars
- ✓ epoxy mortars
- ✓ latex floor topping
- ✓ floor coatings & self levellers
- ✓ heavy bodied paints & coatings
- ✓ mix quantity 1 bag





323203 32 ltr metal drum





323004 32 ltr plastic tub

DAINES® MIXAL ROTARY DRUM MIXER

FORCED ACTION ROTARY DRUM MIXER, 32 Itr metal drum					
Description	Power	Tub	Mix	£ ex VAT	
DAINES MR40 mixer	0.75kw	32 ltr	15-30kg	759.00	
IENT METAL DRUM, with pail ha	andle				
Description	Width Ø	Depth		£ ex VAT	
mixing drum, 32 ltr	36cm	33cm		20.00	
CTION ROTARY DRUM MIXER, 3	2 Itr plastic drum				
Description	Power	Tub	Mix	£ ex VAT	
DAINES MR30 mixer	0.75kw	32 ltr	15-30kg	749.00	
IENT PLASTIC DRUM, with pail	handle				
Description	Width Ø	Depth		£ ex VAT	
mixing drum, 32 ltr	32cm	40cm		13.00	
	Description DAINES MR40 mixer IENT METAL DRUM, with pail has Description mixing drum, 32 ltr CTION ROTARY DRUM MIXER, 3 Description DAINES MR30 mixer IENT PLASTIC DRUM, with pail Description	DescriptionPowerDAINES MR40 mixer0.75kwIENT METAL DRUM, with pail handleDescriptionWidth Ømixing drum, 32 ltr36cmCTION ROTARY DRUM MIXER, 32 ltr plastic drumDescriptionPowerDAINES MR30 mixer0.75kwIENT PLASTIC DRUM, with pail handleDescriptionWidth ØMixer0.75kw	DescriptionPowerTubDAINES MR40 mixer0.75kw32 ltrIENT METAL DRUM, with pail handleDescriptionWidth ØDepthmixing drum, 32 ltr36cm33cmCTION ROTARY DRUM MIXER, 32 ltr plastic drumDescriptionPowerTubDAINES MR30 mixer0.75kw32 ltrIENT PLASTIC DRUM, with pail handleDescriptionWidth ØDepth	DescriptionPowerTubMixDAINES MR40 mixer0.75kw32 ltr15-30kgIENT METAL DRUM, with pail handleDescriptionWidth ØDepthmixing drum, 32 ltr36cm33cmCTION ROTARY DRUM MIXER, 32 ltr plastic drumDescriptionPowerTubMixDescription0.75kw32 ltr15-30kgDAINES MR30 mixer0.75kw32 ltr15-30kgENT PLASTIC DRUM, with pail handle DescriptionDescriptionWidth ØDepth	

REFINA ROTAMIXER® FORCED ACTION MIXERS

Made 🔰

🗾 in UK

RM65 & RM90 ROTAMIXER®

- robust forced action paddle mixers
- stainless steel adjustable paddles
- twin paddles for thorough mix action
- radial & axial mix, turns & lifts material
- easy clean for epoxies & cements

• produced in the UK

The RM65 and RM90 mixers are robust forced action mixers designed for those materials that can't be successfully mixed in a conventional free-fall cement mixer

The rotating drum produces a centrifugal mix and the technically designed paddles generate a radial and axial action $% \left({\left[{{{\rm{ch}}_{\rm{c}}} \right]_{\rm{ch}}} \right)$

The machines are easy to clean and maintain, and replacement mixing tubs are economically priced. The machine includes a stainless steel L shaped side paddle and a rotary claw paddle which will mix right up to the tub centre, sides and base

The RM65 is a compact forced action mixer for up to two bags of repair or fibre filled mortar, grout, epoxy, screed, flooring latex and coatings, cements, tile adhesives and special plasters. The RM90 can mix up to three bags These mixers are produced with a 110v high torque motor and sealed gear box; 230v and 415v motors are also available for both models

ROTAMIXER®	RM65
Power	1.1kw
Machine weight	67kg
Size WxL	60x130cm
Height	94cm
Paddles	L & X shapes
Capacity	30-60kg
Output	1200kg/hr
Noise level	67dBA
Voltage	110v or 230v
ROTAMIXER®	RM90
Power	1.1kw
Machine weight	69kg
Size WxL	60x130cm
Height	94cm
Paddles	L & X shapes

30-75kg

1500kg/hr

67dBA 110v or 230v

	 polymer screeds epoxy mortars & coatings resin bound aggregates floor coatings heavy bodied paints & coatings driveway surfaces decorative resin bonded surfaces quartz & epoxy screeds adhesives & cements concrete repair mortars lime & heritage mortars repair or fibre filled mortar grouts & pourable cements cementitious toppings latex & self levellers
ROTAMIXER ROTAMIXER RM65 rotary tub mixer	
RM90 rotary tub mixer	twin stainless steel paddles
326501	706501

✓ anti skid road surfaces

✓ highway repair surfaces

65 ltr mixing tub

ROTAMIXER® ROTARY TUB MIXERS

Capacity

Noise level

Output

Voltage

Stock no	Description	Power	Tub	Mix	£ ex VA
706600	RM65 rotary tub mixer twin paddle	1.1kw	65 ltr	30-60kg	1195.00
REPLACEN	MENT ROTAMIXER PLASTIC TUB				
Stock no	Description	Width Ø	Depth		£ ex VA
326501	mixing tub, 65 ltr black plastic	59cm	33cm		19.00
ROTAMIXE	R FORCED ACTION ROTARY MIXER, wit	h L shaped si	de paddle & r	otary paddle & two plastic tubs	
Stock no	Description	Power	Tub	Mix	£ ex VA
709000	RM90 rotary tub mixer twin paddle	1.1kw	90 ltr	30-75kg	1395.00
REPLACEN	MENT ROTAMIXER PLASTIC TUB				
Stock no	Description	Width Ø	Depth		£ ex VA
329003	mixing tub, 90 ltr black plastic	67cm	36cm		20.00
TUB LIFTIN	IG TROLLEY				
Stock no	Description				£ ex VA
706501	lift & tip trolley for 65 ltr or 90 ltr tubs				180.00

lift & tip trolley

REFINA RESIMIXER® RESIN & AGGREGATE MIXER

RMX120 RESIMIXER®

- · heavy duty rotary paddle mixer
- removable 120 ltr stainless steel drum
- 4 x 25kg bags of aggregate mix capacity
- · adjustable stainless steel mixer blades
- uniform & consistent mixing
- bottom outlet for discharge into barrow
- easy to clean, no centre mixing shaft
- produced by REFINA in the UK

The RMX120 is produced in the UK and is the first machine designed to mix aggregate and resin material used for resin bound surfaces and driveways

The rotary paddle forced action mixer will mix resin bound aggregates, driveway materials, resins, rubber crumb and playground surfaces

The machine has a removable stainless steel drum and paddles for easy cleaning


The motor and gearbox is mounted on the top of the mixer drum and is removed for cleaning

It has two adjustable paddles and is driven by a powerful electric motor and sealed gearbox

The mixer is supplied with a 1.5kw 110v motor. The 110v mixer should be used with a 5kva transformer and only one 4mm 32amp extension lead

A 230v motor is available for domestic building work The mixer will run off 110v construction site electrics using a 32 amp 5kva transformer or 6kva generator

RESIMIXER®	RMX120
Power	1.5kw
Machine weight	85kg
Size WxL	85x95cm
Height	120cm
Paddles	3 blade set up
Drum size	55cm
Output	600kg/hr
Noise level	71dBA
Voltage	110v or 230v



Stainless steel replaceable drum





- ✓ mix resin bound aggregates
- ✓ epoxy mortars & coatings
- \checkmark anti skid road surfaces
- ✓ highway repair surfaces
- \checkmark driveway surfaces
- ✓ playground surfaces
- ✓ wet pour safety surfaces
- ✓ polymer screeds
- ✓ rubber crumb toppings
- ✓ decorative resin surfaces
- ✓ quartz & epoxy screeds
- ✓ adhesives & cements
- ✓ concrete repair mortars
- ✓ lime & heritage mortars
- ✓ repair or fibre filled mortar



RESIMIXER® ROTARY PADDLE AGGREGATE & RESIN MIXER

RESIN MIX	ER, rotary paddle, bottom outlet				
Stock no	Description	Power	Drum Ø	Mix	£ ex VAT
700150	RMX120 rotary paddle mixer	1.5kw	55cm	100kg	1995.00

ROTAMIXER® RENDER & MORTAR MIXER

RMX140 ROTAMIXER®

- · heavy duty rotary paddle mixer
- · three adjustable mixer blades
- uniform & consistent mixing
- bottom outlet for discharge into barrow
- for dry & bulk mixes
- · easy to clean, low maintenance

The RMX140 is a rotary paddle forced action pan mixer with large capacity drum

It will mix mortars and external colour through renders including monocouche and K-Rend

It has three adjustable paddles and is driven by a powerful electric motor and sealed gearbox. This mixer is powerful enough to mix the heaviest render, mortar and screed

The RMX140 can mix materials with aggregate up to 8mm. The mixer is supplied with a 1.5kw 110v motor; a 230v motor is available for domestic building work

It will mix 5 bags of mortar or a 4 to 1 sand and cement mix

The mixer will run off a good 110v construction site electrical supply using a 32amp 5kva transformer or 6kva generator. The 110v mixers are not designed to run off a domestic 13amp supply

For refractory cements use a 415v three phase machine

RMX140
1.5kw
95kg
90x95cm
110cm
3 blade set up
70cm
800kg/hr
71dBA
110v or 230v

- ✓ monocouche & ocr render
- ✓ sand & cement renders
- \checkmark colour through & polymer renders
- ✓ polymer screed & mortars
- ✓ repair mortars & cements
- ✓ sand & cement screed
 ✓ refractory cements
- ✓ six to one screed mixes



ROTAMIXER® ROTARY PADDLE & MORTAR MIXER

MORTAR MIXER, rotary paddle, bottom outlet				
Stock no	Description			
700130	RMX140 rotary paddle mixer			

LIME PUTTY & MORTAR MIXERS

RMR230 ROLLER PAN MIXER

- mill type roller pan mixer
- heavy twin grinding rollers
- for use in historic building refurbishment
- conservation & refurbishment trades
- schools & training institutions
- · reworking lime mortars & putties

This roller pan mixer uses twin 85kg rollers that will turn and mix lime mortars and putties, renders and plaster, rework traditional and reclaimed materials, crush and rework old and reclaimed materials

The mixer is supplied with mesh lid and guard The 110v model is fitted with a 32amp plug and needs to run off a 5kva transformer

ROLLER PAN MIXER	RMR230
Power	1.5kw
Speed	30rpm
Machine weight	320kg
Size WxL	120x150cm
Height	110cm
Paddle	scraper & 2 rollers
Capacity	50-100kg
Output	1000kg/hr
Noise level	71dBA



- ✓ lime mortars & putties
- ✓ sand & cement renders
- ✓ polymer screed & mortars
- ✓ repair mortars & cements
- ✓ refractory cements
- ✓ reconstituting heritage mortars



ROLLER PAN LIME PUTTY & MORTAR MIXER

HEAVY DU	HEAVY DUTY MIXER, for mixing lime mortars & plasters, reworking traditional mortars & putties							
Stock no	Description	Power	Drum Ø	Mix				
700120	RMR230 roller pan mixer	1.5kw	120cm	50-100kg				

RENDER SPRAY GUNS

RENDER SPRAY GUNS

- high volume, lightweight air powered spray gun
- single & three nozzle gun for sand & cement renders

• four nozzle long arm gun for higher volume applications

compressor produced in the UK

The single hopper render spray gun is simple and effective to use and is one of the few spray guns that will spray apply sand and cement renders

The gun will spray render and dash with an aggregate up to $5\ensuremath{\mathsf{mm}}$

The finish can be altered by adjusting the mix or aggregate used

A range of textures and finishes can be achieved; spraying at a lower air pressure (2-3 bar) will give a more textured finish

After application, the render can be ruled flat with an aluminium straight edge and finished with a steel trowel, plastic or wooden float

Render can be applied in one or two coats, normally up to 12mm to 15mm

The hopper spray guns will spray renders, waterproofing and tanking render, spritz and bonding mortars, concrete repair and cementitious coatings

The single nozzle spray gun will run off a 15cfm compressor

The four nozzle gun will give the best results using at 30cfm or a one tool site compressor

AC30P

30cfm petrol compressor



- ✓ spraying sand & cement renders & slurries
- ✓ cement based repair mortars
- ✓ lime mortars & putties
- ✓ stucco & plasters
- ✓ spritz & bonding mortars
 - \checkmark waterproofing & tanking coatings
- ✓ scratch coats & textures
- \checkmark fine finishes & top coats
- ✓ structural waterproof render





Stock no	Description	Nozzle Ø	nt renders & lin Hopper	Air consumption	Weight		£ ex VAT
150660	render spray gun, one nozzle	1 x 20mm	4 ltr	300 ltr/min @ 4 bar	2kg		229.00
HOPPER S	PRAY GUN, plastic hopper, for sand	& cement render	rs & lime morta	ars			
Stock no	Description	Nozzle Ø	Hopper	Air consumption	Weight		£ ex VAT
150666	render spray gun, four nozzles	4 x 20mm	6 ltr	750 ltr/min @ 4 bar	1.8kg		229.00
COMPRES	SORS, Honda petrol, belt drive, for	render spray gun					
Stock no	Description	Power	Motor	Air tank	Air output	Max pressure	£ ex VAT
171515P	AC15P 15cfm compressor	5.5hp	GX160	60 ltr	425 ltr/min @ 6 bar	10 bar	1149.00
171530P	AC30P 30cfm compressor	11.0hp	GX340	110 ltr	840 ltr/min @ 6 bar	10 bar	2399.00
AIR REGUL	ATOR & FILTER, with carry frame, to	o control air press	sure to hopper	spray gun			
Stock no	Description						£ ex VAT
150655	air regulator & filter						95.00
AIR HOSE	KITS, blue braided with threaded co	nnectors					
Stock no	Description	Length	Air hose Ø				£ ex VAT
982095	air hose kits with 1⁄4" connectors	10m	13mm				25.00
982096	air hose kits with 1⁄4" connectors	15m	13mm				35.00

150655

air regulator & filter

REFINA RENDER MASONRY PAINT & TYROLEAN SPRAYER



TEXASPRAY HOPPER SPRAY GUN

- gravity feed spray gun with 5 ltr hopper
- versatile spray gun for heavy bodied paints
- proven design & performance
- easy to use & clean
- airflow mini regulator included
- · works with 10cfm compressor

The hopper spray gun is supplied with 4mm, 6mm and 8mm nozzles. Other sizes are available on request Coverage is $60m^2/hr$

COMPRES	SORS	AC12	AC15E
Power	12	cfm 1.1kw	15cfm 2.2kw
Air output	280 ltr/n	nin @4 bar	390 ltr/min @6 bar
Weight		38kg	58kg
Size WxL		77x35cm	50x100cm
Height		69cm	86cm
Air tank		24 ltr	60 ltr
Noise level		73dBA	89dBA
Voltage	11	0v or 230v	110v or 230v





- ✓ high build & cementitious coatings
- ✓ thin coat silicone & acrylic renders
 ✓ Cullamix tyrolean & textured renders
- - ✓ Sandtex & masonry paints
 - ✓ Artex & textured coatings
 - \checkmark Monolastic elastomeric textures
 - \checkmark Vandex tanking & waterproofing coatings



171516 optional protective frame



TEXASPRAY HOPPER GUN & COMPRESSOR

HOPPER S	PRAY GUN, with air regulator, for hig	gh build, textured	d, stone, ceme	ent & masonry paints		
Stock no	Description	Nozzle Ø	Hopper	Air Consumption	Weight	£ ex VAT
150350	Texaspray hopper spray gun	4,6,8mm	5 ltr	150 ltr/min @ 3 bar	0.9kg	129.00
COMPRES	SOR, electric belt drive, for site use	•				
Stock no	Description	Power	Air tank	Air output	Max pressure	£ ex VAT
171023	AC12 12cfm compressor	1.5kw	24 ltr	280 ltr/min @ 4 bar	10 bar	499.00
171515	AC15E 15cfm compressor	2.2kw	60 ltr	390 ltr/min @ 6 bar	10 bar	999.00
AIR HOSE	KITS, blue braided with threaded co	nnectors				
Stock no	Description	Length	Air hose Ø			£ ex VAT
982084	air hose kits with 1/4" connectors	5m	10mm			10.00
982085	air hose kits with 1/4" connectors	10m	10mm			15.00
982086	air hose kits with 1/4" connectors	15m	10mm			20.00
QUICK REL	EASE AIRLINE COUPLING					
Stock no	Description					£ ex VAT
990008K	coupling & adaptor (2 pt)					10.00

REFINA ROTAPUMP[®] COATING & FINISH SCREW SPRAY PUMP

STX410 SPRAY PUMP

- · hopper feed screw pump
- · stainless steel hopper
- · easy to use & clean
- 110v available as standard
- · quick release rotor & stator assembly

The STX410 is a mini screw pump that will spray finish coatings and plasters, thin coat and external wall coatings, fireproofing and intumescent paints

The 110v pump will work off a standard domestic supply 3kva transformer and is ideal for spraying finishing plasters in new build and domestic building refurbishment

The screw pump uses the mono pump principle, with a rotor and rubber stator to pump and spray finish plasters and waterproofing render, fireproofing and textured paints and cementitious coatings

The lance spray gun is supplied with a 8.5mm nozzle $\ensuremath{\mathsf{Other}}$ nozzle sizes available

The pump, gun and hose are supplied with brass claw couplings as standard, alloy camlock fittings are available.

ROTAPUMP®	STX410
Power	0.75kw
Machine weight	25kg
Size WxL	50x75cm
Height	75cm
Hopper tank	30 ltr
Pump output	4 ltr
Noise level	59dBA
Air required for spray gun	280 ltr/min @ 4 bar



- ✓ spraying & coating
- ✓ thin coat & acrylic renders
- ✓ fireproofing & intumescent paints
- \checkmark waterproofing renders & tanking slurries
- \checkmark textured & high build masonry coatings
- ✓ finish plasters & coatings





141496 lance spray gun



ROTAPUMP® MINI SCREW SPRAY PUMP

ROTAPUM	P COMPACT SCREW SPRAY PUMP,	for finish plasters	& acrylic exterio	r wall coatings		
Stock no	Description	Power	Pump output	Hose Ø	Hose length	£ ex VAT
701022	STX410 screw spray pump	0.75kw	4 ltr	19mm	8m	1795.00
SPRAY LA	NCE, for skim plaster, thin coat rer	nder & acrylic wall	coatings			
Stock no	Description	Nozzle Ø	Air cap		Air consumption	£ ex VAT
141496	lance spray gun	8.5mm	round pattern		280 ltr/min @ 4 bar	99.00
COMPRES	SOR, electric belt drive, for site us	se				
Stock no	Description	Power	Air tank	Air output	Max pressure	£ ex VAT
171023	AC12 12cfm compressor	1.5kw	24 ltr	280 ltr/min @ 4 bar	10 bar	499.00
MORTAR H	IOSE, black braided with claw coup	plings				
Stock no	Description	Length	Material hose	Ø		£ ex VAT
981404	mortar hose	5m	25mm			45.00
981405	mortar hose	8m	25mm			60.00

REFINA ROTAPUMP RENDER & MORTAR SPRAY PUMP

STX515S SCREW SPRAY PUMP

- · hopper feed screw pump
- · stainless steel hopper
- · easy to use & clean
- 110v available as standard
- quick release rotor & stator assembly

The STX515 single speed pump will spray thin coat and topcoat renders, OCR renders, external textured wall coatings, fireproofing and intumescent paints, spray mortars and cementitious coatings, tanking and waterproofing renders, finish and spray plasters The standard motor supplied is 110v for site use

The AC15 compressors are produced in the UK with 110v or petrol motors. They are designed with render pump and spray gun

ROTAPUMP	STX515
Power	1.5kw
Machine weight	85kg
Size WxL	58x120cm
Height	70cm
Hopper tank	60 ltr
Pump output	4 ltr/min
Noise level	59dBA
Voltage	110v or 230v
Air required for spray gin	280 ltr/min @ 4 br

	AC15E	AC15P
1	5cfm 2.2kw	5.5hp
390 ltr/	min @6 bar	425 ltr/min @6 bar
	58kg	58kg
	50x100cm	50x100cm
	86cm	86cm
	60 ltr	60 ltr
	89dBA	89dBA
1	10v or 230v	
	390 ltr/	50x100cm 86cm 60 ltr



- ✓ spray application of coatings & renders
- ✓ thin coat & silicone renders
- \checkmark one coat & monocouche renders
- ✓ fireproofing & intumescent paints
- ✓ plasters & internal coatings
- ✓ waterproofing renders & tanking
- ✓ exterior textures & high build masonry coatings
- $\checkmark\,$ pumping & injecting grouts & pointing mortars



STX515S

171516 optional protective frame







171516 optional protective frame



15cfm petrol compressor

ROTAPUMP MIDI SCREW SPRAY PUMP

otion S spray pump, 2" stator	Power 1.5kw	Pump output	Hose Ø	Hose length		£ ex VAT
	1.5kw			•		L EX VAI
	±10.00	4 ltr/min	25mm	10m		2995.00
op coats, thin coat renders & a	crylic wall coa	atings				
otion	Nozzle Ø	Air cap	Air consumption			£ ex VAT
oray gun	8.5mm	round pattern	280 ltr/min @ 4 bar			99.00
ctric belt drive, for site use						
otion	Power	Air tank	Air output	Max pressure		£ ex VAT
15cfm compressor	2.2kw	60 ltr	390 ltr/min @ 6 bar	10 bar		999.00
onda petrol, belt drive, for rende	er spray gun					
otion	Power	Motor	Air tank	Air output	Max pressure	£ ex VAT
15cfm compressor	5.5hp	GX160	60 ltr	425 ltr/min @ 6 bar	10 bar	1149.00
21 21 21 21 21	tion ray gun tric belt drive, for site use tion L5cfm compressor nda petrol, belt drive, for rende tion	Nozzle Ø ray gun 8.5mm rtric belt drive, for site use Power L5cfm compressor 2.2kw nda petrol, belt drive, for render spray gun Power	Power Air tank 15cfm compressor 2.2kw 160 Lin belt 60 ltr 160 Lin belt 60 ltr 160 Lin belt 90 Motor	Nozzle Ø ray gunNozzle Ø 8.5mmAir cap round patternAir consumption 280 ltr/min @ 4 bartric belt drive, for site use tionPowerAir tankAir outputL5cfm compressor2.2kw60 ltr390 ltr/min @ 6 barnda petrol, belt drive, for render spray gun tionPowerMotorAir tank	Nozzle Ø Air cap Air consumption ray gun 8.5mm round pattern 280 ltr/min @ 4 bar tric belt drive, for site use tirt tank Air output Max pressure L5cfm compressor 2.2kw 60 ltr 390 ltr/min @ 6 bar 10 bar nda petrol, belt drive, for render spray gun Power Air tank Air tank Air output Max pressure 10 bar 10 bar 10 bar 10 bar	Nozzle Ø ray gunAir cap round patternAir consumption 280 ltr/min @ 4 barray gun8.5mmround pattern280 ltr/min @ 4 barstric belt drive, for site use tionPowerAir tankAir outputMax pressureL5cfm compressor2.2kw60 ltr390 ltr/min @ 6 bar10 barnda petrol, belt drive, for render spray gun tionPowerAir tankAir tankAir outputMax pressure

REFINA PERISTALTIC POINTING & MORTAR PUMP



ACF405 PERISTALTIC PUMP

- hopper feed roller & tube pump
- for refurbishment & repair trades
- heritage & conservation
- bridge & stone reinstatements
- waterproofing & brick pointing

The ACF405 peristaltic electric pump has a metal hopper, variable speed output that can pump up to 5 ltr/min

Pointing machines work best pumping pre-bagged mortars and grouts that have been produced for mechanical application

Mortars mixed on site using sharp builders sand are not suitable for pump application

The peristaltic pump is a positive displacement pump and used for pumping a variety of flowable mortars and grouts. The material is drawn down from the hopper into a roller and tube mechanism. This compresses the flexible tube, forcing the material out towards the gun The 110v peristaltic pump will run off a 13amp supply and 3kva transformer

PERISTALTIC PUMP **ACF405** Power 0.5kw Machine weight 42kg Size WxL 45x50cm Height 55cm Hopper tank 25 ltr Pump output 2-5 ltr/min Noise level 59dBA

Voltage

110v or 230v



✓ for pumping, pointing & injecting✓ pre-bagged mortars & pointing materials

✓ grouts & fillers

PERISTALTIC POINTING & MORTAR PUMP

PERISTALT	IC PUMP, variable speed output, fo	or mortar & grout	S		
Stock no	Description	Power	Pump output Hose Ø	Hose length	£ ex VAT
784000	ACF405 grout pump	0.5kw	2-5 ltr/min 19mm	5m	3695.00
POINTING	LANCE				
Stock no	Description	Nozzles Ø	i		£ ex VAT
141493	lance grout gun	uncut cone	e, 6mm, 9mm	29.00	
150641	pointing gun with button valve	uncut cone	e, 9mm, 13mm	195.00	
PLASTIC N	IOZZLES, threaded				
Stock no	Description	Nozzle Ø			£ ex VAT
1640077	grey nozzle	uncut cone	•		0.50
1640080	blue nozzle	9mm			0.50
1640081	red nozzle	13mm			0.50
MORTAR H	IOSE, clear braided, for mortars &	cements			
Stock no	Description	Length	Material hose Ø		£ ex VAT
982224	mortar hose, clear braided	5m	19mm		50.00



SURFACE SCABBLER

EIBENSTOCK

EP0180H-SRX6 surface scabbler

REFINA

EP0180H-SRX SURFACE SCABBLER

- rotary surface scabbler
- replaceable cutters
- solid tungsten cutters or tct cutters
- for paint, render & refurbishment trades
- dust free with vac

The EP0180H with scabbler head will clean, key and prepare interior and exterior wall and floor surfaces. The scabbler is excellent for stripping exterior facades and interiors before refurbishment or replastering, keying cellar walls for tanking

The scabbler uses freely rotating cutters to key and peen the surface. The cutters are replaceable

C6 tungsten carbide tipped scabbling cutters, for render and plaster; leaves a rough finish


C4 solid tungsten carbide claw cutters are for shaving off coatings; leaves a peened finish

C5 solid tungsten star cutters are for keying hard coatings; leaves a keyed surface

SCABBLER	EP0180H
Power	1500w
Speed	1300-4000rpm
Weight	5.9kg
Prep head	150mm
Prep rate	up to 30m/hr
Vibration level	7.9m/s
Noise level	79dBA
Voltage	110v or 230v







- ✓ taking off masonry paints & tyrolean
- \checkmark leaves peened or roughened surface
- ✓ stripping internal paints & exterior coatings
- ✓ chipping off paint & textures
- ✓ cleaning masonry & brick
- ✓ keying back internal walls & plaster
- ✓ taking off floor paints & coatings



356560F dustex hood



346376 C6 cutters

C6

tungsten tipped cutters

for render & masonry



346374 C4 cutters



C4 solid tungsten claw cutters for shaving off coatings



346375 C5 cutters



C5 solid tungsten star cutters for keying plaster

SURFACE SCABBLER & CUTTERS

MULTI-SUF	RFACE SCABBLERS, for keying & clean	ing concrete,	render & mas	onry		
Stock no	Description	Power	Weight	Speed	Cutters	£ ex VAI
4811876	EP0180H-SRX6-C6	1500w	5.9kg	1300-4000rpm	C6 x14	539.00
4811874	EP0180H-SRX6-C4	1500w	5.9kg	1300-4000rpm	C4 x28	579.00
4811875	EP0180H-SRX6-C5	1500w	5.9kg	1300-4000rpm	C5 x21	559.00
DUSTEX H	OOD, for dust free use with vac					
Stock no	Description					£ ex VAT
356560F	dust hood for 6" scabbler head					49.00
SCABBLER	R HEADS, for keying back & cleaning re	ender, concre	te, screed & c	oatings		
Stock no	Description	Cutters		Rec speed		£ ex VAT
346386	SRX6-C6 6" scabbler	C6 tungste	n tip	3000rpm		209.00
346384	SRX6-C4 6" scabbler	C4 solid tu	ngsten	3000rpm		249.00
346385	SRX6-C5 6" scabbler	C5 solid tu	ngsten	3000rpm		229.00
REPLACEN	MENT CUTTERS, with spacers					
Stock no	Description	Cutter set				£ ex VAT
348146	C6 tungsten tipped 6.0mm cutters	14				65.00
348284	C4 solid tungsten 3.5mm claw cutters	28				105.00
348505	C5 solid tungsten 4.0mm star cutters	21				85.00



MULTI-SURFACER & PAINT STRIPPER

EP0180H 7" MULTI-SURFACER & STRIPPER

- powerful multi-surfacer
- paint & coating stripper
- dust free with dustex hood & vac
- reduced vibration H handle

The EP0180H with ATX disc will strip water-based paints, textures and graffiti from plasterboard, ceilings, trowelled concrete, smooth brickwork, masonry and stone

The ATX discs are hard backed silicone carbide abrasives for paint removal

The hard backed ZTX coarse discs are for coating removal including epoxies

No backing pad is required with the ATX and ZTX hard backed discs

MULTI-SURFACER EP0180H

Power	1500w
Variable speed	1300-4000rpm
Weight	3.8kg
Disc	180mm
Prep rate	up to 30m/hr
Vibration level	2.5m/s
Noise level	79dBA
Voltage	110v or 230v





- ✓ stripping paint & coatings
- ✓ cleaning flat brick, stone & concrete
- ✓ smoothing & refurbishing stone
- ✓ sanding & finishing concrete
- ✓ prepping walls, floors & ceilings
- ✓ epoxy paints
- ✓ latex screed
- \checkmark terrazzo tiles



EPO180H-ATX multi-surfacer & stripper



EP0180H-ATX without dustex guard



cyclone pre-separator



300180 ATX stripper disc



305181 ZTX hard backed disc

MULTI-SURFACER PAINT STRIPPER

MULTI-SUF	RFACER & PAINT STRIPPER, with dust	ex hood. varial	ble speed H han	dle		
Stock no	Description	Power	Weight	Speed	Disc Ø	£ ex VAT
481208	EP0180H 7" paint stripper	1500w	3.8kg	1300-4000rpm	180mm	389.00
PAINT STR	IPPING DISCS, hard backed, web silio	cone carbide, f	or water based	paint removal, no ba	cking pad required	
Stock no	Description	Disc Ø	Rec speed	Grit		£ ex VAT
300180	ATX 7" stripper & cleaning disc	180mm	3000rpm	60		9.95
RIBBED DI	SCS, hard backed, silicone carbide,	for coating rem	noval, no backin	g pad required		
Stock no	Description	Disc Ø	Rec speed	Grits		£ ex VAT
305181	ZTX 7" hard backed coarse disc	180mm	3000rpm	12,16,24,36		4.50
DUSTEX AL	UTOVAC, for plaster, concrete, stone,	paint & wood	dust			
Stock no	Description	Power	Weight	Air flow		£ ex VAT
360053	XD14/1 autovac	1400w	17kg	255m ³ /hr		599.00
PRE-SEPA	RATOR DRUM, with trolley, removes 9	95% of dust be	fore vac & impre	oves filter efficiency		
Stock no	Description	Weight	-	-		£ ex VAT
359008	PC95T pre-separator cyclone drum	10kg				180.00

DIAMOND GRINDER



EBS1802H 5" DIAMOND GRINDER

- powerful hand-held grinder
- · fitted with low vibration handle
- · removable front guard for edging
- dust free with dustex vac

The EBS1802H is a powerful 1650w 5" diamond grinder, supplied with a segmented diamond disc. The new generation of diamond discs are excellent for prepping a wide range of difficult to remove materials including thick and elastomeric coatings, cement adhesive, bitumens and hardened epoxies

It is produced with a reduced vibration H-handle for easy and smooth working on hard floors. The diamond grinder has a dustex guard and the front is removable for edging The grinder-planer will level floors, slabs and walls, stone, curbs, stairs and pillars; face off shuttered concrete lines and pour spills; remove hardened epoxies and stone paints; smooth out trowel marks from screed and latex; cut back carpet adhesive and tile cement residues; skim off traffic markings and thermoplastics

A range of specialist application diamond discs are available. Only 5" discs will fit the ${\sf EBS1802H}$

DIAMOND GRINDER EBS1802H

Power	1650w
Speed	10000rpm
Weight	5.9kg
Disc	125mm
Prep rate	up to 30m/hr
Vibration level	4.4m/s
Noise level	78dBA
Voltage	110v or 230v

DIAMOND GRINDER





- $\checkmark\,$ grinding & levelling concrete, screed & stone
- \checkmark remove hard epoxy & cement coatings
- \checkmark cut through floor adhesives
- ✓ removing tile cements
- \checkmark finish shuttered concrete



XD30/3 autovac



315125 DX5-G15 disc

315200 DX5-H5 disc



315194 DX5-MC disc

315170 DX5-K6 disc

Stock no	GRINDER-PLANER, with twin row diam Description	Power	Weight	Speed	Disc Ø	£ ex VA
483180	EBS1802 5" diamond grinder	1650w	5.9kg	10000rpm	125mm	559.00
DIAMOND	DISC, twin row for grinding concrete,	hard coatings	& surface remo	oval		
Stock no	Description	Disc Ø	Rec speed	Segment	Grit	£ ex VA
315125	DX5-G15 5" twin open row cup disc	125mm	10000rpm	15	40	89.00
DIAMOND	DISC, curved segments, for aggressiv	e grinding of	coatings			
Stock no	Description	Disc Ø	Rec speed	Segment	Grit	£ ex VAI
315200	DX5-H5 5" diamond cup disc	125mm	10000rpm	6	24	85.00
DIAMOND	DISCS, continuous ring, for smoothing	g concrete, te	rrazzo & stone			
Stock no	Description	Disc Ø	Rec speed	Segment	Grits	£ ex VAI
315194	DX5-MC 5" solid ring diamond cup disc	125mm	10000rpm	continuous	40,80,120	99.00
DIAMOND	DISC, PCD polycrystalline solid segme	ents, for remo	ving thick coati	ngs, bitumastic & a	adhesives, latex & epoxies	
Stock no	Description	Disc Ø	Rec speed	Segment		£ ex VAI
315170	DX5-K6 5" pcd diamond cup disc	125mm	10000rpm	6		95.00
DUSTEX A	UTOVAC, for plaster, concrete, stone, p	paint & wood	dust			
Stock no	Description	Power	Weight	Air flow		£ ex VAI
360045	XD30/3 autovac	3000w	26kg	476m ³ /hr		989.00
PRE-SEPA	RATOR DRUM, with trolley, removes 95	5% of dust be	fore vac & impre	oves filter efficienc	:y	
Stock no	Description	Weight	-		-	£ ex V Al
	PC95T pre-separator cyclone drum	10kg				180.00

REFINA SURFACE BLASTER FOR STEELWORK, PIPES, TANKS & VESSELS

EP01310 SURFACE BLASTER

- powerful rotary surface prep machine
- rubber mounted tungsten points
- dust free with dustex vac

The surface blaster discs have rubber mounted tungsten points for fast cleaning of coatings and rust from steel and marine surfaces, pipes and weld joints

The surface blaster discs will cut through and remove sticky residues including chewing gum, bitumens, sealants, adhesives, elastomeric and rubberised paints The power tool will prep structural steel and tanks, keying the surface for anti-corrosion coatings

Individual discs are mounted on a hex shaft

SURFACE BLASTER EP01310-CTX

Power	1300w
Speed	1300-3050rpm
Weight	4.5kg
Wheel	125mm
Drum Ø	100mm
Prep rate	up to 15m/hr
Vibration	level 2.9m/s
Noise level	72dBA
Voltage	110v or 230v





- ✓ blast off paint & rust
- ✓ cleaning inside tanks & bunds
- \checkmark remove rust from checker plate
- \checkmark prep before recoating
- ✓ clean large pipe joints
- \checkmark for use by marine repair trades
- ✓ pipework contractors
- ✓ painting & anti-corrosion coating application
- ✓ tank & bund renovation work





347504 set of 4

EP01310 surface blaster with dustex guard

SURFACE BLASTER

SURFACE E	BLASTER, surface cleaner with set of	six tungsten	tipped rubber v	wheels for prepping flo	ors & walls	
stock no	Description	Power	Weight	Speed	Disc Ø	£ ex VAT
840006	EP01310 surface blaster with hood	1300w	4.5kg	1300-3050rpm	125mm	549.00
SURFACE E	BLASTER STAR WHEELS, rubber mour	nted tungsten	spikes with M	14 spindle		
Stock no	Description	-	-	Rec speed		£ ex VAT
347504	wheel drum disc set (4)			3000rpm		85.00
347506	wheel drum disc set (6)			3000rpm		119.00

RENDER POWER FLOAT & SPONGE



EPG400 POWER FLOAT & SPONGE

slow speed finishing

REFINA

• float up to 60 sq metres per hour

• range of discs & floats available

The EPG400 is a hand held rotary power float and sponge for finishing external renders and monocouche

A float disc and medium sponge are included with the machine

The power sponge uses a slow speed motor to sponge or float finish large areas of spray or trowel applied backing coat plaster or one coat render

The toothed scraper disc is for scraping back monocouche render, it is effective where the render has gone off and it is hard to hand scrape. It can be used on new precast concrete

The sanding and tungsten discs are for use on insulation board

POWER FLOAT & SPONGE	EPG400
Power	500w
Speed	60rpm
Weight	3.5kg
Disc	400mm
Finish rate	50m/hr
Vibration level	1.9m/s
Noise level	76dBA
Voltage	110v or 230v

RENDER & PLASTER POWER FLOAT & SPONGE





float disc

550419 toothed scraper disc

sanding disc

300747 tungsten disc

WALL POW	VER SPONGE & FLOAT, for backing coat	plasters & o	ne coat rende	ers		
Stock no	Description	Power	Weight	Speed	Disc Ø	£ ex VAT
484400	EPG400 16" power float	500w	3.5kg	60rpm	400mm	389.00
SPONGE, V	velcro backed, use wet or dry					
Stock no	Description	Disc Ø	Colour	Texture		£ ex VAT
550405	16" sponge	400mm	white	fine		10.00
550406	16" sponge	400mm	yellow	medium		10.00
550407	16" sponge	400mm	tan	hard		10.00
550410	16" sponge	400mm	orange	fine		20.00
550408	16" sponge	400mm	blue	medium		24.00
PLASTIC F	LOAT, velcro backed, for floating backin	g coat plast	er & render			
Stock no	Description	Disc Ø				£ ex VAT
550417	16" float disc, diamond faced	400mm				15.00
SCRAPER	DISCS, for scraping back monocouche	render				
Stock no	Description	Disc Ø				£ ex VAT
550419	16" toothed scraper disc with four plates	400mm				45.00
550420	replacement scraper plates (set 4)					24.00
SANDING I	DISCS, velcro backed, for sanding polys	styrene insul	ation boards			
Stock no	Description	Disc Ø	Grit			£ ex VAT
300737	sanding disc	375mm	24			19.00
300747	coarse tungsten disc	375mm	24			49.00
DUST HOO	D, for dust free use with vac					
Stock no	Description	Disc Ø				£ ex VAT
484203	dust hood with brush rim	390mm				49.00

LARGE AREA DRYWALL SANDER



ELS225 9" DRYWALL SANDER

- with quick change flexi joint
- · no tool needed for changing the flexi joint
- powerful large area sander
- cushioned velcro backing pad
- · large holes for effective dust control
- · easy handling for wall work

removable guard side for edging

The ELS225 is a long reach sander with a simple and light handle extension. The sander head has a flexi joint that can be simply replaced without tools

The sander is used for sanding back and smoothing drywall joints; prepping and sanding walls and ceilings prior to painting and decorating. It is lightweight and comes complete with dust guard allowing dust free operation when coupled with a suitable vac

Due to the suction force of the VacuGlide-System it allows the long reach sander to hold on the wall or ceiling and can be guided without problem

The edge of the dust guard is cut away allowing sanding right to the edge

ELS225

The range of discs are velcro backed

LONG REACH SANDER

Power	750w
Speed	1050-1600rpm
Weight	4.9kg
Disc	225mm
Prep rate	up to 50m/hr
Vibration level	2.4m/s
Noise level	78dBA
Voltage	110v or 230v




LARGE AREA DRYWALL SANDER

Stock no	Description	Power	Weight	Speed	Disc Ø	£ ex VAI
481700	ELS225 long reach drywall 9" sander	750w	4.9kg	1050-1600rpm	225mm	619.00
MULTI-HOI	LE YELLOW SANDING DISCS, velcro ba	cked, for use	with drywall s	ander, sanding drywall	joints and plaster	
Stock no	Description	Disc Ø	Grits			£ ex VAT
300711	9" yellow sanding disc	225mm	40,60,80,1	100,120,150,180,220		2.95
SILICONE	SANDING DISCS, velcro backed, for us	se with extern	al insulation b	oards		
Stock no	Description	Disc Ø	Grits			£ ex VAT
300719	9" coarse sanding disc	225mm	24,60,80			2.95
TUNGSTEN	I DISCS, velcro backed for abrading pa	ainted surface	es & surface s	couring		
Stock no	Description	Disc Ø	Grits			£ ex VAT
243471	9" tungsten disc	225mm	60,80			29.00
DUSTEX A	UTOVAC, for plaster, concrete, stone,	paint & wood	dust			
Stock no	Description	Power	Weight	Air flow		£ ex VAT
360053	XD14/1 autovac	1400w	17kg	255m ³ /hr		599.00
PRE-SEPA	RATOR DRUM, with trolley, removes 9	5% of dust be	fore vac & imp	proves filter efficiency		
Stock no	Description	Weight				£ ex VAT
359008	PC95T pre-separator cyclone drum	10kg				180.00

REFINA PLASTER, RENDER & SCREED TOOLS





REFINA

REFINA HAND TOOLS & TROWELS

REFINA supply only the best quality trade tools and equipment. All tools and trowels are produced in Germany, the UK and Europe and are guaranteed for trade use

REFINA specialise in stainless steel trowels which are rust free and durable, and we stock the largest range of specialist stainless steel trowels in the UK for the plaster, floor, concrete, repair and paint trades

Many of those difficult to find or specialist tools are available off the shelf

- SUPERFLEX® Skimming Trowels
- FINATEX® Premium Laying on Trowels
- PLAZIFLEX® Skimming Trowels & Spatula-Rules
- Skimming Spatula-Rules
- Bucket & Small Trowels
- Corner & Midget Trowels
- Polishing Trowels
- Plastic Top Coat Trowels & Floats
- CLIKCLAK® Plastic Floats
- CLIKCLAK® Sponge Floats
- Render Scrapers & Rasps
- Feather Edges & Box Rules
- Spike Rollers & Floor Paint Rollers
- Notched Trowels & Pin Levellers
- Squeegees & Coving Trowels
- Screed Placers & Levellers



REFINA

SUPERFLEX® SKIMMING TROWELS

NEW PRODUCT



SUPERFLEX® SKIMMING TROWELS

- flexible chrome stainless steel
- range of sizes & blade widths
- · rounded corners & finished blade edges
- for finishing & smoothing

REFINA

- skimming plasters & internal wall finishes
- special finishes for walls & ceilings
- produced with soft composite blue rubber handle

wood, composite leather & cork handles in stock
 The SUPERFLEX trowels are produced with a flexible
 stainless steel blade, alloy bracket and moulded soft

grip handle These trowels are lightweight and easy to use on multifinish, skimming and board finish plasters

The SUPERFLEX 1 & 2 are both produced with a semiflexible 0.4mm blade

The SUPERFLEX2 has a slightly narrower blade making the trowel slightly stiffer

These are the most durable flexible plastering trowel available

SUPERFLEX is a registered brand of REFINA Ltd

Additional replaceable handles include leather, cork and wood available at ± 6.00 each



RF16 SUPERFLEX trowel cork composite handle RFN16 SUPERFLEX2 trowel blue composite handle



RF16 SUPERFLEX3 golden trowel grey composite handle

SUPERFLEX® SKIMMING & FINISHING TROWELS

SUPERFLE	X FINISHING TROWELS, 5" wide, stainle	ss steel blade - rust	free	
Stock no	Description	Size	Thickness	£ ex VAT
228193	SUPERFLEX RF12 finishing trowel 12"	300x125mm	0.4mm	40.00
228194	SUPERFLEX RF14 finishing trowel 14"	360x125mm	0.4mm	42.00
228196	SUPERFLEX RF16 finishing trowel 16"	405x125mm	0.4mm	44.00
228198	SUPERFLEX RF18 finishing trowel 18"	450x125mm	0.4mm	46.00
SUPERFLE	X2 FINISHING TROWELS, 43/4" wide, sta	inless steel blade, lo	nger bracket - rust free	
Stock no	Description	Size	Thickness	£ ex VAT
228224	SUPERFLEX2 RFN14 finishing trowel 14"	360x120mm	0.4mm	42.00
228226	SUPERFLEX2 RFN16 finishing trowel 16"	405x120mm	0.4mm	44.00
228228	SUPERFLEX2 RFN18 finishing trowel 18"	450x120mm	0.4mm	46.00
SUPERFLE	X3 FINISHING TROWEL, 5" wide, golden	stainless steel blade	e - rust free	
Stock no	Description	Size	Thickness	£ ex VAT
228276	SUPERFLEX3 golden finishing trowel 16"	405x125mm	0.5mm	48.00
LEATHER T	ROWEL HOLDERS, premium leather hol	ders to hold & protec	t the trowel	
Stock no	Description	Size		£ ex VAT
630012	leather holder 12"	325x165mm		10.00
630014	leather holder 14"	380x165mm		10.00
630016	leather holder 16"	425x165mm		10.00
630018	leather holder 18"	470x165mm		10.00
CANVAS TH	ROWEL HOLDERS, synthetic holders to	hold & protect the tro	owel	
Stock no	Description	Size		£ ex VAT
630024	canvas holder 14"	380x165mm		8.00
630026	canvas holder 16"	425x165mm		8.00
630028	canvas holder 18"	470x165mm		8.00

FINATEX[®] LAYING ON TROWELS

NEW RODUCT

FINATEX® TROWELS

- · hand finished premium trowel blade
- super flat plastering trowels
- · the straightest finishing edge
- slightly radiused corners
- ٠ machine chamfered side edges ٠
- chrome stainless steel, rust free
- · produced with soft composite blue rubber handle
- wood, composite leather & cork handles in stock • made in Germany

These trowels are premium quality trowels for plaster, rendering and cement trades

They are made from the finest and flattest chrome stainless steel for rust free use, manufactured using the most modern production techniques and hand finished to ensure the finest trade quality trowel

The newly improved and lightweight trowels are produced with a slimmer shape handle and are mechanically broken in. The soft blue composite handle has been redesigned, is comfortable on the hand, easier to grip and reduces muscle and joint strain

The new canvas multi-trowel holder can fit up to three trowels. It has strong buckle fasteners and carry handles and can be folded to go in to a bucket or can be hung up from the two corner eyelets



Stainless Steel Trowels

cork, leather and wooden handles available on request

RT12 FINATEX trowel blue composite handle





630036 canvas multi-trowel holder, open



630036 canvas multi-trowel holder, closed

FINATEX® TROWELS

Stock no	Description	Size	Thickness	£ ex VA
221911	FINATEX RT11 trowel 11"	280x120mm	0.6mm	31.00
221912	FINATEX RT12 trowel 12"	305x120mm	0.6mm	32.00
221913	FINATEX RT13 trowel 13"	330x120mm	0.6mm	33.00
221914	FINATEX RT14 trowel 14"	355x120mm	0.6mm	34.00
221916	FINATEX RT16 trowel 16"	405x120mm	0.6mm	39.00
PREMIUM	LAYING ON TROWELS, 5 wide, super	flat edges, pre-worn in e	dges, golden stainless steel - rust free	
Stock no	Description	Size	Thickness	£ ex VA
221934	FINATEX2 RT14 golden trowel 14"	355x125mm	0.5mm	38.00
LEATHER 1	ROWEL HOLDERS, premium leather	holders to hold & protec	t the trowel	
Stock no	Description	Size		£ ex VA
630012	leather holder 12"	325x165mm		10.00
630014	leather holder 14"	380x165mm		10.00
630016	leather holder 16"	425x165mm		10.00
CANVAS N	IULTI-TROWEL HOLDERS, synthetic h	olders to protect the bla	de, fits 3 trowels with blades up to 140mm wide	
Stock no	Description	Size		£ ex VA
630036	canvas multi-trowel holder 16"	790x440mm		29.00
	canvas multi-trowel holder 18"	790x490mm		29.00

REFINA CEMENT, RENDER, POOL & FLOOR TROWELS

CEMENT, RENDER, POOL & FLOOR TROWELS Stainless Steel Trowels Made in Germany · chrome stainless steel trowels, rust free · soft composite rubber handle · cement trowels have narrower stiffer blades • range of sizes & designs • available with traditional wooden handles • new composite leather & cork handles · for cement & render · screed & epoxy These are a range of premium quality trowels produced for trade use on render and cement The trowels are slightly narrower and more rigid than the **RC14** RC14N wider more flexible plastering trowels 14" cement & render trowel 14" narrow cement trowel They are made from the finest chrome stainless steel for rust free use The trowels are produced with a blue composite rubber soft handle. The soft handle is comfortable and easy to grip The soft handles are not resistant to solvents The pool trowels are supplied with either long shank for stiffness or short shank for a more flexible finishing trowel. They are rounded at both ends and used on specialist floor & wall finishes The pointed end floor trowels have a long shank for stiffness Our range of additional handles include wood, leather and cork that can be easily changed PCS14R 222214 These cement and render trowels are produced with a 14" trowel 14" pool trowel 0.6mm blade rounded corners As a general guide the narrower the blade, the stiffer the trowel 222416 16" pool trowel 222416 222618 with wooden handle 18" floor trowel 16" pool trowel

PREMIUM CEMENT, RENDER, POOL & FLOOR TROWELS

PREMIUM	CEMENT TROWELS, 4" wide, with	h stiffer blade for cement & render, chrome stainless steel - rust	free
Stock no	Description	Size	£ ex VA
221612	RC12 trowel 12"	300x100mm	31.0
221614	RC14 trowel 14"	355x100mm	33.0
221616	RC16 trowel 16"	405x100mm	39.00
PREMIUM	NARROW CEMENT TROWELS, 3	wide, with narrow stiff blade, chrome stainless steel - rust free	
Stock no	Description	Size	£ ex VA
221412	RC12N trowel 12"	305x80mm	30.0
221414	RC14N trowel 14"	350x80mm	33.0
PREMIUM	CEMENT TROWEL, 4" wide roun	ded corners, chrome stainless steel - rust free	
Stock no	Description	Size	£ ex VA
221214	PCS14R trowel 14"	350x100mm	34.00
PREMIUM	POOL TROWEL, 4" wide, rounde	d ends, semi-flexible chrome stainless steel - rust free	
Stock no	Description	Size	£ ex VA
222214	trowel 14", short shank	350x100mm	33.0
PREMIUM	POOL TROWELS, 4" rounded en	ds, chrome stainless steel - rust free	
Stock no	Description	Size	£ ex VA
222416	trowel 16", long shank	405x100mm	42.0
222418	trowel 18", long shank	460x100mm	43.0
222420	trowel 20", long shank	510x100mm	44.00
PREMIUM	FLOOR TROWEL, 4" wide, pointe	d, chrome stainless steel - rust free	
Stock no	Description	Size	£ ex VA
222618	trowel 18", pointed end	460x110mm	42.0

PLAZIFLEX® SKIMMING TROWELS

VIIII PLAZIFLEX

Made in UK

PLAZIFLEX® FLEXIBACK® TROWELS

- new more durable construction
- replaceable blades & range of sizes
- excellent finish & lightweight to use
- no need for splashing water on final coat
- cover large areas with less trowel pressure
- easier on the arm & joints
- flexible blade suitable for curved surfaces
- for multi finish & skimming

PLAZIFLEX blades are produced in the UK

These PLAZIFLEX skimming trowels are for finishing and trowelling up topcoat plasters and finishes

They are lightweight and easy to use leaving an excellent finish on the final skim coat

The trowels have a flexiback design that gives flexibility across the blade width but rigidity along the length The trowel body has a stainless steel blade with alloy shank and soft handle; it slots into the plastic blade holder bracket on the flexible plastic blade

Use the PLAZIFLEX after the wet trowel (normally steel trowel) application then dry trowel and final cross trowel to finish

It's a lot easier going on the arm, the plastic just glides over the surface and brings up the surface to a tight polished finish


The plastic blades allow easier and faster closing in and flattening of the final finish coat. There is less need to wait for plaster to pick up, and can be used effectively when plaster is still wet



canvas trowel holder

PLAZIFLEX® SKIMMING TROWELS

PLAZIFLEX	& PREMIUM TROWEL, flexiback bl	ade, for finishing skim pla	sters	
Stock no	Description	Size	Thickness	£ ex VA
228172	PLAZIFLEX trowel & blade 12"	300x140mm	1.0mm	33.00
228174	PLAZIFLEX trowel & blade 14"	350x140mm	1.0mm	34.00
228176	PLAZIFLEX trowel & blade 16"	400x140mm	1.0mm	35.00
228178	PLAZIFLEX trowel & blade 18"	450x140mm	1.0mm	37.00
228180	PLAZIFLEX trowel & blade 20"	500x140mm	1.0mm	39.00
228184	PLAZIFLEX trowel & blade 24"	600x140mm	1.0mm	42.00
PLAZIFLEX	PLASTIC BLADES, flexiback blade	, for finishing skim plaste	rs	
Stock no	Description	Size	Thickness	£ ex VA
228173	PLAZIFLEX blade 12"	300x140mm	1.0mm	16.00
228175	PLAZIFLEX blade 14"	350x140mm	1.0mm	17.00
228177	PLAZIFLEX blade 16"	400x140mm	1.0mm	18.00
228179	PLAZIFLEX blade 18"	450x140mm	1.0mm	20.00
228181	PLAZIFLEX blade 20"	500x140mm	1.0mm	22.00
228185	PLAZIFLEX blade 24"	600x140mm	1.0mm	25.00
CANVAS TI	ROWEL HOLDERS, synthetic holder	s to hold & protect the tro	wel	
Stock no	Description	Size		£ ex VA
630024	canvas holder 14"	380x165mm		8.00
630026	canvas holder 16"	425x165mm		8.00
630028	canvas holder 18"	470x165mm		8.00
CANVAS M	IULTI-TROWEL HOLDERS, synthetic	holders to hold & protect	three trowels with blades up to 140mm wide	•
Stock no	Description	Size		£ ex VA
630036	canvas multi-trowel holder 16"	790x440mm		29.00
630038	canvas multi-trowel holder 18"	790x490mm		29.00
MINI TROV	VEL, short shank, stainless steel - I	rust free		
Stock no	Description			£ ex VA
221022	premium mini trowel with blue handl	e		17.00
221023	premium mini trowel with cork handl	e		17.00
221031	lightweight mini trowel with plastic sh	naft		11.00



PLAZIFLEX[®] SKIMMING TROWELS

VIIII PLAZIFLEX



PLAZIFLEX® SKIMMING TROWELS

- plastic faced trowel blades
- semi flexible trowel blades
- replaceable blades & range of sizes
- excellent finish & lightweight to use
- cover large areas with less trowel pressure
- easier & faster closing in and flattening
- for multi finish & skimming
- white cements & renders
- · produced in the UK

These PLAZIFLEX trowel blades are slightly stiffer than the flexiback trowel blades and are for finishing and trowelling up finish plasters and coatings

They can also be used to achieve special finishes with external renders. The trowel can be used on decorative wall and floor finishes and epoxy quartz

Use the PLAZIFLEX after the wet trowel (normally steel trowel) application then dry trowel and final cross trowel to finish

It's a lot easier going on the arm, the plastic just glides over the surface and brings up the surface to a tight polished finish

The plastic blades allow easier and faster closing in and polishing of the final finish coat. There is less need to wait for plaster to pick up, and can be used effectively when plaster is still wet

The new PLAZIFLEX mini trowel has a push stainless steel finger trowel and flexiback replaceable blade for use like a pipe trowel

The mini spatula is used for flattening small areas The new PLAZIFLEX darby-spatulas can be used one or

two handed for flattening







PLAZIFLEX® SKIMMING TROWELS

	PLASTIC BLADES, plastic blade, for fi	01		6 1/4
Stock no	Description	Size	Thickness	£ ex VA
228151	PLAZIFLEX blade 10"	250x140mm	1.5mm	13.00
228153	PLAZIFLEX blade 12"	300x140mm	1.5mm	16.00
228155	PLAZIFLEX blade 14"	350x140mm	1.5mm	17.00
228157	PLAZIFLEX blade 16"	400x140mm	1.5mm	18.00
228143	PLAZIFLEX blade 12"	300x140mm	2.0mm	16.00
228145	PLAZIFLEX blade 14"	350x140mm	2.0mm	17.00
228147	PLAZIFLEX blade 16"	400x140mm	2.0mm	18.00
PREMIUM	MINI TROWEL BLADE HOLDERS, short	shank, stainless steel	- rust free	
Stock no	Description	,		£ ex VA
221022	premium mini trowel with blue handle			17.00
221023	premium mini trowel with cork handle			17.00
221031	lightweight mini trowel with plastic shaft			11.00
PLAZIFLEX	MINI TROWEL, with finger trowel & fle	xiback blade		
Stock no	Description	Size	Thickness	£ ex VAI
228055	PLAZIFLEX mini trowel 12"	300x110mm	1mm	24.00
228056	PLAZIFLEX pad with CLIKCLAK slot, 12"	300x110mm	1mm	16.00
PLAZIFLEX	MINI SPATULA, for finishing skim plas	ters		
Stock no	Description	Size	Thickness	£ ex VAI
228052	PLAZIFLEX mini spatula 10"	250x110mm	1.5mm	9.00
PLAZIFLEX	CDARBY-SPATULA , with lightweight plas	tic rigid roll grip frame	& flexiback blade	
Stock no	Description	Size	Thickness	£ ex VAI
227912	PLAZIFLEX darby-spatula 12"	300x120mm	1mm	28.00
227914	PLAZIFLEX darby-spatula 14"	350x120mm	1mm	29.00
227920	PLAZIFLEX darby-spatula 20"	500x120mm	1mm	32.00



PLAZI® SKIMMING SPATULA-RULES

NEW

PLAZI® SKIMMING SPATULA-RULES

- · plastic faced blades
- roll grip handle

• clip on angle handle & extension pole available • for finish & skim plaster

The PLAZI spatula-rule has a roll grip frame which is both rigid and lightweight compared to metal frame rules A clip on adjustable angle handle and extension pole are available for ceiling work

These spatula-rules are now produced with an extruded blade

The PLAZI spatula-rules are used for flattening and levelling

Plastic blades will 'pull' less on the surface



40" PLAZI spatula-rule with roll grip

PLAZI® SKIMMING SPATULA-RULES

PLAZI SPA	TULA-RULE, lightweight plastic ri	gid roll grip frame, grey plast	tic blade, for finishing plasters & renders	
Stock no	Description	Size	Thickness	£ ex VAT
228066	PLAZI spatula-rule 12"	300x100mm	1.5mm	15.00
228068	PLAZI spatula-rule 20"	500x100mm	1.5mm	22.00
228070	PLAZI spatula-rule 24"	600x100mm	1.5mm	24.00
228072	PLAZI spatula-rule 28"	700x100mm	1.5mm	26.00
228074	PLAZI spatula-rule 32"	800x100mm	1.5mm	28.00
228076	PLAZI spatula-rule 40"	1000x100mm	1.5mm	32.00
228078	PLAZI spatula-rule 48"	1200x100mm	1.5mm	35.00
228080	PLAZI spatula-rule 60"	1500x100mm	1.5mm	44.00
HANDLES,	clip on adjustable angle handle	for roll grip		
Stock no	Description	Size		£ ex VAT
608432	clip on handle			12.00
608433	aluminium pole	1.00m		15.00
608434	aluminium extension pole	1.00-2.00m		21.00



ROLL GRIP SKIMMING SPATULA-RULES

- · flexible stainless steel blades
- lighter weight than aluminium rules
- rounded edges & tapered blade
- roll grip frame
- for finishing & smoothing
- · walls & ceilings
- plasters & special finishes

The spatula-rules are produced with a flexible stainless steel blade and lightweight rigid roll grip handles The smaller mini-spatulas are for fine detailing, smoothing and micro-cement work

The larger skimming spatula-rules are for finishing large areas and ceilings

The rigid plastic roll grip frames are 30% lighter than comparable rules with metal frames



608432 clip on handle

228098 16" spatula-rule with roll grip frame

228102 26" spatula-rule with roll grip frame

ROLL GRIP SPATULA-RULES

MINI SPAT	ULAS, lightweight plastic rigid rol	I grip frame with flexible sta	inless steel blade for skimming - rust free	
Stock no	Description	Size	Thickness	£ ex VAT
228090	mini spatula, roll grip 5½"	140x100mm	0.3m	23.00
228092	mini spatula, roll grip 7"	180x100mm	0.3m	24.00
228094	mini spatula, roll grip 9½"	240x100mm	0.3m	25.00
SPATULA-F	RULES, lightweight plastic rigid ro	II grip frame with semi-flexi	ble stainless steel blade for skimming - rust	free
Stock no	Description	Size	Thickness	£ ex VAT
228096	spatula-rule, roll grip 12"	300x100mm	0.4m	30.00
228098	spatula-rule, roll grip 16"	400x100mm	0.4m	33.00
228100	spatula-rule, roll grip 20"	500x100mm	0.4m	39.00
228102	spatula-rule, roll grip 26"	650x100mm	0.4m	49.00
228088	spatula-rule, roll grip 36"	900x100mm	0.4m	65.00
HANDLES,	clip on adjustable angle handle	for roll grip		
Stock no	Description	Size		£ ex VAI
608432	clip on handle			12.00
608433	aluminium pole	1.00m		15.00
608434	aluminium extension pole	1.00-2.00m		21.00

REFINA ERGO GRIP SKIMMING & FLATTENING SPATULA-RULES

NEW SIZES



ERGO GRIP SPATULA-RULES

- · flexible stainless steel blades
- rigid plastic profile
- lighter weight than aluminium rules
- rounded edges & tapered blade
- ergo grip h frame
- for finishing & smoothing
- walls & ceilings
- plasters & special finishes

The skimming spatula-rules are produced with a flexible stainless steel blade and ergo grip lightweight rigid handle. The semi-flexible bladed spatula-rules have a thicker stainless steel blade and are for flattening The smaller mini-spatulas are for fine detailing,

smoothing and micro-cement work

The larger skimming spatula-rules are for finishing larger areas and ceilings

The rigid plastic ergo grip frames are 30% lighter than comparable rules with metal frames

228037 6" mini spatula with ergo grip frame 228107

24" spatula-rule

with ergo grip frame

228064 40" spatula-rule with ergo grip frame stiff blade

ERGO GRIP SPATULA-RULES

MINI SPAT	ULAS. lightweight rigid ergo grip r	plastic frame with flexible st	ainless steel blade for skimming - rust free	
Stock no	Description	Size	Thickness	£ ex VA
228033	mini spatula, ergo grip 2½"	60x100mm	0.3mm	12.00
228035	mini spatula, ergo grip 4"	100x100mm	0.3mm	14.00
228037	mini spatula, ergo grip 6"	150x100mm	0.3mm	16.00
228038	mini spatula, ergo grip 10"	250x100mm	0.3mm	18.00
SPATULA-F	RULES, lightweight rigid ergo grip	plastic frame with flexible s	tainless steel blade for skimming - rust free	
Stock no	Description	Size	Thickness	£ ex VA
228106	spatula-rule, ergo grip 18"	450x100mm	0.3mm	39.00
228107	spatula-rule, ergo grip 24"	600x100mm	0.3mm	49.00
228108	spatula-rule, ergo grip 32"	800x100mm	0.3mm	59.00
228109	spatula-rule, ergo grip 40"	1000x100cm	0.3mm	79.00
228110	spatula-rule, ergo grip 48"	1200x100cm	0.3mm	84.00
SPATULA-F	RULES, lightweight rigid ergo grip	plastic frame with stiff stair	nless steel blade for flattening - rust free	
Stock no	Description	Size	Thickness	£ ex VA
228060	spatula-rule, ergo grip 24"	600x100mm	0.6mm	49.00
228062	spatula-rule, ergo grip 32"	800x100mm	0.6mm	59.00
228064	spatula-rule, ergo grip 40"	1000x100cm	0.6mm	69.00
ALLOY HAN	NDLE, quick clip attachment for s	patula- rule		
Stock no	Description	Length		£ ex VA
608439	aluminium pole	1.00m		39.00
608437	aluminium extension pole	1.00-2.00m		49.00

SKIMMING SPATULAS & KNIVES

NEW PRODUCTS

SKIMMING SPATULAS & KNIVES

- stainless steel finishing blades
- for smoothing & flattening
- wall & ceiling coatings
- plasters & spray finishes
- multi finish & board finish

The skimming spatulas are produced with a rigid aluminium bracket and stainless steel blades for flattening and smoothing plasters

The spatulas with a 50mm deep 0.5mm blade have a stiffer feel for crossing in and levelling

The spatula knives blade have a thickness of 0.5mm but with the deeper 100mm blade are more flexible





228040 12" skimming spatula

228042 16" skimming spatula



228046 24" skimming spatula

765040 6" spatula knife

SKIMMING SPATULAS

SKIMMING	SPATULAS, alloy frame, stainly	SKIMMING SPATULAS, alloy frame, stainless steel blade - rust free						
Stock no	Description	Size	Thickness	£ ex VAT				
228040	skimming spatula 12"	300mm	0.5mm	10.00				
228042	skimming spatula 16"	400mm	0.5mm	11.00				
228044	skimming spatula 20"	500mm	0.5mm	13.00				
228046	skimming spatula 24"	600mm	0.5mm	15.00				
SPATULA	KNIVES							
SPATULA P	(NIVES, stainless steel - rust fr	ee						
Stock no	Description	Size	Thickness	£ ex VAT				
765040	spatula knife 6"	150mm	0.5mm	9.00				
765042	spatula knife 10"	250mm	0.5mm	9.00				
765044	spatula knife 14"	350mm	0.5mm	9.00				

BUCKET & DABBING TROWELS


BUCKET TROWELS


- square & round end bucket trowels
- range of sizes & shapes
- for scooping up material
- getting the mix from the bucket
- applying & dabbing on walls

• soft composite rubber handle

The bucket trowels have long straight sides to help load the mix onto the trowel and clean the bucket of residue The bucket trowels are produced from heavy gauge stainless steel and are fully welded and ground finished like a brick trowel for rigidity and durability







BUCKET & DABBING TROWELS

BUCKET TH	ROWELS, square end, tapered shape, s	tainless steel - rust free	
Stock no	Description	Size	£ ex VAT
225117	trowel 6", square end	160x85/110mm	10.00
225118	trowel 7", square end	180x90/120mm	12.00
225119	trowel 8", square end	200x110/130mm	13.00
BUCKET TH	ROWELS, heavy duty, square end, tape	red shape, stainless steel - rust free	
Stock no	Description	Size	£ ex VAT
225122	trowel 8", square end	200x80/110mm	19.00
225126	trowel 10", square end	240x95/130mm	22.00
BUCKET TH	ROWELS, heavy duty, square end, tape	red shape, stainless steel - rust free	
Stock no	Description	Size	£ ex VAT
225132	trowel 8", square end, rounded edges	200x80/110mm	20.00
225136	trowel 10", square end, rounded edges	240x90/120mm	22.00

SMALL MINI TROWELS & TOOLS



SMALL MINI TROWELS & TOOLS

Stock no	ND TROWELS, tapered shape, stainle Description	Size	£ ex VA
225112	square end trowel 4 ³ / ₄ " long	120x75/85mm	9.95
SPATULA 1	ROWELS, stainless steel - rust free		
Stock no	Description	Size	£ ex VA
225304	spatula trowel 11/2" wide	100x40mm	9.95
225306	spatula trowel 21/2" wide	100x60mm	9.95
225308	spatula trowel 3" wide	100x80mm	9.95
225310	spatula trowel 4" wide	100x100mm	9.95
MARGIN T	ROWELS, stainless steel - rust free		
Stock no	Description	Size	£ ex VA
225503	margin trowel 1^{1} " wide	180x30mm	9.95
225504	margin trowel 11/2" wide	180x40mm	9.95
225505	margin trowel 2" wide	180x50mm	9.95
225506	margin trowel 21/2" wide	180x60mm	9.95
POINTING	& GAUGING TROWELS, tapered shape	e, stainless steel - rust free	
Stock no	Description	Size	£ ex VA
226316	round end pointing trowel 61/4" long	160x60mm	9.95
226716	gauging trowel 61/4" long	160x110mm	9.95
FINGER TF	ROWELS, stainless steel - rust free		
Stock no	Description	Size	£ ex VA
220708	finger & pointing tool 1/4" wide	180x8mm	9.95
220710	finger & pointing tool 3/8" wide	180x10mm	9.95

SMALL CORNER & ANGLE TROWELS

NEW PRODUCT

SMALL CORNER & ANGLE TROWELS

- light gauge stainless steel, rust free
- internal & external angle trowels
- range of sizes
- soft composite rubber handle
- adjustable trowel for splayed internal angles

• square & angle tool for reveals The adjustable angle trowel is for matching and finishing splayed angles

The square and angle tool is produced from stainless steel and is for setting accurate corners around windows, frames and reveals

These small corner trowels are produced from stainless steel with a 90 $^\circ$ angle

The trowels are semi-stiff not flexible













SMALL CORNER & ANGLE TROWELS

ADJUSTAB	LE ANGLE TROWEL, for internal sp	ayed angles, stainless steel - rust free	
Stock no	Description	Size	£ ex VAI
640010	adjustable corner trowel 43/4"	120x100mm	36.00
INTERNAL	CORNER TROWELS, for internal ar	gles, stainless steel - rust free	
Stock no	Description	Size	£ ex VA
227306	corner trowel internal 2"	60x40mm	10.00
227308	corner trowel internal 3"	80x60mm	10.00
227311	corner trowel internal 4"	100x75mm	10.00
EXTERNAL	CORNER TROWEL, for external an	gles, stainless steel - rust free	
Stock no	Description	Size	£ ex VA
227508	corner trowel external 3"	80x60mm	10.00
CORNER T	ROWEL, three sided, stainless ste	el - rust free	
Stock no	Description	Size	£ ex VA
227109	corner trowel three sided $3\frac{1}{2}$ "	90x80mm	9.95
CEILING C	OVE TROWEL, stainless steel - rus	free	
Stock no	Description	Size	£ ex VA
220800	cove trowel 10"	60mm	19.00
ADJUSTAB	LE SQUARE & ANGLE, for reveals &	k window frames, stainless steel - rust free	
Stock no	Description	Size	£ ex VA
640006	squangle 9"	230x160mm	19.95

MIDGET TROWELS

Stainless Steel Trowels Made in Germany

MIDGET PLASTERING TROWELS

- stainless steel, rust free
- range of narrow & small finishing trowels
- soft composite rubber handle
- for plaster & cement finishes
- working round pipes & reveals

These are a range of small sized plastering trowels The trowels have composite soft moulded handles and

are produced in stainless steel for rust free use They are used for finishing small areas or tight, narrow

strips around doors, frames or switches These midget trowels are a useful addition to any plasterer's tool kit

These midget trowels are produced from 0.8mm stainless steel with short tangs and narrow blades giving them a stiff blade











8" midget trowel

MIDGET TROWELS

MIDGET TR	IDGET TROWEL, 3" wide, short alloy shank, stainless steel - rust free						
Stock no	Description	Size	Thickness	£ ex VAT			
221020	midget trowel 8"	200x80mm	0.8mm	12.00			
MIDGET TR	ROWEL, 3" wide, rounded corners, sho	ort alloy shank, stainles	s steel - rust free				
Stock no	Description	Size	Thickness	£ ex VAT			
221024	midget trowel 8", round corners	200x80mm	0.8mm	12.00			
MIDGET TR	ROWELS, 3" wide, pointed end, short a	alloy shank, stainless s	teel - rust free				
Stock no	Description	Size	Thickness	£ ex VAT			
221026	midget trowel 8", pointed front end	200x80mm	0.8mm	12.00			
221028	midget trowel 8", pointed both ends	200x80mm	0.8mm	12.00			
PIPE TROW	VEL, 3" wide, short alloy shank, stainl	ess steel - rust free					
Stock no	Description	Size	Thickness	£ ex VAT			
221030	pipe trowel 10"	270x80mm	0.8mm	12.00			

REFINA **POLISHING TROWELS & SPATULA KNIVES**

NEW RODUCTS



POLISHING TROWELS

•

Stock no	Description	Size	Thickness		£ ex VAI
269561	polishing trowel 8"	200x80mm	0.3mm		34.00
269563	polishing trowel 9½"	240x100mm	0.3mm		36.00
POLISHING	G TROWELS, polished stainless st	eel. rounded corners. for Vene	tian plaster & micro o	ement - rust free	
Stock no	Description	Size	Thickness	Edge	£ ex VAI
269557	polishing trowel 8"	200x80mm	0.6mm	bevelled	25.00
269559	polishing trowel 9½"	240x100mm	0.6mm	bevelled	26.00
POLISHING	G TROWELS, polished stainless st	eel, rounded corners, tapered	, for Venetian plaster	& micro cement - rust free	
Stock no	Description	Size	Thickness	Edge	£ ex VAI
269570	polishing trowel 8"	200x65x75mm	0.6mm	bevelled	25.00
269572	polishing trowel 91/2"	240x80x95mm	0.6mm	bevelled	26.00
POLISHING	G TROWELS, polished stainless st	eel, rounded corners, trapezoi	d, for Venetian plaste	r & micro cement - rust free	
Stock no	Description	Size	Thickness	Edge	£ ex VAI
269565	polishing trowel 91/2"	240x130x100mm	0.6mm	bevelled	39.00
269567	polishing trowel 11"	280x140x120mm	0.6mm	bevelled	41.00
SPATULA	& TAPING KNIVES				
SPATULA &	& TAPING KNIVES, flexible polishe	d stainless steel blade, with s	teel end cap - rust fre	е	
Stock no	Description	Size	Thickness		£ ex VAI
765015	spatula & taping knife $1^{1/2}$ "	40mm	0.3mm		11.00
765016	spatula & taping knife 3"	80mm	0.3mm		12.00
765017	spatula & taping knife 43/4"	120mm	0.3mm		15.00
765018	spatula & taping knife 6"	150mm	0.3mm		16.00
SPATULA &	& TAPING KNIVES, polished stainle	ess steel blade, with steel end	cap - rust free		
Stock no	Description	Size	Thickness	Edge	£ ex VAT
765001	spatula & taping knife 11/2"	40mm	0.6mm	bevelled	11.00
765003	spatula & taping knife 3"	80mm	0.6mm	bevelled	12.00
765004	spatula & taping knife 4"	100mm	0.6mm	bevelled	13.00
765005	spatula & taping knife 4¾"	120mm	0.6mm	bevelled	15.00
765006	spatula & taping knife 6"	150mm	0.6mm	bevelled	16.00
765010	spatula & taping knife 10"	250mm	0.6mm	bevelled	19.00

MINI & MIDGET TROWELS

NEW PRODUCTS

SMALL APPLICATOR PLASTERING TROWELS

- polished stainless steel, rust free
- flexible & semi-flexible blades
- polished tang & bracket
- range of narrow & small finishing trowels
- soft composite rubber handle
- for plaster & cement finishes
- working round pipes & reveals

These mini trowels are a range of small sized, high quality plastering trowels with polished mirror finished, flexible and semi-flexible stainless steel blades

The trowels have composite soft moulded handles and are produced in stainless steel for rust free use

The trowels with a 0.3mm stainless steel blade will be ultra-flexible while the 0.5mm stainless steel blades will be semi-flexible for finishing



8" mini trowel flexible blade



269624 9½" mini trowel



269626 8" mini trowel rounded corners 269628 11" mini trapezoid trowel rounded corners



9¹/₂" mini pipe trowel



9½" mini pool trowel

MINI & MIDGET TROWELS

	TT TDOW/EL short short (flowible m	aliahad atainlaga ataal		
Stock no	ET TROWEL, short shank, flexible, po Description	Size	Thickness	£ ex VA
269620	mini midget trowel 8"	200x80mm	0.3mm	29.00
269621	mini midget trowel 9½"	240x100mm	0.3mm	30.00
269622	mini midget trowel 11"	280x120mm	0.3mm	33.00
	ET TROWEL, short shank, semi-flexil	ble, polished stainless stee	el - rust free	
Stock no	Description	Size	Thickness	£ ex VA
269623	mini midget trowel 8"	200x80mm	0.5mm	19.00
269624	mini midget trowel 9½"	240x100mm	0.5mm	20.00
269625	mini midget trowel 11"	280x120mm	0.5mm	23.00
MINI TROV	VEL, short shank, rounded corners, s	semi-flexible, polished stair	nless steel - rust free	
Stock no	Description	Size	Thickness	£ ex VAI
269626	mini trowel 8", rounded corners	200x80mm	0.5mm	25.00
269627	mini trowel 91/2", rounded corners	240x100mm	0.5mm	26.00
MINI TROV	VELS, 5" wide, short shank, rounded	corners, semi-flexible, poli	shed stainless steel - rust free	
Stock no	Description	Size	Thickness	£ ex VA
269628	mini trapezoid trowel 11"	280x140x120mm	0.5mm	41.00
MINI PIPE	TROWEL, 3" wide, short shank, semi	-flexible, polished stainless	s steel - rust free	
Stock no	Description	Size	Thickness	£ ex VAI
269630	mini pipe trowel 91/2"	240x80mm	0.5mm	20.00
MINI POOL	TROWELS, short shank, rounded er	nds, semi-flexible, polished	stainless steel - rust free	
Stock no	Description	Size	Thickness	£ ex VAI
269632	mini pool trowel 8"	200x80mm	0.5mm	18.00
269634	mini pool trowel 91/2"	240x100mm	0.5mm	20.00

PLASTIC THIN COAT RENDER TROWELS

NEW PRODUCTS

PLASTIC PVC TROWELS

- plastic faced trowels
- range of different sizes
- for white cements & renders
- acrylic & silicone thin coats
- non marking on epoxies
- special finishes on render
- Venetian & fine plasters
- Marmorino & medium texture finishes
- · lime based & stucco plasters
- veneer plasters & decorative finishes
- marble based coatings
- micro cements
- fillers & putties

The new PVC trowels are for finishing thin coat, silicone and acrylic render topcoats

The trowels with orange plastic handles have a stiffer PVC blade that is solvent resistant and can be used on decorative finishes and epoxy quartz

The trowels can also be used on decorative wall finishes, micro cement and coatings

REFINA

269502

11" plastic trowel

semi-flexible blade



REFINA

269507 14" plastic trowel semi-flexible blade



PLASTIC TROWELS

PLASTIC TI	ROWELS, flexible blade, white PVC	blade, solvent resistant, f	or use on silicone & acrylic thin coat renders	s, white cements & resins
Stock no	Description	Size	Thickness	£ ex VAT
269499	plastic trowel 91/2"	240x100mm	1mm	19.00
269500	plastic trowel 11"	280x120mm	1mm	21.00
PLASTIC TI	ROWELS, stiff blade, white PVC bla	nde, solvent resistant, for u	ise on silicone & acrylic thin coat renders, w	hite cements & resins
Stock no	Description	Size	Thickness	£ ex VAT
269504	plastic trowel 91/2"	240x100mm	2mm	19.00
269502	plastic trowel 11"	280x130mm	2mm	21.00
269507	plastic trowel 14"	350x150mm	2mm	23.00
PLASTIC TI	ROWELS, white PVC blade, solvent	resistant, for use on deco	rative finishes & epoxy quartz	
Stock no	Description	Size	Thickness	£ ex VAT
269513	white nylon plastic trowel 11"	280x140mm	2mm	8.00
269511	white nylon plastic trowel 11"	280x140mm	3mm	8.00

PLASTIC THIN COAT RENDER TROWELS

NEW PRODUCT

CLIKCLAK PLASTIC ABS TROWELS

· plastic faced trowels

- range of different plastic trowel blades
- · for white cements & renders
- acrylic & silicone topcoat renders
- special finishes on render

These trowels are used to trowel up and finish external top coat finishes, silicone, acrylic and bucket coat renders


The CLIKCLAK three trowel kit includes blades for 1, 2 and 3mm grain silicone finishes

The blades are replaceable and the trowel handle is "clicked" into the blade

The CLIKCLAK kit is an economical system for testing the finish achieved with the different blade hardnesses The trowel with flexible clear plexiglass blade is for white cements and acrylic renders

The grey bladed trowel is for OCR render

The range of trowels with black soft handles are for external render finishes and interior decorative coatings Plastic trowels are used mainly to avoid surface discolouration and blade transference from steel trowels



231820 11" CLIKCLAK plastic trowel







11" plastic trowel





CLIKCLAK ABS PLASTIC TROWELS

CLIKCLAK	ABS PLASTIC TROWELS, with three	interchangeable blades,	for finishing silicone thi	n coat renders	
Stock no	Description	Size	Thickness	Grain size	£ ex VA
231820	plastic trowel 11", 3 blade kit	280x140mm	3mm	1-2m, 2-3mm, 3-4mm	12.00
231821	replacement plastic blade	280x140mm	3mm	1-2m	4.00
231822	replacement plastic blade	280x140mm	3mm	2-3mm	4.00
231823	replacement plastic blade	280x140mm	3mm	3-4mm	4.00
ABS PLAS	TIC TROWELS				
PLASTIC TI	ROWEL, ABS plastic blade, for finis	hing silicone thin coat ren	Iders		
Stock no	Description	Size	Thickness	Grain size	£ ex VAI
231816	off white plastic trowel 11"	280x140mm	3mm	1-2m	8.00
PLASTIC TI	ROWEL, ABS plastic blade, for finis	hing silicone thin coat ren	ders		
Stock no	Description	Size	Thickness	Grain size	£ ex VAI
231812	cream plastic trowel 11"	280x140mm	3mm	2-3mm	8.00
PLASTIC TI	ROWEL, ABS plastic blade, for finis	hing silicone thin coat ren	ders		
Stock no	Description	Size	Thickness	Grain size	£ ex VAI
231802	white plastic trowel 11"	280x140mm	3mm	3-4mm	8.00
PLASTIC TI	ROWEL, hard clear plexiglass blade	e, for finishing acrylic finis	hes & special renders		
Stock no	Description	Size	Thickness		£ ex VAI
231817	clear plastic trowel 11"	280x140mm	3mm		9.00
PLASTIC TI	ROWEL, plastic blade, for finishing	OCR cement renders			
Stock no	Description	Size	Thickness		£ ex VA
231814	dark grey plastic trowel 11"	280x140mm	3mm		8.00



RENDER & CEMENT PLASTIC FLOATS



PLASTIC FLOATS

- large range of shapes and sizes
- PU plastic floats & darbies
- cross grain face
- lightweight floats
- traditional English shape
- plus new wider German style
- wide shape for render

darby shape for large areas
The Dillemon grain free fleets are the tru

The PU cross grain face floats are the traditional floats for sand and cement, setting, render and screed




13" standard float



 $\begin{array}{c} 220318 \\ 12^{1\!\!/_2} \mbox{" wide shape float} \end{array}$



220322 16½" wide shape float $\begin{array}{c} 220328\\ 19^{1}\!\!\!/_{2}" \text{ wide shape float} \end{array}$



PLASTIC FLOATS

FLOATS, P	U plastic, traditional English style	e float		
Stock no	Description	Size	Face	£ ex VAT
671011	float 11", standard shape	280x110mm	cross grain	5.00
671013	float 13", standard shape	350x150mm	cross grain	6.00
FLOATS, P	U plastic, German style wide floa	t		
Stock no	Description	Size	Face	£ ex VAT
220318	float $12^{1/2}$ ", wide shape	320x180mm	cross grain	5.00
220320	float 14", wide shape	360x200mm	cross grain	6.00
220322	float $16\frac{1}{2}$ ", wide shape	420x220mm	cross grain	7.00
220324	float 19", wide shape	480x240mm	cross grain	8.00
220328	float $19\frac{1}{2}$ ", wide shape	495x280mm	cross grain	9.00
DARBY FL	OATS, PU plastic, for float finishir	ng large areas		
Stock no	Description	Size	Face	£ ex VAT
220406	darby float 24"	600x120mm	cross grain	10.00
220408	darby float 31"	790x120mm	cross grain	12.00
220410	darby float 39"	985x120mm	cross grain	14.00

DIAMOND PLASTIC FLOATS



DIAMOND FACED PLASTIC FLOATS

- large range of shapes and sizes
- diamond face ABS plastic
- hard wearing
- for external OCR renders
- internal backing coat plasters


The ABS diamond floats are produced from a hard ABS plastic

They are excellent for floating up backing coat plasters and OCR renders





220150 7½" diamond face float



662216 wide 16" diamond face float



662217 17" diamond face float

DIAMOND FACED PLASTIC FLOATS

FLOATS, b	lue handle, ABS plastic, diamond	face, for hardwall & backing	g plasters	
Stock no	Description	Size	Face	£ ex VAT
220150	float 71/2", standard shape	190x120mm	diamond	6.00
220250	float 9½", standard shape	240x180mm	diamond	8.00
FLOATS, A Stock no	BS plastic, diamond face, for har Description	dwall & backing plasters Size	Face	£ ex VAI
662216	float 16", wide shape	420x260mm	diamond	6.00
662217	float 17", long shape	440x140mm	diamond	6.00



CLIKCLAK® SPONGE FLOATS

- range of sponge types & sizes
- fine, medium or coarse rubber sponges
- · for smoothing plaster & cement surfaces
- · opens up the surface before final finishing
- helps remove trowel marks

· sponges out pockets from sprayed & one coat plaster The CLIKCLAK sponge floats have a quick change plate with sponge attached that allows easy changing between sponge densities so as to evaluate different achievable finishes

The CLIKCLAK kit is an economical system for testing the finish achieved with the different sponge densities The orange sponge floats are produced with fine, medium and coarse 15mm thick sponge faces

They are the trade standard for sponging up plaster surfaces before final trowelling

The dense sponge floats are used more often on render and cement surfaces




11" CLIKCLAK sponge float



CLIKCLAK® SPONGE FLOATS

SPONGE F	LOAT, CLIKCLAK quick change sponge	float kit, for plaster su	rfaces		
Stock no	Description	Size	Rubber sponge	Colour	£ ex VAT
261150	plaster sponge float 11", 3 sponge kit	280x140mm	fine, medium, coarse	orange	26.00
261155F	replacement sponge 11"	280x140mm	fine	orange	8.00
261155M	replacement sponge 11"	280x140mm	medium	orange	8.00
261155C	replacement sponge 11"	280x140mm	coarse	orange	8.00
SPONGE F	LOAT, CLIKCLAK quick change sponge	float kit, for render & d	cement surfaces		
Stock no	Description	Size	Rubber sponge	Colour	£ ex VAT
261148	render sponge float 11", 2 sponge kit	280x140mm	dense, hard	blue, grey	20.00
261155B	replacement sponge 11"	280x140mm	dense	blue	9.00
261155G	replacement sponge 11"	280x140mm	hard	grey	9.00

PLASTER & CEMENT SPONGE FLOATS



REFINA PLASTER & RENDER ORANGE SPONGE FLOATS

NEW PRODUCTS

PLASTER & RENDER SPONGE FLOATS


- range of fine & medium orange rubber sponges
- for sponging plaster & render surfaces
- peel off adhesive backed replacement sponges
- · opens up the surface before final finishing
- helps remove trowel & water marks
- takes out air pockets from sprayed plaster
- leaves a more uniform finish

The orange sponge float is produced in medium and fine rubber qualities


Replacement rubber sponges are available with a peel off adhesive back

The narrow sponge float has a CLIKCLAK push in trowel handle $% \left({{\left[{K_{\mathrm{T}}} \right]}_{\mathrm{T}}} \right)$

Also in the range is a mini corner sponge for internal corners $% \left({{{\mathbf{r}}_{i}}} \right)$







PLASTER & RENDER SPONGE FLOATS

Stock no	Description	Size	Depth	Rubber sponge	Colour	£ ex VAT
228830	sponge float 11"	280x140mm	20mm	medium	orange	8.00
228831	sponge float 11"	280x140mm	20mm	fine	orange	8.00
CLIKCLAK	NARROW SPONGE FLOAT, with durable	sponges, for pla	aster & rend	er		
Stock no	Description	Size	Depth	Rubber sponge	Colour	£ ex VAT
257003	CLIKCLAK 11" narrow sponge float	280x70mm	20mm	medium	orange	14.00
257033	sponge pad with CLIKCLAK slot, 11"	280x70mm	20mm	medium	orange	6.00
CLIKCLAK	CORNER SPONGE FLOAT, with durable	sponges, for pla	nster & rende	er		
Stock no	Description	Size	Depth	Rubber sponge	Colour	£ ex VAT
257009	CLIKCLAK 11" mini corner sponge float	280x70mm	35mm	fine	orange	17.00
257067	corner pad with CLIKCLAK slot. 11"	280x70mm	35mm	fine	orange	9.00

REFINA PLASTER & RENDER FOAM SPONGE FLOATS

NEW PRODUCTS

PLASTER & RENDER SPONGE FLOATS

• super white sponge foam

- adhesive backed replacement sponges
- range of sponge sizes
- for sponging plaster & render surfaces
- opens up the surface before final finishing
- helps remove trowel & water marks
- leaves a more uniform finish
- sponges out air pockets from sprayed plaster

• the fine white sponge is for plaster finishes The fine white foam sponges are suggested for finish plasters

The medium white foam sponge floats are excellent for cements and renders

The sponge floats have replacement sponges with a peel off adhesive back

The narrow sponge float has a CLIKCLAK push in stainless steel blade and blue composite handle

The white 13" sponge float with tilting bracket is for ceiling work

The round white sponge float is normally used as a jointing sponge $% \left({{{\mathbf{x}}_{i}}} \right)$



257001 11" CLIKCLAK narrow sponge



PLASTER & RENDER SPONGE FLOATS

SPONGE F	LOATS, soft grip handle floats with ea	sy peel replacem	ent sponges	, universal, for plaste	r & render		
Stock no	Description	Size	Depth	Foam sponge	Colour		£ ex VA
228812	sponge float 11"	280x140mm	20mm	fine	white		8.00
228890	sponge float 11"	280x140mm	40mm	medium	white		8.00
CLIKCLAK	NARROW SPONGE FLOATS, with durat	ole sponges, for p	laster & ren	der			
Stock no	Description	Size	Depth	Foam sponge	Colour		£ ex VAT
257001	CLIKCLAK 11" narrow sponge float	280x70mm	20mm	fine	white		14.00
257022	sponge pad with CLIKCLAK slot, 11"	280x70mm	20mm	fine	white		6.00
SPONGE F	LOAT, rounded jointing sponge for dry	wall work					
Stock no	Description	Size	Depth	Foam sponge	Colour		£ ex VAT
671010	round sponge float 71/2"	190x190mm	25mm	fine	white		9.00
SPONGE F	LOATS, with tilting bracket, for ceiling	work					
Stock no	Description	Size	Depth	Foam sponge	Colour	Handle Ø	£ ex VAT
261420	sponge float 13"	340x130mm	40mm	medium	white	28mm	32.00
WOODEN H	HANDLE, heavy duty						
Stock no	Description	Length		Handle Ø			£ ex VAT
608705	handle 5'0" wooden	1.50m		28mm for ceiling s	ponge		4.00

TILING SPONGE FLOATS



TILING SPONGE FLOATS

- open & square cut rubber sponges
- for sponging grout surfaces
- adhesive backed replacement sponges
- opens up the surface before final finishing helps remove trowel marks

Replacement sponges are available with a peel off adhesive back

The wash bucket has twin rollers for washing and rolling out grout residues

The narrow sponge float has a CLIKCLAK push in trowel handle $% \left({{\left[{K_{\mathrm{T}}^{\mathrm{T}}} \right]}} \right)$







TILING SPONGE FLOATS

SPONGE F	LOATS, soft grip handle floats with easy	peel replacem	ent sponges	s, for tiling		
Stock no	Description	Size	Depth	Rubber sponge	Colour	£ ex VAT
228840	hydro sponge float 11"	280x140mm	30mm	open	yellow	8.00
228850	hydro sponge float 11"	280x140mm	30mm	open, square cut	yellow	8.00
228860	sponge float 11"	280x140mm	10mm	dense rubber	black	8.00
CLIKCLAK	NARROW SPONGE FLOATS, with durable	sponges, for t	iling			
Stock no	Description	Size	Depth	Rubber sponge	Colour	£ ex VAT
257005	CLIKCLAK 11" narrow hydro sponge float	280x70mm	30mm	open, square cut	yellow	14.00
257055	hydro sponge pad with CLIKCLAK slot, 11"	280x70mm	30mm	open, square cut	yellow	6.00
257007	CLIKCLAK 11" narrow sponge float	280x70mm	10mm	dense rubber	black	14.00
257066	sponge pad with CLIKCLAK slot, 11"	280x70mm	10mm	dense rubber	black	6.00
TILERS WA	SH BUCKET, with wheels & twin rollers f	or cleaning off	grout			
Stock no	Description	Size				£ ex VAT
328504	wash bucket, twin plastic rollers	16 ltr				20.00

RENDER SCRAPERS

RENDER SCRAPING TOOLS

- for scraping monocouche renders
- range of tooth shapes & lengths
- ٠ gives scraped finish for colour through renders · removes surface laitance

The scrapers are for giving renders a scraped finish and are used before the final set

The surface laitance is scraped back exposing some of the aggregate and leaving a decorative finish

The sharp tooth scraper tends to be less aggressive. The twist tooth scrapers are harder wearing

The comb type scarifier has steel prongs that will score undercoat and backing plasters

The angle plane is for reducing high spots and plaster wall surfaces, cleaning angles, beads and reveals







10" 8mm spike scraper





10" 15mm spike scraper





SCRAPERS, SCARIFIERS & PLANES

RENDER S	CRAPERS, blue handle, for draggi	ng the surface off new ren	der	
Stock no	Description	Size	Spikes	£ ex VAI
281310	scraper float 10" sharp tooth	249x145mm	8mm	9.00
281314	scraper float 10" twist tooth	249x145mm	8mm	9.00
RENDER S	CRAPERS, blue handle, for draggi	ng the surface off new ren	der	
Stock no	Description	Size	Spikes	£ ex VAT
281300	scraper float 10" twist tooth	251x145mm	8mm	11.00
281340	scraper float 10" twist tooth	237x142mm	15mm	12.00
SCARIFIEF	R, for keying backing & float coats	, stainless steel - rust free		
Stock no	Description	Size	Prongs	£ ex VAT
228232	scarifier 12"	300mm	90mm	17.00
ANGLE PL	ANE, for cleaning corners & reduc	ing high spots		
Stock no	Description	Size		£ ex VAT
201110	angle plane 18"	455x90mm		19.00
TOOTHED	PLANE, serrated steel blades, for	cutting back high spots on	lightweight blocks	
Stock no	Description	Size		£ ex VAT
243428	block rasp 18"	460x85mm		22.00

RENDERING TOOLS



REFINA

RENDERING TOOLS

253541 4' serrated feather edge

RASPS, wi	th cheese grater face, for sanding in	sulation boards	
Stock no	Description	Size	£ ex VAI
540417	plastic rasp 15"	370x165mm	8.00
243444	coarse metal float 16"	400x180mm	9.00
ASHLAR C	UTTER TOOL, for cutting recessed fea	atures in external render	
Stock no	Description	Blade	£ ex VAT
205147	ashlar tool	25mm	49.00
2051471	ashlar blade 25mm V cut standard	25mm	13.00
2051472	ashlar blade 25mm squared end	25mm	13.00
2051475	ashlar blade 10mm squared end	10mm	13.00
HARLING 1	ROWELS, for applying roughcast & p	eddle dash, stainless steel - rust free	
Stock no	Description	Size	£ ex VAT
232506	harling trowel 6"	150x120mm	23.00
232510	harling trowel 10"	250x120mm	24.00
SERRATED	SPATULA-RULE, lightweight plastic r	igid roll grip frame with stainless steel blade - rust free	
Stock no	Description	Size	£ ex VAT
228050	spatula-rule serrated 24"	600mm	43.00
SERRATED	FEATHER EDGE, lightweight aluminiu	um h section, 115mm face, serrated edge, for dragging surface of topcoat render	
Stock no	Description	Size	£ ex VAT
253541	serrated feather edge 4'0"	1.20m	24.00
253542	serrated feather edge 5'0"	1.50m	27.00

REFINA ALUMINIUM STRAIGHT EDGES & BOX RULES

STRAIGHT EDGES & LEVELS

- full range of shapes & sizes
- for levelling & ruling off
- plaster & render
- floors & walls

• I beam for scraping & levelling render

The trapezium profile feather edges and box section rules are produced from precision aluminium extrusions and have plastic end caps

They are for finishing and levelling plaster and render, wall and floor surfaces. They help to identify hollows and high spots before sponging and trowelling up

The h profile feather edge is often used with projection plasters

The I profile aluminium straight edge is used for scraping back polymer and colour through renders, improving the flatness and uniformity of the scraped finish





ALUMINIUM STRAIGHT EDGES

FEATHER I	EDGES, aluminium trapezium shap	e, tapered profile, mid w	<i>v</i> eight	
Stock no	Description	Length	Profile	£ ex VA
253710	feather edge 3'4"	1.00m	100x18mm	16.00
253715	feather edge 5'0"	1.50m	100x18mm	22.00
253718	feather edge 6'0"	1.80m	100x18mm	26.00
253720	feather edge 6'8"	2.00m	100x18mm	28.00
253725	feather edge 8'2"	2.50m	100x18mm	34.00
FEATHER I	EDGES, aluminium h section shap	e, 115mm face, with bev	relled lip	
Stock no	Description	Length		£ ex VA
253515	feather edge 5'0"	1.50m		23.00
253518	feather edge 6'0"	1.80m		27.00
253520	feather edge 6'8"	2.00m		30.00
253525	feather edge 8'2"	2.50m		38.00
STRAIGHT	EDGE & SCREED RULES, aluminiu	m box section, heavy du	ty	
Stock no	Description	Length	Profile	£ ex VA
252510	board & floor rule 3'4"	1.00m	80x40mm	20.00
252520	board & floor rule 6'8"	2.00m	80x40mm	36.00
252525	board & floor rule 8'2"	2.50m	80x40mm	42.00
252530	board & floor rule 10'0"	3.00m	80x40mm	50.00
LEVELS, h	eavy duty aluminium reinforced be	ox section with handle gr	ips, horizontal & vertical vials	
Stock no	Description	Length		£ ex VA
252315	level 5'0", 2 vials & handles	1.50m		38.00
252318	level 6'0", 2 vials & handles	1.80m		41.00
252320	level 6'8", 2 vials & handles	2.00m		43.00
ALUMINIU	M SCRAPER, I profile			
Stock no	Description	Length		£ ex VA
256014	scraper I profile 4'0"	1.25m		14.00

SPIKED ROLLERS

SPIKED ROLLERS

- sizes from 7" to 30"
- freely rotating & replaceable discs
- for rolling out air bubbles
- levelling & movingepoxy coatings & self-levellers
- produced in the UK

The spiked rollers have individual discs that freely rotate on the centre bar

They are produced with spike lengths of 15mm with an overall diameter of 75mm $\,$

There are two new 10" rollers with fixed discs that make a one piece roller. Available with standard and long spikes Order rollers and frames separately









SPIKED ROLLERS

	, , ,	, , , ,	and cementitious floor coatings	
Stock no	Description	Size	Roller Ø	£ ex VAT
590107	spike roller 7"	180mm	75mm	6.95
590109	spike roller 9"	230mm	75mm	8.95
590112	spike roller 12"	315mm	75mm	11.95
590115	spike roller 15"	395mm	75mm	14.95
590118	spike roller 18"	460mm	75mm	17.95
590124	spike roller 24"	600mm	75mm	23.95
590130	spike roller 30"	770mm	75mm	29.95
SPIKED R	OLLER & FRAME, fixed discs 15	5mm spike, for epoxy and ce	mentitious floor coatings	
Stock no	Description	Size	Roller Ø	£ ex VAT
590121	fixed spike roller 10"	250mm	75mm	14.00
SPIKED R	OLLER & FRAME, fixed discs 40)mm spike, for cementitious	floor coatings	
Stock no	Description	Size	Roller Ø	£ ex VAT
590122	fixed spike roller 10"	250mm	125mm	16.00
ROLLER FI	RAME, single arm, for 7" spike	roller		
Stock no	Description	Size	Roller Ø	£ ex VAT
608307	roller frame 7"	180mm	28mm	5.00
ROLLER FI	RAMES, double arm, heavy dut	y, with quick release clip		
Stock no	Description	Size	Roller Ø	£ ex VAT
608309	roller frame 9"	230mm	28mm	12.00
608310	roller frame 10"	250mm	28mm	13.00
608312	roller frame 12"	305mm	28mm	14.00
608315	roller frame 15"	380mm	28mm	15.00
608318	roller frame 18"	460mm	28mm	16.00
608324	roller frame 24"	610mm	28mm	20.00
608330	roller frame 30"	760mm	28mm	24.00

FLOOR PAINT ROLLERS



FLOOR PAINT ROLLERS

LO-FLUFF	FLOOR TRADE ROLLERS, fully nylon m	id pile, for top coats,	sealers & finishes	
Stock no	Description	Size		£ ex VA
601109	roller 9" mid pile nylon	230mm		6.25
601112	roller 12" mid pile nylon	305mm		6.95
601115	roller 15" mid pile nylon	380mm		8.50
601118	roller 18" mid pile nylon	460mm		10.25
FLOOR TR	ADE ROLLERS, synthetic, for top coat	s, sealers & finishes		
Stock no	Description	Size		£ ex VA
601310	roller 10" synthetic blue stripe	250mm		4.95
STIPPLE &	TEXTURE ROLLERS, synthetic foam			
Stock no	Description	Size		£ ex VA
601610	push on burnhole roller 10"	250mm		9.50
601710	yellow foam roller 10" black end cap	250mm		8.50
MINI ROLL	ER, blue stripe			
Stock no	Description	Size		£ ex VA
600804	mini rad roller 4"	100mm		1.50
ROLLERS I	FRAMES, double arm, heavy duty, witl	h quick release clip		
Stock no	Description	Size	Handle Ø	£ ex VA
608309	roller frame 9"	230mm	28mm	12.00
608312	roller frame 12"	305mm	28mm	14.00
608315	roller frame 15"	380mm	28mm	15.00
608318	roller frame 18"	460mm	28mm	16.00
ROLLER F	RAMES, single arm			
Stock no	Description	Size	Handle Ø	£ ex VA
608104	roller frame 4" single long arm	100mm	26mm taper end	3.00
608110	roller frame 10" single arm 8mm bar	255mm	26mm taper end	3.00
WOODEN I	HANDLES, heavy duty			
Stock no	Description	Length	Handle Ø	£ ex VA
608705	handle 5'0" wooden	1.50m	28mm for double arm frame	4.00
608701	handle 5'0" wooden	1.50m	28mm tapered end for single arm frame	4.00

PIN & NOTCHED LEVELLERS

PIN & NOTCHED LEVELLERS

- adjustable height coating & topping gaugers
- used for setting various material depths
- aluminium frame & slotted stainless steel blades
- with stainless steel hardened pins
- adjustable end skids
- produced by REFINA in the UK
- for epoxy coatings & latex
- pumped screeds & self-levellers

The pin leveller uses a set of hardened pins with an adjustable stainless steel plate to gauge and level floor toppings and coatings. The pins will wear down with regular use and the pin bar is easily replaceable. The depth is adjustable from 1mm to 20mm

The skid leveller has the same adjustable stainless steel blade but also two end anchor type skids. It is more suitable for working on rough and uneven floors. The depth is fully adjustable from 10mm to 30mm

The hook leveller uses rounded loop shaped pins to run over the floor surface


The notched levellers are used for pulling out floor surfaces to a precise depth and for putting down scratch coats

A range of notched blades can be fitted to the notched leveller

Square notch 3.0mm, 4.0mm, 6.0mm, 8.0mm, 10.0mm

Round notch 10.0mm, 12.0mm, 15.0mm, 20.0mm V notch 1.8mm, 2.8mm, 3.4mm





647122 22" notched leveller

PIN & NOTCHED LEVELLERS

PIN LEVEL	LERS, with replaceable pin bars, adju	ustable stainless ste	el blade, rust free	
Stock no	Description	Size	Handle Ø	£ ex VA
647024	pin leveller 24"	60cm	28mm	49.95
647022	swivel bracket pin leveller 24"	60cm	28mm	69.95
SKID LEVE	LLERS, with replaceable skids, adjus	stable stainless steel	blade, rust free	
Stock no	Description	Size	Handle Ø	£ ex VAI
647324	skid leveller 24"	60cm	28mm	59.95
647322	swivel bracket skid leveller 24"	60cm	28mm	79.95
HOOK LEV	ELLERS, with 6 hooks, adjustable sta	ainless steel blade, r	ust free	
Stock no	Description	Size	Handle Ø	£ ex VAI
647025	hook leveller 24"	60cm	28mm	49.95
647026	swivel bracket hook leveller 24"	60cm	28mm	69.95
NOTCHED	LEVELLERS, with replaceable notche	d blades		
Stock no	Description	Size	Handle Ø	£ ex VAI
647122	notched leveller 22"	56cm	28mm	39.95
647124	swivel bracket notched leveller 22"	56cm	28mm	59.95

REFINA FLOORING & ADHESIVE TROWELS & SPATULAS

NEW PRODUCTS

NOTCHED TROWELS & SPATULAS

stainless steel slotted trowels & spatulas

- various notches & shapes
- · replaceable notched & serrated blades
- rigid roll grip frame spatula

• spatula handle available for upright work

The 11" stainless steel trowel is produced with a slotted edge to take the range of serrated steel blades

Notched trowel are specifically designed for scooping, spreading and levelling finishing adhesives and mortars during floor, wall or ceiling installations Square notch 3.0mm, 4.0mm, 6.0mm, 8.0mm,

10.0mm

Round notch 10.0mm, 12.0mm,15.0mm, 20.0mm V notch 1.8mm, 2.8mm, 3.4mm

A range of notched trowels blades are available with varying notch depths



201906R 11" notched slotted trowel



201736C

201736V V notched blade



228284 12" serrated spreader with roll grip, triangle serrations

2017400

201740C replaceable blades

228286 26" serrated spatula-rule with roll grip, square serrations

NOTCHED TROWELS

NUICHED				
	ROWEL, with hole for notched blade in	,	ss steel - rust free	
Stock no	Description	Size		£ ex VA
201906R	slotted trowel 11" for notch blade	280x110m	m	15.00
NOTCHED	BLADES, square serrations			
Stock no	Description	Notched d	epths	£ ex VA
201736C	blades 11", square notch	3.0mm, 4.0	0mm, 6.0mm, 8.0mm, 10.0mm	1.45
NOTCHED	ADHESIVE SPATULAS & SPREADER	S		
NOTCHED	ADHESIVE SPATULA, lightweight plasti	c rigid roll gri	p frame with replaceable stainless steel notched blade	- rust free
Stock no	Description	Size	Notched depth	£ ex VA
228282	notched adhesive spatula 12", square	300mm	8.00mm	14.00
228284	notched adhesive spatula 12", triangle	300mm	1.50mm	14.00
228286	notched adhesive spatula 26", square	650mm	8.00mm	22.00
228288	notched adhesive spatula 26", triangle	650mm	1.50mm	22.00
REPLACEN	IENT BLADES, stainless steel notched	blades for a	dhesive spatula - rust free	
Stock no	Description	Size	Notched depths	£ ex VA
201740C4	replacement blades 12", square notch	300mm	8.00mm	4.00
201740S3	replacement blades 12", triangle notch	300mm	1.50mm	4.00
201765C4	replacement blades 26", square notch	650mm	8.00mm	7.00
201765S3	replacement blades 26", triangle notch	650mm	1.50mm	7.00
HANDLES,	clip on adjustable angle handle for rol	l grip		
Stock no	Description	Size		£ ex VA
608432	clip on handle			12.00
608433	aluminium pole	1.00m		15.00



FLOOR EDGING & COVE TROWELS

FLOOR EDGING & COVE TROWELS

- produced from stainless steel
- traditional wooden handles
- cove trowels produce smooth corners
- used particularly in hygienic environments


The corner, cove and edging trowels are all produced in stainless steel and have traditional wooden handles The cove trowels are for producing smooth corners particularly in hygienic environments; the mitred corner cove trowels are for making consistent corner coves



646420 2" gutter & cove trowel



646020 2" floor coving trowel



646220 2" mitred coving trowel

FLOOR EDGING & COVE TROWELS

FLOOR CO	VE TROWELS, stainless steel - rust fre	e			
Stock no	Description	Size	Height	Radius	£ ex VAT
646010	coving trowel 6" 1" radius	150x140mm	130mm	25mm	24.00
646015	coving trowel 6" $1\frac{1}{2}$ " radius	150x140mm	130mm	40mm	24.00
646020	coving trowel 6" 2" radius	150x140mm	130mm	50mm	24.00
CORNER C	OVE TROWELS, stainless steel - rust	free			
Stock no	Description	Size	Height	Radius	£ ex VAT
646210	mitred coving trowel pair, 1" radius	150x140mm	130mm	25mm	59.00
646215	mitred coving trowel pair, $1^{1/2^{"}}$ radius	150x140mm	130mm	40mm	59.00
646220	mitred coving trowel pair, 2" radius	150x140mm	130mm	50mm	59.00
GUTTER &	COVE TROWEL, stainless steel - rust	free			
Stock no	Description	Size	Height	Radius	£ ex VAT
646420	gutter & cove trowel, 2" radius	150x100mm	50mm	50mm	24.00

SQUEEGEES & COMB RAKE

SQUEEGEES & COMB RAKE

- specialist application squeegees
- heavy gauge steel frame and replaceable blades
- black rubber blades that are economical to replace
- soft neoprene sponge rubber (normally used in pairs)
- hard wearing and solvent resistant polyurethane blades
- v notch serrated blades
 all blades are registered blades
- all blades are replaceable & interchangeable they can be reversed to use on both sides
- produced by REFINA in the UK





647144 24" notched blade



RUBBER & POLYURETHANE SQUEEGEES

000055050		1			
SQUEEGE	E, with replaceable black rubber b	lades Size	Handle Ø		£ ex VA
	Description				
647223	squeegee 24"	600mm	28mm		22.00
REPLACEN	MENT SQUEEGEE BLADE, polyuret	hane, solvent resistant, no	n marking		
Stock no	Description	Size	Hardness		£ ex VA
647242	polyurethane blade 24"	600x50mm	medium		10.00
REPLACEN	MENT SQUEEGEE BLADE, black ru	bber			
Stock no	Description	Size	Hardness		£ ex VA
647246	rubber blade 24", black	600x50mm	medium		3.00
REPLACEN	MENT SQUEEGEE BLADE, neopren	e sponge			
Stock no	Description	Size	Hardness		£ ex VAI
647248	neoprene rubber blade 24"	600x50mm	soft		3.00
REPLACEN	MENT NOTCHED RUBBER BLADES	, triangular serrations, poly	urethane, solvent resista	nt, non marking	
Stock no	Description	Size	Hardness	Notch depth	£ ex VAI
647144	polyurethane blade 24"	600x50mm	medium	3mm	11.00
647146	polyurethane blade 24"	600x50mm	medium	4mm	11.00
647148	polyurethane blade 24"	600x50mm	medium	6mm	11.00
METAL TO	OTH COMB RAKE				
METAL CO	MB RAKE, stainless steel toothed	lbar			
Stock no	Description	Size	Tooth depth	Handle Ø	£ ex VA
647224	comb rake 24"	600mm	18mm	28mm	39.00

REFINA ALUMINIUM EPOXY & SCREED PLACERS, LEVELLERS & RAKES



EPOXY & SCREED PLACERS & RAKES

- aluminium levelling tools
- sturdy & lightweight
- for placing & levelling
- resin bound aggregate
- epoxy driveway materials concrete & cementitious floor toppings

The aluminium placing and levelling tools are robust yet lightweight

The blades are produced from aluminium, the brackets are produced in steel

The wooden handle is supplied as an extra

adjustable angle bracket



aluminium smoothing float





EPOXY & SCREED PLACERS, LEVELLERS & RAKES

EPOXY & S	CREED FLOAT, aluminium strai	ght edge, flexible joint brac	ket	
Stock no	Description	Length	Handle Ø	£ ex VAT
256071	smoothing float	100cm	31mm	58.00
EPOXY & S	CREED PLACERS, aluminium s	traight edge, steel handle k	pracket	
Stock no	Description	Length	Handle Ø	£ ex VAT
256081	placer & leveller	60cm	31mm	29.00
256082	placer & leveller	80cm	31mm	33.00
EPOXY & S	CREED SERRATED PLACERS &	RAKES, aluminium serrate	d edge, steel handle bracket	
Stock no	Description	Length	Handle Ø	£ ex VAT
256085	serrated placer & rake	60cm	31mm	32.00
256086	serrated placer & rake	80cm	31mm	36.00
WOODEN H	HANDLE, heavy duty			
Stock no	Description	Length	Handle Ø	£ ex VAT
608707	handle 6'0" wooden	1.80m	31mm	9.00

CEMENT & LATEX SMOOTHING TOOLS

CEMENT & LATEX SMOOTHING TOOLS

- stainless steel fresno trowel
- · stainless steel roll bar
- for placing & smoothing wet cement finishes
- · smoothing pumped self levellers

The fresno trowel is produced from rust free stainless steel and is used to give a trowelled and smooth finish The stainless screed dapple bar is used to level and place pourable screeds

The wooden handle is supplied as an extra







liquid screed bar

647237 liquid screed bar swivel bracket

FEAR

CEMENT & LATEX SMOOTHING TOOLS

FRESNO TROWEL, with swivel bracket and stainless steel trowel						
Description	Length	Handle Ø	£ ex VAT			
fresno trowel 3'0"	90cm	28mm	89.00			
AR, stainless steel dapple bar						
Description	Length	Handle Ø	£ ex VAT			
liquid screed roll bar	60cm	28mm	55.00			
swivel bracket liquid screed roll bar	60cm	28mm	75.00			
liquid screed roll bar	80cm	28mm	59.00			
swivel bracket liquid screed roll bar	80cm	28mm	79.00			
ANDLE, heavy duty						
Description	Length	Handle Ø	£ ex VAT			
handle 6'0" wooden	1.80m	28mm	7.00			
	Description fresno trowel 3'0" AR, stainless steel dapple bar Description liquid screed roll bar swivel bracket liquid screed roll bar liquid screed roll bar swivel bracket liquid screed roll bar swivel bracket liquid screed roll bar tANDLE, heavy duty Description	DescriptionLengthfresno trowel 3'0"90cmAR, stainless steel dapple barLengthDescriptionLengthliquid screed roll bar60cmswivel bracket liquid screed roll bar60cmliquid screed roll bar80cmswivel bracket liquid screed roll bar80cmswivel bracket liquid screed roll bar80cmswivel bracket liquid screed roll barEngth	DescriptionLengthHandle Øfresno trowel 3'0"90cm28mmAR, stainless steel dapple bar28mmDescriptionLengthHandle Øliquid screed roll bar60cm28mmswivel bracket liquid screed roll bar60cm28mmliquid screed roll bar80cm28mmswivel bracket liquid screed roll bar80cm28mmswivel bracket liquid screed roll bar80cm28mmswivel bracket liquid screed roll bar80cm48mmswivel bracket liquid screed roll bar80cm48mmswivel bracket liquid screed roll bar80cm48mmswivel bracket liquid screed roll bar80cm48mmbracket liquid screed roll bar80cm48mmHANDLE, heavy duty DescriptionLengthHandle Ø			

Refina Ltd. Unit 7 Factory Road, Upton Industrial Estate, Poole, Dorset, BH16 5SL UK Tel: 01202 632270 | Fax: 01202 632432 Email: sales@refina.co.uk | Website www.refina.co.uk