

**Dusta
Duo**

Electronic Air Duster & Vacuum



Top Up Hand Pump

**One-Click
Analyser**



**VESSEL
JET2**



Electrical Safe Isolation Kit



Multi Drain Down



Filament Brush



Mini Premier Gauge



Issue 12 - Complete Range

Regin Products Ltd



Regin

www.regin.co.uk



www.regin.co.uk



Regin Products Ltd reserves the right to alter design, material and product specifications of any product in the interests of progress and development without prior notice.

Details and descriptions are correct at time of print. Errors and omissions excepted.

Please Note: All measurements and quantities in this publication are approximate.

Regin Products Ltd
8-13 Tower Square
Huntingdon
Cambs
PE29 7DT
www.regin.co.uk

TOOLS

Smart Metering Kit - Electrical	6
Electrical Safe Isolation	9
Smart Metering Kit - Gas	12
Dusta Duo Air Duster & Vacuum	13
Flow & Pressure	14
Gas Detection	29
Plumbing Hand Tools	33
Electrical Hand Tools	43
Electrical	48
Specialist Tools	54
Lamps & Torches	58
Thermometers	61
Brushes & Abrasives	65
Miscellaneous	71

CONSUMABLES

Smoke	74
Report Pads	78
Stickers & Tags	88
Liquid Fuel Stickers & Tags	92
Electrical Stickers & Tags	94
Location Plates	96
Marker Pens	97
Tapes & Labels	98
Solder Mats	106
Leak Detection	107
Service Aerosols & Paints	108
Sealants etc	110
Water Treatment	114
Glass Yarn & Fixative	115
Inspection Hatches	116
Dustsheets & Workmats	117
Kits	120
O-Ring Kits	124
Gloves	126
First Aid & Fire	129
Wipes & Work Wear	130
Batteries	132
Electrical Connectors with Strain Relief	134
Spares	135

STOVE RANGE

Stove Range	139
-------------------	-----

A comprehensive range of products specifically designed for use on wood or multi-fuel stoves, grates, flues etc

Bits'n'Bolts

Fibre Washers	148
Washers	150
O-Rings	154
Fuses	156
Spire Nuts	157
Nuts	158
Miscellaneous	159
Screws	165
PCB Support Posts	166
Electrical Connectors	167
Olives	171
Tapes & Labels	172

LIQUID FUEL

Report Pads	174
Stickers & Tags	176
Testing	180
Miscellaneous	182
Flared Fittings	186

Val-U-Trade	188
Point of Sale	190
Product Code Index	193
A - Z Index	199

Smart Metering Kit - Electrical	6
Electrical Safe Isolation	9
Smart Metering Kit - Gas	12
Dusta Duo Air Duster & Vacuum	13
Flow & Pressure	14
Vessel Jet, Pumps, Manometers, Manometer Fluid, Tubing, Radvalve Change Kit etc	
Gas Detection	29
Analyser, Sniffa, CO Detection etc	
Plumbing Hand Tools	33
Socket Sets, Wrenches, Hook & Pick Set, Pliers, Hex Keys etc	
Electrical Hand Tools	43
Insulated Screwdrivers, Insulated Pliers, Insulated Cutters etc	
Electrical	48
Connectors, Multimeters, Voltage Detectors, Safety Test Plug, Circuit Breaker etc	
Specialist Tools	54
Fan Puller, AAV Removal Tool, Inspection Mirrors, Thermocouple Tester etc	
Lamps & Torches	58
Inspection Lamps, LED Lights, Torches etc	
Thermometers	61
Thermometers, Multi Thermometers, Pipe Thermometers, Probes etc	
Brushes & Abrasives	65
Bespoke Brushes, Brush Sets, Cleaning Blades, Steel Wool, Carbide Strips etc	
Miscellaneous	71
Tie Down Straps, Contour Turner, Magnetic Dish etc	

Smart Metering Kit - Electrical

REGXS500
Smart Metering Kit (Electrical)


REGXS500 - Regin Smart Metering Kit (Electrical)

A comprehensive kit, supplied in a padded carry case containing:


REGXS15
Two Pole Tester (Hi/LoZ)

- See page 7 for full product details.


REGXS19
Contact Voltage Detector

- See page 7 for full product details.


REGXS400
Proving Unit

- See page 8 for full product details.


REGXS22
Audible Mains Socket Tester

- See page 8 for full product details.

Smart Metering Kit - Electrical

Two Pole Tester (HiLoZ)

REGXS15

The Regin REGXS15 is the culmination of over two years' worth of development and field trials within several of the UK's leading SMART Metering and Utility companies.

The REGXS15 creates much safer working practices than are currently available with any other known 2 pole testers. It can carry out a physical Impedance check to indicate hi or low Impedance on the circuit being worked upon, therefore indicating that the item under test has no dead short connections. The Red LoZ LED illuminates to indicate an Impedance of less than 100 ohms has been detected. The operative would immediately know not to proceed and to conduct further investigation. The Green HiZ LED illuminates to indicate a high Impedance of more than 100 ohms ensuring that the engineer is safe to re-energise the meter.

Ghost or induced voltage can be an additional problem. Most 2 pole testers that allow you to test for ghost voltages do this by varying the load on the circuit by depressing two buttons, one on the main tester and the other on the passive probe. The REGXS15 does this automatically and has no buttons to depress.

- Clear and unique Circuit Impedance Indication for added safety.
- Front dual; high visibility, colour coded LED display of voltage and hi/lo impedance.
- Secondary base display for safe arms-length indication.
- Interchangeable straight and right-angled GS38 compliant test prods.
- No batteries and no buttons for simple, reliable operation.



Contact Voltage Detector

REGXS19

The Regin REGXS19 is an all new dual-function hazardous Voltage and live-phase finder built to detect voltages greater than 50V and to ensure safety for it's operative. The unit uses Direct Contact by way of Capacitive Coupling to identify any Live Phase; a more certain method than Non-Contact Indication, making the REGXS19 a safe addition to any Engineers Toolbox.

The UK designed REGXS19 is a dual function hazardous voltage and live phase finder which will detect if voltages greater than 50VAC are present in order to protect operatives from dangerous live circuits, direct contact or leakage situations at electrical cabinets, street lighting columns and wooden, concrete and metal poles that carry live overhead supplies.

As the REGXS19 uses direct contact for measuring (using the safest method known - capacitive coupling), the identification of the Live Phase is more certain than using Non-Contact Voltage Indicators or similar devices.

The REGXS19 is extremely safe to use as there is no need to operate touch pads or any other direct contact method to operate the unit correctly.

- Voltage measurement range 50 - 600VAC.
- Safe Live Phase detection.
- Flashing Red front section plus audible warning indicates greater than 50VAC is present.
- Slow flashing blue LED with single beep monitors REGXS19 electronics are working correctly.
- REGXS19 is fully functioning even if wearing full PPE.
- Robust construction with IP54 water and dust ingress rating.
- Probe tip conforms to HSE Recommendation GS 38.



Smart Metering Kit - Electrical

REGXS400

Proving Unit



The REGXS400 provides a safe and reliable means of checking the correct functioning of Multimeters and two pole Voltage Indicators (VIs) before and after use as advised in the Working Practice for electricians. Additionally they have the capability of checking the operation of Non-contact voltage detectors.

The REGXS400 is a battery powered proving unit.

The REGXS400 will also test two-pole VIs that use small incandescent lamps to indicate that voltage is present. REGXS400 has a unique and logical safety function - the test voltage generated is at 50Hz to synthesise a genuine test at AC mains supply frequency - so it will always read correct using the AC range of your Tester or Multimeter.

- Intelligent voltage ramp for testing multimeters and Voltage Indicators.
- Generates from 50-690V with a true AC waveform output.
- Non-contact voltage indicator test feature.
- Powerful enough to light old filament style test lamps.
- Automatic operation and turn-off.

REGXS22

Audible Mains Socket Tester



The testers are designed to give a quick and easy indication of correct wiring at the socket. Particular emphasis is placed on detecting very dangerous wiring conditions such as reversed live earth connections and disconnected wires.

- Bright, durable LEDs out-perform fragile, low visibility neons.
- Tough, smooth-contoured construction.
- Advanced electronic circuits mean positive and reliable indication.
- Audible signal gives additional information.
- Fuse finding facility.

Electrical Safe Isolation Kit

Electrical Safe Isolation Kit
REGXS600











REGXS600 - Regin Smart Metering Kit (Electrical)

A comprehensive kit for safely isolating the electrical supply.
 Conforms to Technical Bulletin 118 by Gas Safe.
 Supplied in a padded carry case containing:

	REGXS150 2 Pole Tester with LED	- See page 10 for full product details.
	REGXS10 Locking Off Device	- See page 10 for full product details.
	REGXS400 Proving Unit	- See page 8 for full product details.
	REGP94 Locking Off Plate / Tag	- See page 10 for full product details.

Electrical Safe Isolation Kit

REGXS150

2 pole Tester with LED



The REGXS150 is a simple to use voltage tester capable of measuring both AC and DC voltages. Designed and built in accordance with CAT IV 600V safety standards, EN61010 and HSE GS38, the REGXS150 is battery-free and displays AC/DC Voltage in 6 steps - 6-12-50-120-230-400V. Its compact design and incorporated safety features make it simple to use.

- Six voltage range 6-12-50-120-230-400V AC/DC.
- Built to CAT IV 600V safety standards.
- Conforms to HSE GS 38 tip standards.
- Compact design encourages safe site use.
- Generous 1.4 metres of ultra-flexible double insulated cable joins the two probes.
- No batteries required.
- Conforms to EN 61010.

REGXS10

Locking Off Device



The Regin Locking Off Device is an ideal lightweight lock suitable for electricians where safety is of the highest priority. The lock is a necessary electrical accessory for individuals wishing to prevent re-energisation during maintenance.

Designed to fit most MCBs the kit consists of an easy to use combination lock which removes the need for a keyed system.

The REGXS10 locking off device is an affordable alternative to much larger commonly used MCB lockout devices.

- Universal lock produced to fit most MCBs.
- Just set your own combination, no more keys to lose.
- Fast effective system taking only a few seconds to lock off.
- One size fits main toggle switches and MCBs.
- Compact lightweight design fits all toolkits.
- 'Locking off' makes installation safe and is good practice.
- Hard wearing shackle.
- Lock Off Plate can be hung from shackle.
- Saves time - one size fits all.

REGP94

Lock Off Plate / Tag



Pack of 8 notice plates

- Approx. 150mm x 40mm plastic with pre-drilled hole.
- Clearly visible notice plate.
- Made from hard wearing plastic.
- Cable ties supplied.

Electrical Safe Isolation

Component Exchange Loop Tester

REGXP5

Enhanced protection for you and your customers

- 4 in 1 LED tester - loop, mains voltage, correct wiring, correct polarity.
- Patented no-trip loop test technology.
- Fully protected against accidental phase to phase connection.
- Accurate mains voltage measurement to latest BS 7697, HD 472 S1.
- Built in proven REGE30 correct wiring indication.
- Unique Polarity test gives ultimate overall system safety check.
- Carrying case, test leads and manual included.

Duo Voltage Sensor

REGT18

- Quickly detects 90 - 600 volts AC without direct metal contact.
- Dual sensitivity helps pinpoint the live wire.
- Bi-colour LED indication of correct operation (green) and volts present (red).
- Audible indication of correct operation and warning of volts present.



Smart Metering Kit - Gas

REGXS700

Smart Metering Kit (Gas)

**REGXS700 - Regin Smart Metering Kit (Gas)**

With Smart Metering being on the rise in not just electrical but also gas, we have come up with the ideal kit in order to install and test these new generation meters.

Kit contains:

- | | |
|---|--|
| REGA05 - Gas Tape 33m | REGQ185 - Meter Union Washers - 3/4" (x10) |
| REGA10 - On/Off Tape 33m | REGQ186 - Meter Union Washers - 1" (x10) |
| REGC10 - Continuity Bond 10mm | REGQ235 - Steel Earthing Clamp |
| REGJ65 - P.T.F.E. - Gas Spec One Wrap | REGS40 - Pocket Rocket Igniter |
| REGL01 - Premier Leak Spray | REGT16 - Premier Volt Stick |
| REGM20 - Gas & Water Jointing Compound 250g | REGT91P - Plastic Heavy-Duty Trade Toolbox |
| REGP36 - 'Danger Do Not Use' Sticker/Tag (x8) | REGU05 - Contract 30mbar 'U' Gauge |
| REGP46 - Gas Safety Certificate Pad | REGU50 - Red Rubber Tube |
| REGP55 - Warning Do Not Use Report Pad | REGU77 - Standard Pressure Relief Kit |
| REGQ160 - Brass Pressure Test Nipple (x2) | REGU83 - Regin Stopwatch |
| REGQ181 - Meter Sealing Discs - 1" (x3) | |

Design may vary

Dusta Duo Air Duster & Vacuum

REGXE01

Dusta Duo



See it in action!

REGXE01 - Regin Dusta Duo

Powerful Cordless 2-in1 Air Duster & Vacuum.

- Our Dusta Duo 2-in-1 Air Duster & Vacuum features a super powerful 60,000 rpm motor and creates a wind speed of over 35m/s. With its compact size, the Dusta Duo can effectively remove dust from almost anywhere.
- It can also be switched from being a blower to a vacuum with a simple twist action.
- This portable cordless duster can be charged from multiple USB devices ensuring that charging is easy and convenient.
- Comes complete with 2 brush nozzles (1 for blower mode, 1 for vacuum mode).



Dusta Duo measures approx: 22 cm in height

2 SPEED
SETTINGBRUSHLESS
MOTORUSB FAST
CHARGINGSUCTION
MODEBLOWER
MODE

Flow & Pressure

REGK01**Vessel Jet 2 Pressure Vessel Inflator****VESSEL
JET 2**

- *Includes extended 75cm pressure hose with threaded connector*

Optional extras available:

REGK12 - Replacement / spare rechargeable battery for Vessel Jet 2

REGK32 - 12V cable adaptor (for continuous power), useful when topping up van tyres.

REGK29 - Regin angled adaptor for assistance in severely restricted access situations.



Vessel Jet 2 Pressure Vessel Inflator

REGK01
**Professional Cordless
Pressure Vessel
Inflator**

The Regin Vessel Jet 2 is a German designed professional hand held air compressor. It is an ideal tool for:

- Filling Pressure Vessels on Pressurised and Unvented Cylinder Systems (Average 8 litre pressure vessel inflate time: 1.5 bar in 1 minute).
- Topping up pressure in van tyres (A 175 R 14 Vehicle tyre inflates, on average, from 0 - 36 psi (2.5 bar) in 8 minutes.
- Inflation of bicycle tyres and sports equipment with the additional adaptors supplied.

The Regin Vessel Jet 2 is easier to use than a hand or foot pump, especially in restricted areas.

Portable, versatile and durable, The Vessel Jet 2 is the perfect travel companion for your mobile inflation requirements.

Vessel Jet 2 includes:

- **Ergonomic high pressure air compressor**
- **Built-in digital gauge with preset function in bar, psi or kpi**
- **Built-in LED light for pinpointing valve in dark locations**
- **Extended 75cm pressure hose with thread connector for secure fitting to schrader valve**
- **Preset Auto Stop at desired pressure**
- **Auto shut off if connection poor**
- **Instant pressure reading - ideal for 'topping up' pressure**
- **Back-lit digital display**
- **Rechargeable Li-ion Battery Pack (no memory effect)**
- **AC Charger for Li-ion Battery**
- **Travel carrying bag with spare compartment for extra battery**
- **Adaptors for balls and inflatable toys included**
- **Max pressure: 110psi / 7.6 bar**



Average 8 litre pressure
vessel inflate time:
1.5 bar in 1 minute
from empty



Rechargeable
Lithium-Ion
Battery



Easy to read
Illuminated
Digital Display

Flow & Pressure

REGK30

Pressure Vessel Hand Pump



3 metre extended hose.

- For pressurising pressure vessels.
- Freestanding.
- 0 - 5.1 Bar (0 - 75 p.s.i.) barrel mounted gauge.
- 3 metre extended hose helps access difficult to reach pressure vessels.
- Durable steel barrel.
- Oversize barrel for high efficiency.

REGK60

Top Up Hand Pump



- A compact, lightweight and convenient mini pump for inflation and pressure adjustments.
- With a lightweight chassis and a compact foot print, the pump fits in your toolbag or pocket with so little bulk you'll barely notice it's there until you need it.
- Double telescoping body for more effective inflating.
- Complete with a 600mm hose to help access those difficult to reach pressure vessel valves.
- Fitted with a 4 Bar (approx. 58 p.s.i.) gauge.
- With quick fastening lever for easy and secure fitting to valve.

REGK28

Pressurisation Pump Straight Adaptor

REGK29

Pressurisation Pump Angled Adaptor



For use with REGK30 and REGK60

- Helps access those difficult to reach pressure vessel valves.
- Can also be used with REGK01 Vessel Jet Inflator and REGX10 Digital Pressure Vessel Checker (see page 14 & 17).

Flow & Pressure

Pressure Vessel-Checker

REGX10

- Digital Pressure Gauge.
- Suitable for easy checking of expansion vessel pressures.
- Reads pressure in PSI, Bar & KPA.
- Pressure range: 2-99 PSI, 0.15-7 Bar & 15-700 KPA.
- Can also be used for vehicle tyre pressure checks.
- Rubber grip finish.
- Auto shut-off.
- Illuminated display/nozzle.
- Supplied complete with batteries.



Pen Type Pressure Gauge

REGK36

- Pen type gauge with chromed steel body and pocket clip.
- Scale from 6-50psi in 1psi graduations.
- Dust cap includes valve core removal tool.



Schrader Valve Core

REGK33

- 10 cores per pack.
- Genuine Schrader™ product.
- Nickel-plated brass.
- Teflon seal.
- Standard flow.



Schrader Valve Core Screwdriver Tool

REGK34

- Specialist tool for removing the core from Schrader valves.
- Genuine Schrader™ product.



Flow & Pressure

REGU33**REGU35****REGU40**

Premier Gauge Manometer



Incorporates
built-in
magnets



Spares available:

- REGU36 - Premier Gauge Stopper (fits all sizes)
- REGU28 - Premier 30 (REGU33) Screw & 'O' Ring Set
- REGU29 - Premier 30 (REGU33) Nylon Bag
- REGU38 - Premier 45 (REGU35) Screw & 'O' Ring Set
- REGU39 - Premier 45 (REGU35) Nylon Bag
- REGU41 - Premier 60 (REGU40) Nylon Bag
- REGU42 - Premier 60 (REGU40) Screw & 'O' Ring Set

REGU28,
REGU38 &
REGU42

REGU36

REGU33,
REGU39 &
REGU41

Premier Gauge Manometer

Premier manometers use higher density fluid than conventional water-filled gauges allowing reduced length and more compact design.

- A solid acrylic gauge in a tough metal casing.
- Easy zero adjustment and a clear accurate scale.
- Blue fluid for ease of reading in poorly lit locations.
- Trap chambers reduce the possibility of fluid loss through spillage or overpressure.
- Suitable for Natural Gas and L.P.G. readings.
- Hanging slot and strap.
- Supplied in a nylon protective bag.
- **Please note: use only 1.88 SG fluid (REGU70).**
- Comes pre-filled with fluid.
- Spares available, see bottom of page opposite.

• **Available in three sizes:**

• **REGU33 - Premier 30 Gauge Manometer**

- Measures to 12in.w.g. or 30 mbar.
- Overall length - approx. 13" (330mm).
- Incorporates strong magnets built into the case.

• **REGU35 - Premier 45 Gauge Manometer**

- Measures to 18in.w.g. or 45 mbar.
- Overall length - approx. 18" (450mm).

• **REGU40 - Premier 60 Gauge Manometer**

- Measures to 24in.w.g. or 60 mbar.
- Overall length - approx. 22" (560mm).



Premier Fluid

REGU70

5ml

- Fluid has a specific gravity of 1.88 SG.
- **Exclusively for use in Regin Premier Gauges (REGU33, REGU35 & REGU40 - see opposite).**
- Contents: 5ml (enough to completely refill a Premier 45 - REGU35)



Flow & Pressure

REGU30**J Gauge - 48" / 120mbar****REGU32****J Gauge - 60" / 150mbar**

- Reduced overall length for easy use.
- Supplied complete with unique 1.99 SG fluid (REGU31), (only this fluid can be used).
- Levels are indicated by a floating ball in a liquid column.
- Trap chambers help minimise loss of manometer fluid.
- Use only 1.99SG fluid (REGU31 - see below).

• **Available in two sizes:**

- **REGU30 - 48"/120mbar J Gauge**
- Overall length - approx. 32" (810mm).
- **REGU32 - 60"/150mbar J Gauge**
- Overall length - approx. 38" (960mm).

REGU31**J Gauge Fluid**

10ml

- Fluid has a specific gravity of 1.99 SG.
- Exclusively for use in Regin J Gauges (REGU30 & REGU32 - see above).

REGU05**Contract 30 Manometer****REGU25****Contract 60 Manometer**

- PVC 'U' tube.
- Sliding scale for easy zero.
- Key-hole suspending slot.
- Use 1.00SG fluid (REGU45 - see page 21).

• **Available in two sizes:**

- **REGU05 - Contract 30 - 30mbar gauge**
- **REGU25 - Contract 60 - 60mbar gauge**
- Suitable for Natural Gas and L.P.G. readings.



Flow & Pressure

Tools

Manometer Fluid

REGU45

22ml

- Fluid has a specific gravity of 1.00 SG (the same as water).
- Dyed blue to improve visibility.
- For use in all Regin U Gauges (except for REGU30, REGU32, REGU33, REGU35 & REGU40).



12" U Gauge

REGU10

- Measures up to 12in.w.g or 30 mbar. on dual scale.
- 'U' tube made from perspex.
- Built-in stand for hands-free use.
- Suction cup.
- Sliding scale for easy zero.
- Use 1.00SG fluid (REGU45 - see above).



18" U Gauge

REGU15


- Measures up to 18in.w.g or 45 mbar. on dual scale.
- 'U' tube made from perspex.
- Built-in stand for hands-free use.
- Suction cup.
- Sliding scale for easy zero.
- Suitable for Nat. Gas and L.P.G. readings.
- Use 1.00SG fluid (REGU45 - see above).



24" U Gauge

REGU20

- Measures up to 24in.w.g or 60 mbar. on dual scale.
- 'U' tube made from perspex.
- Suction cup.
- Sliding scale for easy zero.
- Suitable for Nat. Gas and L.P.G. readings.
- Use 1.00SG fluid (REGU45 - see above).



Flow & Pressure

REGU50**Rubber Tube - 2m pack****2m pack**

- 6mm internal diameter.
- For use with all Regin 'U' gauges.
- Suitable for use with Natural Gas.
- Temperature range: approx -65°C to +70°C.

REGU55**Rubber Tube - 18m coil****18m coil**

- 6mm internal diameter.
- For use with all Regin 'U' gauges.
- Suitable for use with Natural Gas.
- Temperature range: approx -65°C to +70°C.

REGU60**Neoprene Tube - 2m pack****2m pack**


- 6.5mm internal diameter.
- For use with all Regin 'U' gauges.
- Suitable for use with Natural Gas and L.P.G.
- Temperature range: approx -40°C to +100°C.

REGU65**Neoprene Tube - 18m coil****18m coil**

- 6.5mm internal diameter.
- For use with all Regin 'U' gauges.
- Suitable for use with Natural Gas and L.P.G.
- Temperature range: approx -40°C to +100°C.

REGU68**Silicone Tube - 2m pack****2m pack**

- 4mm internal diameter.
- Temperature range: approx -70°C to +200°C.

REGU69**Silicone Tube - 18m coil****18m coil**

- 4mm internal diameter.
- Temperature range: approx -70°C to +200°C.

Flow & Pressure

Standard Pressure Relief Kit

REGU77

- Set the correct let-by and tightness test pressure on your manometer.
- No need to repeatedly remove hose to make pressure adjustments.

LPG Pressure Relief Kit
inc. Valve Adaptor**REGU78**

- Complete with connector for most modern LPG regulators.
- Set the correct let-by and tightness test pressure on your manometer.
- No need to repeatedly remove hose to make pressure adjustments.



Pressure Test Kit Complete

REGU80

- Comprising a hand pump, short length of rubber tube, brass pressure test tee and a 1/4" BSP (F) x 15mm compression straight adaptor.
- This kit is required to pressurise and check the tightness of gas supply pipes in conjunction with a 'U' gauge (see pages 18-21).
- Supplied in strong nylon zip bag.



Flow & Pressure

REGU03**REGU04****MRT Manometer Rigid Tube**

- A rigid extension to Manometer tubing allowing the engineer to take gas pressures in a faster and more efficient manner.
- Best Boiler Engineer bespoke tool developed for many years.
- Connects immediately to tapered gas nipples on a boiler's gas valve.
- Excellent for all Boilers especially BBU's.
- Supplied with 1 metre length of rubber tubing.

Instead of fiddling around trying to find the tapered gas nipple on a boiler's gas valve, which is often set way back in the depths of the unit, you simply attach your manometer tubing to the M.R.T. This provides a rigid platform which then connects to the gas valve. The product saves endless time and hassle allowing the engineer to do his job more efficiently and effectively.

- **Available in two versions:**

REGU03 - MRT Manometer Rigid Tube Standard (Straight)

REGU04 - MRT Manometer Rigid Tube 90° Degree

REGU01**Gas Test Nipple Adaptor**


- A unique adaptor that screws into a standard test nipple to eliminate the difficulties of attaching a rubber hose.
- An 'O' ring on the adaptor creates an effective seal.
- This unique product will save on working time and pay for itself very quickly.
- Supplied with a length of neoprene hose and in-line connector.



Radvalve Change Kit

REGR05

- Used for changing radiator valves without draining down.
- The kit comprises of 2 patented rubber bungs, key pattern fixing clip and a radiator air bleed key.
- Supplied in strong nylon zip bag.
- Can be used in conjunction with *REGR01 Draineasy Radiator Draining Kit* (see page 27).
- For use on 15mm & 22mm pipework.



Brass Pressure Test Tee

REGU75

- For use when testing tightness.



Dry Pipe Pressure Test Kit

REGK10

- Assists the testing of pipework at the carcassing stage.
- Kit comprises:
 - Cordless pump with Lithium Ion rechargeable battery (See *REGK01* - pages 14-15).
 - Spare Lithium Ion rechargeable battery.
 - Mains charger.
 - Pressure manifold.
 - Pressure gauge.
 - Pressure control valve.
 - 15mm Speedfit connector.
 - 22mm Speedfit connector.
 - Book of certificates.
 - Instruction manual.
- All supplied in a padded carry case.




Flow & Pressure

REGR09**Drain-Down Hose Kit**

10m length of rubber hose

- Internal diameter: 1/2", outer diameter: 3/4".
- Complete with jubilee hose clip c/w wing screw.
- Supplied with velcro 2 x 'tidy-straps' for neat coiling.

Please note: Rubber Hose is for draining down only - *Do Not Pressurize.*

**REGR65****13mm (1/2") Brass Straight Hose Joiner**

A brass union for connecting two Drain-Down hoses (REGR09 - above) together.

- Quickly and easily join two lengths of 1/2" rubber hose together.

REGR60**Multi Drain Down Hose 1/2"/6mm**

A 300mm length of 1/2" hose, 2m length of 6mm rubber hose and a brass connecting piece. Complete with jubilee hose clip.

- Fits most boiler's drain connection.
- Fits most boiler's bleeding points.
- Fits Analyser probes for test points and pressure readings.
- Compact, durable, and lightweight.

See it in action!

Flow & Pressure

Stopwatch

REGU83

- For tightness and other timed tests.
- Normal time and alarm functions.
- 1/100-second accuracy with lap counter.



Draineasy Radiator Draining Kit

REGR01

- Drain Radiators Fast!
- Avoid unnecessary mess.
- For professional or DIY use.
- Universal application for 8mm, 10mm, 15mm & 22mm pipework.
- Can be used in conjunction with *REGR05 Radvalve Change Kit* (see page 25).
- Kit comprises:
4 x Water Diverting Collars for 8mm, 10mm, 15mm and 22mm pipework,
Reusable Sealing Strips, Draining Tray and
Water Resistant Barrier Gel (sufficient for 6-8 applications).



Mains Water Pressure Test Kit

REGR50

- Easy to use.
- Kit comes complete in a zip bag with an 11 bar/160 p.s.i gauge and a flexible stainless steel braided hose, fitted with a 3/4" B.S.P. Female nut.
- For use on washing machine tap, bib tap or sink tap with adaptor.



Flow & Pressure

REGM33**Flow Cup**

- For measuring water flow rate.
- Suitable for Benchmark testing.
- Splashguard to protect hands from hot water.
- Dual Scale - 1/2 to 5 gallons per minute and 2 to 23 litres per minute.
- Can be adjusted for left or right hand use.

REGM31**Therma-FloCup**

Thermometer design may vary

- For measuring water flow rate.
- Measures both temperature and flow.
- Suitable for Benchmark testing.
- Splashguard to protect hands from hot water.
- Dual Scale - 1/2 to 5 gallons per minute and 2 to 23 litres per minute.
- Integrated digital thermometer. -50°C to +150°C (REGM32).
- Can be adjusted for left or right hand use.

**REGM32****Waterproof Stem Thermometer**

- Replacement thermometer for REGM31.
- 133mm Stainless steel probe.
- Measurement range: -50°C to +150°C.
- Switchable °F/°C.
- Auto Power Off.
- Hold function.
- Max/Min function.



Waterproof



Dual Temperature



Auto Power Off



Quick Measurement



Accurate



Easy Operation



Stainless Sensor Probe

One-Click Ratio Analyser

REGXA1

New & Improved version



One-Click Analyser

Regin One-Click Analyser

**A simple, accurate means
of measuring boiler
performance**

- Meets the requirements of BS 7967
- Direct CO₂ measurement
- Up to 10 year warranty**
- Easy to use - one-click function
- Suitable for use with all common 'domestic' fuels including:
Natural Gas, Propane, Butane, LPG & Light Oil
28-35 sec

Measures:

- CO 0-2,000ppm
- O₂ 0-21%

Calculates:

- CO₂ 0-20%
- CO/CO₂ ratio
- Excess air

Featuring:

- Large 6 line display
- CO sensor overrange protection
- Print to optional printer*
- USB charger
- 10 year warranty**
- Protective rubber boot with integrated magnets for hands-free use
- Rechargeable (Batteries included)



* Infra red printer available separately. See page 31.
Up to 10 year warranty available. Analyser must be recertified annually by Regin's recommended service provider.

Gas Detection

REGX39

Requires a 10mm hole



Analysers Test Point Plug - Coaxial Wall

Coaxial

- Analyser test point plug.
- For dual walled flue.
- Provides permanent analyser probe access.
- Self-tapping.

REGX38

Requires a 12mm hole



Analysers Test Point Plug - Single Wall

Single Wall

- Analyser test point plug.
- For single walled flue.
- Provides permanent analyser probe access.

REGX37

Requires a 12mm hole



Analysers Test Point Plug - Single Wall Condensing Type

Single Wall

- Analyser test point plug.
- Non-corroding: for Condensing Boilers.
- For single walled flue.
- Provides permanent analyser probe access.

REGX75

Sniffa Plus



Sniffa Plus Gas Leak Detector

- Detects Methane, Natural Gas, Butane, Propane and other combustible gases.
- Gives both audible and visual signals.
- Tip light illuminates dark areas under test.
- 400mm long flexible probe.
- Supplied with protective rubber boot as standard.
- Adjustable sensitivity to pin-point leaks.
- One hand operation.
- Battery: 9V (6LR61).



Gas Detection

Tools

Analyser Infra-Red Printer

REGXA55

- Rugged, battery powered printer fitted with protective rubber sleeve with integrated strong magnet.
- Uses thermal paper instead of messy ink or ribbon.
- Compatible with REGXA1.
- Uses 4 x AA batteries.
- Automatic power down.



Thermal Printer Rolls

REGXA56

5 per pack

- For use with REGXA55 Analyser Infra-Red printer.



Analyser Replacement Filter

REGXA5

- Replacement filter for *Regin* Analysers.



Analyser Case - Large

REGXA6

- Large protective case for *Regin* Analysers (including probe).



Analyser Case - Small

REGXA7

- Protective case for *Regin* Analyser.

Please note: Analyser Probe will not fit inside this case.



Gas Detection

REGX01

Mobile CO



Carbon Monoxide Detector

The Regin Mobile CO monitors, records and alerts you to the presence of dangerous carbon monoxide in ambient air. The visual display constantly indicates precise quantities while the audible and visual alarms respond to various threshold levels.

- Extended sensor life - 5 years.
- Preset alarms:
 - 3-colour warning light:
 - Green LED signals when CO is 2-9 ppm.
 - Yellow LED signals when CO is 10-29 ppm.
 - Red LED signals when CO is 30 ppm or higher.
- Audible alert at 30 ppm.
- MAX capture - continually updates highest CO reading.
- CO detection to 999 ppm.
- Auto zero activates upon turn on.
- Backlit display.
- Low battery indicator.
- Complete with belt clip.



REGP80

Analyser readings Record Pad



50 copies in duplicate

- Top copy is self adhesive.
- Also acts as an Annual Service Reminder.

Plumbing Hand Tools

Tools

24 Piece Fine Tooth Stubby Ratchet Screwdriver Set

REGK80

A high quality 'stubby' ratcheted driver - with all the commonly used 'bits'; an invaluable tool for modern appliances.

- Fine 36-tooth reversible stubby ratchet driver with soft comfort grip handle and integral bit storage.
- Twist reverse and ratchet lock mechanism.
- Features popular range of 25mm bits, sockets from 4-10mm and 1/4" Sq drive socket adaptor.
- Contents:
Reversible Ratchet Screwdriver,
25mm Bits;
Slotted - 3, 4, 5, 6mm,
Phillips - #0, #1, #2, #3, Pozi - #1, #2, #3,
TRX-Star - T15, T20, T25, T30,
75mm 1/4"
Hex Bit Holder,
1/4" Sq Drive Adaptor,
1/4" Sq Drive Sockets; 4, 5, 6, 7, 8, 10mm.
- Supplied in storage case.



15 Function Multi-Tool

REGT04

- Manufactured from high quality stainless steel.
- Fully hardened and tempered for long life.
- Lightweight aluminium/composite handle construction.
- Multi-tool functions include:
combination pliers, long nose pliers, wire cutter,
fine edge blade, bottle opener, can opener,
slotted screwdrivers, Phillips screwdriver, fish
scaler, file, hook remover, ruler, wood saw and
single/double file.
- Open/Closed length: 160mm/105mm.
- Ideal for camping and leisure activities.
- Supplied with belt pouch.



Plumbing Hand Tools

REGK90

Appliance Micro Socket & Bit Set (1/4" Sq Drive) - 31 Piece



Kit contains:

- Bits:
Phillips: #1, #2, #3.
Pozis: #1, #2, #3.
Slotted: 4, 5, 6. Hex: 4, 5, 6.
TRX-Star: T10, T15, T20, T25, T27, T30.
- 1/4" Sq Drive Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm.
- 50mm Extension Bar.
- 1/4" Sq Drive Ratchet Wrench.
- Bit Adaptor

REGB27

Appliance Micro 1/4" Sq Drive Ratchet Wrench



Stainless Steel

- Manufactured from high quality stainless steel with a fully polished satin finish.
- 72-Tooth, ultra-smooth ratchet with slide reverse.
- Ideal for limited access applications.

Plumbing Hand Tools




Tools

Plumbers Swivel Back Pipe Saw

REGB90

4 position frame

- 4-Position frame design offers large capacity cutting, plus three other positions suitable for working in areas where access is tight.
- Especially suitable for works engineers and plumbers although equally at home in the general workshop or DIY environment.
- Blade can be released and changed without the need for tools.
- Supplied with high carbon steel 300mm blade.



Extra Long Reach Screwdriver Set

REGB77

450mm long

- Set of two extra long reach screwdrivers: Pz2 x 450mm & 8mm (slotted) x 450mm.
- Hardened and tempered Chrome Vanadium steel shafts with a satin polished finish.
- Magnetized tips.
- Contoured handles with soft grips for comfort and control.



Plumbing Hand Tools

REGB57

9 Piece Colour Coded Stubby Combination Spanner Set



6-14mm

- Drop-forged, Chrome Vanadium steel combination spanners.
- Hardened, tempered and chrome plated for corrosion resistance.
- Fully polished, colour coded finish for immediate size identification.
- Stubby size for ease of access and use in appliances or confined areas.
- WallDrive® rings.
- Contents: 6, 7, 8, 9, 10, 11, 12, 13, 14mm

REGB54

9 Piece Stubby Combination Spanner Set



6-14mm

- Drop-forged, Chrome Vanadium steel combination spanners.
- Hardened, tempered and chrome plated for corrosion resistance.
- Stubby size for ease of access and use in appliances or confined areas.
- WallDrive® rings.
- Contents: 6, 7, 8, 9, 10, 11, 12, 13, 14mm

Plumbing Hand Tools

REGB81

Premier Sealant Gun



Ideal for use with:

See page 110



High quality sealant gun for everyday use.

- Suitable for use with all 310ml cartridges up to 220mm length including REGZ34, REGZ35, REGZ36 and REGZ37.
- Very strong construction (in order to deal with the high viscosity of some silicones and silicates).
- Includes tip cutter, just insert the nozzle of the cartridge and squeeze the handle.
- Tip piercer/cleaner for clearing sealant from dried nozzles.
- Hook end suitable for attaching to user's belt.

REGB83

Premier Stumpy Sealant Gun



Ideal for use with:

See page 110



High quality reduced length sealant gun for everyday use.

- Specifically designed for REGZ31 & REGZ32 Silicate Cement (smaller for more control and access in confined spaces).
- Very strong construction (in order to deal with the high viscosity of some silicones and silicates).
- Includes tip cutter, just insert the nozzle of the cartridge and squeeze the handle.
- Tip piercer/cleaner for clearing sealant from dried nozzles.
- Hook end suitable for attaching to user's belt.

Plumbing Hand Tools

REGB49

Water Pump Pliers - Groove Joint




10" (25cm)

- Chrome vanadium steel for long working life.
- Easily adjustable jaw opening.
- Double milled groove joint for extra grip and safety.
- Cushioned hand grips for comfort in use.
- Box jointed for ease of use and accuracy.
- 7 position jaw mechanism.

REGK40

Hook & Pick Set



5 piece set

- Chrome vanadium steel.
- Ideal for replacing 'O' rings, marking your tools, removing small fuses or stuck parts etc.
- Magnet intergrated into base of handle.

REGM62

Mag Tip Magnetic Screw Holder



- Ideal for boiler hanging.
- Creates a strong, firm connection between screwdriver and screw.
- Can be fitted to most screwdrivers (with a shank diameter between 4.0 and 6.0mm or Phillips & Pozi sizes 1 & 2).
- Screw fastening becomes highly efficient, as the screw is firmly held, saving time and money.

Plumbing Hand Tools

Tools

Hex Key Set

REGB33
REGB34

- **Sets available:**
- **REGB33 - Metric Hex Key Set**
1.5, 2.0, 2.5, 3.0, 4.0, 5.0,
5.5, 6.0, 8.0 & 10.0mm keys.
- **REGB34 - Imperial Hex Key Set**
1/16", 5/64", 3/32", 1/8", 5/32",
3/16", 7/32", 1/4", 5/16" & 3/8" keys.



T Handle Hex Key

REGB32
REGB36

Ideal for pumps


- **Sizes available:**
- **REGB32 - 4mm T Handle Hex Key**
- **REGB36 - 5mm T Handle Hex Key**



Mini Crutch Stop Cock Key

REGB21

- Access stopcock valves in awkward & difficult to reach locations.
- Adds extra leverage & reach.
- Fits stopcocks from 1/2" upwards.
- Hex shaft & removable tommy bar.
- Can connect to socket & ratchet handle.



1000mm Combination Stop Cock Key

REGB22

- Strong steel Stop Cock Key
- 1000mm long.
- For 1/2" & 3/4" stop cocks.
- Pointed handle for opening stop cock covers.



Plumbing Hand Tools

REGB01



Please note: Cutters are not included.

CuttaKeep™ Automatic Pipe Cutter Holder

The Regin CuttaKeep™ is a unique tool created to save you time and money. It will securely dock virtually any make of 15mm, 22mm and 28mm automatic pipe cutter and protect the cutter wheel from being damaged. It will also make rooting around in the bottom of your toolbox a thing of the past - your automatic pipe cutters will be at your fingertips enabling you to find the required size in an instant.

The Cuttakeep™ also has a compartment where spare cutter blades can be stored.

- Organise your 15, 22 & 28mm automatic pipe cutters.
- Quickly & easily identify the correct size.
- Fits most brands.
- Store your replacement blades.
- Protects blade on new-style plastic pipe cutters.
- Helps protect your fingers.

REGB70



Insulation Stripper Pliers

6 1/4" (16cm)

- High quality German engineered.

REGB19



4-Way Utilities Key

- Compatible with water, electric & gas service cabinets.
- All metal design.
- Durable, small and compact.

Plumbing Hand Tools

Tools

Mini Tube Cutter

REGB05

- For 3 - 22mm ($\frac{1}{8}$ - $\frac{7}{8}$ ") tubes.



Standard Tube Cutter

REGB10

- For 3 - 30mm ($\frac{1}{8}$ - 1 $\frac{1}{8}$ ") tubes.



Mini Tube Bender

REGB15

- For 6, 8, & 10mm ($\frac{1}{4}$, $\frac{5}{16}$ & $\frac{3}{8}$ ") tubes.



Radiator Key

REGB20

- $\frac{1}{2}$ " with slotted end and $\frac{3}{8}$ " square end for vent plugs and bleed screws.



Plumbing Hand Tools

REGB25

Crowfoot Basin Wrench



- To suit 1/2" and 3/4" taps.

REGB30

Immersion Spanner - Cranked



- 2 1/4" cranked handle.

REGB35

Spring Loaded Basin Wrench



- To suit 1/2" and 3/4" taps.
- 11" (275mm) shaft.

REGB26

Monobloc Back Nut Tap Spanner Set



6 piece set

- Double ended box spanners for use on nuts in awkward or restricted locations.
- Set contains: 8/9mm, 10/11mm, 12/13mm, 14/15mm, 16/17mm and 18/19mm spanners.
- Tommy bar included.

Electrical Hand Tools

Tools

Interchangeable Screwdriver Set

REGE285**13 Piece VDE 1000V Interchangeable Blade Screwdriver Set**

- Hardened and tempered Chrome Vanadium steel shafts.
- Magnetized tips with a phosphate finish for resistance to corrosion.
- Insulated and VDE/TUV/GS approved for use up to 1000V AC and 1500V DC.
- Impact resistant handle with a contoured, comfortable grip and switch release mechanism.
- Interchangeable blades lock securely within the handle.
- Includes mains tester.
- Supplied in carry case.

**Contents:**

Slotted: 3 x 100mm, 4 x 100mm, 5.5 x 100mm, 6.5 x 100mm,
 Phillips: #1 x 80mm, #2 x 100mm,
 Pozzi: #1 x 80mm, #2 x 100mm,
 TRX-Star: T10 x 100mm, T15 x 100mm, T20 x 100mm.

Mains Tester & Driver Handle

Electrical Hand Tools

REGE275

4 Piece 1000V VDE Screwdriver Set



4 Piece Technician's Screwdriver Set VDE Approved

- Chrome Vanadium shafts with magnetic and corrosion resistant precision tips.
- Insulated and VDE approved for use up to 1kV AC and 1.5kV DC.
- Contoured handles with soft rubber grip for comfort and control.

Contents:

Slotted: 5.5 x 125mm

Phillips: #1 x 80mm & #2 x 100mm

Mains Tester: 3 x 140mm



1000V
IEC 60900: 2012

REGE280

8 Piece 1000V VDE Screwdriver Set



8 piece screwdriver set

- Set comprises four slotted, two Phillips & two Pozidrive screwdrivers.
- Chrome Vanadium shafts with magnetic and corrosion resistant precision tips.
- Insulated and VDE/TUV/GS approved for use up to 1000V AC and 1500V DC.
- Impact resistant handles with contoured, comfort grip for added torque transfer.

Contents:

Slotted: 3 x 75mm, 4 x 100mm,
5.5 x 125mm & 6.5 x 150mm

Phillips: #1 x 80mm & #2 x 100mm

Pozi: #1 x 80mm & #2 x 100mm



1000 V
IEC 60900: 2004



Electrical Hand Tools

1000V Combination Pliers

REGE210**REGE211**

- For electrical work up to 1,000V AC or 1,500V DC.
- Fully conforms to Euronorm standards - IEC 900, EN 60900.
- Individually tested to 10,000V.
- Power grip composite handles for ultimate power and control.
- Finger stops to prevent slipping onto live conductors.
- High quality machined pivots for easy one handed operation.
- Helps user to comply with Electricity at Work Regulations.

Types available:

- **REGE210** - Small Combination Pliers 160mm
- **REGE211** - Large Combination Pliers 200mm



1000V Diagonal Cutting Pliers

REGE216

- For electrical work up to 1,000V AC or 1,500V DC.
- Fully conforms to Euronorm standards - IEC 900, EN 60900.
- Individually tested to 10,000V.
- Power grip composite handles for ultimate power and control.
- Finger stops to prevent slipping onto live conductors.
- High quality machined pivots for easy one handed operation.
- Helps user to comply with Electricity at Work Regulations.

- **REGE216** - Large Diagonal Cutters 200mm



Electrical Hand Tools

REGE251

REGE252



Insulated Terminal Drivers

- High quality special alloy chrome vanadium blade for longer life.
- Ultra comfort swivel top gives speed and control.
- Thin sleeve protected blade still gives excellent access.

Types available:

- **REGE251** - 3.5mm x 100mm Slotted Screwdriver
- **REGE252** - PZ0 x 100mm Pozzi Screwdriver

REGT17

Multi-Test Electrical Screwdriver



Quick, safe and simple to use

- Fully insulated - no finger contact to operate.
- Clearly identifies phase-neutral/earth.
- Simple microwave leakage test.
- Bright indication even in sunlight.
- Quality tough polycarbonate construction.



Detects microwave leakage



Tests AC voltage (contact testing & non-contact testing)



Tests bulbs and fuses



Locates 'break' point



Verify DC polarity

REGB80

Ratchet Crimping Tool



- For pre-insulated terminals: blue, red and yellow (see pages 168-170).

Electrical Hand Tools

Tools

1000V Cable Shears

REGE225

220mm

- Engineered to meet the requirements of the professional.
- Individually tested to 10,000V.
- Guaranteed cutting edge hardness suitable for hard and soft wire.
- Superb ergonomic handles.
- Cuts and strips.
- **Not suitable for cutting steel wire armoured cables.**



10,000V
TESTED

1000V Long Nose Pliers

REGE220

200mm

- For electrical work up to 1,000V AC or 1,500V DC.
- Fully conforms to Euronorm standards - IEC 900, EN 60900.
- Individually tested to 10,000V.
- Power grip composite handles for ultimate power and control.
- Finger stops to prevent slipping onto live conductors.
- High quality machined pivots for easy one handed operation.
- Helps user to comply with Electricity at Work Regulations.



10,000V
TESTED

EN60900

Automatic Wire Stripper

REGE228

200mm

- Strips flat cables (up to 2.5mm² twin and earth) and round cables up to 6mm diameter.
- Fully automatic, grips and strips in one action.
- Adjustable cable strip length guide swivels clear for longer strip.



Electrical



REGE105**REGE103****Electrical Connector
with Strain Relief****REGE105****REGE103**

Durable, high quality and long-lasting 3 & 5 way electrical connectors used to make the wiring in boilers far more efficient for servicing and maintenance work. Complete with Strain relief for added safety.

- For flexible, stranded and solid wires with cross-section of 0.75-4.0mm².
- Strain relief for cables with outer diameter of 6.5-14.0mm (for REGE105) and 5.5-12mm (for REGE103).
- Rated voltage: 250V - 400V (UL Rated voltage: 250V).
- Rated current: 20A (UL Rated current: 16A).
- Max. operating temperature: 70°C.
- Min. operating temperature: -30°C (without mechanical stress).
- Complete with locking latch for added security.
- Supplied with 1 x male connector, 1 x female connector, screws & fitting instructions.

Versions available:

- **REGE105** - 5 Way Connector.
- **REGE103** - 3 Way Connector.



Socket Interface Adaptor**REGXP8**

- Enables you to leave sockets in place.
- Plug the leads from your digital insulation/continuity tester directly into the adaptor.
- Extremely cost effective.
- Time saving.
- No more damage to decorations.
- No broken connections.
- 17th Edition accessory.

**One-Click Test Lead Set****REGXP9****Fused test leads**

- High protection fused lead set compatible with all loop and RCD testers using a standard IEC mains input socket.
- Uses the new harmonised mains colours of brown and blue - the strain relief is in red and black to give a reminder of the changes.
- 10A HRC ceramic fuses fitted in each probe.
- Fuse stays in place - just switch between probe and croc clip with new one click system.
- Stackable earth croc clip means neutral can combine with the earth, meaning just one croc clip to connect.
- 17th Edition accessory.

**Red / Black Insulation Test Lead Set****REGXP7****106cm non-fused test leads**

- 4mm to 4mm.
- Kit includes:
 - 1 pair of leads
 - 1 pair of probes
 - 1 pair of croc clips
- 17th Edition accessory.
- For use with REGXP8.



Electrical

REGXE50**One-Touch Digital Multimeter**

Fully automatic digital multimeter with true RMS

The REGXE50 One-Touch Digital Multimeter is a fully auto range meter that automatically measures AC/DC voltage, resistance as well as providing a continuity check with buzzer.

The REGXE50 One-Touch Digital Multimeter is a dial-less, 4000 count, true RMS digital multimeter that automatically measures AC/DC voltage, resistance and continuity.

- Complete with batteries, quality probes and protective holster.

Advanced features:

- True RMS, auto range, 4000 count.
- Large LCD display.
- Single button operation.
- Auto power off.
- Audible sound and visible indication during continuity check.
- Protective holster.
- Software calibrated, no variable resistor adjustment.

REGXE40**Low Cost Multimeter with Temperature**

- EN61010-1 CATIII 600V.
- Double moulded plastic housing.
- Auto Ranging and Data Hold.
- Type K temperature probe.
- Probes and temperature probe (K-Type) included.



Dual Temperature



Auto Power Off



Quick Measurement



Accurate



Easy Operation



Large Display

3-in-1 Autoranging Multimeter**REGXE45**

- Auto Ranging.
- Data Hold.
- Non-Contact Voltage Detection.
- Auto Power Off.
- Flashlight.
- 20 mA Fused protection.
- EN61010-1 CATIII 1000V.
- Diode Check.
- Continuity Test.
- Double Moulded housing.

**Continuity Testing****Auto Power Off****Quick Measurement****Accurate****Easy Operation****Voltage/Continuity Indicator****REGXE15**

- Continuity Test.
- Single Pole Phase Test.
- Self Test Button.
- Measurement point illumination.
- LED Voltage Range (AC/DC):
12, 24, 36, 50, 120, 230, 400, 690V.
- CAT III 1000V / CAT IV 600V.

**Continuity Testing****Auto Power Off****Quick Measurement****Accurate****Easy Operation**

Electrical

REGT16**Volt Stick**

- The New Volt Stick non-contact voltage detector provides excellent voltage detection.
- New balanced sensitivity gives more accurate detection.
- Low current circuits means long battery life.
- Clearly detects 90 – 600 V AC without metal contact.
- Tip glows red when voltage is detected.
- Pocket size for handy use anywhere.

REGT18**Duo Voltage Sensor**

- Quickly detects 90 – 600 volts AC without direct metal contact.
- Dual sensitivity helps pinpoint the live wire.
- Bi-colour LED indication of correct operation (green) and volts present (red).
- Audible indication of correct operation and warning of volts present.

REGXE09**AC Voltage Detector with Torch**

- Non-contact detection of AC voltage from 100VAC to 600VAC.
- Glows red to indicate voltage.
- For use on 50/60Hz circuits.
- Built-in bright flashlight.
- CAT III 1000V.



**Quick
Measurement**



**Easy
Operation**

MagTester Plus**REGT08**

Good for checking almost any electro magnetic field i.e:

- Gas valve solenoids.
- Oil pump solenoids.
- Pump Motors.
- Diverter valve motors.
- Relays: Mains or Low Voltage.
- Most if not all electric motors.
- Car starter solenoids.
- Test magnet housed opposite tip end.

**Fused Multimeter Probes****REGE40****Multimeter Crocodile Clips****REGE45****REGE40**


- To comply with H&SE guidance note GS38.
- Compliant with European Standard IEC 1010.

REGE45

- For use with REGE40

**Safety Test Plug****REGE30**

- A 13 amp checking device which is plugged into a 13A live socket to check the correct wiring of power sockets before use.



Specialist Tools

REGT30

REGT31



AAV Removal Tool

The Regin AAV Removal Tool is designed to assist in the replacement of the Caleffi Robocal 502 series Automatic Air Vents, particularly where access with a normal spanner or grips is at best very difficult due to location within the appliance.

- For easy replacement of:
Caleffi Robocal 502 Series
AAVs found on many Combi
Boilers & Pumps.
- Includes 7mm Bolt for
awkward locations.
- Available in two sizes:
 - **REGT30** - Standard
AAV Removal
Tool
 - **REGT31** - Extended
AAV Removal
Tool



REGT20

Thermocouple Tester




- Used for testing the correct operation of
thermocouples.
- The thermocouple to be tested is assembled
into the unit and the tip heated whilst depressing
the white button. If the thermocouple is
functioning correctly the plunger will remain
depressed for approx. 20/30 seconds,
simulating the operation of a gas valve.

Specialist Tools

Tools

Multi-Size Fan Puller

REGT25

Inspection Mirror - Small

REGT35


- Telescopic.
- All-angle ball joint holds mirror firmly at any angle.
- Allows inspection of hidden areas.
- Pocket clip included.
- 30mm mirror.
- Min size: 174mm.
- Max size: 500mm.



Inspection Mirror - Large

REGT40

- Telescopic.
- All-angle ball joint holds mirror firmly at any angle.
- Allows inspection of hidden areas.
- Pocket clip included.
- 50mm mirror.
- Min size: 240mm.
- Max size: 698mm.



Specialist Tools

REGK75



Free-Air Gauge Kit

Regin Free-AirGauge Kit has been developed to assist registered installers to quickly, easily and accurately determine the free area of existing ventilation.

- The kit consists of the following three main components:
A 3-piece precision aluminium tool, colour coded for convenience.
A vernier gauge to accurately measure the ventilator(s) installed.
A slide calculator to determine the free area of the ventilation provided.
- The Free-AirGauge was developed with the review of the unsafe situations in mind:
It is now vital that the free area of existing ventilation is accurately determined, as this may affect the category of unsafe situation applicable.
- The Free-AirGauge will assist the registered installer to make the right decision and improve the standards of gas safety.
- Complete kit supplied with keyring and carry case.

Stay in touch!

@Reginproducts
 01480 412415
 regin.co.uk
 sales@regin.co.uk

Specialist Tools

Tools

Illuminated 'Bits'n'Bolts' Retriever**REGT11**

- Heavy-duty five section telescopic pick-up tool.
- Large Ø14mm magnet with 3.6kg capacity and recessed LED to illuminate target area.
- Textured, contoured handle for added comfort.
- Knurled twist on/off switch for ease of use.
- Extends to approx: 81cm (32") in length.
- Complete with pocket clip.

**10mm Continuity Bond****REGC10**

Length 1.2m

- For ensuring temporary continuity of earth.

**Thermocouple Thread Gauge Keyring****REGT19**

- For determining the exact size of thermocouple threads.
- Capable of sizing six threads:
M8, M9, M10, 1/8" BSP, 7/16" and 11/32".



Lamps & Torches

REGE360**360° Inspection Lamp**

Regin Cordless 360° Lithium-ion Inspection Lamp

Perfect for precise directional illumination in confined areas or equally as useful where widescale illumination of large spaces is required.

- Incorporates a patented ball joint design which allows you to rotate the Lamp through a full 360 degrees.
- The powerful 10 SMD LED main light floods your work area with light.
- Includes a 3 watt high power LED in the end allowing use as a torch.
- The lamp can be attached in two ways:
 - Using the 3 magnets (2 in the rear of the unit & 1 in the base), for use on any ferrous metal.
 - Hung using the two built in hooks.
- The rechargeable Lithium-ion battery suffers no memory effect meaning that it can be charged at any time.
- The main light can be dimmed to prolong battery life.
- The lamp is housed in a tough rubberised anti slip casing in a striking bright green colour.
- Supplied with mains charger and 12V charger.
- Patent pending.



LITHIUM-ION
2.2Ah



Lamps & Torches

**10W COB LED Magfoot
Rechargeable Site Light****REGE60**

- Die-cast aluminium housing with tubular steel framed stand.
- Four strong foam covered magnets on base.
- Super bright 10W COB LED.
- Produces 600 lumens output.
- CRI Rating: 70.
- Built-in Battery: Li-ion 7.4V - 2.2Ah.
- Operating time: 2.5hr.
- Charging time: 5hr.
- Supplied with mains adaptor and in-car charger.



LITHIUM-ION
2.2Ah

120°
LIGHT
SPREAD

600
LUMENS

**LED Pen Light****REGE13**

- Magnetic attachment on swivel clip.
- 7 long life LED's.
- Powered by 3 x AAA batteries.
- Swivel pocket clip.
- 250 Lux Light intensity.
- 50 lm Light output.
- IPX3 Splash resistant.
- >11h Battery runtime.
- 1m Drop test.



50 LUMENS



11h



7 LED's



Inbuilt Magnet



**Splash
Resistant**



Lamps & Torches

REGE11

27 LED Home Work Light



- 27 LED bulbs.
- Powered by 3 x AAA batteries (not included).
- Inbuilt magnet on reverse.
- Inbuilt hanger.
- Non-slip surface.
- Product size: 9.7 x 6.3 x 3.5cm.



24 + 3 x LED



20h
Battery Life



20m
Range



Inbuilt
Hanger



Inbuilt
Magnet

REGE12

24 LED Engineers Work Light



- 24 LED bulbs.
- Powered by 3 x AAA batteries (not included).
- Inbuilt magnet on reverse.
- Inbuilt hanger.
- Non-slip surface.
- Product size: 21 x 6 x 3cm.



24 x LED



20h
Battery Life



20m
Range



Inbuilt
Hanger



Inbuilt
Magnet

REGE10

Premier LED Torch



- Powered by 29 super-bright LED lights.
- Water resistant & shockproof.
- Uses 3 x AAA batteries (included).
- Over 20 hours continuous use.
- 80,000 hours of LED life.
- Very low cost per hour of operation.

REGE15

Premier LED Headlight



- Powered by 19 super-bright LED lights.
- 4 functions: 1 LED, 7 LED's, 19 LED's & 19 LED's flashing.
- Hands-free convenience.
- Lamp tilts through 90 degrees.
- Long LED bulb life.
- Solid state circuitry for longer battery life.
- Uses 3 x AAA batteries (not included).

Thermometers

K-Type Thermometer and Probe Kit

REGXE77

- Adjustable probe angle through 180 degrees.
- 4 probes for a variety of applications: Air, Surface, Penetration and Immersion.
- Measurement range: -100°C to +300°C.
- Switchable °F/°C.
- Hold function.
- Max/Min function.
- Supplied in a tough carry case.



Dual Temperature



Quick Measurement



Easy Operation



Accurate



Large Display



Stainless Sensor Probe



Pipe Contact Thermometer

REGV15

Easy to use surface pipe thermometer.

- Measuring range: 0 - 120°C
- Features a 80mm easy to read dial.
- The dial face has a clear, graduated scale indicating temperature in 2°C divisions.
- Supplied with a wrap-around spring kit for mounting to pipes between 1" and 2". For larger pipes it is possible to attach the thermometer using either tie-wraps or wire (not supplied).



Stove Pipe Thermometer

REGST75

- Monitor the performance of your wood or multi fuel stove.
- Easy to read.
- Attaches magnetically.
- °C and °F scales.
- Improves stove's efficiency.



Thermometers

REGXE65

Pocket Infra Red Thermometer



- Non-contact temperature measurement.
- Laser targeting.
- Backlit LCD Display.
- Measurement Range: -30°C to $+260^{\circ}\text{C}$.
- Optical Resolution: 8:1 Distance to spot size.
- Switchable $^{\circ}\text{F}/^{\circ}\text{C}$.
- Auto Power Off.
- Hold Function.
- Max/Min Function.



Dual Temperature



Auto Power Off



Quick Measurement



Accurate



Easy Operation

REGXE68

3-in-1 Thermometer



- Infra Red Temperature Measurement: -35°C to $+260^{\circ}\text{C}$ (Optical Resolution: 1:1 Distance to Spot Size).
- Thermistor Probe Temperature Measurement: -40°C to $+260^{\circ}\text{C}$.
- Clamp Temperature Measurement: -40°C to $+200^{\circ}\text{C}$ (clamp opening $\approx 25\text{mm}$).
- Switchable $^{\circ}\text{F}/^{\circ}\text{C}$.
- Auto Power Off.
- Hold Function.
- Max/Min Function.



Dual Temperature



Auto Power Off



Quick Measurement



Accurate



Easy Operation



Stainless Sensor Probe

REGXE70

Multi-Thermometer with Probe



- Fast response.
- 133mm stainless steel probe extendable to 1 metre.
- Measurement range: -50°C to $+150^{\circ}\text{C}$.
- Switchable $^{\circ}\text{F}/^{\circ}\text{C}$.
- Auto Power Off.
- Hold Function.
- Max/Min Function.



Dual Temperature



Auto Power Off



Quick Measurement



Accurate



Easy Operation



Large Display



Stainless Sensor Probe

Thermometers

Digitemp Thermometer Kit

REGV10

- Kit comprises:
 - 1 x REGV20 Differential Thermometer.
 - 1 x REGV25 Water/Air Immersion Probe.
 - 1 x REGV30 Surface Probe.
 - 1 pair x REGV45 Crocodile Type Clamp Probes.

See page 64 for full details and specifications.
- Supplied in a padded carry case.



Design may vary

Water & Pipe Temperature Kit

REGV11

- Kit comprises:
 - 1 x REGV20 Differential Thermometer.
 - 1 x REGV25 Water/Air Immersion Probe.
 - 1 pair x REGV45 Crocodile Type Clamp Probes.

See page 64 for full details and specifications.
- Supplied in a padded carry case



Design may vary

Waterproof Stem Thermometer

REGM32

- Replacement thermometer for REGM31.
- 133mm Stainless steel probe.
- Measurement range: -50°C to +150°C.
- Switchable °F/°C.
- Auto Power Off.
- Hold function.
- Max/Min function.



Thermometers

REGV20

Differential Thermometer



Design may vary

- Measurement range: -50°C to $+1300^{\circ}\text{C}$
- Max reading memory feature.
- Low battery indicator.
- Calculates temperature difference.
- Can be used as a single input thermometer.
- Dual input.
- Please note that probes are not included and should be purchased separately.

REGV45

Crocodile Type Clamp Probes



1 Pair

- Gives close fit to pipes for fast and accurate readings.
- Suitable for pipes from 6mm to 30mm in diameter.
- Operating temperature range: -50°C to $+100^{\circ}\text{C}$.
- Response time is less than 2 seconds.

REGV25

Water/Air Immersion Probe



- Probe dimension: 3mm diameter x 80mm long.
- Operating temperature range: -50°C to $+250^{\circ}\text{C}$.
- This rigid, stainless steel probe is strong and versatile.
- Quick response time.

REGV30

Surface Probe



- Probe dimension: 5mm diameter x 100mm long.
- Operating temperature range: -50°C to $+600^{\circ}\text{C}$.
- Probe has a spring loaded copper disc sensing tip.
- Quick response time.

REGV40

Flexible Wire Probe



- Length: 1 metre .


Brushes & Abrasives

Filament Hex Brush

REGT78

100mm. 6mm spindle.

- 100mm filament strip brush, impregnated with abrasive grit.
- Ideal for deburring, surface treatment of metal and wood, and other general cleaning applications.
- Max RPM: 4500.



20 Piece Engineers Cleaning Set

REGT58

Various sized brushes and probes suitable for many cleaning applications.

- Contents:
115mm, 135mm (Small), 200mm (Medium),
200mm (Large) Bristle Brush,
2 x 150mm, 210mm Soft Brush,
180mm Brush with 45mm Soft-fill,
Wire Probe,
10 x Wooden Probe,
Needle Lubricant.



3 Piece Miniature Brush Set

REGT71

- Steel, nylon and brass brushes.
- Complete with hanging holes.
- Suitable for most cleaning requirements.
- Length: Approx. 180mm

All 3 brushes available separately (see page 162).



3 Piece Flux Brush Set

REGT72

Set of 3 brushes

- Length of each brush: approx. 150mm.




Brushes & Abrasives

REGT81**9mm Nylon Tube Brush**

9mm diameter

- For cleaning the Venturi on wall hung boilers.

**REGT82****Ventilator Triangular Cleaning Brush**


240mm long

- For cleaning the ventilator of wall hung boilers.

**REGT83****10mm Burner Hole Cleaning Brush**

10mm diameter

- For cleaning the burner holes on wall hung boilers.

**REGT84****Heat Exchanger Cleaning Brush**

100mm x 170mm

- For cleaning the heat exchanger of wall hung boilers.



Brushes & Abrasives

**Boiler Flue
Gas Path Cleaning Brush****REGT86**

30mm x 420mm

- For cleaning the flue gas paths of floor standing boilers.

**Large Boiler Flue
Gas Path Cleaning Brush****REGT87**

40mm x 500mm

- For cleaning the flue gas paths of floor standing boilers.

**70mm Nylon Tube Brush****REGT88**

70mm x 320mm

- Nylon tube-brush for efficiently cleaning condensing boilers.

**Multi-Purpose
Boiler Cleaning Brush****REGT89**

60mm x 440mm

- General purpose 60mm diameter polypropylene tube-brush for internal boiler cleaning.



Brushes & Abrasives

REGT79

Long Radiator Brush



- A long round nylon brush ideal for cleaning behind radiators or in any inaccessible areas.
- Approx. length: 710mm.
- Diameter of brush: Approx. 40mm.

REGT55

Flue Brush Set



Set of 3 brushes

- Set comprises:
16mm (5/8") round x 500mm,
50mm (2") flat x 500mm &
50mm (2") round x 500mm
brushes.

REGT56

Oil Boiler Flue Brush Set



Set of 3 brushes

- Set comprises:
25mm (1") round x 500mm,
50mm (2") round x 500mm &
75mm (3") round x 900mm
brushes.

REGT51

7 Piece Flue Brush Set



Set comprises:

- 12" handle.
- 5" handle.
- 12" extension rod.
- 12" thin flexible extension rod.
- 50mm round long brush head.
- 50mm round short brush head.
- 50mm flat brush head.

Brushes & Abrasives

Steel Wool

REGM80

Medium Grade

- For general purpose work, cleaning of copper pipe and fittings, paint removal and preparation.
- 450g.



Silicone Carbide Abrasive Strips

REGM40

Silicone Carbide Abrasive Strip

REGM41

- Ideal for preparing joints before soldering or brazing.
 - Ideal for use on deburring metal, plastic or wooden surfaces.
 - Tough, waterproof and long-lasting webbed mesh bonded with silicone carbide grit.
 - Medium Grade: 180 Grit.
 - Can be used on both sides.
 - For wet & dry use.
 - A high performing alternative to steel wool, emery and sandpaper.
 - Non-clogging and washable.
 - Can be cut to size.
- **Available in two sizes:**
- **REGM40** - Pack of 10 mini strips
 - **REGM41** - 5 metre roll

**REGM40****REGM41**

Abrasive Mini Pads

REGM42

Pack of 5 abrasive mini pads.

- Ideal for cleaning, polishing, rust removal, scrubbing and blending.
- Tough, waterproof and long-lasting.
- General purpose grade.
- Can be used on both sides.
- A high performing alternative to steel wool, emery and sandpaper.
- Washable.
- Doesn't rust.



Brushes & Abrasives

REGT80

Brass Plated Steel Wire Brush



270mm long

- Multi purpose brass plated steel wire brush.
- Positive grip handle.

REGT85

Soft Bristle PVC Brush



270mm long

- Multi purpose soft bristle brush.
- Positive grip handle.

REGT75

Long Cleaning Blade



400mm long

- For cleaning heat exchangers.
- Designed not to damage the heat exchanger.

REGT76

Short Cleaning Blade



200mm long

- For cleaning heat exchangers.
- Designed not to damage the heat exchanger.

REGT77

Extra Thin Cleaning Blade



400mm long

- For cleaning heat exchangers.
- Designed not to damage the heat exchanger.
- Double ended.

Miscellaneous

Tap Turners (Pair)

REGH02

- These strong moulded turners are designed specifically for X-shaped taps. They simply hook over the top of the tap and make it easier to turn the taps on and off.
- Designed in red and blue plastic, they're created for hot and cold taps and are suitable for both wash basin and bath taps. As they're colour-coded for hot and cold water, they're ideal for people who are partially sighted, reducing the risk of accidental scalding.
- Designed to reduce the strain on the hands and wrists, these tap turners can make an everyday task a little easier for the elderly and disabled.



Contour Turner

REGH05

- Used to give leverage for turning small difficult items eg. gas or radiator taps.
- Stainless steel rods, when pressed around an object, retract, conform around its shape and provide a purchase around it when the handle is turned.
- An excellent everyday household aid, especially useful for the elderly or infirm.



Bungee Strap

REGM76**600mm Bungee Strap (x2)**

- A pair of high quality Luggage Straps.
- Ideal for securing luggage and goods.
- High tensile, vinyl coated steel hooks.
- TUV GS approved.



Pocket Rocket

REGS40

- Produces a powerful blue flame.
- Ideal for igniting smoke pellets.
- Refillable (with Butane lighter gas).



Radiator Vent Key - Brass Bar Type

REGR19

- Solid brass T-bar style.



Miscellaneous

REGM78**Ratchet Tie Down Strap Set - 2 Pairs**

- Manufactured from polyester webbing with stitched reinforcement around hooks.
- Suitable for securing loads and tarpaulins in vans and for general load restraint.
- Ratchet mechanically tensions the webbing using a simple drum and ratchet mechanism providing superior load restraint.
- 25mm x 4mtr Polyester webbing with S Hooks.
- 500Kg load test.

REGM60**Mag Dish**

- Magnetic parts dish.
- Powerful base magnet will adhere to boiler casings in vertical or horizontal positions.
- Keeps metallic Bits 'n' Bolts etc in one place whilst working on an appliance.
- Approx. diameter: 150mm.

REGM59**Magnetic Wristband****For nuts, bolts etc.**

- Use to hold nails, screws, nuts, bolts etc close at hand while working.
- Easy hook and loop closure.

Smoke	74
Smoke Pellets, Smoke Matches etc	
Report Pads	78
Inspection Pads, Service Pads, Advice Notice Pads, Commercial Pads, etc	
Stickers & Tags	88
Warning Stickers & Tags, Advice Stickers, Service Stickers etc	
Liquid Fuel Stickers & Tags	92
Warning Stickers & Tags etc	
Electrical Stickers & Tags	94
Warning Stickers & Tags etc	
Location Plates	96
Plastic Location Plates, Lock Off Plate etc.	
Marker Pens	97
Paint Marker Pens	
Tapes & Labels	98
Underground Tape, ID Tapes, Foil Tape, Boiler Case Seal, PTFE Tapes etc	
Solder Mats	106
Solder Mats	
Leak Detection	107
Leak Detector Aerosol, Leak Detector Sprays	
Service Aerosols & Paints	108
Air Duster, Cleaning Spray, Silicone Spray, Adhesive, Coal Paint etc	
Sealants etc	110
Silicone Sealants, Silicone Grease, Heat Sink Compound etc	
Water Treatment	114
Central Heating Cleaner, Central Heating Inhibitor	
Glass Yarn & Fixative	115
Glass Yarn, Glass Yarn Adhesive	
Inspection Hatches	116
Inspection Hatches, Fire Rated Hatches	
Dustsheets & Workmats	117
Dustsheets, Service Mats, Work Mats etc	
Kits	120
Appliance Servicing Kits, Fuse Kits, Olive & Washer Kits etc	
O-Ring Kits	124
Imperial & Metric Nitrile O-Ring Kits	
Gloves	126
Work Gloves, Heat Resistant Gloves etc	
First Aid & Fire	129
First Aid Kits, Fire Extinguishers etc	
Wipes & Work Wear	130
Paper Towel, Hand Wipes, Workwear etc	
Batteries	132
Alkaline Batteries	
Electrical Connectors with Strain Relief	134
Safety Electrical Connectors	
Spares	135
Radiator Tops, Ignition Leads etc	

Smoke

REGS15**FUMAX Smoke Pellets - Pack of 10**

Design may vary

Pack of 10 pellets

- BS5440 Part 1 compliant.
- Approx. 30 second burn time.
- Produces an estimated 5 cubic metres of smoke with an ideal density for flue testing.
- Encapsulated for ease of use and disposal.

**REGS20****FUMAX Smoke Pellets - Tub of 100**

Design may vary

Tub of 100 pellets

- BS5440 Part 1 compliant.
- Approx. 30 second burn time.
- Produces an estimated 5 cubic metres of smoke with an ideal density for flue testing.
- Encapsulated for ease of use and disposal.
- Supplied in a tough resealable water resistant container.



Smoke

Consumables

FUMAX Kingsize Smoke Pellets - Pack of 10

REGS25

Pack of 10 King Size pellets

- BS5440 Part 1 compliant.
- Approx. 60 second burn time.
- Produces an estimated 15 cubic metres of smoke with an ideal density for flue testing.
- Encapsulated for ease of use and disposal.
- Supplied in tough resealable water resistant containers.


Design may vary

FUMAX Kingsize Smoke Pellets - Box of 50

REGS30

Box of 50 King Size pellets

- BS5440 Part 1 compliant.
- Approx. 60 second burn time.
- Produces an estimated 15 cubic metres of smoke with an ideal density for flue testing.
- Encapsulated for ease of use and disposal.
- Supplied in tough resealable water resistant containers.




Smoke

REGS21**FUMAX Red Smoke Pellets**

Design may vary

**Pack of 10 pellets**


- Produces approx. 30 seconds of dense red smoke for better visibility against white/grey skies.
- Encapsulated for ease of use and disposal.
- Please note that this product is likely to stain.

**REGS40****Pocket Rocket**

- Produces a powerful blue flame.
- Ideal for igniting smoke pellets.
- Refillable (with Butane lighter gas).

REGS50**Steady-Stream Smoke Wands****Pack of 10 Smoke Wands**

- Provides a steady plume of smoke, particularly suitable for checking the integrity of positive pressure appliance case seals.
- This product does not contain any hazardous or corrosive substances.



Smoke

Smoke Matches - Tub of 75

REGS06

Tub of 75 matches

- Approx. 15 second burn time.
- Supplied in a resealable water resistant tub.
- Produces a white smoke with an ideal density for spillage testing.
- Average contents: 75 matches.



Design may vary

Consumables

Smoke Matches - Tub of 25

REGS07

Tub of 25 matches

- Approx. 15 second burn time.
- Supplied in a resealable water resistant tub.
- Produces a white smoke with an ideal density for spillage testing.
- Average contents: 25 matches.



Design may vary

Smoke Match Plume Kit

REGS10

- 30cm smoke match plume.
- 1 tub of (x25) smoke matches (REGS07).
- Matches are supplied in a moisture resistant container.



Report Pads

REGP45

Landlord / Home Owner Gas Safety Record Pad



25 reports in triplicate

- Record safety checks carried out during a Landlord/Home Owner gas safety inspection.
- Also allows for recording of additional information and observations.
- Complete with writing guard.
- Each report features its own unique Report Reference number.

REGP46

Gas Safety Record Pad



25 reports in triplicate

- Record details of gas work undertaken.
- Can be used as: Gas Safety Inspection Pad (REGP50).
- Complete with writing guard.
- Each report features its own unique Report Reference number.


Report Pads

Gas Safety Inspection Pad

REGP50

50 reports in duplicate

- Record findings when carrying out general gas safety checks on a number of appliances.
- Complete with writing guard.
- Each report features its own unique Report Reference number.




Consumables

Warning Notice -
Danger Do Not Use Report Pad**REGP55**


30 reports in triplicate

- Record Immediately Dangerous (ID), At Risk (AR) and Not To Current Standards (NCS) situations.
- Record your finding to ensure all parties are aware that an installation/appliance is not safe.
- Complete with writing guard.
- Each report features its own unique Report Reference number.

Maintenance/Service
Check List Pad**REGP65**

50 reports in duplicate


- For use when carrying out service or general maintenance work.
- Complete with writing guard.
- Each report features its own unique Report Reference number.



Report Pads

REGP57

Commercial Catering Appliance Gas Safety Inspection Report Pad



25 2-part reports in duplicate

- Specifically designed for safety checks and works carried out in a commercial catering establishment.
- Accurately document details about both the catering environment and the appliances themselves.
- Complete with writing guard.
- Each report features its own unique Report Reference number.

REGP61

Legionnaire Risk Assessment Report Pad



25 reports in triplicate


- Specifically designed for Legionnaire Risk Assessment on domestic property hot and cold water systems.
- Complete with writing guard.
- Each report features its own unique Report Reference number.

Report Pads

**Caravan / Boat
Gas Inspection Record Pad****REGP47**


25 reports in triplicate

- Adhesive backed top copy.
- Specifically designed for gas safety checks on leisure accommodation vehicles (LAV) such as caravans and boats, which are rented out to the public.
- Complete with writing guard.
- Each report features its own unique Report Reference number.

**Mobile Catering Trailer / Vehicle
Safety Record Pad****REGP56**


25 reports in triplicate

- Record important gas safety checks carried out on mobile catering trailer/vehicles.
- Include details of the appliances, any safety checks carried out and the trailer/vehicle itself.
- Complete with writing guard.
- Each report features its own unique Report Reference number.

**Unvented Hot Water Storage
Vessel Commissioning Pad****REGP58**

25 reports in triplicate

- For use in installing, inspecting or commissioning domestic unvented hot water storage vessels.
- Complete with writing guard.
- Each report features its own unique Report Reference number.



Report Pads

REGP62

Gas Testing and Purging Report - Domestic




25 reports in triplicate

- Allows concise recording of each tightness test and details of purging that may be required.
- Complete with writing guard.
- Each report features its own unique Report Reference number.

REGP63

Condensing Boiler Installation Assessment Form



50 reports in duplicate

- Record, where applicable, that it would be reasonable to install a non-condensing boiler.
- Complete with writing guard.

REGP64

Central Heating Inspection / Commissioning Report




50 reports in duplicate

- Report tests and checks while commissioning a central heating boiler. Also ideal for surveying an existing central heating system.
- Complete with writing guard.
- Each report features its own unique Report Reference number.

REGP66

Flue / Fireplace Commissioning Certificates



20 reports in duplicate

- To enable gas operatives to meet the requirements of Approved Document 'J' of the Building Regulations.
- Complete with writing guard.
- Each report features its own unique Report Reference number.

Report Pads

Consumables

Commercial Servicing / Commissioning Report

REGPC1

50 reports in duplicate

- Record essential checks and tests carried out while commissioning/servicing commercial appliances.
- Complete with writing guard.
- Each report features its own unique Report Reference number.



Commercial Gas Testing and Purging Record Pad

REGPC2

50 reports in duplicate

- Accurately record details of strength testing, tightness testing and purging procedures.
- Complete with writing guard.
- Each report features its own unique Report Reference number.



Commercial Gas Installation Safety Report

REGPC3

50 reports in duplicate


- Record details of a commercial gas safety inspection.
- Complete with writing guard.
- Each report features its own unique Report Reference number.



Report Pads

REGP71**Chimney / Flue Notice Pack**

- Kit comprises:
- 1 x REGP66 Flue/Fireplace Commissioning Certificates
- 20 x REGP33 Chimney/Hearth Notice Plates
- 1 x permanent marker
- 1 x 3m roll double sided foam tape

REGP70**Dry Pipe Pressure Test Certificates**

- 50 reports in duplicate
- For use with REGK10 Dry Pipe Pressure Test Kit.

REGP80**Analyser Readings Record Pad**

- 50 copies in duplicate
- Top copy is self adhesive.
 - Also acts as an Annual Service Reminder.

Report Pads


Consumables

Domestic Central Heating & Hot Water System Inspection/Commissioning Report Pad

REGPO10

25 reports in triplicate

- Essential document designed to demonstrate compliance when commissioning wet central heating systems.
- Use to create a physical record of service and inspection works to wet central heating systems.
- Pre-printed industry generic terms and conditions on reverse to advise, inform and protect you and your customer.
- Provides key check points to follow.
- Can be used to formally record and notify customer of any immediate or potential risks identified.
- Each report features its own unique Report Reference number.



Domestic Liquid Fuel Fired Vaporising Appliance Service, Commissioning & Inspection Record Pad

REGPO12

25 reports in triplicate

- Contains the key elements necessary to demonstrate compliance with BS 5410 Part 1 2019 when servicing or commissioning domestic oil and liquid fuel fired vaporising appliances.
- Pre-printed industry specific terms and conditions on reverse to advise, inform and protect you and your customer.
- Can be used to formally record and notify customer of any immediate or potential risks identified.
- Each report features its own unique Report Reference number.



Report Pads

REGPO11

Domestic Liquid Fuel Fired Pressure Jet Appliance Service, Commissioning & Inspection Record Pad



25 reports in triplicate

- Contains the key elements necessary to demonstrate compliance with BS 5410 Part 1 2019 when servicing or commissioning domestic oil and liquid fuel fired boilers.
- Pre-printed industry specific terms and conditions on reverse to advise, inform and protect you and your customer.
- Can be used to formally record and notify customer of any immediate or potential risks identified.
- Each report features its own unique Report Reference number.

REGPO13

Domestic Liquid Fuel Storage (up to 3,500 litres) & Supply Inspection Record Pad



25 reports in triplicate

- Essential document used to demonstrate compliance with BS 5410 Part 1 2019 when inspecting domestic oil and liquid fuel storage and supply systems as part of an appliance service or commissioning visit.
- Pre-printed industry specific terms and conditions on reverse to advise, inform and protect you and your customer.
- Can be used to formally record and notify customer of any immediate or potential risks identified.
- Each report features its own unique Report Reference number.


Report Pads

Non-Domestic Liquid Fuel Fired Single Combustion Appliance Service & Inspection Record Pad

REGPO21

25 reports in triplicate

- Contains the key elements necessary to demonstrate compliance with BS 5410 Part 2 2018 when servicing or commissioning non-domestic oil and liquid fuel fired appliances with 2 stage burners.
- Pre-printed industry specific terms and conditions on reverse to advise, inform and protect you and your client.
- Can be used to formally record and notify your client of any immediate or potential risks identified.
- Each report features its own unique Report Reference number.


Consumables

Non-Domestic Liquid Fuel Storage (up to 10,000 litres) & Supply Inspection Record Pad

REGPO23

25 reports in triplicate

- Essential document used to demonstrate compliance with BS 5410 Part 2 2018 when inspecting non-domestic oil and liquid fuel storage and supply systems.
- Pre-printed industry specific terms and conditions on reverse to advise, inform and protect you and your client.
- Can be used to formally record and notify your client of any immediate or potential risks identified.
- Each report features its own unique Report Reference number.



Stickers & Tags

REGP36**Danger - Do Not Use Sticker / Tag****Pack of 8 stickers/tags**

- Adhesive label which sends a clear message to the gas user/responsible person that the appliance/installation is unsafe to use.
- Provides a means for engineers to fulfil the requirements placed upon them by the Gas Safety (Installation and Use) regulations 2015 (Edition 7) to notify or inform responsible persons and owners of premises/appliances of safety defects and dangers.
- Cable ties provided.
- Measures approx. 120mm x 100mm.

REGP26**Danger - Do Not Use Sticker / Tag complete with Engineer Details****Pack of 8 stickers/tags**

- Adhesive label which sends a clear message to the gas user/responsible person that the appliance/installation is unsafe to use.
- provides a means for engineers to fulfil the requirements placed upon them by the Gas Safety (Installation and Use) regulations 2015 (Edition 7) to notify or inform responsible persons and owners of premises/appliances of safety defects and dangers.
- Complete with section for engineer to fill in their details.
- Cable ties provided.
- Measures approx. 120mm x 140mm.

Stickers & Tags

Important - Compartment Sticker

REGP15

Pack of 8 stickers

- Warns of the dangers of blocking ventilation and storing items in compartments and airing cupboards.
- Measures approx. 100mm x 125mm.



Gas Emergency Control Sticker

REGP40

Pack of 8 stickers

- Identifies gas emergency control valves and provides clear and concise instructions to follow.
- Measures approx. 138mm x 85mm.




Gas Isolation Valve Sticker

REGP43

Pack of 8 stickers

- Measures approx. 138mm x 85mm.
- Provides clear details of an emergency gas isolation valve.



Uncommissioned Appliance Tag

REGP44

Pack of 8 tags

- Identifies uncommissioned gas appliances and installations.
- Cable ties provided.
- Measures approx. 139mm x 85mm.



Balanced Compartment Sticker

REGP29

Pack of 8 stickers

- Measures approx. 140mm x 90mm.
- Warns to keep door closed at all times.



Consumables

Stickers & Tags

REGP39

Gas Valve Location Sticker



Pack of 8 stickers

- Sticker to clearly identify the location of the Gas Emergency Control Valve.
- Measures approx. 110mm x 70mm.

REGP05

Gas Appliance Serviced Tag



Pack of 8 tags

- Provides installation and service information.
- For situations where an adhesive label cannot be used.
- Cable ties provided.
- Measures approx. 100mm x 125mm.

REGP10

Gas Appliance Serviced Sticker



Pack of 8 stickers

- Provides installation and service information.
- Service due reminder.
- Measures approx. 100mm x 125mm.

REGP34

Caution Very Hot Water Sticker



Pack of 8 stickers

- Measures approx. 77mm x 52mm.
- Provides clear warning to use caution when using the hot water.

REGP41

5 Minute Hot Water Warning Sticker



Pack of 8 stickers

- Measures approx. 90mm x 84mm.
- Provides operation and service information.

Stickers & Tags

Electrical Bonding Sticker

REGP11

Pack of 8 stickers

- Adhere, where appropriate, to an appliance in order to warn of the lack of equipotential cross bonding of the gas installation.
- Measures approx. 102mm x 69mm.



Flammable Gas Warning Diamond

REGP01

Pack of 1 sticker

- Internationally recognised symbol required on vehicles.
- Self adhesive vinyl.
- Measures approx. 100mm x 100mm.



Compressed Gas Warning Diamond

REGP02

Pack of 1 sticker

- Internationally recognised symbol required on vehicles.
- Self adhesive vinyl.
- Measures approx. 100mm x 100mm.



Warning No Tools in Van Sticker

REGP42

Pack of 1 sticker

- Measures approx. 184mm x 104mm.



Chimney / Hearth Notice Plates

REGP33

Pack of 10 Notice Plates

- 145mm x 90mm plastic with pre-drilled holes.
- To comply with the requirements of Building Regulations.
- Complete with permanent marker.
- Measures approx. 145mm x 90mm.




Stickers & Tags

REGPLO1**Safety Warning - (Liquid Fuel)
Immediate Risk Do Not Fill Sticker / Tag****Pack of 8 stickers/tags**

- Measures approx. 140mm x 100mm.
- For application to oil and liquid fuel storage tanks where immediate, Fire, Safety and/or Environmental Risks are identified.
- Clear message and instruction to owners and custodians of storage tanks and fuel delivery drivers.
- Can be used in accordance with BS 5410 Parts 1 & 2.
- Cable ties provided.

REGPLO2**Safety Warning - (Liquid Fuel)
Immediate Risk Do Not Use Sticker / Tag****Pack of 8 stickers/tags**

- Measures approx. 140mm x 100mm.
- For application to oil and liquid fuel fired appliances and equipment where immediate, Fire, Safety and/or Environmental Risks are identified.
- Clear message and instruction to owners and end users of oil and liquid fuel fired appliances and equipment.
- Can be used in accordance with BS 5410 Parts 1 & 2.
- Cable ties provided.

REGPLO9**Important - This Tank Contains
HVO Sticker****Pack of 5 stickers**

- Measures approx. 210mm x 148mm.
- Tank storage safety label for tanks containing Hydrotreated Vegetable Oil.

Stickers & Tags

Safety Warning - (Liquid Fuel) Potential Risk Identified Sticker / Tag

REGPLO3

Pack of 8 stickers/tags

- Measures approx. 140mm x 100mm.
- For application to oil and liquid fuel storage tanks, appliances and equipment where potential, Fire, Safety and/or Environmental Risks are identified.
- Clear warning to owners and custodians of storage tanks, appliances and associated equipment.
- Can be used in accordance with BS 5410 Parts 1 & 2.
- Cable ties provided.



Service Reminder (Liquid Fuel) Sticker / Tag

REGPLO4

Pack of 8 stickers/tags

- Measures approx. 100mm x 125mm.
- Great for repeat business and recommendations.
- Reminds your customers who you are and the work you've done.
- Reminds customers of the importance of regular servicing and inspection.
- Cable ties provided.



Warning - This Tank Contains Kerosene Sticker

REGPLO8

Pack of 5 stickers

- Measures approx. 210mm x 148mm.
- Tank storage safety label for tanks containing Kerosene.



Stickers & Tags

REGEP20**Warning Do Not Use Tag****Pack of 8 tags**

- Ensure that an electrically unsafe appliance/equipment/installation is brought to the attention of the user and requires remedial work, or further investigation.

REGEP21**Warning Do Not Use Sticker****Pack of 8 stickers**

- Ensure that an electrically unsafe appliance/equipment/installation is brought to the attention of the user and requires remedial work, or further investigation.

REGEP22**Warning Disconnection Sticker****Pack of 8 stickers**

- Remind electrically competent persons to disconnect the electrical supply before removing electrical access covers.

REGEP23**Danger Live Terminals Sticker****Pack of 8 stickers**

- Alerts to the fact that live terminals are present within an enclosure.

REGEP24**Danger 230 Volts Sticker****Pack of 8 stickers**

- Warns of the presence of 230V.

REGEP25**Warning Isolate Supply Sticker****Pack of 8 stickers**

- Remind electrically competent persons to isolate the electrical supply before removing electrical access covers.

Stickers & Tags

**Warning Connection
Do Not Remove Sticker****REGE26**

Pack of 8 stickers

- Identifies the main earth safety electrical connections.

**Caution Wiring I.D. Sticker****REGE27**

Pack of 8 stickers

- Draws attention to the fact that the installation contains cable colours of two different versions of BS 7671.

**Important Inspection Reminder
Sticker****REGE28**

Pack of 8 stickers

- Reminds the user of the importance of periodic inspections.

**Important Safety Device Sticker****REGE29**

Pack of 8 stickers

- Warns of the importance of testing the protective device by affixing this highly visible label to the consumer unit.

**Warning Isolation Tag****REGE30**

Pack of 8 tags

- Quick and efficient means of identifying that the electrical supply source has been isolated.

**Equipotential Warning Tag****REGE31**

Pack of 8 tags

- Advise the location of a property's equipotential bond connection for the gas supply.



Location Plates

REGP95**Do Not Operate Plate****Pack of 8 notice plates**

- Approx. 80mm x 150mm plastic with pre-drilled hole.
- Clearly visible notice plate.
- Made from hard wearing plastic.
- Cable ties supplied.

REGP96**Emergency Control Valve Plate****Pack of 8 location plates**

- Approx. 98mm x 66mm plastic with pre-drilled hole.
- Clearly visible notice plate.
- Made from hard wearing plastic.
- Cable ties supplied.

REGP97**Gas Isolation Valve Plate****Pack of 8 location plates**

- Approx. 98mm x 66mm plastic with pre-drilled hole.
- Clearly visible notice plate.
- Made from hard wearing plastic.
- Cable ties supplied.

REGP98**Emergency Control Valve Location Plate****Pack of 8 location plates**

- Approx. 98mm x 66mm plastic with pre-drilled hole.
- Clearly visible notice plate.
- Made from hard wearing plastic.
- Cable ties supplied.

REGP99**Meter Housing Key I.D. Plate****Pack of 8 location plates**

- Approx. 98mm x 66mm plastic with pre-drilled hole.
- Clearly visible notice plate.
- Made from hard wearing plastic.
- Cable ties supplied.

REGP94**Lock Off Plate / Tag****Pack of 8 notice plates**

- Approx. 150mm x 40mm plastic with pre-drilled hole.
- Clearly visible notice plate.
- Made from hard wearing plastic.
- Cable ties supplied.

Paint Marker Pens


Paint Marker Pens

See below

Fast drying, multi-surface, paint marker pens

Paint Marker Pens can be used exactly like regular ink permanent markers, but without the drawbacks typically associated with them. The acrylic paint is highly tenacious, able to write on almost any surface, and on any substrate colour. The very high opacity ensures outstanding colour vibrancy and visibility, and the advanced pigment technology delivers very long lasting, zero fade performance. Tenacious resin binds paint to the writing surface almost eliminating the problems associated with accidental rub-off and will not wash off with water/rain.

- Excellent opaque coverage, even on dark surfaces.
- Fast drying.
- Durable tip with valve action to prevent excess paint flow.
- Medium thickness point ($\approx 3\text{mm}$).
- Easy, accurate application.
- Multi-surface. Can be used on: metal, rubber, glass, textile, paper, enamel, plastic, cardboard, tiles, wood and many more.
- Colours available:
 - **REGM50 Yellow:** for Gas Pipes
 - **REGM51 Red:** for Hot Water Pipes
 - **REGM52 Blue:** for Cold Water Pipes
 - **REGM53 Black:** for Waste Pipes and general purpose




Regin Products Ltd are the Exclusive distributor of Ambersil paint marker pens to the heating & plumbing industry.

Consumables

Tapes & Labels

REGA01

Traceable Underground Tape - GAS



50 metre roll

- Available in 75mm (approx. 3 inch) wide x 50 metre long rolls and 0.1mm thick.
- Clearly marked and manufactured in industry recognised colours.
- Regin Traceable Underground Tape is used for accurately locating and preventing damage to valuable underground utility installations. It has an aluminum backing to make underground assets easy to find using a non-ferrous locator.
- This tape can quickly and easily be placed to provide warning of hazardous or dangerous situations on construction sites, road repairs or work sites.
- Properly installed, Regin Traceable Underground tape helps avoid catastrophically inaccurate digging when locating utilities.
- Regin Traceable Underground Tape is a non-adhesive reinforced tape for use by professionals in safety, construction, mining, hardware, utilities, and many other industries.

REGA02

Traceable Underground Tape - LIQUID FUEL



50 metre roll

- Available in 75mm (approx. 3 inch) wide x 50 metre long rolls and 0.1mm thick.
- Clearly marked and manufactured in industry recognised colours.
- Regin Traceable Underground Tape is used for accurately locating and preventing damage to valuable underground utility installations. It has an aluminum backing to make underground assets easy to find using a non-ferrous locator.
- This tape can quickly and easily be placed to provide warning of hazardous or dangerous situations on construction sites, road repairs or work sites.
- Properly installed, Regin Traceable Underground tape helps avoid catastrophically inaccurate digging when locating utilities.
- Regin Traceable Underground Tape is a non-adhesive reinforced tape for use by professionals in safety, construction, mining, hardware, utilities, and many other industries.

Tapes & Labels

Aluminium Foil Tape

REGJ70**REGJ71****REGJ72**

- 45 metre roll.
- Class "O" fire rated.
- BS476 Part 6 & 7.
- High temperature resistance.
- Water resistant.

Sizes available:

- **REGJ70:** 48mm wide
- **REGJ71:** 72mm wide
- **REGJ72:** 96mm wide

**Multi-Purpose Silicone Temporary Repair Tape****REGJ01****WRAS Approved**

- Multi-Purpose Clear Silicone Temporary Repair Tape.
- WRAS Approved.
- 3.6m roll.
- Self-fusing 'wrap & repair' silicone based tape.
- Simply stretch & wrap to repair water/plumbing leaks, insulate cables, seal & secure connectors, bind rope ends to prevent fray, exhaust & automotive repair and much more.



Tapes & Labels

REGA05**GAS Tape**

- 33 metre roll
- 48mm wide.

REGA06**GAS Tape - Extra Long Roll - 66m**

- 66 metre roll
- 50mm wide.

REGA07**OIL Tape**

- 33 metre roll
- 50mm wide.

REGA10**ON/OFF Tape**

- 33 metre roll
- 38mm wide.

REGA15**DANGER DO NOT USE Tape**

- 33 metre roll
- 25mm wide.

Tapes & Labels

HEATING Tape

REGA20

- 33 metre roll
- 38mm wide.



HOT WATER Tape

REGA25

- 33 metre roll
- 38mm wide.



DOMESTIC HOT WATER Tape

REGA30

- 33 metre roll
- 38mm wide.



COLD WATER Tape

REGA35

- 33 metre roll
- 38mm wide.



HOT WATER FLOW Tape

REGA37

- 33 metre roll
- 38mm wide.



HOT WATER RETURN Tape

REGA38

- 33 metre roll
- 38mm wide.



Tapes & Labels

REGA40**DOMESTIC COLD WATER Tape**

- 33 metre roll
- 38mm wide.

REGA45**Black Arrow on Yellow Tape**

- 33 metre roll
- 38mm wide.

REGA46**White Arrow on Blue Tape**

- 33 metre roll
- 38mm wide.

REGA50**White Arrow on Green Tape**

- 33 metre roll
- 38mm wide.

REGA55**LPG Tape**

- 33 metre roll
- 38mm wide.

REGA60**DRINKING WATER Tape**

- 33 metre roll
- 38mm wide.

Tapes & Labels

Double Sided Foam Sealing Tape

REGJ55

Pack of 3 rolls

- Each roll is 3 metres long, 12mm wide, 1.5mm thick.
- Temperature range: (-40°C to +70°C).

Please note: Not to be used as a boiler case seal.



Single Sided Foam Sealing Tape

REGJ60

Pack of 2 rolls

- Each roll is 4 metres long, 12mm wide, 12mm thick.
- Temperature range: (-40°C to +120°C).

Please note: Not to be used as a boiler case seal.




Boiler Case Seal

See below

5 metre roll (1 roll per pack)

- Expanded EPDM/Neoprene Sponge sealing strips.
- Adhesive backed.



ASTM Designation	D-1056-68 D-1056-78 D-1056-85 Suffix Letters	SCE-42 RE-42 2A2 CE E MP
MIL-R-6130C		11-A
Type Grade		Soft
Condition		Medium
PHYSICAL PROPERTIES		
Colour		Black (Grey)
Compression Deflection		5-9
25% (PSI) (KN/m²)		(35-63)
Ultimate Tensile Strength		100
(Typical Properties PSI KN/m²)		(700)
Elongation (Typical Properties) %		175
Density (lb/cu ft)		7 + 2
(g/cc)		120 Kg/M³
Fluid Immersion 7 Days at 73°F		250
Ref. Fuel B. Weight Change max %		
Accelerated Ageing - 7 Days at 158°F		
Flexibility 180° Bend Without Cracking		Pass
Appearance Change		None
Change in compression Deflection		+ 30%
Water Absorption Max. Weight %		5
K. Factor		.30
Flame Resistance UL94HF.1		Pass
Service Temperature	Low	-40°F
	High	250°F/121°C
Intermittent		

**REGJ56**

- **REGJ56:**
10mm thick x
10mm wide x 5m

**REGJ57**

- **REGJ57:**
5mm thick x
10mm wide x 5m

**REGJ58**

- **REGJ58:**
10mm thick x
15mm wide x 5m

**REGJ59**

- **REGJ59:**
5mm thick x
15mm wide x 5m

Tapes & Labels

REGJ75**Duct Tape - Black**

50 metre roll

- General purpose adhesive cloth duct tape.
- 48mm wide.
- Polythene coated cloth tape.
- Aggressive high tack adhesive.
- Temperature range 0°C to 70°C.
- For general purpose jointing, sealing, repairing, weatherproofing, packing and many other uses.

*See below***PVC Insulation Tape**

Suitable for electrical insulation, binding, colour coding and general work.

- Conforms to BS3924.
- 19mm wide
- 20m long.
- Flame retardant.

Colours available:

- **REGQ641:** Black
- **REGQ642:** Red
- **REGQ643:** Green/Yellow Stripe
- **REGQ644:** Green
- **REGQ645:** Yellow
- **REGQ646:** Blue
- **REGQ647:** White
- **REGQ648:** Brown

Tapes & Labels

Standard PTFE Tape

REGJ64

12 metre roll

- Complies to BS7786: 1995 Grade L.
- WRAS approved.



Gas Spec. PTFE Tape (One Wrap)

REGJ65

5 metre roll

- Complies to BS.EN. 751-3 1997.
- Can be used on threaded assemblies carrying Natural Gas, LPG, liquids etc.



GAS Pipe Label

REGQ630

8 per pack

- Self adhesive.
- Easy-Peel-Off backing.



HOT WATER Pipe Label

REGQ632

8 per pack

- Self adhesive.
- Easy-Peel-Off backing.




COLD WATER Pipe Label

REGQ634

8 per pack


- Self adhesive.
- Easy-Peel-Off backing.



Solder Mats

REGY12**Premier Solder Mat****1300°C**

- 29 cm x 19 cm.
- Withstands temperatures of up to 1300°C.
- High quality construction.
- Longer lasting.

REGY10**Turbo Pad****1000°C**

- Approx. 23 cm x 23 cm.
- Withstands temperatures of up to 1000°C.
- Filled mat suitable for use with turbo torches.

REGY05**Solder Mat****600°C**

- Approx. 25 cm x 25 cm.
- Withstands temperatures of up to 600°C.
- Economical DIY type mat.

Leak Detection

Premier Gas Leak Detection Aerosol

REGLO1

300ml

- Meets the requirements of EN14291:2004.
- Safe detection of positive leaks.
- Suitable for use with most gases.
- Compatible with most metals and plastics.
- Specially equipped with a 360° valve to enable use at all angles.
- Fast and easy application.



Leak Detection Fluid

REGLO5

120ml

- Complete with brush for application.
- Suitable for use with most gases.
- Compatible with most metals and plastics.



Leak Detection Atomiser

REGL10

250ml

- Pump action applicator.
- Suitable for use with most gases.
- Compatible with most metals and plastics.



Service Aerosols & Paints

REGZ06**Non-Flammable Air Spray**

120ml

- Regin Premier Air Spray is a liquified, non-flammable* gas and provides a dry, powerful blast for easy removal of dust and other loose contamination.
- This aerosol has been fitted with a 360° valve to enable use at all angles.
- This product has been formulated without the use of any CFCs or HCFCs.

* According to Directive 2008/47/EC.

**REGZ65****REGZ66****Back to Black Coal Paint****REGZ65****REGZ66**

Revolutionary product - The original black pigment, as used by much of the fireplace industry.

- Quick, safe and easy to use.
- OEM pigment for use in gas fires up to 1100°C.
- Typically restores up to four complete fires*.

(*200ml aerosol)

- Available in two options / sizes:

- **REGZ65** - 200ml Aerosol Spray
- **REGZ66** - 30ml Brush-on Bottle



Service Aerosols & Paints

Premier Giant Boiler Case Cleaner

REGZ07
500ml

Regin Premier Boiler Case Cleaner is a unique anti-static foaming cleaner based on a blend of surfactants, solvents, inhibitors and water. It has been formulated without hydrocarbon propellants and is therefore non-flammable. Ideal for cleaning stubborn or ingrained dirt from all hard surfaces. Invaluable where water is not readily available.

- Quickly & easily removes all types of dirt, grease and stains from hard surfaces and fabrics.
- Non-flammable formula anti-static foaming cleaner.
- Unrivalled in performance.



Premier Giant Silicone Spray

REGZ09
500ml. WRAS Approved

Regin Premier Silicone Spray is a general purpose, medium duty silicone lubricant, which exhibits excellent anti-stick and slip properties. Perfect for use anywhere that sticking or fusing causes problems. It is particularly useful for lubricating plastic piping.

- General purpose silicone lubricant.
- Exhibits excellent anti-stick and slip properties.
- Ideal for use where a clean, colourless lubricant is required.
- Safe to use on wood, glass, fabrics, metals, most plastics, rubbers and hard surfaces.



Spray-On Adhesive

REGZ10
500ml

- Gives exceptionally strong adhesion for a wide range of demanding uses.
- Ideal for use on a variety of materials such as paper, rubber, wood, cork, carpet, metal, etc.



Sealants etc

REGZ31
REGZ32**Flue'n'Fire Seal 1500°C**
Silicate Cement

150ml



Regin Flue'n'Fire Seal High Temperature Resistant Silicate Cement Sealant is specifically designed for permanently repairing and sealing joints, cracks and fissures in fireplaces, ovens, chimneys and other surfaces where heat resistance is required. It can also be used for the repairing and assembling of vehicle exhaust systems.

- Heat resistant to 1500°C.
- Good adhesion to metal, brick and concrete.
- Can be overpainted.
- Primers not required.
- Easy to use.
- Supplied with nozzle.
- Multi purpose.

• **Colours available:**

- **REGZ31** - Natural (medium brown)
- **REGZ32** - Black

Design may vary

REGZ35
REGZ36
REGZ37**High Temperature Silicone Sealant**

310ml



- A general purpose silicone with a high temperature tolerance.
- 3 colours available.
- Withstands temperatures of up to 300°C (REGZ36 - 225°C).
- Provides excellent adhesion to a wide range of surfaces, including metal, glass and glazed ceramics.
- Cures at room temperature.
- Remains flexible from -60°C to +300°C (REGZ36 - 225°C).

• **Colours available:**

- **REGZ35** - White
- **REGZ36** - Clear
- **REGZ37** - Black

Design may vary

Sealants etc

Firestop Intumescent White Sealant**REGZ34****310ml**

- Water based acrylic.
- 4 hour fire rated.
- Can be overpainted.
- High density acoustic sealing formula.
- BS476 pt 20. ISO 11600.
- White in colour.
- Minimum 100% expansion.
- Can be used in joints up to 25mm wide.
- Can be used for: Pipe, cable and channel entries through walls and floors, and internal perimeter joints around fire doors.
- Can be used in contact with most building and decorating materials.

**Premier Sealant Gun****REGB81**

- Suitable for use with all 310ml cartridges up to 220mm length including REGZ34, REGZ35, REGZ36 and REGZ37.
- Very strong construction (in order to deal with the high viscosity of our silicones and silicates).
- Includes tip cutter, just insert the nozzle of the cartridge and squeeze the handle.
- Tip piercer/cleaner for clearing sealant from dried nozzles.
- Hook end suitable for attaching to user's belt.

**Premier Stumpy Sealant Gun****REGB83**

- Specifically designed for REGZ31 & REGZ32 Silicate Cement (smaller for more control and access in confined spaces).
- Very strong construction (in order to deal with the high viscosity of our silicones and silicates).
- Includes tip cutter, just insert the nozzle of the cartridge and squeeze the handle.
- Tip piercer/cleaner for clearing sealant from dried nozzles.
- Hook end suitable for attaching to user's belt.



Sealants etc

REGZ40**REGZ41****Silicone Grease (WRAS Approved)****REGZ41**

Design may vary

50ml tube or 250ml tub

- Water-repellent, non-melting, tasteless and odourless grease used for electrical insulation purposes and specific lubrication of boiler parts when in contact with potable water.
- Temperature range: -40°C to +200°C.
- WRAS (Water Regulations Advisory Scheme) Approved.
- **Available in two sizes:**
 - **REGZ40** - 50ml (approx. 50g) tube
 - **REGZ41** - 250ml (approx. 250g) tub

REGZ20**Heat Sink Compound**

25g

- High thermal stability silicone compound. Non-setting. Used to maintain a positive heat sink seal.
- Evenly dissipates heat at the probe for clamp-on and dry pocket boiler overheat thermostats.
- Temperature range: -50°C to 200°C.

REGZ15**Gas Tap Lubricant
(Gas Cock Grease)**

50g

- Resistant to Natural Gas and LPG.
- Temperature range: 0°C to +160°C.

Sealants etc

Gas & Water Jointing Compound

REGM20

250g

- Soft setting non-petroleum based thread sealant for use with potable water and mains gas.
- WRAS Approved for use on cold potable water systems.
- Suitable for use on gas installation pipe-work as a class A, Arp and class B thread sealant as defined by BS751-2:1997.
- Non-toxic.
- 250g.



Heldite Universal Sealant

REGM08

250ml with brush applicator

HELDITE is a high performance sealant for preventing leakage of Oils, Hydraulic Fluids, Water, Steam, Gases, Coolants and Fuels (excluding ethanol) in all branches of Automotive, Auto Mechanical, Electrical and General Engineering, Plumbing, Heating and Pipeline Services.

- Flexible and adhesive.
- Completely waterproof.
- Non-abrasive, anti-corrosive and inert.
- Temperature range: -40°C to +350°C.

Not compatible with Ethanol and potable water.



Zoom Spout® Oiler

REGZ22

The original Zoom Spout Oiler

- Each Zoom Spout Oiler is filled with 4 fl oz (us) (118ml) of Unocal 76 Turbine Oil - a superior general purpose lubricating oil.
- ISO 32 grade (viscosity) oil.
- Features a flexible, telescoping, non-conductive plastic spout that extends from approx. 7½" (190mm) to 13½" (340mm).
- Flash point 210°C.
- Zoom Spout Oilers are used the world over by heating & ventilation engineers, maintenance personnel, mechanics and many more.
- Ideal for use on: Fans, Bushings, Electric motors (fractional to 5hp), Gear sets, Compressors, Linkages, Vacuum pumps, Bearings, Blowers and many more.



Water Treatments

REGL30

Central Heating Cleaner



- Disperses sludge, limescale and other deposits.
- Treats up to 10 radiators - 1 bottle for a typical heating system.
- 500ml treats up to 100 litres.
- For use in accordance with BS7593:2006
- Suitable for Mixed Metal Systems.
- Filling Kit available (REGL45).



REGL40

System Guard® Central Heating Inhibitor



- Prevents corrosion and limescale.
- Buildcert Approved.
- Treats up to 10 radiators - 1 bottle for a typical heating system.
- 500ml treats up to 100 litres.
- For use in accordance with BS7593:2006
- Suitable for Mixed Metal Systems.
- Filling Kit available (REGL45).



REGL45

Treatment Filling Kit



- For use with Regin & other suitable central heating treatments.
- Connects 500ml bottles, with 38mm standard caps, to central heating system.

Glass Yarn & Fixative


Consumables

Braided Glass Yarn

REGY16**REGY21****REGY23**

5m

- Maximum working temperature of 550°C.
- Asbestos free.
- Braided construction.
- Suitable for ovens, boilers etc.
- **REGY16** - 6mm diameter.
- **REGY21** - 10mm diameter.
- **REGY23** - 12mm diameter.

REGY16**REGY21****REGY23**

Design may vary

Glass Yarn Fixative

REGY25**REGY30**

- Heat resistant to 850°C.
- For adhering glass yarn to metal and glass.
- **REGY25** - 30ml.
 - Complete with brush on applicator.
- **REGY30** - 120ml.
 - Complete with nozzle applicator.
 - Large size ensures value for money.

REGY30**REGY25**

Design may vary

Inspection Hatches

See below

Inspection Hatches




Regin's range of hinged plastic inspection hatches provide a simple, low cost, high quality solution for access to building services in walls and ceilings. The plastic access panels are produced from refined high impact plastic, injection moulded into a slim profile frame, with smooth rounded corners. This provides a lightweight solution, enabling easy and rapid installation into all types of wall or ceiling construction.

- Provides the perfect solution for access to services.
- Produced from UV stable ABS, the white finish will not discolour. Surface will accommodate a paint or wallpaper finish if required.

Sizes available:

- **REGH150** - 100mm x 150mm
- **REGH150L** - 150mm x 150mm
- **REGH230** - 150mm x 230mm
- **REGH200** - 200mm x 200mm
- **REGH300** - 300mm x 300mm
- **REGH350** - 350mm x 350mm
- **REGH450** - 450mm x 450mm



REGH300FR

Fire Rated Inspection Hatch



- Regin high quality 1-hour fire rated access panel is tested to B.S.476: Part 22:1987. It provides access into all types of wall and ceiling construction voids.
- The 1.2mm powder coated zintec steel panels have a slim profile, producing a lightweight, robust panel where access to building services is required.
- The metal frame holds a flush metal door through sliding pin hinges and is held closed with a lock (budget type).
- It is available in 300mm x 300mm size.
- As standard all doors are powder coated in white RAL 9010 with 20% gloss.
- The 25mm frame fits over the plasterboard and is visible.

Dust Sheets & Work Mats

Plumbers Work Mat

REGM25
REGM26

Available in two sizes

- The Regin Plumbers Work Mat is a durable waterproof absorbent everyday work mat giving professional consideration to customers' floors and surfaces safeguarding against possible insurance claims.
- Featuring pipe slots on all four sides, complete with velcro anchor straps.
- Double eyelets for hanging and securing.
- Dirt resistant waterproof backing.
- Water absorbent lining.




• Two sizes available:

- **REGM25** - Standard:
1550mm x 680mm.
- **REGM26** - Large:
2400mm x 1400mm.



Consumables

Dust Sheets & Work Mats

REGM38**Engineers Service Mat**

100cm x 73cm

- Helps protect hearths and work surfaces when removing appliances.
- Resists temperatures up to 100°C.
- Velcro pads to avoid slipping.
- Water resistant.

REGM35**4' x 4' Calico Cotton Dust Sheet**

4' x 4' (122cm x 122cm)

- Professional quality.
- 100% Natural Cotton.
- Fine weave.
- Protects furniture & floors.
- Reusable.
- Machine washable.

**Machine Washable****REGM36****12' x 9' Calico Cotton Dust Sheet**

12' x 9' (366cm x 274cm)

- Professional quality.
- 100% Natural Cotton.
- Fine weave.
- Protects furniture & floors.
- Reusable.
- Machine washable.

**Machine Washable**

Dust Sheets & Work Mats

12' x 9' Cotton Twill Heavyweight Dust Sheet

REGM34

12' x 9' (366cm x 274cm)

- 100% Natural Cotton.
- Heavyweight Cotton Twill weave.
- For covering furniture & floors.
- For general purpose protection.
- Reusable.
- Machine washable.



Machine Washable



6' x 3' Laminated Dust Sheet

REGM29

6' x 3' (183cm x 91cm)

- Professional quality.
- Cotton with Polythene Laminate.
- Double protection.
- Helps prevent paints & liquids passing through.
- Water resistant.
- Reusable.



Laminated



12' x 9' Laminated Dust Sheet

REGM39

12' x 9' (366cm x 274cm)

- Double protection.
- Cotton with Polythene Laminate.
- Helps prevent paints & liquids passing through.
- Strong hard wearing cotton resists wear.
- Water resistant.
- Reusable.



Laminated



Kits

REGK07**Premier Professional Fuse Kit**

- A comprehensive 180 piece kit containing 20 types of glass and ceramic quick blow and anti-surge fuses suitable for heating installers.
- Measures approx. 238mm x 175mm.
- Replenishment of all fuses available via our Bits'n'Bolts range (see page 156).



REGQ138 500mA Qty: 10	REGQ140 1A Qty: 10	REGQ141 2A Qty: 10	REGQ142 3.15A Qty: 10	REGQ144 4A Qty: 10	REGQ151 500mA Qty: 10
REGQ152 1A Qty: 10	REGQ153 1.6A Qty: 10	REGQ154 2A Qty: 10	REGQ155 3A Qty: 10	REGQ148 5A Qty: 5	REGQ145 3A Qty: 10
REGQ147 5A Qty: 10	REGQ149 13A Qty: 10	REGQ156 1A Qty: 10	REGQ150 1A Qty: 5	REGQ159 1.25A Qty: 10	REGQ143 3.15A Qty: 10

REGK05**Boiler First Aid Kit**

- 28 commonly used fixings for a wide range of major boiler manufacturer's appliances with a further 4 Regin products needed for everyday service work. Supplied in a high quality Regin / Raaco assorter case.
- Measures approx. 335mm x 240mm.
- Kit comprises:

REGQ07 Qty: 10	REGQ05 Qty: 15	REGQ04 Qty: 20	REGQ71 Qty: 10	REGQ70 Qty: 10	REGQ03 Qty: 20	REGQ02 Qty: 20	REGQ160 Qty: 2
REGQ06 Qty: 10	REGQ01 Qty: 20	REGQ08 Qty: 20	REGP36 Qty: 6	REGY16 6mm x 5 metres	REGQ32 Qty: 30	REGQ33 Qty: 30	
REGQ001 Qty: 30	REGQ090 Qty: 30	REGQ100 Qty: 30	REGZ20 25g	REGY25 30ml	REGQ01 Qty: 30	REGQ081 Qty: 5	
REGQ145 Qty: 3	REGQ141 Qty: 3	REGQ140 Qty: 3	REGQ110 Qty: 8	REGQ111 Qty: 6	REGQ220 Qty: 10	REGQ127 Qty: 6	REGQ80 Qty: 5

Kits

Consumables

Premier Washer Kit

REGK09

A comprehensive 145 piece kit containing 9 types of fibre and rubber washers suitable for heating engineers.

Products marked* are made with a WRAS Approved material and are suitable for use with potable water and Natural Gas.

Kit comprises:

REGQ190 Rubber Pump Washers Qty: 10	REGQ109 Fibre Pump Washers Qty: 10	REGQ108 1 1/4" Fibre Washers Qty: 10 *
REGQ107 1" Fibre Washers Qty: 15 *	REGQ106 3/4" Fibre Washers Qty: 20 *	REGQ105 1/2" Fibre Washers Qty: 20 *
REGQ104 3/8" Fibre Washers Qty: 20 *	REGQ103 1/4" Fibre Washers Qty: 20 *	REGQ102 8x4x1.5mm Fibre Diff. Washers Qty: 20 *



Installers Service Kit

REGM70

• Kit comprises:

Toolbox
12" 'U' Gauge
2m Rubber tube
'U' Gauge fluid
10mm Continuity bond
120ml Leak detection fluid
250ml Leak detection spray
Pressure test kit
'GAS' tape
'ON/OFF' tape
FUMAX smoke pellets (10)
FUMAX KS smoke pellets (10)
Smoke matches (75)
Aluminium tape 48mm x 45m
Danger Do Not Use stickers (8)



Kits

REGK15**Engineers Electrical Kit**


- 12 commonly used fuses and electrical components needed for everyday service work.
- Measures approx. 175mm x 130mm.

REGQ140 Quick Blow 20mm 1A Fuse (3)	REGQ141 Quick Blow 20mm 2A Fuse (3)	REGQ145 Standard 25mm 3A Fuse (3)	REGQ147 Standard 25mm 5A Fuse (3)
REGQ149 Standard 25mm 13A Fuse (3)	REGQ200 Blue Insulated Ring (10)	REGQ205 Blue Butt Connector (10)	REGQ210 Red Push-On Male Connector (10)
REGQ215 Red Push-On Female Connector (10)	REGQ220 Red Ignition Lead Female Connector (10)	REGQ222 P.C.B. Support Post Type 2 (3)	REGQ223 P.C.B. Support Post Type 3 (3)

REGK17**Engineers Fuse Kit**

- 12 commonly used fuses needed for everyday service work.
- Measures approx. 175mm x 130mm.

REGQ138 Quick Blow Fuse 20mm 500mA (3)	REGQ140 Quick Blow Fuse 20mm 1A (3)	REGQ141 Quick Blow Fuse 20mm 2A (3)	REGQ151 Quick Blow Fuse 32mm 500mA (3)
REGQ152 Quick Blow Fuse 32mm 1A (3)	REGQ153 Quick Blow Fuse 32mm 1.5A (3)	REGQ154 Quick Blow Fuse 32mm 2A (3)	REGQ155 Quick Blow Fuse 32mm 3A (3)
REGQ156 Anti-Surge Fuse 20mm 1A (3)	REGQ145 Ceramic Fuse 25mm 3A (3)	REGQ147 Ceramic Fuse 25mm 5A (3)	REGQ149 Ceramic Fuse 25mm 13A (3)

REGK20**Plumbers Mechanical Kit**

- 12 commonly used screws and fixings needed for everyday service work.
- Measures approx. 175mm x 130mm.

REGQ31 1/4" x 8 S/Tap Pozi Screw (Steel) (30)	REGQ32 1/2" x 8 S/Tap Pozi Screw (Steel) (30)	REGQ70 M4 C/P Steel Wing Nut (10)	REGQ71 M5 C/P Steel Wing Nut (10)
REGQ80 No. 8 'U' Nut (6)	REGQ81 No. 8 Angle Nut (6)	REGQ82 No. 8 Folded Nut (6)	REGQ83 No. 8 Dished Nut (6)
REGQ125 4mm Olive (Pilot Tube) (6)	REGQ127 6mm Olive (Pilot Tube) (6)	REGQ160 Brass Pressure Test Nipples (2)	REGQ316 RSM Pack (Boreweld Connectors) (1)

Kits

Consumables

Engineers Olive / Washer Kit

REGK25

- 12 commonly used olives and washers needed for everyday service work.
- Measures approx. 175mm x 130mm.

REGQ125 4mm Brass Olive (6)	REGQ127 6mm Brass Olive (6)	REGQ128 8mm Brass Olive (5)	REGQ129 10mm Brass Olive (5)
REGQ132 12mm Brass Olive (4)	REGQ130 15mm Brass Olive (6)	REGQ131 22mm Brass Olive (3)	REGQ112 1" Fibre Washer (3)
REGQ111 3/4" Fibre Washer (6)	REGQ110 1/2" Fibre Washer (8)	REGQ186 1" Meter Washer (5)	REGQ185 3/4" Meter Washer (5)



Plumbers Washer Kit

REGK26

- A selection of 200 rubber and fibre washers for a wide variety of applications.
- Measures approx. 175mm x 130mm.

REGQ121 1/2" Fibre Washer Y.L.F. (20)	REGQ192 1/2" Draw Off Tap Washer (20)	REGQ124 1/2" Ball Valve Sealing Washer (20)	REGQ193 Rubber Bottle Tap Washer (5)
REGQ122 1/2" Cap & Lining Washer (20)	REGQ123 3/4" Cap & Lining Washer (20)	REGQ194 1/2" Shower Hose Washer (20)	REGQ195 3/4" Washing Machine Hose Washer (10)
REGQ120 1/2" Flex Tap Conn. Washer (20)	REGQ191 3/4" Flex Tap Conn. Washer (15)	REGQ190 Circulation Pump Washer (4)	REGQ111 3/4" Fibre Washer (6)



Regin / Raaco Organiser Case

REGT24

- Excellent organiser case for the busy tradesman.
- 25 removeable inserts.
- Measures approx. 335mm x 240mm.



12 Compartment Organiser Case

REGT12

- Excellent organiser case for the busy tradesman.
- Measures approx. 175mm x 130mm.



O-Ring Kits

REGK21**O-Ring Kit - Imperial**

A selection of 382 high quality Nitrile (NBR 70) O-Rings in 30 different imperial sizes (BS1806)

- Temperature range: -30°C to 120°C.
- Suitable for use with Natural Gas.
- Kit comprises:

REGQ701	1/8" x 1/16" (2.90mm x 1.78mm) (20)
REGQ702	5/32" x 1/16" (3.68mm x 1.78mm) (20)
REGQ703	3/16" x 1/16" (4.48mm x 1.78mm) (20)
REGQ704	7/32" x 1/16" (5.28mm x 1.78mm) (20)
REGQ705	1/4" x 1/16" (6.07mm x 1.78mm) (20)
REGQ706	5/16" x 1/16" (7.66mm x 1.78mm) (20)
REGQ707	3/8" x 1/16" (9.25mm x 1.78mm) (20)
REGQ708	3/8" x 3/32" (9.19mm x 2.62mm) (13)
REGQ709	7/16" x 3/32" (10.78mm x 2.62mm) (13)
REGQ710	1/2" x 3/32" (12.37mm x 2.62mm) (13)
REGQ711	9/16" x 3/32" (13.95mm x 2.62mm) (13)
REGQ712	5/8" x 3/32" (15.54mm x 2.62mm) (13)
REGQ713	11/16" x 3/32" (17.13mm x 2.62mm) (13)
REGQ714	3/4" x 3/32" (18.72mm x 2.62mm) (13)
REGQ715	3/4" x 1/8" (18.64mm x 3.53mm) (10)
REGQ716	13/16" x 1/8" (20.22mm x 3.53mm) (10)
REGQ717	7/8" x 1/8" (21.82mm x 3.53mm) (10)
REGQ718	15/16" x 1/8" (23.40mm x 3.53mm) (10)
REGQ719	1" x 1/8" (24.99mm x 3.53mm) (10)
REGQ720	1 1/16" x 1/8" (26.58mm x 3.53mm) (10)
REGQ721	1 1/8" x 1/8" (28.17mm x 3.53mm) (10)
REGQ722	1 3/16" x 1/8" (29.75mm x 3.53mm) (10)
REGQ723	1 1/4" x 1/8" (31.34mm x 3.53mm) (10)
REGQ724	1 5/16" x 1/8" (32.92mm x 3.53mm) (10)
REGQ725	1 3/8" x 1/8" (34.52mm x 3.53mm) (10)
REGQ726	1 7/16" x 1/8" (36.10mm x 3.53mm) (10)
REGQ727	1 1/2" x 1/8" (37.69mm x 3.53mm) (10)
REGQ728	1 1/2" x 3/16" (37.47mm x 5.33mm) (7)
REGQ729	1 5/8" x 3/16" (40.65mm x 5.33mm) (7)
REGQ730	1 3/4" x 3/16" (43.82mm x 5.33mm) (7)

O-Ring size refers to inside diameter x cross section (mm).

Quantities of each size in brackets.

O-Rings are available separately.
See pages 154-155 for details.

O-Ring Kits

O-Ring Kit - Metric

REGK22

A selection of 404 high quality Nitrile (NBR 70) O-Rings in 30 different metric sizes

- Temperature range: -30°C to 120°C.
- Suitable for use with Natural Gas.
- Kit comprises:

REGQ751	3mm x 2.0mm (18)
REGQ752	4mm x 2.0mm (18)
REGQ753	5mm x 2.0mm (18)
REGQ754	6mm x 2.0mm (18)
REGQ755	7mm x 2.0mm (17)
REGQ756	8mm x 2.0mm (17)
REGQ757	10mm x 2.0mm (17)
REGQ758	10mm x 2.5mm (14)
REGQ759	11mm x 2.5mm (14)
REGQ760	12mm x 2.5mm (14)
REGQ761	14mm x 2.5mm (14)
REGQ762	16mm x 2.5mm (14)
REGQ763	17mm x 2.5mm (14)
REGQ764	19mm x 2.5mm (14)
REGQ765	19mm x 3.0mm (12)
REGQ766	20mm x 3.0mm (12)
REGQ767	22mm x 3.0mm (12)
REGQ768	24mm x 3.0mm (12)
REGQ769	25mm x 3.0mm (12)
REGQ770	27mm x 3.0mm (12)
REGQ771	28mm x 3.0mm (12)
REGQ772	30mm x 3.0mm (12)
REGQ773	32mm x 3.0mm (12)
REGQ774	33mm x 3.0mm (12)
REGQ775	35mm x 3.0mm (12)
REGQ776	36mm x 3.0mm (12)
REGQ777	38mm x 3.0mm (12)
REGQ778	38mm x 4.0mm (9)
REGQ779	42mm x 4.0mm (9)
REGQ780	45mm x 4.0mm (9)

O-Ring size refers to inside diameter x cross section (mm).

Quantities of each size in brackets.

O-Rings are available separately.

See pages 154-155 for details.



Consumables

Gloves

REGW40**Work Gloves - 'Puggy' Type**

- A lightweight seamless polyester liner with a tough polyurethane coating on the palm.
- Excellent dexterity and grip with improved mechanical protection.

Abrasion Level:	■	■	■	■	■
Cut Level:	■	■	■	■	■
Tear Level:	■	■	■	■	■
Puncture Level:	■	■	■	■	■

REGW45**Work Gloves - Cut Level 3**

- Machine knitted from a special high performance HPPE fibre offering cut level 3 protection.
- Features an extremely light polyurethane coating to the palm and fingertips offering good mechanical protection in dry handling situations.
- Built in Sanitized® hygiene function for increased freshness, hygiene and odour repellence.

Abrasion Level:	■	■	■	■	■
Cut Level:	■	■	■	■	■
Tear Level:	■	■	■	■	■
Puncture Level:	■	■	■	■	■

REGW46**Work Gloves - Cut Level 5**

- A specialised blend of advanced yarns provide maximum cut protection (level 5) in a lightweight, highly versatile glove.
- Flexible PU (polyurethane) coating provides superb dexterity and grip.
- Built in Sanitized® hygiene function for increased freshness, hygiene and odour repellence.

Abrasion Level:	■	■	■	■	■
Cut Level:	■	■	■	■	■
Tear Level:	■	■	■	■	■
Puncture Level:	■	■	■	■	■

Gloves

Work Gloves - Textured Latex Grip

REGW41

- A tough general purpose glove suitable for an extensive variety of applications.
- A premium black crinkle latex coating for excellent grip and durability.
- Lightweight, soft and extremely comfortable.

Abrasion Level:	■	■	■	■	■
Cut Level:	■	■	■	■	■
Tear Level:	■	■	■	■	■
Puncture Level:	■	■	■	■	■



Work Gloves - Nitrile Coating

REGW42

- A lightweight and seamless polyester liner with a tough nitrile coating for excellent dexterity and abrasion resistance.
- Nitrile palm coating gives excellent grip and provides great resistance to oils, fats and grease.

Abrasion Level:	■	■	■	■	■
Cut Level:	■	■	■	■	■
Tear Level:	■	■	■	■	■
Puncture Level:	■	■	■	■	■



Work Gloves - PU Coating

REGW43

- Medium weight nylon seamless construction.
- Tough durable polyurethane coating.
- Excellent dexterity and grip combined with improved mechanical protection.

Abrasion Level:	■	■	■	■	■
Cut Level:	■	■	■	■	■
Tear Level:	■	■	■	■	■
Puncture Level:	■	■	■	■	■



Work Gloves - PU Fingerless

REGW44

- Medium weight nylon seamless construction.
- Tough durable polyurethane coating.
- Excellent dexterity and grip combined with improved mechanical protection.
- Thumb and first two fingers exposed for extra dexterity.

Abrasion Level:	■	■	■	■	■
Cut Level:	■	■	■	■	■
Tear Level:	■	■	■	■	■
Puncture Level:	■	■	■	■	■



Gloves

REGST65**Coolskin Heat Resistant Gloves**

1 pair

- Protects hands against temps up to 350° dry contact heat.
- Contact heat level 3.
- Cut level 5.
- 100% KEVLAR® outer layer.
- Machine washable. Soft and flexible.
- Non allergenic.
- Strong and lightweight.

Abrasion Level:  

Cut Level:  

Tear Level:  

Puncture Level:  

Mini Premier Gauge - Smaller, Lighter, Magnetic

**Reads up to
30mbar
(12in.w.vg)**

**REGU33**

* Other sizes available

**Premier 30
Mini Premier Gauge**

Introducing our new smaller lighter Mini Premier Gauge. Incorporating strong magnets built into the case for hands free use. The compact design is great for servicing.

- A solid acrylic gauge in a tough metal casing.
- Includes strong magnets built-in to the casing for easy storage and when taking measurements.
- Suitable for domestic gas - Up to 30mbar gauge.
- Ideal to fit in smaller maintenance tool kits.
- Easy zero adjustment and a clear accurate scale.
- Blue fluid for ease of reading in poorly lit locations.
- Trap chambers reduce the possibility of fluid loss through spillage or overpressure.
- Hanging slot and strap.
- Supplied in a nylon protective bag.
- Comes pre-filled with fluid.
- Spares available.
- Please note: use only 1.88 SG fluid (REGU70).



**Supplied in
protective
carry case**

Regin

Available from your local Merchant

  
@reginproducts

First Aid & Fire

First Aid Kit

REGM46

HSE 1-5 person

- Complies to current Health & Safety Executive Standards.
- Ideal for vans and cars.
- Measures approx. 22.5cm (w) x 16.5cm (d) x 4.8cm (h).



Large First Aid Kit

REGM47

HSE 1-10 person

- Complies to current Health & Safety Executive Standards.
- Measures approx. 25cm (w) x 19cm (d) x 8.8cm (h).



Fire Extinguisher - Powder 1kg with gauge

REGM44

- 1kg.
- ABC Powder extinguisher.
- Integral gauge.
- Non-toxic dry powder.
- 5 year guarantee.
- Mounting bracket included.



Fire Extinguisher - Powder 600g

REGM45

600g

- Non-toxic dry powder (Sodium Bicarbonate).
- 5 year guarantee.
- Mounting bracket included.



Fire Blanket

REGM48

- Conforms to BS EN1869
- Easy to use.
- Blanket size: 110cm x 110cm.



Wipes & Work Wear

REGW80

Blue Paper Towel Roll



- Approx. 100 sheets per roll.
- 3 ply.
- Highly absorbent.
- Heavy Duty.
- Each sheet measures approx. 25cm x 37cm.

REGW50

Heavy Duty Textured Hand Wipes



70 wipes

- Highly absorbent dual sided textured wipes.
- Helps remove paint, grease, oil, sealants, putty, filler and adhesives.
- Each sheet measures approx. 20cm x 26cm.

REGW31

Engineers Kneeling Mat



450 x 215 x 28mm

- Quality 28mm EVA kneeling mat ideal for the busy engineer.
- Suitable for use on hard floors.
- Lightweight.

Wipes & Work Wear

Regin Branded Black Softex® Beanie Hat

REGW01

Originally these Regin beanie hats were released as a limited edition giveaway through our social media, but as so many people wanted one, we have decided to release these to the merchants to stock so all the trades can get there hands on one.

Our Regin branded beanie hats are 100% genuine Softex® Material, meaning super soft, super warm and comfortable to wear in the coldest of conditions.

Key features:

- Knitted double thickness
- Oversized style
- Super soft
- Lightweight
- 100% Acrylic
- One Size fits all - 19cm x 30cm



Consumables

Hand Sanitising Gel

REGW55

100ml

- Kills/inhibits viruses and bacteria.
- Formulated with 80% alcohol.
- Moisturising.



ID Card Holder

REGM66

- ID card holder complete with lanyard.
- Quick release swivel clip for convenience.
- Safety release clip to prevent injury from snagging.



Batteries

See below

Panasonic Pro Power Alkaline Batteries



REGEAAA4



REGEAA4



REGE C2



REGE D2



REGENV1

- The PRO POWER battery offers premium energy for your personal appliances.
- Developed to provide reliable and dependable power, any place and any time.
- The PRO POWER battery is ideal for high and medium drain appliances.

• Sizes available:

- **REGEAAA4** - AAA (LR03), 1.5V
- **REGEAA4** - AA (LR6), 1.5V
- **REGE C2** - C (LR14), 1.5V
- **REGE D2** - D (LR20), 1.5V
- **REGENV1** - 9V (PP3, 6LR61)

REGEEAA4L

Energizer Ultimate Lithium AA



- One of the world's long lasting AA battery.
- Leak-proof construction protects your devices (based on standard use).
- Powers your most critical devices - ideal for your smart home devices, outdoor surveillance systems, digital cameras and handheld games
- Holds power up to 20 years in storage.

Batteries

Duracell Plus Power Alkaline Battery

See below

- Duracell, the UK's #1 Battery Brand.
- Low temperature performance and high quality mean these batteries will power devices for longer without producing heat.
- They are guaranteed to last longer in devices and have a longer storage life than original Duracell batteries.

• **Sizes available:**

- **REGEDLAAA4** - AAA (LR03), 1.5V
- **REGEDLAA4** - AA (LR6), 1.5V
- **REGEDLC2** - C (LR14), 1.5V
- **REGEDLD2** - D (LR20), 1.5V
- **REGEDLNV1** - 9V (PP3, 6LR61)



Panasonic Photo Lithium CR123A 3V Battery

REGECCR123A

- Delivers a voltage of 3V and can operate through out a large temperature range, from -30°C to +70°C.
- These cells have a very high capacity of 1400 mAh.
- These cells also have a long storage life of up to nine years.
- Panasonic CR123A lithium cells can be used in a wide range of devices and are especially suitable for digital cameras and camcorders which require high currents.



Electrical Connectors with Strain Relief

REGE105
REGE103
**Electrical Connector
with Strain Relief**

REGE105



REGE103


Durable, high quality and long-lasting 3 & 5 way electrical connectors used to make the wiring in boilers far more efficient for servicing and maintenance work. Complete with Strain relief for added safety.

- For flexible, stranded and solid wires with cross-section of 0.75-4.0mm².
- Strain relief for cables with outer diameter of 6.5-14.0mm (for REGE105) and 5.5-12mm (for REGE103).
- Rated voltage: 250V - 400V (UL Rated voltage: 250V).
- Rated current: 20A (UL Rated current: 16A).
- Max. operating temperature: 70°C.
- Min. operating temperature: -30°C (without mechanical stress).
- Complete with locking latch for added security.
- Supplied with 1 x male connector, 1 x female connector, screws & fitting instructions.

Versions available:

- **REGE105** - 5 Way Connector.
- **REGE103** - 3 Way Connector.



Spares

'Tamper Proof' Radvalve Tops**REGR11****Domestic**

- Fast, easy to fit and Tamper-Proof.
- No experience or special tools are required to install them.
- Fits valves up to 15mm.

**'Tamper Proof' Radvalve Tops****REGR12****Commercial**

- Fast, easy to fit and Tamper-Proof.
- No experience or special tools are required to install them.
- Fits valves 1/2" to 1".

**Radiator Bleeder Set****REGR18****1/2" Radiator air vent & blanking plug set**

- Vent can be opened using radiator bleed key (supplied) or a screwdriver.
- Can be rotated to change direction that air/water discharges.

**Radiator Vent Key - Brass Bar Type****REGR19**

- Specially designed for bleeding trapped air from radiators.
- Fits most radiators.



Spares

REGC30**Ignition Lead Multi-Kit**

1500mm lead & accessories

- Cut to required length.
- 2.8mm female connectors.

*See below***Ignition Lead**

- Fitted with 2.8mm push fit spade connectors at each end.

Sizes available:

- **REGC19** - 370mm long.
- **REGC20** - 450mm long.
- **REGC21** - 530mm long.
- **REGC22** - 750mm long.
- **REGC24** - 950mm long.
- **REGC25** - 1000mm long.

REGR13**Regin Radiator Key Keyring**


- Specially designed for bleeding trapped air from radiators.
- Fits most radiators.

Spares


Consumables

Cooker Stability Chain & Hook**REGC40**

- Complete with chain, hook & screws.
- Approx. 400mm long.
- Comes with fittings and bracket.

**Universal Meter Adaptor Plate****REGR30****Universal Fitting**

- Unique patented design.
- Fits all gas meter brackets.
- Firmly secures the meter to the meter bracket.

**Analyser Replacement Filter****REGXA5**

1 per pack

- Replacement filter for Regin Analysers.

**Replacement Instrument Case****REGXP102**

- Replacement padded carry case.
- Suitable for a single unit or device.



Spares

REGC64**REGC66****Pilot Tube Assembly Kit**

- **REGC64 - Aluminium Tube Kit 4mm O.D.**

- **Contents:**

- M10 Brass fitting with snap off olive (sheer off union).
- M10 Brass nut long.
- Aluminium olive.
- M10 Brass nut short.
- M8 Brass nut.
- Brass olive.
- Brass olive typhoon.
- 1000 Aluminium tube BS1471 (4mm od).



- **REGC66 - Aluminium Tube Kit 6mm O.D.**

- **Contents:**

- 2 x M11 Brass fittings with snap off olives (sheer off union).
- 2 x 6mm Brass olive nut.
- R1/4" to 6mm brass body.
- 6mm Brass olive.
- 1220 Aluminium tube BS1471 (6mm od).

*See below***Premier Gauge Replacement Parts**

- **REGU36 - Premier Stopper**

- Replacement stopper for the Regin Premier Gauge.



- Replacement screw & 'O' Ring set for the Regin Premier Gauge.

- **Available in three sizes:**

- **REGU28 - Premier 30 Screw & 'O' Ring Set**
- **REGU38 - Premier 45 Screw & 'O' Ring Set**
- **REGU42 - Premier 60 Screw & 'O' Ring Set**



- Replacement nylon carry case for the Regin Premier Gauge.

- **Available in three sizes:**

- **REGU29 - Premier 30 Nylon Bag**
- **REGU39 - Premier 45 Nylon Bag**
- **REGU41 - Premier 60 Nylon Bag**

Stove Range A comprehensive range of products specifically designed for use on wood or multi-fuel stoves, grates, flues etc	139
Stove Fan	140
Digital Wood Moisture Meter	141
Stove Pipe Thermometer	141
Heat Resistant Gloves	141
Stove Paint	142
Stove Glass Cleaner	142
Chimney & Flue Cleaner	142
Stove & Grate Polish	143
Flue & Fire Seal 1500°C	143
Back to Black Paint	143
Glass Yarn & Fixative	144
Smoke Pellets	145
Smoke Matches	145
Chimney/Hearth Notice Plates	145

Stove Range

Stove Range

REGST86
REGST87

Heat Powered Stove Fan


REGST87

REGST86

The Regin Stove Range Heat Powered Stove Fan is designed to circulate the warm air that is created by a stove operating with normal surface temperature between 65°C and 345°C. The warm air is pushed out into the living area rather than just rising to the ceiling above the stove. Improved warm air circulation results in greater heat dispersion and less fuel consumption. The stove fan does not use batteries or mains power.

The specifically designed blade delivers a very broad cross section of gentle air movement.


The stove fan starts automatically and adjusts its speed with the stove's temperature. It runs faster to move more air into the room as the stove heats up, and automatically slows down and stops as the stove burns down & cools.

- Needs no electricity
- Circulates warm air throughout the room
- Burn less wood
- Silent operation.
- Height of fan: approx. 225mm.


• **Available in two colours:**

- **REGST86:** **Gold Blade**
- **REGST87:** **Black Blade**

Heat dispersion with Stove Fan



Without Stove Fan



Stove Range

Digital Wood Moisture Meter

REGST80

- Measures moisture range from: 3.0% to 40.0%.
- Large, easy-to-read display including speedometer style scale.
- Supplied in Nylon pouch.
- Low battery indication.
- Data-hold function.
- ON/OFF push-button power switch.
- Auto power-off after 15 minutes of inactivity.
- Supplied with battery.



Stove Pipe Thermometer

REGST75

- Monitor the performance of your wood or multi fuel stove.
- Easy to read.
- Attaches magnetically.
- °C and °F scales.
- Improves stove's efficiency.



Stove Heat Resistant Gloves

REGST65

1 pair

- Protects hands against temps up to 350° dry contact heat.
- Contact heat level 3.
- Cut level 5.
- 100% KEVLAR® outer layer.
- Machine washable. Soft and flexible.
- Non allergenic.
- Strong and lightweight.

Abrasion Level:
 Cut Level:
 Tear Level:
 Puncture Level:



Stove Range

REGST10**REGST15**

Stove Paint - Black

REGST15**REGST10**

Regin Premier Stove Range Stove Paint is a very high temperature corrosion resistant non-clogging paint for use on wood or multi-fuel stoves, grates, flues, etc.

- Matt finish.
- Heat resistant to 650°C.
- **Available in two sizes:**
- **REGST10:** 250ml
- **REGST15:** 450ml

REGST20

Stove Gass Cleaner



320ml

Regin Premier Stove Range Glass Cleaner clings to surfaces to remove creosote and tar deposits.

- For use on wood, coal or oil burning equipment, glass firescreens etc.
- Use regularly to avoid stubborn accumulations of tar/creosote deposits on glass doors.
- Can be used on glass oven doors as a de-greaser.

REGST50

Chimney & Flue Cleaner



750g tub

- Regin Stove Range Chimney & Flue Cleaner attacks and reduces creosote and tar deposits that have built up on flue linings.
- Improves your flue's health & efficiency.
- With regular use these hard deposits become crystallised and either fall off or are removed during chimney sweeping.

Stove Range

Stove & Grate Polish

REGST01

170g tub

Regin Premier Stove Range Stove & Grate Polish is a water based polish formulated to cover minor scratches and rust, leaving an even finish which, when dry, does not rub off.



Stove Range

Flue'n'Fire Seal 1500°C Silicate Cement

REGZ31
REGZ32

150ml

Regin Flue'n'Fire Seal High Temperature Resistant Silicate Cement Sealant is specifically designed for permanently repairing and sealing joints, cracks and fissures in fireplaces, ovens, chimneys and other surfaces where heat resistance is required. It can also be used for the repairing and assembling of vehicle exhaust systems.

- Heat resistant to 1500°C.
- Good adhesion to metal, brick and concrete.
- Can be overpainted.
- Primers not required.
- Easy to use.
- Multi purpose.
- **Colours available:**
- **REGZ31 - Natural (medium brown)**
- **REGZ32 - Black**



Design may vary

Back to Black Coal Paint

REGZ65
REGZ66

Revolutionary product - The original black pigment, as used by much of the fireplace industry.

- Quick, safe and easy to use.
- OEM pigment for use in gas fires up to 1100°C.
- Typically restores up to four complete fires*. (*200ml aerosol)
- **Available in two versions:**
- **REGZ65: 200ml aerosol**
- **REGZ66: 30ml brush-on**



Stove Range

REGST32**REGST34****REGST36**

Stove Rope - Braided



High temperature sealing yarn for ovens, boilers, flues and general heating applications.

- 1.5 Metre Pack.
- Max Temp 550°C.
- Asbestos free braided yarn.
- **Available in three diameters:**
 - **REGST32:** 6mm
 - **REGST34:** 9mm
 - **REGST36:** 12mm

REGST40**REGST42****REGST44**

Stove Rope & Fixative Kit



Convenient kit containing 1.5m of Braided Stove Rope and a bottle of Stove Rope Fixative.

- **Available in three diameters:**
 - **REGST40:** 6mm
 - **REGST42:** 9mm
 - **REGST44:** 12mm

All come complete with a 30ml bottle of **Stove Rope Fixative REGST25**

REGST25**REGST30**

Stove Rope Fixative



- Heat resistant to 850°C.
- For adhering glass yarn to metal and glass.
- **REGST25 - 30ml.**
 - Complete with brush on applicator.
- **REGST30 - 120ml.**
 - Complete with nozzle applicator.
 - Large size ensures value for money.

Stove Range

Stove Range Smoke Pellets

REGST02

Pack of 10 pellets

- BS5440 Part 1 compliant.
- Approx. 30 second burn time.
- Produces an estimated 5 cubic metres of smoke with an ideal density for flue testing.
- Encapsulated for ease of use and disposal.



Stove Range Smoke Matches

REGST03

Tub of 25 matches

- Approx. 15 second burn time.
- Supplied in a resealable water resistant tub.
- Produces a white smoke with an ideal density for spillage testing.
- Average contents: 25 matches.



Chimney / Hearth Notice Plates

REGP33

- Pack of 10 notice plates.
- Approx. 145mm x 90mm plastic with pre-drilled holes.
- To comply with the requirements of Building Regulations.
- Made from hard wearing plastic.
- Complete with permanent marker.



Stove Range

Liquid Fuel Report Pads & Stickers

Completely rewritten in line with BS 5410

Liquid Fuel Report Pads



Domestic Liquid Fuel Fired Pressure Jet Appliance Service, Commissioning & Inspection Record Pad

- Contains the key elements necessary to demonstrate compliance with BS 5410 Part 1 2019 when servicing or commissioning domestic oil and liquid fuel fired boilers.
- Can be used to formally record and notify customer of any immediate or potential risks identified.

REGP011


Non-Domestic Liquid Fuel Fired Single Combustion Appliance Service & Inspection Record Pad

- Contains the key elements necessary to demonstrate compliance with BS 5410 Part 2 2018 when servicing or commissioning non-domestic oil and liquid fuel fired appliances with 2 stage burners.
- Can be used to formally record and notify your client of any immediate or potential risks identified.

REGP021


Domestic Liquid Fuel Storage (up to 3,500 litres) & Supply Inspection Record Pad

- Essential document used to demonstrate compliance with BS 5410 Part 1 2019 when inspecting domestic oil and liquid fuel storage and supply systems as part of an appliance service or commissioning visit.
- Can be used to formally record and notify customer of any immediate or potential risks identified.

REGP013


Non-Domestic Liquid Fuel Storage (up to 10,000 litres) & Supply Inspection Record Pad

- Essential document used to demonstrate compliance with BS 5410 Part 2 2018 when inspecting non-domestic oil and liquid fuel storage and supply systems.
- Can be used to formally record and notify your client of any immediate or potential risks identified.

REGP023


Domestic Central Heating & Hot Water System Inspection / Commissioning Report Pad

- Essential document designed to demonstrate compliance when commissioning wet central heating systems.
- Use to create a physical record of service and inspection works to wet central heating systems.
- Provides key check points to follow.
- Can be used to formally record and notify customer of any immediate or potential risks identified.

REGP010

- All pads feature pre-printed **Industry Specific Terms & Conditions** on reverse to **advise, inform and protect you and your customer**
- All pads feature **triplicate copy certificates**

Liquid Fuel Stickers/Tags


REGLO1

- For application to oil and liquid fuel storage tanks where immediate, Fire, Safety and/or Environmental Risks are identified.
- Clear message and instruction to owners and custodians of storage tanks and fuel delivery drivers.


REGLO2

- For application to oil and liquid fuel fired appliances and equipment where immediate, Fire, Safety and/or Environmental Risks are identified.
- Clear message and instruction to owners and custodians of storage tanks and fuel delivery drivers.


REGLO3

- For application to oil and liquid fuel storage tanks, appliances and equipment where potential, Fire, Safety and/or Environmental Risks are identified.
- Clear message and instruction to owners and custodians of storage tanks and fuel delivery drivers.


REGLO4

- Great for repeat business and recommendations.
- Reminds your customers who you are and the work you've done.
- Reminds customers of the importance of regular servicing and inspection.

HVO / Kerosene Tank Stickers

REGLO9


- Clearly identify the contents of the Tank.
- Complete with Warning Symbols and clear messages and instructions.

REGLO8


Regin

Available from your local Merchant


@reginproducts

Fibre Washers	148
Fibre Washers suitable for use with potable water and Natural Gas.	
Washers	150
Fibre Washers, Pump Washers, Steel Washers etc	
O-Rings	154
Imperial & Metric Nitrile O-Rings	
Fuses	156
Quick Blow Fuses, Anti-Surge Fuses etc	
Spire Nuts	157
Spire Nuts, Control Knob Clips etc	
Nuts	158
Brass Nuts, Wing Nuts, Thermocouple Split Nuts etc	
Miscellaneous	159
Pressure Test Nipples, Knife Blades, Radiator Keys, Cable Ties, Superglue, etc	
Screws	165
Pan Screws, Self Tapping Screws	
PCB Support Posts	166
Printed Circuit Board Support Posts	
Electrical Connectors	167
Push-In Connectors, Pre-Insulated Terminals, Connector Strips etc	
Olives	171
Brass Olives	
Tapes & Labels	172
PVC Insulation Tapes, Pipe Labels	

Fibre Washers

Fibre Washer Pack

- The Regin range of Fibre Washers are manufactured from a WRAS Approved material and are suitable for use with Potable water.
- Suitable for use with Natural Gas.
- Recommended max. temperature: 300°C (max. steam temp. 180°C).
- Suitable for use with oils, fuels, low pressure steam, water and gas.



REGQ115

Fibre Washer Pack



- Replacement Diverter Valve Washers.
- Pack comprises:
3 x 1/2" Fibre Washers, 3 x 3/4" Fibre Washers & 1 x 1" Fibre Washer.
- Recommended max. temperature:
300°C (max. steam temp. 180°C).
- WRAS Approved.


REGQ110

1/2" Fibre Washer



8 per pack

- Recommended max. temperature:
300°C (max. steam temp. 180°C).
- WRAS Approved.




REGQ111

3/4" Fibre Washer



6 per pack

- Recommended max. temperature:
300°C (max. steam temp. 180°C).
- WRAS Approved.




REGQ112

1" Fibre Washer










3 per pack

- Recommended max. temperature:
300°C (max. steam temp. 180°C).
- WRAS Approved.



Please Note: All measurements and quantities are approximate.

Fibre Washers

	8 x 4 x 1.5mm Fibre Diff. Washer 8 per pack - Recommended max. temperature: 300°C (max. steam temp. 180°C). - WRAS Approved.	REGQ102 
	1/4" Fibre Washer 8 per pack - Recommended max. temperature: 300°C (max. steam temp. 180°C). - WRAS Approved.	REGQ103 
	3/8" Fibre Washer 6 per pack - Recommended max. temperature: 300°C (max. steam temp. 180°C). - WRAS Approved.	REGQ104 
	1/2" Fibre Washer 6 per pack - Recommended max. temperature: 300°C (max. steam temp. 180°C). - WRAS Approved.	REGQ105 
	3/4" Fibre Washer 4 per pack - Recommended max. temperature: 300°C (max. steam temp. 180°C). - WRAS Approved.	REGQ106 
	1" Fibre Washer 4 per pack - Recommended max. temperature: 300°C (max. steam temp. 180°C). - WRAS Approved.	REGQ107 
	1 1/4" Fibre Washer 3 per pack - Recommended max. temperature: 300°C (max. steam temp. 180°C). - WRAS Approved.	REGQ108 

Please Note: All measurements and quantities are approximate.

Fits 'n' Bolts

Washers


REGQ109

Fibre Pump Washer



3 per pack

- For sealing in low temperature and low pressure applications.
- Particularly recommended for fuel oil installations.
- Maximum temp: 180°C




REGQ190

Circulation Pump Washer



4 per pack

- (44.95/43.95mm x 32.1/31.4mm x 2.2/1.8mm).
- Manufactured from black Neoprene rubber.




REGQ120

1/2" Flex Tap Conn. Washer



20 per pack

- Non asbestos Nov30.




REGQ121

1/2" Fibre Washer Y.I.F.




30 per pack

- Hard red fibre.




Washers

1/2" Cap & Lining Washer**REGQ122**


30 per pack

- Hard red fibre.

**3/4" Cap & Lining Washer****REGQ123**


20 per pack

- Hard red fibre.

**1/2" Ballvalve Seating Washer****REGQ124**

20 per pack

- Hard red fibre.

**3/4" Flex Tap Conn. Washer****REGQ191**

15 per pack

- Non asbestos Nov30.



Bits 'n' Bolts

Washers


REGQ192

1/2" Draw Off Tap Washer



20 per pack

- Commercial rubber.




REGQ193

Rubber Bottle Trap Washer



5 per pack

- Rubber.




REGQ194

1/2" Shower Hose Washer



20 per pack

- Smooth rubber.




REGQ195

3/4" Washing Machine Hose Washer



10 per pack

- Smooth rubber.



REGQ100

REGQ101

Steel Star Washer



30 per pack

- **REGQ100** - M4.
- **REGQ101** - M5.

Washers

BS746 Meter Union Washer

See below

Conforms to BS EN 549

- Manufactured from black Neoprene rubber.

- **REGQ185** - **3/4"** - **10 per pack.**
(25.8mm x 20.2mm x 2.4mm).
- **REGQ186** - **1"** - **10 per pack.**
(32.3mm x 25.8mm x 2.4mm).
- **REGQ187** - **1 1/4"** - **6 per pack.**
(42.5mm x 35.3mm x 2.4mm).
- **REGQ188** - **1 1/2"** - **3 per pack.**
(53.6mm x 44.3mm x 2.4mm).
- **REGQ189** - **2"** - **2 per pack.**
(71.4mm x 57.5mm x 2.4mm).



For Meter Sealing Discs - See p159

(outside diameter ± 0.4 mm x inside diameter ± 0.4 mm x thickness ± 0.2 mm)

BS746 Meter Adaptor Washer

See below

Conforms to BS EN 549

- Manufactured from black Neoprene rubber.

- **REGQ175** - **3/4"** - **6 per pack.**
(29.0mm x 21.4mm x 3.2mm).
- **REGQ176** - **1"** - **6 per pack.**
(36.5mm x 27.0mm x 3.2mm).
- **REGQ177** - **1 1/4"** - **4 per pack.**
(45.5mm x 36.5mm x 3.2mm).
- **REGQ178** - **1 1/2"** - **3 per pack.**
(56.5mm x 45.5mm x 3.2mm).
- **REGQ179** - **2"** - **2 per pack.**
(76.0mm x 58.8mm x 3.2mm).

(outside diameter ± 0.4 mm x inside diameter ± 0.4 mm x thickness ± 0.2 mm)

Steel Flat Washer

REGQ90**REGQ91**

30 per pack

- **REGQ90** - **M4.**
- **REGQ91** - **M5.**



O-Rings

See below

O-Rings - Imperial



High quality Nitrile (NBR 70) O-Rings in Imperial sizes (BS1806)

- Temperature range: -30°C to 120°C.
- Suitable for use with Natural Gas.

• REGQ701	-	1/8" x 1/16" (2.90mm x 1.78mm)	(20)
• REGQ702	-	5/32" x 1/16" (3.68mm x 1.78mm)	(20)
• REGQ703	-	3/16" x 1/16" (4.48mm x 1.78mm)	(20)
• REGQ704	-	7/32" x 1/16" (5.28mm x 1.78mm)	(20)
• REGQ705	-	1/4" x 1/16" (6.07mm x 1.78mm)	(20)
• REGQ706	-	5/16" x 1/16" (7.66mm x 1.78mm)	(20)
• REGQ707	-	3/8" x 1/16" (9.25mm x 1.78mm)	(20)
• REGQ708	-	3/8" x 3/32" (9.19mm x 2.62mm)	(13)
• REGQ709	-	7/16" x 3/32" (10.78mm x 2.62mm)	(13)
• REGQ710	-	1/2" x 3/32" (12.37mm x 2.62mm)	(13)
• REGQ711	-	9/16" x 3/32" (13.95mm x 2.62mm)	(13)
• REGQ712	-	5/8" x 3/32" (15.54mm x 2.62mm)	(13)
• REGQ713	-	11/16" x 3/32" (17.13mm x 2.62mm)	(13)
• REGQ714	-	3/4" x 3/32" (18.72mm x 2.62mm)	(13)
• REGQ715	-	3/4" x 1/8" (18.64mm x 3.53mm)	(10)
• REGQ716	-	13/16" x 1/8" (20.22mm x 3.53mm)	(10)
• REGQ717	-	7/8" x 1/8" (21.82mm x 3.53mm)	(10)
• REGQ718	-	15/16" x 1/8" (23.40mm x 3.53mm)	(10)
• REGQ719	-	1" x 1/8" (24.99mm x 3.53mm)	(10)
• REGQ720	-	1 1/16" x 1/8" (26.58mm x 3.53mm)	(10)
• REGQ721	-	1 1/8" x 1/8" (28.17mm x 3.53mm)	(10)
• REGQ722	-	1 3/16" x 1/8" (29.75mm x 3.53mm)	(10)
• REGQ723	-	1 1/4" x 1/8" (31.34mm x 3.53mm)	(10)
• REGQ724	-	1 5/16" x 1/8" (32.92mm x 3.53mm)	(10)
• REGQ725	-	1 3/8" x 1/8" (34.52mm x 3.53mm)	(10)
• REGQ726	-	1 7/16" x 1/8" (36.10mm x 3.53mm)	(10)
• REGQ727	-	1 1/2" x 1/8" (37.69mm x 3.53mm)	(10)
• REGQ728	-	1 1/2" x 3/16" (37.47mm x 5.33mm)	(7)
• REGQ729	-	1 5/8" x 3/16" (40.65mm x 5.33mm)	(7)
• REGQ730	-	1 3/4" x 3/16" (43.82mm x 5.33mm)	(7)

O-Rings

O-Rings - Metric

See below

High quality Nitrile (NBR 70) O-Rings in metric sizes

- Temperature range: -30°C to 120°C.
- Suitable for use with Natural Gas.

- **REGQ751** - 3mm x 2.0mm (18)
- **REGQ752** - 4mm x 2.0mm (18)
- **REGQ753** - 5mm x 2.0mm (18)
- **REGQ754** - 6mm x 2.0mm (18)
- **REGQ755** - 7mm x 2.0mm (17)
- **REGQ756** - 8mm x 2.0mm (17)
- **REGQ757** - 10mm x 2.0mm (17)
- **REGQ758** - 10mm x 2.5mm (14)
- **REGQ759** - 11mm x 2.5mm (14)
- **REGQ760** - 12mm x 2.5mm (14)
- **REGQ761** - 14mm x 2.5mm (14)
- **REGQ762** - 16mm x 2.5mm (14)
- **REGQ763** - 17mm x 2.5mm (14)
- **REGQ764** - 19mm x 2.5mm (14)
- **REGQ765** - 19mm x 3.0mm (12)
- **REGQ766** - 20mm x 3.0mm (12)
- **REGQ767** - 22mm x 3.0mm (12)
- **REGQ768** - 24mm x 3.0mm (12)
- **REGQ769** - 25mm x 3.0mm (12)
- **REGQ770** - 27mm x 3.0mm (12)
- **REGQ771** - 28mm x 3.0mm (12)
- **REGQ772** - 30mm x 3.0mm (12)
- **REGQ773** - 32mm x 3.0mm (12)
- **REGQ774** - 33mm x 3.0mm (12)
- **REGQ775** - 35mm x 3.0mm (12)
- **REGQ776** - 36mm x 3.0mm (12)
- **REGQ777** - 38mm x 3.0mm (12)
- **REGQ778** - 38mm x 4.0mm (9)
- **REGQ779** - 42mm x 4.0mm (9)
- **REGQ780** - 45mm x 4.0mm (9)



**O-Rings also
available in Kits
- see pages
124-125**

Bits 'n' Bolts

Fuses

See below



Standard Fuses

Ceramic Fuses:

- **REGQ146** - 25mm 2A (2)
- **REGQ145** - 25mm 3A (3)
- **REGQ147** - 25mm 5A (3)
- **REGQ149** - 25mm 13A (3)

See below



Quick Blow Fuses

Glass Fuses:

- **REGQ138** - 20mm 500mA (3)
- **REGQ140** - 20mm 1A (3)
- **REGQ141** - 20mm 2A (3)
- **REGQ142** - 20mm 3.15A (3)
- **REGQ151** - 32mm 500mA (3)
- **REGQ152** - 32mm 1A (3)
- **REGQ153** - 32mm 1.5A (3)
- **REGQ154** - 32mm 2A (3)
- **REGQ155** - 32mm 3A (3)

Ceramic Fuses:

- **REGQ144** - 20mm 4A (3)
- **REGQ157** - 32mm 500mA (1)
- **REGQ148** - 32mm 5A (2)

See below



Anti-Surge Fuses

Glass Fuses:

- **REGQ136** - 20mm 630mA (3)
- **REGQ143** - 20mm 3.15A (3)
- **REGQ156** - 20mm 1A (3)
- **REGQ159** - 20mm 1.25A (3)

Ceramic Fuses:


- **REGQ150** - 20mm 1A (2)
- **REGQ158** - 32mm 1.6A (2)

Spire Nuts

Spire Nut No. 8 'U' Nut

REGQ80

5 per pack



Spire Nut No. 8 Angle Nut

REGQ81


5 per pack



Spire Nut No. 8 Folded Nut

REGQ82

5 per pack



Spire Nut No. 8 Dished Nut

REGQ83

5 per pack



Control Knob 'D' Clip

REGQ86

4 per pack



Bits 'n' Bolts

Nuts

REGQ314


M8 Hexagon Brass Nut



4 per pack

See below

Steel Full Nut



30 per pack

- **REGQ50** - M4
- **REGQ51** - M5

See below

Steel Wing Nut



- **REGQ70** - M4 - 10 per pack
- **REGQ71** - M5 - 10 per pack
- **REGQ75** - 1/4" BSW - 5 per pack

See below

Thermocouple Wide Slot Split Nut



2 per pack

- **REGQ304** - M10
- **REGQ306** - 11/32"

REGQ310

M8 x M10 Thermocouple Adaptor Nut



2 per pack

Miscellaneous

Brass Pressure Test Nipple

REGQ160

2 per pack

- Test point nipples with 1/8" BSP thread.
- For Natural Gas and LPG.
- Ideal for routine maintenance of appliances.
- Brass Construction.
- Long-lasting.



Meter Sealing Disc

REGQ180**REGQ181**

- **REGQ180** - 3/4" diameter. 4 per pack.
- **REGQ181** - 1" diameter. 3 per pack.

For Meter Union Washers - See p153



Analyser Test Hole Cover

REGQ170

10 per pack

- Self adhesive - covers unsightly holes.
- Metallic.



Jubilee Hose Clip c/w Wing Screw

REGQ820**REGQ825****REGQ835**

1 per pack

- **REGQ820** - 13-20mm diameter.
- **REGQ825** - 17-25mm diameter.
- **REGQ835** - 25-35mm diameter.



Miscellaneous

REGT11

Illuminated 'Bits'n'Bolts' Retriever



- Heavy-duty five section telescopic pick-up tool.
- Large Ø14mm magnet with 3.6kg capacity and recessed LED to illuminate target area.
- Textured, contoured handle for added comfort.
- Knurled twist on/off switch for ease of use.
- Extends to approx: 81cm (32") in length.

REGQ600

Neon Mains Test Screwdriver



1 per pack

- Contains a neon indicator in the clear plastic handle which lights up when the point of the screwdriver is touched on voltages between 220-250V and your thumb is forming an earth contact with the metal stud set into the top of the handle.
- The mains tester has a plastic insulating sleeve on the screwdriver blade.

REGQ601

'Z' Driver - Angled Screwdriver



No.2/6mm

- Phillips and slotted head driver.
- Overall length approx. 145mm.

REGQ621

Heavy Duty Knife Blades



pack of 10 blades

- Supplied in a safety dispenser.

Miscellaneous

Radiator Bleed Key

REGQ615

2 per pack

- Solid brass radiator bleed key suitable for most radiator bleed nipples.



Meter Box Key

REGQ616

2 per pack

- Pack of 2 plastic meter box keys.



Flux Brush

REGQ619

1 per pack

- Overall length approx. 150mm.



Equal Compression Fitting

REGQ139

1 per pack

- 4mm fitting.



Miscellaneous

REGQ620

Steel Wire Mini Brush



1 per pack

- Overall length approx. 175mm.

REGQ622

Brass Wire Mini Brush



1 per pack

- Overall length approx. 175mm.

REGQ623

Nylon Mini Brush




1 per pack

- Overall length approx. 175mm.

REGQ610

REGQ611

Cable Ties



- **REGQ610** - 140mm long. 50 per pack.
- **REGQ611** - 250mm long. 30 per pack.

Miscellaneous

Disposable Anti-Static Wrist Strap

REGQ238

- For removing potentially damaging static charges when installing or removing sensitive electronics such as P.C.B's during routine maintenance and repairing of appliances.



Superglue

REGQ680

1 per pack

- 20g bottle.
- High performance fast bonding glue.
- Bonds quickly at room temperature.
- High performance fast bonding glue.
- Suitable for rubber, plastic, metal, wood, leather, ceramics and fabric.

Design may vary



Sealant Nozzles

REGQ602


- A simple solution for blocked nozzles.
- For use with most 310ml and 150ml sealant type tubes.
- 4 nozzles per pack.



Miscellaneous

REGQ237

Radiator Clamp Kit



1 per pack

- Specifically designed to allow a convenient and easy method of complying with the current IEE wiring regulations.
- Easily used in earthing applications with wet filled radiators, steel kitchen sinks, ducting, suspended ceilings or any other metalwork that offers a 'fin' contact area.

REGQ235 REGQ236

Steel Earthing Clamps



1 per pack

- For 12-32mm diameter pipes.
- **REGQ235** - Red Steel Earthing Clamp.
For dry conditions.
- **REGQ236** - Blue Steel Earthing Clamp.
For areas prone to moisture.

REGQ660

Cotter Pin



20 per pack

- M2 size.

REGQ671

Replacement Pipe Cutter Wheel



1 per pack

- Regin Autocut® Automatic Pipe Cutter replacement cutter wheel.

Screws

Steel Pozi Pan Screw

See below

- **REGQ01** - M3 x 6 - 30 per pack
- **REGQ02** - M4 x 10 - 20 per pack
- **REGQ03** - M4 x 16 - 20 per pack
- **REGQ09** - M5 x 8 - 20 per pack
- **REGQ04** - M5 x 16 - 20 per pack
- **REGQ05** - M5 x 25 - 15 per pack
- **REGQ06** - M6 x 16 - 10 per pack
- **REGQ07** - M6 x 25 - 10 per pack
- **REGQ08** - M6 x 45 - 5 per pack

Slotted Screw

- **REGQ25** - M5 x 10MT - 20 per pack



S/Tap Pozi Steel Screw

See below

- **REGQ15** - 6 x 3/8" - 30 per pack
- **REGQ17** - 8 x 3/8" - 30 per pack
- **REGQ31** - 6 x 1/4" - 30 per pack
- **REGQ32** - 8 x 1/2" - 30 per pack
- **REGQ33** - 8 x 3/4" - 30 per pack
- **REGQ34** - 8 x 12.5mm - 20 per pack



M8 x 35 Bolt Black Hex HT

REGQ28

5 Bolts per pack



PCB Support Posts

REGQ221

PCB Support Post Type 1



3 per pack

REGQ222

PCB Support Post Type 2



3 per pack

REGQ223

PCB Support Post Type 3



3 per pack

REGQ224

PCB Support Post Type 4



3 per pack



Electrical Connectors

Push-In Electrical Connectors


See below

Fast, easy and reliable

- A sophisticated push-in wire connector used for fast, easy and reliable connection and distribution of cable and conductors in electrical housing applications.
- They may be used within a typical range of housing voltage up to 450 volts.
- The double spring allows easy processing and will support installers especially in tricky situations, such as overhead work. This ensures proper fixing that can be checked visually through the transparent housings.
- Cross-sections from 0.5 up to 2.5 mm² can conveniently be housed.
- Colour coding provides a quick and easy identification of the different connectors.

Types available:

- **REGQ262:** 2 Pole (4 per pack)
- **REGQ263:** 3 Pole (4 per pack)
- **REGQ264:** 4 Pole (3 per pack)
- **REGQ265:** 5 Pole (2 per pack)
- **REGQ266:** 6 Pole (2 per pack)
- **REGQ268:** 8 Pole (2 per pack)



- For solid and stranded cross-sections between 0.5 and 2.5mm²

REGQ262



REGQ263



REGQ264



REGQ265



REGQ266



REGQ268



Bits 'n' Bolts

Electrical Connectors

REGQ200

Blue Insulated Ring Connector



20 per pack

- For wires 1.5 - 2.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.
- Use with Ratchet Crimping Tool *REGB80* (p46).

REGQ201

Red Insulated Ring Connector



10 per pack

- For wires 0.5 - 1.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.
- Use with Ratchet Crimping Tool *REGB80* (p46).

REGQ202

Yellow Insulated Ring Connector



10 per pack

- For wires 4.0 - 6.0mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.
- Use with Ratchet Crimping Tool *REGB80* (p46).

REGQ204

Red Butt Connector



15 per pack

- For wires 0.5 - 1.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.
- Use with Ratchet Crimping Tool *REGB80* (p46).

REGQ205

Blue Butt Connector



15 per pack

- For wires 1.5 - 2.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.
- Use with Ratchet Crimping Tool *REGB80* (p46).

REGQ220

Red Ignition Lead Connector - Female



10 per pack

- For wires 0.5 - 1.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.
- Use with Ratchet Crimping Tool *REGB80* (p46).

Electrical Connectors

Red Push-On Connector - Male

REGQ210

15 per pack

- For wires 0.5 - 1.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.
- Use with Ratchet Crimping Tool *REGB80* (p46).



Red Push-On Connector - Female

REGQ215

10 per pack

- For wires 0.5 - 1.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.
- Use with Ratchet Crimping Tool *REGB80* (p46).



Red Bullet Connector - Male

REGQ216

10 per pack

- For wires 0.5 - 1.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.
- Use with Ratchet Crimping Tool *REGB80* (p46).



Red Bullet Connector - Female

REGQ217

10 per pack

- For wires 0.5 - 1.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.
- Use with Ratchet Crimping Tool *REGB80* (p46).



Blue Bullet Connector - Male

REGQ218

10 per pack

- For wires 1.5 - 2.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.
- Use with Ratchet Crimping Tool *REGB80* (p46).



Blue Bullet Connector - Female

REGQ219

10 per pack

- For wires 1.5 - 2.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.
- Use with Ratchet Crimping Tool *REGB80* (p46).



Bits 'n' Bolts

Electrical Connectors

REGQ240

Blue Piggy Back Connector



10 per pack

- For wires 1.5 - 2.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.
- Use with Ratchet Crimping Tool *REGB80* (p46).

REGQ241

Red Piggy Back Connector



10 per pack

- For wires 0.5 - 1.5mm.
- High quality, pre-insulated crimp terminals.
- Flared entry for easy location of cable.
- Use with Ratchet Crimping Tool *REGB80* (p46).

REGQ230

Connector Strip 5A PVC 12 Way



2 strips per pack

- Flexible polyethylene material with 12-way terminal strip and brass inserts and screws.
- 80°C working temperature.
- See p46 for Insulated Terminal Driver *REGE251*.

REGQ231

Connector Strip 15A PVC 12 Way



1 strip per pack

- Flexible polyethylene material with 12-way terminal strip and brass inserts and screws.
- 80°C working temperature.
- See p46 for Insulated Terminal Driver *REGE251*.

REGQ316

RSM Pack Screws / Connectors



Pack quantity as pictured

- Screw/connector pack for replacement synchronous motors.

Olives

4mm Brass Olive	<i>REGQ125</i>
6 per pack	
6mm Brass Olive	<i>REGQ127</i>
6 per pack	
8mm Brass Olive	<i>REGQ128</i>
5 per pack	
10mm Brass Olive	<i>REGQ129</i>
5 per pack	
12mm Brass Olive	<i>REGQ132</i>
4 per pack	
15mm Brass Olive	<i>REGQ130</i>
6 per pack	
22mm Brass Olive	<i>REGQ131</i>
3 per pack	

Bits 'n' Bolts

Tapes & Labels

*See below***PVC Insulation Tape**

Suitable for electrical insulation, binding, colour coding and general work.

- Conforms to BS3924.
- 19mm wide
- 20m long.
- Flame retardant.

Colours available:

- **REGQ641:** Black
- **REGQ642:** Red
- **REGQ643:** Green/Yellow Stripe
- **REGQ644:** Green
- **REGQ645:** Yellow
- **REGQ646:** Blue
- **REGQ647:** White
- **REGQ648:** Brown

REGQ630**'GAS' Pipe Label**


8 per pack

- Self adhesive.
- Easy-Peel-Off backing.

REGQ632**'HOT WATER' Pipe Label**

8 per pack

- Self adhesive.
- Easy-Peel-Off backing.

REGQ634**'COLD WATER' Pipe Label**

8 per pack

- Self adhesive.
- Easy-Peel-Off backing.

Report Pads	174
Liquid Fuel Report Pads	
Stickers & Tags	176
Liquid Fuel Warning Stickers	
Testing	180
Pressure Gauges, Test Kits etc	
Miscellaneous	182
Suction Pumps, Finding Pastes, Nozzle Spanner, Filters etc	
Flared Fittings	186
Brass Flared Fittings, Flaring Tool	

Liquid Fuel Report Pads

REGPO11

Domestic Liquid Fuel Fired Pressure Jet Appliance Service, Commissioning & Inspection Record Pad



25 reports in triplicate

- Contains the key elements necessary to demonstrate compliance with BS 5410 Part 1 2019 when servicing or commissioning domestic oil and liquid fuel fired boilers.
- Pre-printed industry specific terms and conditions on reverse to advise, inform and protect you and your customer.
- Can be used to formally record and notify customer of any immediate or potential risks identified.
- Each report features its own unique Report Reference number.

Liquid Fuel

REGPO13

Domestic Liquid Fuel Storage (up to 3,500 litres) & Supply Inspection Record Pad



25 reports in triplicate

- Essential document used to demonstrate compliance with BS 5410 Part 1 2019 when inspecting domestic oil and liquid fuel storage and supply systems as part of an appliance service or commissioning visit.
- Pre-printed industry specific terms and conditions on reverse to advise, inform and protect you and your customer.
- Can be used to formally record and notify customer of any immediate or potential risks identified.
- Each report features its own unique Report Reference number.


Liquid Fuel Report Pads

Non-Domestic Liquid Fuel Fired Single Combustion Appliance Service & Inspection Record Pad

REGPO21

25 reports in triplicate

- Contains the key elements necessary to demonstrate compliance with BS 5410 Part 2 2018 when servicing or commissioning non-domestic oil and liquid fuel fired appliances with 2 stage burners.
- Pre-printed industry specific terms and conditions on reverse to advise, inform and protect you and your client.
- Can be used to formally record and notify your client of any immediate or potential risks identified.
- Each report features its own unique Report Reference number.



Non-Domestic Liquid Fuel Storage (up to 10,000 litres) & Supply Inspection Record Pad

REGPO23

25 reports in triplicate

- Essential document used to demonstrate compliance with BS 5410 Part 2 2018 when inspecting non-domestic oil and liquid fuel storage and supply systems.
- Pre-printed industry specific terms and conditions on reverse to advise, inform and protect you and your client.
- Can be used to formally record and notify your client of any immediate or potential risks identified.
- Each report features its own unique Report Reference number.




Liquid Fuel

Liquid Fuel Report Pads

Liquid Fuel

REGPO10

Domestic Central Heating & Hot Water System Inspection/Commissioning Report Pad



25 reports in triplicate

- Essential document designed to demonstrate compliance when commissioning wet central heating systems.
- Use to create a physical record of service and inspection works to wet central heating systems.
- Pre-printed industry generic terms and conditions on reverse to advise, inform and protect you and your customer.
- Provides key check points to follow.
- Can be used to formally record and notify customer of any immediate or potential risks identified.
- Each report features its own unique Report Reference number.

REGPO12

Domestic Liquid Fuel Fired Vaporising Appliance Service, Commissioning & Inspection Record Pad



25 reports in triplicate

- Contains the key elements necessary to demonstrate compliance with BS 5410 Part 1 2019 when servicing or commissioning domestic oil and liquid fuel fired vaporising appliances.
- Pre-printed industry specific terms and conditions on reverse to advise, inform and protect you and your customer.
- Can be used to formally record and notify customer of any immediate or potential risks identified.
- Each report features its own unique Report Reference number.

Have you seen?...

Dusta Duo - Cordless 2-in-1 Air Duster & Vacuum



Regin Dusta Duo

Powerful Cordless 2-in-1 Air Duster & Vacuum.

- Our Dusta Duo 2-in-1 Air Duster & Vacuum features a super powerful 60,000 rpm motor and creates a wind speed of over 35m/s. With its compact size, the Dusta Duo can effectively remove dust from almost anywhere.
- It can also be switched from being a blower to a vacuum with a simple twist action.
- This portable cordless duster can be charged from multiple USB devices ensuring that charging is easy and convenient.
- Comes complete with 2 brush nozzles (1 for blower mode, 1 for vacuum mode).



2 SPEED
SETTING



BRUSHLESS
MOTOR



USB FAST
CHARGING



SUCTION
MODE



BLOWER
MODE

Dusta Duo

REGXE01



2-speed
settings



One-Click Analyser - New & Improved version



Regin One-Click Analyser

A simple, accurate means of measuring boiler performance

- Meets the requirements of BS 7967
- Direct CO₂ measurement
- Up to 10 year warranty**
- Easy to use - one-click function
- Suitable for use with all common 'domestic' fuels including: Natural Gas, Propane, Butane, LPG & Light Oil 28-35 sec

Measures:

- CO 0-2,000ppm
- O₂ 0-21%

Calculates:

- CO₂ 0-20%
- CO/CO₂ ratio
- Excess air

Featuring:

- Large 6 line display
- CO sensor overrange protection
- Print to optional printer*
- USB charger
- 10 year warranty**
- Protective rubber boot with integrated magnets for hands-free use
- Rechargeable (Batteries included)

One-Click Analyser



* Info red printer available separately.
** Up to 10 year warranty available. Analyser
warranty is void if not used with Regin's
recommended service provider.

Regin

Available from your local Merchant

f i t
@reginproducts

Liquid Fuel Stickers

REGPLO1

Safety Warning - (Liquid Fuel) Immediate Risk Do Not Fill Sticker / Tag



Pack of 8 stickers/tags

- Measures approx. 140mm x 100mm.
- For application to oil and liquid fuel storage tanks where immediate, Fire, Safety and/or Environmental Risks are identified.
- Clear message and instruction to owners and custodians of storage tanks and fuel delivery drivers.
- Can be used in accordance with BS 5410 Parts 1 & 2.
- Cable ties provided.

Liquid Fuel

REGPLO2

Safety Warning - (Liquid Fuel) Immediate Risk Do Not Use Sticker / Tag




Pack of 8 stickers/tags

- Measures approx. 140mm x 100mm.
- For application to oil and liquid fuel fired appliances and equipment where immediate, Fire, Safety and/or Environmental Risks are identified.
- Clear message and instruction to owners and end users of oil and liquid fuel fired appliances and equipment.
- Can be used in accordance with BS 5410 Parts 1 & 2.
- Cable ties provided.

REGPLO9

Important - This Tank Contains HVO Sticker



Pack of 5 stickers

- Measures approx. 210mm x 148mm.
- Tank storage safety label for tanks containing Hydrotreated Vegetable Oil.

Liquid Fuel Stickers

Safety Warning - (Liquid Fuel) Potential Risk Identified Sticker / Tag

REGPLO3

Pack of 8 stickers/tags

- Measures approx. 140mm x 100mm.
- For application to oil and liquid fuel storage tanks, appliances and equipment where potential, Fire, Safety and/or Environmental Risks are identified.
- Clear warning to owners and custodians of storage tanks, appliances and associated equipment.
- Can be used in accordance with BS 5410 Parts 1 & 2.
- Cable ties provided.



Service Reminder (Liquid Fuel) Sticker / Tag

REGPLO4

Pack of 8 stickers/tags

- Measures approx. 100mm x 125mm.
- Great for repeat business and recommendations.
- Reminds your customers who you are and the work you've done.
- Reminds customers of the importance of regular servicing and inspection.
- Cable ties provided.



Warning - This Tank Contains Kerosene Sticker

REGPLO8

Pack of 5 stickers

- Measures approx. 210mm x 148mm.
- Tank storage safety label for tanks containing Kerosene.



Liquid Fuel

Testing

Liquid Fuel

REGO60

Pressure Gauge 0 - 300psi



0 - 300psi

- 1/8" bsp male - Bottom entry.

REGO65

Pressure Gauge 0 - 600psi



0 - 600psi

- 1/8" bsp male - Bottom entry.

REGO66

Glycerol Filled Pressure Gauge 0 - 300psi



0 - 300psi

- 1/8" bsp male - Bottom entry.
- Glycerol filled.

REGO67

Glycerol Filled Pressure Gauge 0 - 400psi



0 - 400psi

- 1/8" bsp male - Bottom entry.
- Glycerol filled.

REGO68

Glycerol Filled Pressure Gauge 0 - 600psi



0 - 600psi

- 1/8" bsp male - Bottom entry.
- Glycerol filled.

REGO69

Vacuum Gauge



0 to -1000mbar

- 1/8" bsp male - Bottom entry.

Testing

Oil Pressure Test Kit

REGO80

- Kit comprises:

Oil Pressure Test manifold (REGO40), 1/8" bsp female x 1/8" bsp female Flexible Hose (REGO41), Pressure Gauge 0-300psi (REGO60).

- Supplied in a nylon zip bag.



Oil Vacuum Test Kit

REGO81

- Kit comprises:

Oil Pressure Test manifold (REGO40), 1/8" bsp female x 1/8" bsp female Flexible Hose (REGO41), Vacuum Gauge 0 to -1000mbar (REGO69).

- Supplied in a nylon zip bag.



Smoke Test Kit

REGX80

- Kit comprises:

Smoke Test Pump with 200mm sampling probe, Smoke comparison chart, maintenance oil & filter papers.

Spares available



Oil Pressure Test Manifold

REGO40

- Used in conjunction with a variety of pressure gauges.



Flexible Hose

REGO41

- 1/8" bsp female x 1/8" bsp female Flexible Hose.



Liquid Fuel

Miscellaneous

REG085

Oil Suction Pump



Regin Oil Suction Pump 600ml

- The Regin oil-priming pump is doubly efficient, because it extracts and fills simultaneously with every stroke. Can be used for transfilling fuel oils, mineral, synthetic and biological oils, benzine, coolants, anti-freeze, ethyl alcohol, petroleum, brake fluid and others.
- For the start-up of oil burner systems.
- Transfers the oil easily and quickly from the tank to the burner.
- No more difficult filling of the oil line required.
- Indispensable if the tank is empty.
- Avoids harmful dry-running of the oil burner pump.
- Complete with 1 x suction hose with 3/8" connection and 1 x drain hose.

Liquid Fuel

REG002

Kolor Kut Fuel Finding Paste



Fuel finding Paste

- 62g jar.
- Easily test for diesel, petrol, kerosene, crude oil & jet fuels.
- Pink paste turns bright red after contact with fuel, indicating the level in the tank.
- Paste is made entirely of non-hazardous materials and cleans off easily after use.

REG003

Kolor Kut Water Finding Paste



Water finding Paste

- Net wt. 3ozs (85g).
- For testing for the presence of water at the bottom of fuel storage tanks.
- Applied to a rod or length of string with bottom weight, the brown paste changes colour to brilliant red where it comes into contact with water giving you a visual indication as to the depth of the water present.

Miscellaneous

Vaporising Kit

REGO90

- To enable Service & Commissioning Technicians to easily and conveniently level vaporising burner bases bi-directionally (reducing time and expense), and the accurate calibration of low and high fire cold flow rates. Also measures cold oil depths for most vaporising appliance burner types.
- Kit comprises:
Steel Levelling Plate, Bulls-eye Level, Steel Rule, Measuring Cylinders x 2 & Stopwatch and sturdy carry case.



Oil Burner Nozzle Case

REGO95

- Suitable for oil burner nozzles.
- Storage for up to 40 nozzles with foam padding.
- Complete with carry handle.



Oil Burner Nozzle Spanner

REGO96

- High Quality Oil Burner Nozzle Wrench for removing the nozzle from the Nozzle Adapter.
- Proven design for one handed ease of removal and installation.
- Chrome plated and rugged.
- Standard 5/8" x 3/4" double independent socket.



Miscellaneous

REGO70

Aluminium Oil Filter



1/4" bsp

- Complete with paper element.

REGO71

REGO72

REGO73

Replacement Filter Elements



REGO71



REGO72



REGO73

- Range of replacement filter element for the REGO70 Aluminium Oil Filter.
- Diameter approx: 40mm. Height approx: 37mm.
- **3 x Types available:**
 - **REGO71** - Paper Element - 15 Micron.
 - **REGO72** - Stainless Steel Element - 60 Micron.
 - **REGO73** - Stainless Steel Element - 100 Micron.

REGM08

Heldite Universal Sealant



250ml with brush applicator

HELDITE is a high performance sealant for preventing leakage of Oils, Hydraulic Fluids, Water, Steam, Gases, Coolants and Fuels (excluding ethanol) in all branches of Automotive, Auto Mechanical, Electrical and General Engineering, Plumbing, Heating and Pipeline Services.

- Flexible and adhesive.
- Completely waterproof.
- Non-abrasive, anti-corrosive and inert.
- Temperature range: -40°C to +350°C.

Not compatible with Ethanol and potable water.

Miscellaneous

Sootbreaker

REGM05

- Enables oil and solid fuel fired boilers (and warm air heaters) to be cleaned whilst they are actually operating.
- Removes soot and other deposits from the combustion chamber and flue gas passages.
- Combats corrosion of heat transfer surfaces.
- One tube for boilers up to 100,000 Btu.
- If used on a regular basis Sootbreaker will ensure a clean, efficient boiler.



Flue Rake

REGT57

- The flue rake reaches the stubborn parts that brushes won't reach. It has a chisel at one end and a flat scraper at the other.



Appliance Scrape Away Set

REGT59

- Can be used on flat surfaces for carbon deposit removal such as steel or cast iron boiler chamber walls.



Oil Burner Flue Brush Set

REGT56

Set of 3 brushes

- Set comprises:
25mm (1") x 500mm, 50mm (2") x 500mm
& 75mm (3") x 900mm round brushes.



Flared Fittings

REGO100

Metric 45° Flaring Tool



For 4mm - 16mm diameter pipes.

- BS EN 1254-2:1998 defines two types of compression fittings for use with copper tubes to BS EN 1057: 1996. Type A consists of a nut and olive, Type B includes flared fittings. Type A are designed for use on hard copper (R290) or half hard (R250) copper where the union can be tightened onto the olive to form a seal onto the rigid pipe. If used on soft copper, Type A fittings can distort the pipe, causing weeping, sweating or leaks, which is unacceptable given environmental considerations. BS EN 1254-2: 1998 highlights concern over using type A fittings with R220 (annealed) soft copper pipe, stating that internal support of the tube can be required to allow compression of the ring onto the copper tube. BS EN 1254-2: 1998 states that Type B fittings should be used with R220 (annealed) soft copper tube.



One advantage of flared fittings is that metric pipe can easily be joined to imperial. A new appliance or pipework can be connected to an existing 3/8" supply by using a 10mm flared fitting with an optional 3/8" nut. Type A compression fittings would not necessarily give a sound installation, and in particular for oil suction lines, it is crucial not just to get an oil tight seal, but also an airtight one as well.

It is vitally important for all installers to ensure they have created a fully compliant and sound installation - and that means the pipes and fittings as well.

- Supplied in protective carry case.

REGO125

Flared Fitting - Tee



- 15mm x 10mm x 10mm Tee (with nuts).

Flared Fittings

Flared Fitting - Elbow

REGO110

- 10mm Elbow - Equal (two nuts).



Flared Fitting - Elbow

REGO113

- 10mm Elbow x 1/4" bspt (one nut).



Flared Fitting - Union

REGO116

- 10mm Union x 3/8" bspt (one nut).



Flared Fitting - Union

REGO119

- 10mm Union x 1/4" bspt (one nut).



Flared Fitting - Union

REGO122

- 10mm Equal Union (two nuts).



Flared Fitting - Short Nut

REGO128

- 3/8" p Short Nut (pack of 4).



Liquid Fuel



VT400

Val-U-Trade Leak Spray - 400ml



400ml

- Safe detection of positive leaks.
- Suitable for use with most gases.
- Compatible with most metals and plastics.
- Fast and easy application.

**• Merchants Please Note:
only available in box quantities:
12 cans per box.**

Val-U-Trade

VT02

Val-U-Trade Blue Paper Towel - 2-Ply



- Approx. 100 sheets per roll.
- 2 ply.
- Each sheet measures approx.
25cm x 40cm.

**• Merchants Please Note:
only available in box quantities:
18 rolls per box.**

Val-U-Trade Cotton Twill Stair Runner

VT33

24' x 3' (732cm x 91cm)

- 100% Natural Cotton.
- For covering stairs or hallways.
- For general purpose protection.
- Reusable.

Merchants Please Note:
only available in bale quantities:
15 stair runners per bale.



Val-U-Trade Cotton Twill Dustsheet

VT36

12' x 9' (366cm x 274cm)

- 100% Natural Cotton.
- For covering all furniture & floors.
- For general purpose protection.
- Reusable.

Merchants Please Note:
only available in bale quantities:
10 dustsheets per bale.



Val-U-Trade

DISPLAYSTAND-B&B**Bits'n'Bolts
Counter Top Display Stand****Free of charge to Merchants**

- Featuring 16 prongs to display products from our Bits 'n' Bolts range.
- Each prong can hang up to 40+ packs.
- Hi-quality powder coated construction.
- Hi-impact - ideal for impulse purchases.
- Dimensions of stand: approx. 410mm (w) x 290mm (d).
- Height approx. 830mm.

Please note: Products are not included.

Point of Sale



DISPLAYBOARD

Free of charge to Merchants

- Create a striking arrangement and display your Regin products and boost your sales.
- Our extremely versatile, robust metal display board enables our stockists to create a display quickly, easily and effectively.
- Products can be arranged in a way to best suit any size and shape of products in order to maximise space.
- Supplied complete with medium duty round ended Euro hooks, which can be arranged in any configuration.
- Dimensions of board: approx. 610 x 915mm.



Regin Brochure

CAT12

Our 200+ page Brochure featuring our complete range of tools, consumables and much more.

- Please contact us if you require more copies for your sales counter.



Point of Sale

Regin Products Ltd reserves the right to alter design, material and product specifications of any product in the interests of progress and development without prior notice.

Details and descriptions are correct at time of print. Errors and omissions excepted.

Please Note: All measurements and quantities in this publication are approximate.

   @reginproducts

REGA01 - REGJ56

REGA01.....98	REGB8046	REGAAA4132
REGA0298	REGB8137,111	REGAAAA4132
REGA05100	REGB8337,111	REGEC2132
REGA06100	REGB9035	REGECR123A.....133
REGA07100		REGED2.....132
REGA10100		REGEDLAA4133
REGA15100	REGC10.....57	REGEDLAAA4133
REGA20101	REGC19136	REGEDLC2133
REGA25101	REGC20.....136	REGEDLD2133
REGA30101	REGC21136	REGEDLNV1.....133
REGA35101	REGC22.....136	REGEEAA4L132
REGA37101	REGC24.....136	REGENV1132
REGA38101	REGC25.....136	
REGA40.....102	REGC30.....136	
REGA45.....102	REGC40137	REGEP2094
REGA46.....102	REGC64.....138	REGEP2194
REGA50.....102	REGC66.....138	REGEP2294
REGA55.....102		REGEP2394
REGA60.....102		REGEP2494
	REGE1060	REGEP2594
	REGE11.....60	REGEP2695
REGB01.....40	REGE1260	REGEP2795
REGB05.....41	REGE1359	REGEP2895
REGB1041	REGE1560	REGEP2995
REGB1541	REGE3053	REGEP3095
REGB19.....40	REGE4053	REGEP31.....95
REGB20.....41	REGE4553	
REGB21.....39	REGE5053	
REGB2239	REGE6059	REGH02.....71
REGB2542	REGE103.....48,134	REGH05.....71
REGB2642	REGE105.....48,134	REGH150116
REGB2734	REGE21045	REGH150L116
REGB3042	REGE211.....45	REGH200116
REGB3239	REGE21645	REGH230116
REGB3339	REGE22047	REGH300116
REGB3439	REGE22547	REGH300FR116
REGB3542	REGE22847	REGH350116
REGB3639	REGE25146	REGH450116
REGB4938	REGE25246	
REGB5436	REGE27544	
REGB5736	REGE28044	REGJ0199
REGB7040	REGE28543	REGJ55103
REGB7735	REGE36058	REGJ56103

REGJ57 - REGP43

REGJ57.....103	REGL40.....114	REGO41.....181
REGJ58.....103	REGL45.....114	REGO60.....180
REGJ59.....103		REGO65.....180
REGJ60.....103		REGO66.....180
REGJ64.....105	REGM05.....185	REGO67.....180
REGJ65.....105	REGM08.....113,184	REGO68.....180
REGJ70.....99	REGM20.....113	REGO69.....180
REGJ71.....99	REGM25.....117	REGO70.....184
REGJ72.....99	REGM26.....117	REGO71.....184
REGJ75.....104	REGM29.....119	REGO72.....184
	REGM31.....28	REGO73.....184
	REGM32.....28,63	REGO80.....181
REGK01.....14-15	REGM33.....28	REGO81.....181
REGK05.....120	REGM34.....119	REGO85.....182
REGK07.....120	REGM35.....118	REGO90.....183
REGK09.....121	REGM36.....118	REGO95.....183
REGK10.....25	REGM38.....118	REGO96.....183
REGK12.....14	REGM39.....119	REGO100.....186
REGK15.....122	REGM40.....69	REGO110.....187
REGK17.....122	REGM41.....69	REGO113.....187
REGK20.....122	REGM42.....69	REGO116.....187
REGK21.....124	REGM44.....129	REGO119.....187
REGK22.....125	REGM45.....129	REGO122.....187
REGK25.....123	REGM46.....129	REGO125.....186
REGK26.....123	REGM47.....129	REGO128.....187
REGK28.....16	REGM48.....129	
REGK29.....14,16	REGM50.....97	REGP01.....91
REGK30.....16	REGM51.....97	REGP02.....91
REGK32.....14	REGM52.....97	REGP05.....90
REGK33.....17	REGM53.....97	REGP10.....90
REGK34.....17	REGM59.....72	REGP11.....91
REGK36.....17	REGM60.....72	REGP15.....89
REGK40.....38	REGM62.....38	REGP26.....88
REGK60.....16	REGM66.....131	REGP29.....89
REGK75.....56	REGM70.....121	REGP33.....91,145
REGK80.....33	REGM76.....71	REGP34.....90
REGK90.....34	REGM78.....72	REGP36.....88
	REGM80.....69	REGP39.....90
REGL01.....107		REGP40.....89
REGL05.....107	REGO02.....182	REGP41.....90
REGL10.....107	REGO03.....182	REGP42.....91
REGL30.....114	REGO40.....181	REGP43.....89

REGP44 - REGQ170

REGP44	89	REGPO12	85,176	REGQ108	149
		REGPO13	86,174	REGQ109	150
REGP45	78	REGPO21	87,175	REGQ110	148
REGP46	78	REGPO23	87,175	REGQ111	148
REGP47	81			REGQ112	148
REGP50	79	REGQ01	165	REGQ115	148
REGP55	79	REGQ02	165	REGQ120	150
REGP56	81	REGQ03	165	REGQ121	150
REGP57	80	REGQ04	165	REGQ122	151
REGP58	81	REGQ05	165	REGQ123	151
REGP61	80	REGQ06	165	REGQ124	151
REGP62	82	REGQ07	165	REGQ125	171
REGP63	82	REGQ08	165	REGQ127	171
REGP64	82	REGQ09	165	REGQ128	171
REGP65	79	REGQ15	165	REGQ129	171
REGP66	82	REGQ17	165	REGQ130	171
REGP70	84	REGQ25	165	REGQ131	171
REGP71	84	REGQ28	165	REGQ132	171
REGP80	32,84	REGQ31	165	REGQ136	156
REGP94	10,96	REGQ32	165	REGQ138	156
REGP95	96	REGQ33	165	REGQ139	161
REGP96	96	REGQ34	165	REGQ140	156
REGP97	96	REGQ50	158	REGQ141	156
REGP98	96	REGQ51	158	REGQ142	156
REGP99	96	REGQ70	158	REGQ143	156
		REGQ71	158	REGQ144	156
REGPC1	83	REGQ75	158	REGQ145	156
REGPC2	83	REGQ80	157	REGQ146	156
REGPC3	83	REGQ81	157	REGQ147	156
		REGQ82	157	REGQ148	156
		REGQ83	157	REGQ149	156
		REGQ86	157	REGQ150	156
REGPL01	92,178	REGQ90	153	REGQ151	156
REGPL02	92,178	REGQ91	153	REGQ152	156
REGPL03	93,179	REGQ100	152	REGQ153	156
REGPL04	93,179	REGQ101	152	REGQ154	156
REGPL08	93,179	REGQ102	149	REGQ155	156
REGPL09	92,178	REGQ103	149	REGQ156	156
		REGQ104	149	REGQ157	156
		REGQ105	149	REGQ158	156
REGPO10	85,176	REGQ106	149	REGQ159	156
REGPO11	86,174	REGQ107	149	REGQ160	159
				REGQ170	159

REGQ175 - REGQ770

REGQ175	153	REGQ263.....	167	REGQ708.....	154
REGQ176	153	REGQ264.....	167	REGQ709.....	154
REGQ177.....	153	REGQ265.....	167	REGQ710	154
REGQ178	153	REGQ266.....	167	REGQ711	154
REGQ179	153	REGQ268.....	167	REGQ712	154
REGQ180	159	REGQ304	158	REGQ713	154
REGQ181.....	159	REGQ306	158	REGQ714	154
REGQ185	153	REGQ310	158	REGQ715	154
REGQ186	153	REGQ314	158	REGQ716	154
REGQ187	153	REGQ316	170	REGQ717.....	154
REGQ188	153	REGQ600	160	REGQ719	154
REGQ189	153	REGQ601	160	REGQ720.....	154
REGQ190	150	REGQ602	163	REGQ721	154
REGQ191	151	REGQ610	162	REGQ722.....	154
REGQ192	152	REGQ611.....	162	REGQ723.....	154
REGQ193	152	REGQ615.....	161	REGQ724.....	154
REGQ194	152	REGQ616.....	161	REGQ725.....	154
REGQ195	152	REGQ619.....	161	REGQ726.....	154
REGQ200	168	REGQ620	162	REGQ727	154
REGQ201	168	REGQ621	160	REGQ728.....	154
REGQ202	168	REGQ622	162	REGQ729.....	154
REGQ204	168	REGQ623	162	REGQ730.....	154
REGQ205	168	REGQ630	105,172	REGQ751	155
REGQ210	169	REGQ632	105,172	REGQ752.....	155
REGQ215	169	REGQ634	105,172	REGQ753.....	155
REGQ216	169	REGQ641	104,172	REGQ754.....	155
REGQ217	169	REGQ642	104,172	REGQ755.....	155
REGQ218	169	REGQ643	104,172	REGQ756.....	155
REGQ219	169	REGQ644	104,172	REGQ757	155
REGQ220	168	REGQ645	104,172	REGQ758.....	155
REGQ221	166	REGQ646	104,172	REGQ759.....	155
REGQ222	166	REGQ647.....	104,172	REGQ760.....	155
REGQ223	166	REGQ648	104,172	REGQ761	155
REGQ224	166	REGQ660	164	REGQ762	155
REGQ230	170	REGQ671	164	REGQ763.....	155
REGQ231	170	REGQ680	163	REGQ764.....	155
REGQ235	164	REGQ701	154	REGQ765.....	155
REGQ236	164	REGQ702.....	154	REGQ766.....	155
REGQ237.....	164	REGQ703.....	154	REGQ767	155
REGQ238	163	REGQ704.....	154	REGQ768.....	155
REGQ240.....	170	REGQ705.....	154	REGQ769.....	155
REGQ241	170	REGQ706.....	154	REGQ770	155
REGQ262.....	167	REGQ707	154		

REGQ771 - REGU65

REGQ771.....155	REGST03145	REGT7570
REGQ772155	REGST10142	REGT7670
REGQ773155	REGST15142	REGT7770
REGQ774155	REGST20142	REGT7865
REGQ775155	REGST25144	REGT7968
REGQ776155	REGST30144	REGT8070
REGQ777155	REGST32144	REGT8166
REGQ778155	REGST34144	REGT8266
REGQ779155	REGST36144	REGT8366
REGQ780155	REGST40144	REGT8466
REGQ820159	REGST42144	REGT8570
REGQ825159	REGST44144	REGT8667
REGQ835159	REGST50142	REGT8767
	REGST65128,141	REGT8867
	REGST7561,141	REGT8967
REGR0127	REGST80141	
REGR0525	REGST86140	
REGR0926	REGST87140	REGU0124
REGR11135		REGU0324
REGR12135		REGU0424
REGR13136	REGT0433	REGU0520
REGR18135	REGT0853	REGU1021
REGR1971,135	REGT1157,160	REGU1521
REGR30137	REGT12123	REGU2021
REGR5027	REGT1652	REGU2520
REGR6026	REGT1746	REGU2818,138
REGR6526	REGT1811,52	REGU2918,138
	REGT1957	REGU3020
	REGT2054	REGU3120
REGS0677	REGT24123	REGU3220
REGS0777	REGT2555	REGU3318-19
REGS1077	REGT3054	REGU3518-19
REGS1574	REGT3154	REGU3618,138
REGS2074	REGT3555	REGU3818,138
REGS2176	REGT4055	REGU3918,138
REGS2575	REGT5168	REGU4018-19
REGS3075	REGT5568	REGU4118,138
REGS4071,76	REGT5668,185	REGU4218,138
REGS5076	REGT57185	REGU4521
	REGT5865	REGU5022
	REGT59185	REGU5522
REGST01143	REGT7165	REGU6022
REGST02145	REGT7265	REGU6522

REGU68 - REGZ66 / VT400

REGU68	22	REGXA1	29	REGY21	115
REGU69	22	REGXA5	31,137	REGY23	115
REGU70	19	REGXA6	31	REGY25	115
REGU75	25	REGXA7	31	REGY30	115
REGU77	23	REGXA8	32		
REGU78	23	REGXA55	31		
REGU80	23	REGXA56	31	REGZ06	108
REGU83	27			REGZ07	109
				REGZ09	109
		REGXE01	13	REGZ10	109
REGV10	63	REGXE09	52	REGZ15	112
REGV11	63	REGXE15	51	REGZ20	112
REGV15	61	REGXE40	50	REGZ22	113
REGV20	64	REGXE45	51	REGZ31	110,143
REGV25	64	REGXE50	50	REGZ32	110,143
REGV30	64	REGXE65	62	REGZ34	111
REGV40	64	REGXE68	62	REGZ35	110
REGV45	64	REGXE70	62	REGZ36	110
		REGXE77	61	REGZ37	110
				REGZ40	112
REGW01	131			REGZ41	112
REGW31	130	REGXP5	11	REGZ65	108,143
REGW40	126	REGXP7	49	REGZ66	108,143
REGW41	127	REGXP8	49		
REGW42	127	REGXP9	49		
REGW43	127	REGXP102	137	VT02	188
REGW44	127			VT33	189
REGW45	126			VT36	189
REGW46	126	REGXS10	10	VT400	188
REGW50	130	REGXS15	7		
REGW55	131	REGXS19	7		
REGW80	130	REGXS22	8		
		REGXS150	10		
REGX01	32	REGXS400	8		
REGX10	17	REGXS500	6		
REGX37	30	REGXS600	9		
REGX38	30	REGXS700	12		
REGX39	30				
REGX75	30	REGY05	106		
REGX80	181	REGY10	106		
		REGY12	106		
		REGY16	115		

- C

2 POLE TESTER	6,7,9,10
3 & 5 WAY CONNECTOR	48,134
3 IN 1 THERMOMETER	62
4 WAY UTILITIES KEY	40
7 PIECE FLUE BRUSH	68
31 PIECE SOCKET SET	34
360 INSPECTION LAMP	58
1000MM STOP COCK KEY	39
1000V CABLE SHEARS	47
1000V COMBINATION PLIERS	45
1000V DIAGONAL CUTTING PLIERS	45
1000V LONG NOSE PLIERS	47
1000V VDE SCREWDRIVER	43,44
1000V VDE SCREWDRIVER 8 PIECE SET	44
1500°C FLUE & FIRE SEAL	110,143

AAV REMOVAL TOOL	54
ABRASIVE MINI PADS	69
ABRASIVE SILICONE CARBIDE STRIPS	69
AC VOLTAGE DETECTOR	52
ADAPTOR - GAS TEST NIPPLE	24
ADAPTOR PLATE - METER	137
ADAPTOR - PUMP	16
ADAPTOR - SOCKET INTERFACE	49
ADHESIVE - GLASS YARN	115
ADHESIVE - MULTI-PURPOSE SPRAY ON	109
AIR DUSTER AEROSOL	108
AIR DUSTER ELECTRONIC	13
ALUMINIUM FOIL TAPE	99
ALUMINIUM TUBE KIT	138
ANALYSER - ONE-CLICK	29
ANALYSER APPLIANCE SAMPLING PROBE KIT	32
ANALYSER CASE	31
ANALYSER PRINTER	31
ANALYSER PROBE HOLE COVERS	159
ANALYSER READINGS RECORD PAD	32,84
ANALYSER REPLACEMENT FILTER	31,137
ANALYSER TEST POINT PLUG	30
ANGLED ADAPTOR	16
ANGLED SCREWDRIVER	160
ANTI-STATIC WRIST STRAP	163
ANTI-SURGE FUSES	156
APPLIANCE SAMPLING PROBE KIT	32
APPLIANCE SCRAPE AWAY SET	185
APPLIANCE SERVICED STICKERS/TAGS	90
AUDIBLE MAINS SOCKET TESTER	6,8
AUTOMATIC PIPE CUTTER HOLDER	40
AUTOMATIC WIRE STRIPPER	47
AUTO-RANGING MULTIMETER	50-51

BACK NUT SPANNER SET	42
BACK TO BLACK COAL PAINT	108,143
BASIN WRENCH - CROWFOOT	42
BASIN WRENCH - SPRING LOADED	42

BATTERIES	132-133
BEANIE HAT	131
BENDER - MINI TUBE	41
BIMETAL CONTACT THERMOMETER	61
BITS'N'BOLTS	147
BITS'N'BOLTS RETRIEVER	57,160
BLACK STOVE PAINT	142
BLEEDER SET - RADIATOR	135
BLUE PAPER TOWEL	130
BOILER CASE CLEANER	109
BOILER CASE SEAL	103
BOILER FIRST-AID KIT	120
BRAIDED YARN	115
BRASS BAR TYPE RADIATOR KEY	71
BRASS OLIVES	123,171
BRASS TEST NIPPLES	159
BRASS PRESSURE TEST TEE	25
BRUSH - FLUE SET	68
BRUSH - HEAT EXCHANGER	66
BRUSH - NYLON	66-67
BRUSH SET	65,68
BRUSH - SOFT BRISTLE	70
BRUSH - STEEL WIRE MINI	65
BRUSH - WIRE	65,70
BULLET CONNECTOR	169
BUNGEE STRAP	71
BUTT CONNECTOR	168

CABLE SHEARS - 1000V	47
CABLE TIES	162
CALICO COTTON DUST SHEET	118
CARAVAN/BOAT GAS INSPECTION RECORD PAD	81
CARBON MONOXIDE DETECTOR - MOBILE CO	32
CASE - ANALYSER	31
CASE CLEANER - BOILER	109
CASE - OIL BURNER NOZZLE	183
CASE SEAL - BOILER	103
CATERING PAD	80,81
CENTRAL HEATING CLEANER	114
CENTRAL HEATING INHIBITOR	114
CENTRAL HEATING INSP/COMMISSIONING REPORT	85
CERAMIC FUSES	156
CHAIN - COOKER	137
CHIMNEY & FLUE CLEANER	142
CHIMNEY/FLUE NOTICE PACK	84
CHIMNEY/HEARTH NOTICE PLATE	91,145
CIRCUIT BREAKER	53
CIRCULATION PUMP WASHERS	150
CLAMP PROBES - CROCODILE TYPE	64
CLEANER - AIR DUSTER & VACUUM	13
CLEANER - CENTRAL HEATING	114
CLEANER - STOVE GLASS	142
CLEANING BLADES - HEAT EXCHANGER	70
CLEANING SET	65
CLEANING STRIPS - CARBIDE	69
COAL PAINT	108,143
COLOURED STUMPY SPANNER SET	36

C - F

COMBINATION PLIERS - 1000V	45	DUO VOLTAGE SENSOR	11
COMBINATION SPANNER SET	36	DURACELL BATTERIES	133
COMBINATION STOP COCK KEY	39	DUST SHEETS	118-119
COMBUSTIBLE GAS LEAK DETECTOR	30	DUSTA DUO AIR DUSTER & VACUUM	13
COMBUSTION DEPOSIT REMOVER	142,185		
COMMERCIAL CATERING PAD	80		
COMMERCIAL REPORT PADS	80,83,87		
COMPARTMENT STICKER	89		
COMPONENT EXCHANGE LOOP TESTER	11	EARTHING CLAMP	164
COMPOUND - HEAT SINK	112	ECONOMY U GAUGE	21
COMPOUND - JOINTING	113	ELECTRICAL CONNECTOR STRIPS	170
COMPRESSION FITTING	161	ELECTRICAL CONNECTORS	48,134,167-170
CONDENSING BOILER INST. ASSESSMENT FORM	82	ELECTRICAL CONNECTORS - PUSH-IN	167
CONNECTORS - ELECTRICAL	48,134,167-170	ELECTRICAL CONNECTORS - STRAIN RELIEF	48,134
CONNECTOR STRIPS - ELECTRICAL	170	ELECTRICAL KIT	122
CONSUMABLES	73	ELECTRICAL SAFE ISOLATION KIT	9
CONTACT THERMOMETER	61	ELECTRICAL SCREWDRIVER - MULTI-TEST	46
CONTACT VOLTAGE DETECTOR	6,7	ELECTRICAL STICKERS & TAGS	94-95
CONTINUITY BOND	57	ENGINEER KITS	120-123
CONTINUITY/VOLTAGE INDICATOR	51	EXTRA LONG SCREWDRIVER SET	35
CONTOUR TURNER	71		
CONTRACT 30 12" 'U' GAUGE	20		
CONTRACT 60 24" 'U' GAUGE	20		
COOKER CHAIN	137	FAN ASSEMBLY OILER	113
COOLSKIN HEAT RESISTANT GLOVES	128,141	FAN - HEAT POWERED	140
COTTER PIN	164	FAN PULLER - MULTI-SIZE	55
COTTON TWILL DUST SHEET	119	FIBRE WASHERS	148-151
CREOSOTE & TAR CLEANER	142	FILAMENT HEX BRUSH	65
CRIMPING TOOL - RATCHET TYPE	46	FILLING KIT	114
CROCODILE TYPE CLAMP PROBES	64	FILTER - ANALYSER	31
CROWFOOT BASIN WRENCH	42	FILTER - OIL	184
CUTTAKEEP AUTOMATIC PIPE CUTTER HOLDER	40	FIRE BLANKET	129
CUTTER - TUBE	41	FIRE EXTINGUISHER - POWDER	129
CUTTING PLIERS - DIAGONAL - 1000V	45	FIRE RATED INSPECTION HATCH	116
		FIRESTOP INTUMESCENT SEALANT	111
		FIRST-AID KIT	129
		FIRST-AID KIT - BOILER	120
DANGER - DO NOT USE PAD	79	FIXATIVE - GLASS YARN	115
DANGER - DO NOT USE STICKER	88	FIXINGS - BOILER	120-123
DETECTABLE UNDERGROUND TAPE	98	FLARED FITTINGS	186-187
DIAGONAL CUTTING PLIERS - 1000V	45	FLARING TOOL	186
DIFFERENTIAL THERMOMETER	64	FLEXIBLE WIRE PROBE	64
DIGITAL MULTIMETER	50-51	FLOW CUP	28
DIGITAL THERMOMETERS	61-64	FLUE BRUSH - 7 PIECE	68
DIGITAL PRESSURE VESSEL CHECKER	17	FLUE BRUSH SET	68
DIGITAL WOOD MOISTURE METER	141	FLUE BRUSH SET - OIL	185
DIGITEMP THERMOMETER KIT	63	FLUE & CHIMNEY CLEANER	142
DISPLAYBOARD/STAND	190,191	FLUE/FIREPLACE COMMISSIONING CERTIFICATE	82
DOMESTIC CENTRAL HEATING INSPECTION PAD	85	FLUE HOLE COVERS	159
DO NOT OPERATE PLATES	96	FLUE'N'FIRE 1500°C SILICATE CEMENT	110,143
DO NOT USE STICKER	88	FLUE RAKE	185
DOUBLE SIDED FOAM TAPE	103	FLUID - MANOMETER	19,20,21
DRAIN-DOWN HOSE KIT	26	FLUX BRUSH	161
DRAINEASY RADIATOR DRAINING KIT	27	FOAM TAPE	103
DRAINING KIT - DRAINEASY	27	FOIL TAPE - ALUMINIUM	99
DROP-OUT TESTER	54	FREE-AIRGAUGE KIT	56
DRY PIPE PRESSURE TEST CERTIFICATE	84	FUEL FINDING PASTE	182
DRY PIPE PRESSURE TEST KIT	25	FUMAX SMOKE PELLETS	74-76
DUCT TAPE	104	FUSE KIT	120,122

F - L

FUSED MULTIMETER PROBES	53
FUSES	156

GAS COCK GREASE	112
GAS EMERGENCY CONTROL STICKER	89
GAS INSTALLATION SAFETY REPORT - COMMERCIAL	83
GAS ISOLATION VALVE STICKER	89
GAS LEAK DETECTION AEROSOL	107
GAS LEAK DETECTOR - SNIFFA PLUS	30
GAS SAFETY INSPECTION PAD	79
GAS SAFETY RECORD PAD	78
GAS SPEC. PTFE TAPE	105
GAS TAP LUBRICANT	112
GAS TAPE	100
GAS TEST NIPPLE ADAPTOR	24
GAS TESTING & PURGING REPORT - COMMERCIAL	83
GAS TESTING & PURGING REPORT - DOMESTIC	82
GAS & WATER JOINTING COMPOUND	113
GAUGES - PRESSURE	180
GIANT AEROSOL CANS	109
GLASS CLEANER - STOVE	142
GLASS FUSES	156
GLASS YARN	115,144
GLASS YARN ADHESIVE	115,144
GLOVES - HEAT RESISTANT	128
GLOVES - WORK GLOVES	126-127
GLYCEROL FILLED GAUGE	180
GRATE & STOVE POLISH	143
GREASE - SILICONE	112

HAND PUMP	16
HAND SANITISING GEL	131
HAND WIPES	130
HAT - BEANIE	131
HATCHES - INSPECTION	116
HEADLIGHT - LED	60
HEAT EXCHANGER CLEANING BLADES	70
HEAT POWERED STOVE FAN	140
HEAT RESISTANT GLOVES	128,141
HEAT SINK COMPOUND	112
HEAVY DUTY KNIFE BLADES	160
HELDITE UNIVERSAL SEALANT	113,184
HEX BRUSH	65
HEX KEY - T HANDLE	39
HEX KEY SET - IMPERIAL	39
HEX KEY SET - METRIC	39
HIGH TEMPERATURE SILICONE SEALANT	110
HOOK AND PICK SET	38
HOSE - DRAIN-DOWN	26
HOSE JOINER	26
HVO STICKER	92

ID CARD HOLDER	131
IDENTIFICATION TAPES	100-102
IGNITION LEADS	136
ILLUMINATED 'BITS'N'BOLTS' RETRIEVER	57
IMMERSION PROBE	64
IMMERSION SPANNERS	42
IMPERIAL HEX KEY SET	39
IMPERIAL O-RING KIT	124
INFLATOR - VESSEL JET 2	14-15
INFRA-RED ANALYSER PRINTER	31
INFRA-RED THERMOMETER	62
INHIBITOR - CENTRAL HEATING	114
INSPECTION HATCHES	116
INSPECTION LAMP - 360	58
INSPECTION MIRRORS	55
INSTALLERS SERVICE KIT	121
INSULATED TERMINAL DRIVER	46
INSULATION STRIPPER PLIERS	40
INSULATION TAPE	104,172
INSULATION TEST LEAD SET - RED/BLACK	49
INTERCHANGEABLE SCREWDRIVER SET	43
INTERFACE ADAPTOR - SOCKET	49
INTUMESCENT SEALANT - FIRESTOP	111

J GAUGE MANOMETER	20
J GAUGE FLUID	20
JOINTING COMPOUND	113
JUBILEE HOSE CLIP	159

K-TYPE THERMOMETER KIT	61
KEROSENE STICKER	93
KEY - RADIATOR	41
KEY RING - RAD KEY	136
KEY - STOPCOCK	39
KEY - UTILITIES	40
KING SIZE SMOKE PELLETS	75
KNEELING MAT	130
KNIFE BLADES	160
KOLOR KUT FUEL FINDING PASTE	182
KOLOR KUT WATER FINDING PASTE	182

LABELS - PIPE	105,172
LAMINATED DUST SHEET	119
LAMP - INSPECTION	58
LAMP - SITE LIGHT	59
LANDLORD'S SAFETY RECORD PADS	78
LANYARD	131
LEADS - IGNITION	136
LEAK DETECTION - AEROSOLS	107
LEAK DETECTION - ATOMISER	107

L - O

LEAK DETECTION - BRUSH ON FLUID	107	MINI WIRE BRUSH	162
LEAK DETECTOR - ELECTRONIC	30	MIRRORS - INSPECTION	55
LED HEADLIGHT	60	MOBILE CATERING PAD	81
LED PENLIGHT	59	MOBILE CO CARBON MONOXIDE DETECTOR	81
LED TORCH	60	MOISTURE METER - WOOD	141
LED WORK LIGHT	60	MONOBLOC SPANNER SET	42
LEGIONNAIRE RISK ASSESSMENT PAD	80	MRT - MANOMETER RIGID TUBE	24
LIQUID FUEL	173	MULTI DRAIN DOWN HOSE	26
LIQUID FUEL REPORT PADS	85-87,174-176	MULTIMETER	50-51
LIQUID FUEL WARNING STICKERS	92-93,178-179	MULTIMETER - AUTORANGING	50-51
LOCATION PLATE	96	MULTIMETER PROBES & CLIPS	53
LOCKING OFF DEVICE	9,10	MULTIMETER WITH TEMPERATURE	50
LOCKING OFF PLATE	9,10	MULTI-PURPOSE ADHESIVE	109
LONG NOSE PLIERS - 1000V	47	MULTI-PURPOSE SILICONE TEMP. REPAIR TAPE	99
LONG RADIATOR BRUSH	68	MULTI-SIZE FAN PULLER	55
LONG SCREWDRIVER SET	35	MULTI-TEST ELECTRICAL SCREWDRIVER	46
LOOP TESTER	11	MULTI-THERMOMETER	62
LPG PRESSURE RELIEF KIT	23	MULTI-TOOL	33
MAG TIP MAGNETIC SCREW HOLDER	38	NEON MAINS TEST SCREWDRIVER	160
MAGDISH	72	NEOPRENE TUBE	22
MAGFOOT SITE LIGHT	59	NIPPLE - PRESSURE TEST	159
MAGNET TESTER	53	NIPPLE ADAPTOR	24
MAGNETIC 'BITS'N'BOLTS' RETRIEVER	57	NON-DOMESTIC LIQUID FUEL PADS	87,175
MAGNETIC PARTS DISH 'MAG DISH'	72	NON-FLAMMABLE AIR SPRAY	108
MAGNETIC SCREW HOLDER	38	NOTICE PLATES	91,145
MAGNETIC WRISTBAND	72	NOZZLE CASE	183
MAGTESTER PLUS	53	NOZZLE SPANNER	183
MAINS SOCKET TESTER	8	NOZZLES - SEALANT	163
MAINS WATER PRESSURE TEST KIT	27	NUTS - BRASS	158
MAINTENANCE/SERVICE CHECK LIST PAD	79	NUTS - SPIRE	157
MANIFOLD - OIL	181	NUTS - SPLIT	158
MANOMETER FLUID	19,20,21	NUTS - STEEL	158
MANOMETER - PREMIER	18-19		
MANOMETER RIGID TUBE	24	O-RING KITS	124-125
MANOMETERS	18-21	O-RINGS	154-155
MANOMETER TUBE	22	OIL BURNER NOZZLE CASE	183
MARKER PENS	97	OIL BURNER NOZZLE SPANNER	183
MAT - PLUMBERS WORK	117	OIL FILTER	184
MAT - SERVICE	118	OIL FLUE BRUSH SET	185
MATCHES - SMOKE	77	OIL PRESSURE TEST KIT	181
MATS - SOLDER	106	OIL PRESSURE TEST MANIFOLD	181
MECHANICAL KIT	122	OIL REPORT PADS	85-87,174-176
METER ADAPTOR PLATE - UNIVERSAL	137	OIL SUCTION PUMP	182
METER ADAPTOR WASHERS	153	OIL VACUUM TEST KIT	181
METER BOX KEY	161	OILER - ZOOM SPOUT	113
METER SEALING DISC	159	OLIVE & WASHER KIT	123
METER UNION WASHERS	153	OLIVES - BRASS	123,171
METRIC HEX KEY SET	39	ONE-CLICK ANALYSER	29
METRIC O-RING KIT	125	ONE-CLICK TEST LEAD SET	49
MICRO RATCHET WRENCH	34	ONE TOUCH MULTIMETER	50
MICRO SOCKET SET	34	ONE WRAP GAS SPEC PTFE TAPE	105
MINI CRUTCH STOP COCK KEY	39	ORGANISER CASE	123
MINI PIPE CUTTER	41		
MINI PREMIER GAUGE	18-19		
MINI TUBE BENDER	41		
MINI TUBE CUTTER	41		

P - S

PADS - RECORD	78-87	PTFE TAPE	105
PAINT MARKER PENS	97	PUGGY TYPE GLOVES	126
PAINT - STOVE	142	PUMP ADAPTOR	16
PANASONIC BATTERIES	132-133	PUMP PLIERS - WATER PUMP	38
PAPER ELEMENT - OIL FILTER	184	PUMP - PRESSURE VESSEL	14-16
PAPER TOWEL	130	PUMP WASHERS	150
PCB SUPPORT POSTS	166	PUSH-IN ELECTRICAL CONNECTORS	167
PELLETS - SMOKE	74-76	PVC INSULATION TAPE	104,172
PENLIGHT - LED	59		
PEN - MARKER	97	QUICK BLOW FUSES	156
PEN TYPE PRESSURE GAUGE	17		
PICK AND HOOK SET	38		
PIGGY BACK CONNECTORS	170		
PILOT TUBE ASSEMBLY KIT	138		
PIPE CUTTER HOLDER	40		
PIPE LABELS	105,172		
PIPE SAW	35		
PIPE THERMOMETER	61	RADIATOR BLEED KEY	135,136,161
PIPE THERMOMETER - STOVE	141	RADIATOR BLEEDER SET	135
PLIERS - COMBINATION	45	RADIATOR BRUSH	68
PLIERS - DIAGONAL CUTTING	45	RADIATOR CLAMP KIT	164
PLIERS - LONG NOSE	47	RADIATOR DRAINING KIT	27
PLIERS - PUMP	38	RADIATOR KEY	41
PLUMBERS ELECTRICAL KIT	122	RADVALVE CHANGE KIT	25
PLUMBERS MECHANICAL KIT	122	RADVALVE TOPS TAMPER PROOF	135
PLUMBERS SAW	35	RAKE - FLUE	185
PLUMBERS WASHER KIT	123	RATCHET CRIMPING TOOL	46
PLUMBERS WORK MAT	117	RATCHET SCREWDRIVER	33
PLUME KIT - SMOKE MATCH	77	RATCHET TIE DOWN STRAP SET	72
POCKET INFRA-RED THERMOMETER	62	RATCHET WRENCH	34
POCKET ROCKET	71,76	RATIO ANALYSER	29
POINT OF SALE	190-191	RCD CIRCUIT BREAKER	53
POLE TESTER	7	RED/BLACK INSULATION TEST LEAD SET	49
POLISH - STOVE & GRATE	143	RED SMOKE PELLETS	76
PREMIER SOLDER MAT	106	REMOVAL TOOL - AAV	54
PREMIER 'U' GAUGE	18-19	REPAIR TAPE - SILICONE	99
PREMIER 'U' GAUGE BAG	18,138	REPORT PADS	78-87,174-176
PREMIER 'U' GAUGE FLUID	19	RING CONNECTOR	168
PREMIER 'U' GAUGE SCREW & 'O' RING	18,138	RISK ASSESSMENT PAD - LEGIONNAIRE	80
PREMIER 'U' GAUGE STOPPER	18,138	RSM PACK	170
PRESSURE GAUGE - PEN TYPE	17	RUBBER TUBE	22
PRESSURE GAUGES	17,180		
PRESSURE RELIEF KIT	23	SAFE ISOLATION KIT - ELECTRICAL	9
PRESSURE TEST KIT	23	SAFETY TEST PLUG	53
PRESSURE TEST KIT - DRY PIPE	25	SAFETY WARNING STICKER/TAG	88
PRESSURE TEST KIT - MAINS WATER	27	SAMPLING PROBE KIT - ANALYSER	32
PRESSURE TEST NIPPLE	159	SANITISING HAND GEL	131
PRESSURE TEST NIPPLE ADAPTOR	24	SAW - SWIVEL	35
PRESSURE TEST TEE	25	SCHRADER VALVE CORE SCREWDRIVER	17
PRESSURE VESSEL CHECKER	17	SCHRADER VALVE CORES	17
PRESSURE VESSEL INFLATOR	14-16	SCRAPE AWAY SET	185
PRESSURE VESSEL PUMP	14-16	SCREW HOLDER	38
PRESSURISATION PUMP ANGLED ADAPTOR	16	SCREWS - STEEL	165
PRESSURISATION PUMP STRAIGHT ADAPTOR	16	SCREWDRIVER - 1000V	43-44
PRINTER - ANALYSER	31	SCREWDRIVER 8 PIECE SET - 1000V	44
PRINTER ROLLS	31	SCREWDRIVER - EXTRA LONG	35
PROBES - ANALYSER	32	SCREWDRIVER - MULTI-TEST ELECTRICAL	46
PROBES - THERMOMETER	64		
PROFESSIONAL FUSE KIT	120		
PROVING UNIT	6,8,9		

S - T

SCREWDRIVER - NEON MAINS TESTER	160	STOVE GLASS CLEANER	142
SCREWDRIVER SET - INTERCHANGEABLE	43	STOVE & GRATE POLISH	143
SCREWDRIVER SET - RATCHET	33	STOVE HEAT RESISTANT GLOVES	141
SCREWDRIVER SET - VDE	44	STOVE PAINT - BLACK	142
SEALANT	110	STOVE PIPE THERMOMETER	141
SEALANT - UNIVERSAL - HELDITE	113	STOVE RANGE	139
SEALANT GUN	37,111	STOVE ROPE	144
SEALANT NOZZLES	163	STOVE ROPE FIXATIVE	144
SEALING DISCS	159	STOVE ROPE KIT	144
SEALING TAPE	103	STOVE SMOKE MATCHES	145
SEALING YARN FIXATIVE	115	STOVE SMOKE PELLETS	145
SERVICE KIT COMPLETE	121	STRAIN RELIEF ELECTRICAL CONNECTORS	48,134
SERVICE/MAINTENANCE PAD	79	STRAP - BUNGEE	71
SERVICE MAT	118	STRIPPER PLIERS	40
SERVICING/COMMISSIONING REPORT - COMMERCIAL	83	STUMPY SEALANT GUN	37
SILICATE CEMENT 1500°C	110,143	STUMPY SPANNER SET	36
SILICONE CARBIDE ABRASIVE STRIPS	69	SUPERGLUE	163
SILICONE GREASE	112	SUPPORT POSTS - PCB	166
SILICONE GUN	37,111	SURFACE PROBE	64
SILICONE SEALANT - HIGH TEMPERATURE	110	SWIVEL SAW	35
SILICONE SPRAY	109	SYSTEM GUARD - CENTRAL HEATING INHIBITOR	114
SILICONE TEMPORARY REPAIR TAPE	99		
SILICONE TUBE	22		
SINGLE SIDED FOAM TAPE	103		
SITE LIGHT	59		
SMART METERING KIT - ELECTRICAL	6	T-HANDLE HEX KEY	39
SMART METERING KIT - GAS	12	TAGS	88-96
SMOKE MATCH PLUME KIT	77	TAMPER PROOF RADVALVE TOPS	135
SMOKE MATCHES	77	TAP TURNERS	71
SMOKE PELLET IGNITER	76	TAPE - ALUMINIUM FOIL	99
SMOKE PELLETS	74-76	TAPE - DOUBLE SIDED FOAM TAPE	103
SMOKE TEST KIT	181	TAPE - IDENTIFICATION	98,100-102
SMOKE WANDS	76	TAPE - INSULATION	104
SMIFFA PLUS GAS LEAK DETECTOR	30	TAPE - PTFE	105
SOCKET INTERFACE ADAPTOR	49	TAPE - SEALING	103
SOCKET SET - 31 PIECE	34	TAPE - SINGLE SIDED FOAM TAPE	103
SOCKET TESTER	8	TELESCOPIC MIRROR	55
SOFT BRISTLE BRUSH	70	TEMPORARY REPAIR TAPE	99
SOLDER MATS	106	TERMINAL DRIVER - POZI - INSULATED	46
SOLENOID TESTER	53	TERMINAL DRIVER - SLOTTED - INSULATED	46
SOOTBREAKER	185	TEST KIT - PRESSURE	23
SPANNER - IMMERSION	42	TEST KIT - SMOKE	181
SPANNER SET	36	TEST LEAD SET - INSULATION	49
SPANNER SET - MONOBLOC	42	TEST LEAD SET - ONE-CLICK	49
SPOUT OILER	113	TEST NIPPLE ADAPTOR	24
SPRAY-ON ADHESIVE	109	TEST NIPPLE	159
SPRING LOADED BASIN WRENCH	42	TEST PLUG - SAFETY	53
SPIRE NUTS	157	TEST POINT PLUG - ANALYSER	30
STAINLESS STEEL ELEMENT	184	TEST TEE	25
STAR WASHER	152	TEXTURED HAND WIPES	130
STEADY-STREAM SMOKE WANDS	76	THERMA-FLOCUP	28
STEEL WIRE MINI BRUSH	162	THERMA-FLOCUP THERMOMETER	28
STEEL WOOL	69	THERMAL PRINTER ROLLS	31
STEM THERMOMETER	28,63	THERMOCOUPLE SPARES & FITTINGS	158
STICKERS	88-95,178-179	THERMOCOUPLE TESTER	54
STOP COCK KEY	39	THERMOCOUPLE THREAD GAUGE	57
STOPWATCH	27	THERMOMETER & PROBE KIT	61
STORAGE & SUPPLY RECORD PAD	86-87	THERMOMETER - DIGITAL	62-64
STORAGE VESSEL PAD - UNVENTED	81	THERMOMETER - INFRA RED	62
STOVE FAN - HEAT POWERED	140	THERMOMETER KITS	61-63

WARNING NOTICE PAD	79
WARNING PADS	78-87
WARNING STICKERS	88-95
WASHER KIT	121,123
WASHER & OLIVE KIT	123
WASHERS	121,123,148-153

Notes





Regin Products Ltd.

8/13 Tower Square, Huntingdon, Cambs. PE29 7DT
 Tel: 01480 412415 Fax: 01480 457484
www.regin.co.uk



Regin Products Ltd

Regin

www.regin.co.uk