



BOSCH



New **EXPERT** Accessory Range

THE BEST YOUR TOOL CAN GET.

Bosch Professional Accessories.





EXPERT

ACCESSORY RANGE

THE BEST YOUR TOOL CAN GET.

- ▶ Our new top performance range for all trades
- ▶ Longer, tougher, faster: Up to 100× better performance*
- ▶ Advanced technologies for the toughest applications






NEW PACKAGING

Distinctive blue and red packaging ensures you can quickly find EXPERT accessories on the shelf.


BENEFIT

Clear benefit icons with proven claims, so you know exactly what advantages you are getting.



TECHNOLOGY BEHIND THE BENEFIT

Each EXPERT accessory is backed by an innovative Bosch Technology that ensures it is the best your tool can get.



MATERIAL PICTURES

Clear pictograms show you exactly what materials an EXPERT accessory is designed for.



EXPERT STRIPE

The EXPERT stripe of our best performing range makes it easy to pick the best accessory for every job.



*Bosch EXPERT products vs. Bosch standard products



EXPERT Concrete Drill Bits	6
EXPERT Multi Material Drill Bits	9
EXPERT Wood Drill Bits	10
EXPERT Tile Drill Bits	12
EXPERT Diamond Metal Wheel	13
EXPERT Hard Ceramic Diamond Cutting Disc	14
EXPERT Concrete Diamond Grinding Head	14
EXPERT Carbide Multi Wheel	15
EXPERT Jig Saw Blades	16
EXPERT Reciprocating Saw Blades	19
EXPERT Hole Saws	23
EXPERT Accessories for Multi-Cutter	27
EXPERT Sanding	30
EXPERT Vibration Control Handle	40
EXPERT Circular Saw Blades Range	44

LONG LIFE DRILLING REINFORCED CONCRETE


EXPERT SDS max-8X / SDS plus-7X
Concrete Drill Bits



Exceptionally durable drill bit tip
with Bosch Carbide Technology

Punch through reinforced concrete
with a 4-cutter Full Carbide Head

Highly resistant drill tip connection
with Bosch Welding Technology



EXPERT SDS MAX-8X CONCRETE DRILL BITS

Single Unit Pack

Diameter	Working Length	Total Length	Part Number
12 mm	200 mm	340 mm	2 608 900 201
	400 mm	540 mm	2 608 900 202
	600 mm	740 mm	2 608 900 203
	800 mm	940 mm	2 608 900 204
14 mm	200 mm	340 mm	2 608 900 207
	400 mm	540 mm	2 608 900 208
	600 mm	740 mm	2 608 900 209
	800 mm	940 mm	2 608 900 210
16 mm	200 mm	340 mm	2 608 900 214
	400 mm	540 mm	2 608 900 215
	600 mm	740 mm	2 608 900 216
	800 mm	940 mm	2 608 900 217
18 mm	200 mm	340 mm	2 608 900 221
	400 mm	540 mm	2 608 900 222
	600 mm	740 mm	2 608 900 223
	800 mm	940 mm	2 608 900 224
20 mm	200 mm	320 mm	2 608 900 228
	400 mm	520 mm	2 608 900 229
	600 mm	720 mm	2 608 900 230
	800 mm	920 mm	2 608 900 231
22 mm	200 mm	320 mm	2 608 900 233
	400 mm	520 mm	2 608 900 234
	600 mm	720 mm	2 608 900 235
	800 mm	920 mm	2 608 900 236
24 mm	200 mm	320 mm	2 608 900 238
	400 mm	520 mm	2 608 900 239
25 mm	200 mm	320 mm	2 608 900 240
	400 mm	520 mm	2 608 900 241
	600 mm	720 mm	2 608 900 242
	800 mm	920 mm	2 608 900 243
26 mm	200 mm	320 mm	2 608 900 245
	400 mm	520 mm	2 608 900 246
28 mm	200 mm	320 mm	2 608 900 247
	400 mm	520 mm	2 608 900 248
	600 mm	720 mm	2 608 900 249
	800 mm	920 mm	2 608 900 250
30 mm	200 mm	320 mm	2 608 900 252
	400 mm	520 mm	2 608 900 253
32 mm	200 mm	320 mm	2 608 900 254
	400 mm	520 mm	2 608 900 255
	600 mm	720 mm	2 608 900 256
	800 mm	920 mm	2 608 900 257



EXPERT CONCRETE DRILL BITS | 7

EXPERT SDS PLUS-7X CONCRETE DRILL BITS


Single Unit Pack

Diameter	Working Length	Total Length	Part Number
3.5 mm	50 mm	115 mm	2 608 900 055
	100 mm	165 mm	2 608 900 056
4.0 mm	50 mm	115 mm	2 608 900 057
	100 mm	165 mm	2 608 900 058
5.0 mm	50 mm	115 mm	2 608 900 059
	100 mm	165 mm	2 608 900 060
	150 mm	215 mm	2 608 900 061
	200 mm	265 mm	2 608 900 062
	250 mm	315 mm	2 608 900 063
	400 mm	465 mm	2 608 900 064
5.5 mm	50 mm	115 mm	2 608 900 065
	100 mm	165 mm	2 608 900 066
	150 mm	215 mm	2 608 900 067
	200 mm	265 mm	2 608 900 068
	250 mm	315 mm	2 608 900 069
6.0 mm	400 mm	465 mm	2 608 900 070
	50 mm	115 mm	2 608 900 071
	100 mm	165 mm	2 608 900 072
	150 mm	215 mm	2 608 900 073
	200 mm	265 mm	2 608 900 074
6.5 mm	250 mm	315 mm	2 608 900 075
	400 mm	465 mm	2 608 900 076
	50 mm	115 mm	2 608 900 077
	100 mm	165 mm	2 608 900 078
	150 mm	215 mm	2 608 900 079
	200 mm	265 mm	2 608 900 080
7.0 mm	250 mm	315 mm	2 608 900 081
	400 mm	465 mm	2 608 900 082
	50 mm	115 mm	2 608 900 083
	100 mm	165 mm	2 608 900 084
	150 mm	215 mm	2 608 900 085
8.0 mm	200 mm	265 mm	2 608 900 086
	50 mm	115 mm	2 608 900 087
	100 mm	165 mm	2 608 900 088
	150 mm	215 mm	2 608 900 089
	200 mm	265 mm	2 608 900 090
9.0 mm	250 mm	315 mm	2 608 900 091
	300 mm	365 mm	2 608 900 092
	400 mm	465 mm	2 608 900 093
	100 mm	165 mm	2 608 900 094
	150 mm	215 mm	2 608 900 095
10.0 mm	50 mm	115 mm	2 608 900 096
	100 mm	165 mm	2 608 900 097
	150 mm	215 mm	2 608 900 098
	200 mm	265 mm	2 608 900 099
	250 mm	315 mm	2 608 900 100
	300 mm	365 mm	2 608 900 101
	400 mm	465 mm	2 608 900 102
	550 mm	615 mm	2 608 900 103
	950 mm	1.005 mm	2 608 900 104

Diameter	Working Length	Total Length	Part Number
11.0 mm	100 mm	165 mm	2 608 900 105
	150 mm	215 mm	2 608 900 106
	200 mm	265 mm	2 608 900 107
12.0 mm	100 mm	165 mm	2 608 900 108
	150 mm	215 mm	2 608 900 109
	200 mm	265 mm	2 608 900 110
	250 mm	315 mm	2 608 900 111
	300 mm	365 mm	2 608 900 112
	400 mm	465 mm	2 608 900 113
	550 mm	615 mm	2 608 900 114
13.0 mm	950 mm	1.005 mm	2 608 900 115
	100 mm	165 mm	2 608 900 116
	150 mm	215 mm	2 608 900 117
	200 mm	265 mm	2 608 900 118
	100 mm	165 mm	2 608 900 119
14.0 mm	150 mm	215 mm	2 608 900 120
	200 mm	265 mm	2 608 900 121
	250 mm	315 mm	2 608 900 122
	300 mm	365 mm	2 608 900 123
	400 mm	465 mm	2 608 900 124
	550 mm	615 mm	2 608 900 125
	950 mm	1.000 mm	2 608 900 126
15.0 mm	100 mm	165 mm	2 608 900 127
	200 mm	261 mm	2 608 900 128
	400 mm	465 mm	2 608 900 129
16.0 mm	150 mm	215 mm	2 608 900 130
	200 mm	265 mm	2 608 900 131
	250 mm	315 mm	2 608 900 132
	400 mm	465 mm	2 608 900 133
	550 mm	615 mm	2 608 900 134
17.0 mm	950 mm	1.000 mm	2 608 900 135
	150 mm	215 mm	2 608 900 136
	250 mm	315 mm	2 608 900 137
18.0 mm	200 mm	265 mm	2 608 900 138
	400 mm	450 mm	2 608 900 139
	550 mm	600 mm	2 608 900 140
	950 mm	1.000 mm	2 608 900 141
20.0 mm	200 mm	265 mm	2 608 900 142
	400 mm	450 mm	2 608 900 143
	550 mm	600 mm	2 608 900 144
22.0 mm	950 mm	1.000 mm	2 608 900 145
	200 mm	265 mm	2 608 900 146
	400 mm	450 mm	2 608 900 147
24.0 mm	550 mm	600 mm	2 608 900 148
	950 mm	1.000 mm	2 608 900 149
25.0 mm	200 mm	265 mm	2 608 900 150
	400 mm	450 mm	2 608 900 151
	550 mm	600 mm	2 608 900 152
28.0 mm	950 mm	1.000 mm	2 608 900 153
	400 mm	450 mm	2 608 900 154
	400 mm	450 mm	2 608 900 155

HIGH PRECISION DRILLING MULTIPLE MATERIALS

EXPERT Hex-9 MultiConstruction Drill Bits





Accurate drilling is easy with Bosch Centering Geometry

High-performance carbide tip manufactured by fine grinding

Start holes accurately with a sharp centering tip

Optimised dust extraction channel for fast, efficient drilling



Single Unit Pack

Diameter	Working Length	Total Length	Part Number
3.0 mm	45 mm	90 mm	2 608 900 569
4.0 mm	45 mm	90 mm	2 608 900 570
5.0 mm	50 mm	100 mm	2 608 900 571
5.5 mm	60 mm	100 mm	2 608 900 572
	90 mm	150 mm	2 608 900 573
6.0 mm	60 mm	100 mm	2 608 900 574
	90 mm	150 mm	2 608 900 575
6.5 mm	60 mm	100 mm	2 608 900 577
7.0 mm	50 mm	100 mm	2 608 900 579
	90 mm	150 mm	2 608 900 580
8.0 mm	50 mm	100 mm	2 608 900 581
10.0 mm	90 mm	150 mm	2 608 900 582
12.0 mm	90 mm	150 mm	2 608 900 583

Sets

Description	Diameter	Part Number
3-pcs.	5.0/6.0/8.0 mm	2 608 900 584
5-pcs.	4.0/5.0 (2×)/6.0/8.0 mm	2 608 900 585
	5.5/6.0/7.0 (2×)/8.0 mm	2 608 900 586
8-pcs.	3.0/4.0/5.0 (2×)/6.0 (2×)/8.0 (2×) mm	2 608 901 455

*vs. Bosch CYL-3 drill bit

EXPERT MULTI MATERIAL DRILL BITS | 9

HIGH SPEED DRILLING IN WOOD

EXPERT Self Cut Speed Spade Drill Bits



Fast drilling is easy with Bosch Tip Technology

Self-feeding thread for effortless drilling and speed

Clever wave-shaped spade designed for fast chip removal



*vs. Bosch Spade Bit (2 609 255 269)



Single Unit Pack

Diameter	Total Length	Part Number
6.0 mm	152 mm	2 608 900 309
8.0 mm	152 mm	2 608 900 310
10.0 mm	152 mm	2 608 900 311
12.0 mm	152 mm	2 608 900 312
13.0 mm	152 mm	2 608 900 313
14.0 mm	152 mm	2 608 900 314
16.0 mm	152 mm	2 608 900 315
17.0 mm	152 mm	2 608 900 316
18.0 mm	152 mm	2 608 900 317
19.0 mm	152 mm	2 608 900 318
20.0 mm	152 mm	2 608 900 319
22.0 mm	152 mm	2 608 900 320
24.0 mm	152 mm	2 608 900 321
25.0 mm	152 mm	2 608 900 322
26.0 mm	152 mm	2 608 900 323
28.0 mm	152 mm	2 608 900 324
30.0 mm	152 mm	2 608 900 325
32.0 mm	152 mm	2 608 900 326
35.0 mm	152 mm	2 608 900 327
36.0 mm	152 mm	2 608 900 328
38.0 mm	152 mm	2 608 900 329
40.0 mm	152 mm	2 608 900 330

Diameter	Total Length	Part Number
6.0 mm	400 mm	2 608 900 337
8.0 mm	400 mm	2 608 900 338
10.0 mm	400 mm	2 608 900 339
12.0 mm	400 mm	2 608 900 340
13.0 mm	400 mm	2 608 900 341
14.0 mm	400 mm	2 608 900 342
16.0 mm	400 mm	2 608 900 343
17.0 mm	400 mm	2 608 900 344
18.0 mm	400 mm	2 608 900 345
19.0 mm	400 mm	2 608 900 346
20.0 mm	400 mm	2 608 900 347
22.0 mm	400 mm	2 608 900 348
24.0 mm	400 mm	2 608 900 349
25.0 mm	400 mm	2 608 900 350
26.0 mm	400 mm	2 608 900 351
28.0 mm	400 mm	2 608 900 352
30.0 mm	400 mm	2 608 900 353
32.0 mm	400 mm	2 608 900 354
35.0 mm	400 mm	2 608 900 355
36.0 mm	400 mm	2 608 900 356
38.0 mm	400 mm	2 608 900 357
40.0 mm	400 mm	2 608 900 358

Sets

Description	Diameter	Part Number
3-pcs.	20.0/22.0/25.0 mm	2 608 900 331
6-pcs.	14.0/16.0/18.0/ 20.0/22.0/24.0 mm	2 608 900 332
6-pcs.	13.0/16.0/19.0/ 20.0/22.0/25.0 mm	2 608 900 333
7-pcs.	16.0/18.0/20.0/ 22.0/25.0/32.0 mm	2 608 900 334
8-pcs.	12.0/16.0/18.0/ 20.0/22.0/25.0/ 28.0/32.0 mm	2 608 900 335
13-pcs.	10.0/12.0/13.0/ 14.0/16.0/18.0/ 20.0/22.0/24.0/ 25.0/28.0/30.0/ 32.0 mm	2 608 900 336



LONG LIFE DRILLING HARD TILES

EXPERT HEX-9 HardCeramic Drill Bits





Exceptionally durable drill bit tip with Bosch Carbide Technology

Start holes accurately with a specially designed centering tip

High-performance carbide tip manufactured by fine grinding

Efficient drilling in hard materials with a patented multi-faceted design



Single Unit Pack

Diameter	Total Length	Part Number
3.0 mm	90 mm	2 608 900 587
4.0 mm	90 mm	2 608 900 588
5.0 mm	90 mm	2 608 900 589
6.0 mm	90 mm	2 608 900 590
7.0 mm	90 mm	2 608 900 591
8.0 mm	90 mm	2 608 900 592
10.0 mm	90 mm	2 608 900 593
12.0 mm	90 mm	2 608 900 594

Sets

Description	Diameter	Part Number
3-pcs.	3.0/6.0/8.0 mm	2 608 900 595
5-pcs.	4.0/5.0/6.0/8.0/10.0 mm	2 608 900 597
	5 (5×) mm	2 608 900 598
	6 (5×) mm	2 608 900 599
Mixed Set		
5-pcs.	HEX-9 HardCeramic (90 mm): 6.0/6.0/6.0 mm CYL-3 (100 mm): 6.0/6.0 mm	2 608 900 596

LONG LIFE CUTTING METAL

EXPERT Diamond Metal Wheel



Exceptionally durable cutting edge using Bosch Diamond Technology

Does not shatter if dropped, no chemical smell

Advanced steel body keeps constant speed and depth



Diameter	Fitting	Part Number
115 mm	X-LOCK	2 608 900 532
125 mm	X-LOCK	2 608 900 533

Diameter	Fitting	Part Number
105 mm	20/ 16 mm	2 608 900 531
180 mm	22.23 mm	2 608 900 535
230 mm	22.23 mm	2 608 900 536
355 mm	25.4 mm	2 608 900 537

*vs. Bosch 2 608 603 169 Cutting Disc

EXPERT DIAMOND METAL WHEEL CUTTING DISCS | 13

EXPERT HARD CERAMIC DIAMOND CUTTING DISC



X-LOCK

Up to 2× more precise than Bosch 2 607 019 473 ceramic diamond disc

Suitable for hard tiles, hard stone

Diameter	Fitting	Part Number
85 mm	X-LOCK	2 608 900 656
115 mm	X-LOCK	2 608 900 657
125 mm	X-LOCK	2 608 900 658



Up to 2× more precise than Bosch 2 607 019 473 ceramic diamond disc

Suitable for hard tiles, hard stone

Diameter	Fitting	Part Number
76 mm	10 mm	2 608 900 652

EXPERT CONCRETE DIAMOND GRINDING HEAD



Up to 2× faster than Bosch 2 608 301 573 concrete grinding head


Suitable for concrete

Diameter	Fitting	Part Number
125 mm	22.23 mm	2 608 900 651



LONG LIFE CUTTING MULTIPLE MATERIALS

EXPERT Carbide Multi Wheel



Exceptional durability is built in with Bosch Carbide Technology

Advanced steel body keeps constant speed and depth

Extra strong laser bonding of carbide grit and steel body



Diameter	Fitting	PQ	Part Number
115 mm	X-LOCK	1	2 608 901 192
		10	2 608 901 194
125 mm	X-LOCK	1	2 608 901 193
		10	2 608 901 195

Diameter	Fitting	PQ	Part Number
76 mm	10 mm	1	2 608 901 196
110 mm	20 mm	1	2 608 901 201
115 mm	22.23 mm	1	2 608 901 188
		10	2 608 901 190
125 mm	22.23 mm	1	2 608 901 189
		10	2 608 901 191

PQ = Pack Quantity

EXPERT MULTI WHEEL CUTTING DISCS | 15

LONG LIFE CUTTING HARDWOOD AND ABRASIVE WOODWORKING MATERIALS

EXPERT Hardwood Fast Blades






Exceptional durability is built in
with Bosch Carbide Technology

Progressive tooth pitch to cut up
to 50 mm

Fast cutting with tapered
blade body

Sharp Carbide teeth produced
by top level grinding



Description	Cutting type	PQ	Part Number
T 144 DHM	Fast	3	2 608 900 541

EXPERT JIG SAW BLADES FOR HARDWOOD AND WOOD

Hardwood 2-side clean

Very clean finish top and bottom

Suitable for plastic coated boards, multiplex board



Description	Cutting type	PQ	Part Number
T 308 BF	Straight	3	2 608 900 543
		5	2 608 900 544
		25	2 608 900 545
		100	2 608 900 546

Suitable for plastic coated boards, kitchen countertop



Description	Cutting type	PQ	Part Number
T 308 BFP	Curve	3	2 608 900 547
		5	2 608 900 548
		25	2 608 901 181

HARDWOOD 2-SIDE CLEAN SET

Description	Content	Part Number
3-pcs.	T 308 BF (2×), T 308 BFP (1×)	2 608 900 549

Laminate clean

Lasts up to 45× longer than Bosch T 101 B blade in tough materials

Suitable for solid laminate vinyl, PVC, HPL (High-pressure laminate)



Description	Cutting type	PQ	Part Number
T 128 BHM	Straight	3	2 608 900 542

PQ = Pack Quantity

Wood 2-side clean

Very clean finish top and bottom

Suitable for solid wood furniture board, plywood



Description	Cutting type	PQ	Part Number
T 308 B	Straight	3	2 608 900 550
		5	2 608 900 551
		25	2 608 900 552
		100	2 608 900 553

Suitable for solid wood furniture board, plywood



Description	Cutting type	PQ	Part Number
T 308 BO	Curve	3	2 608 900 554
		5	2 608 900 555
		25	2 608 900 556

Suitable for solid wood furniture board, plywood



Description	Cutting type	PQ	Part Number
T 308 BP	Straight	3	2 608 900 557
		5	2 608 900 558

WOOD 2-SIDE CLEAN SET

Description	Content	Part Number
3-pcs.	T 308 B (2×), T 308 BO (1×)	2 608 900 559



EXPERT JIG SAW BLADE FOR STAINLESS STEEL

Stainless Steel

Lasts up to 45× longer than Bosch T 118 G jigsaw blade in tough materials

Suitable for stainless steel sheets



Description	Cutting type	PQ	Part Number
T 118 AHM	Straight	3	2 608 900 561
T 118 EHM	Straight	3	2 608 900 562

EXPERT JIG SAW BLADE FOR MULTI MATERIAL

Multi Material

Lasts up to 45× longer than Bosch T 345 XF blade

Suitable for tough steel, aluminium, wood with tough metal, construction wood with mortar and nails, plastics



Description	Cutting type	PQ	Part Number
T 367 XHM	Straight	3	2 608 900 560

EXPERT JIG SAW BLADES FOR PLASTICS

Carbon Fiber clean

Carbide Technology for long life performance

Suitable for fibre plastics (GFK, CFK)




Description	Cutting type	PQ	Part Number
T 108 BHM	Straight	3	2 608 900 565

Plastic Composites clean

Carbide Technology for long life performance

Suitable for WPC (wood plastic), solid surface composite



Description	Cutting type	PQ	Part Number
T 301 CHM	Straight	3	2 608 900 566

EXPERT JIG SAW BLADES FOR SPECIAL APPLICATIONS

Fiber Plaster

Carbide Technology for long life performance

Suitable for fibre cement boards, drywall board



Description	Cutting type	PQ	Part Number
T 141 HM	Straight	3	2 608 900 563

Suitable for fibre cement boards, drywall board, aerated concrete




Description	Cutting type	PQ	Part Number
T 341 HM	Straight	3	2 608 900 564

Soft Tile clean

Diamond Technology for precise and clean cuts



Suitable for soft tiles



Description	Cutting type	PQ	Part Number
T 150 RD	Straight	3	2 608 900 567

LONG LIFE CUTTING THICK TOUGH METAL

EXPERT Thick Tough Metal Blades



**CARBIDE
TECHNOLOGY**

**UP TO
100x***



Exceptional durability is built in
with Bosch Carbide Technology

Thick gauge blade offers extra
robustness and stability

Wide body for precise, straight cuts

*vs. Bosch S 1122 BF blade



EXPERT RECIPROCATING SAW BLADES FOR METAL

Thick Tough Metal Extra

Lasts up to 100× longer than Bosch S 1122 BF blade in tough materials

Suitable for tough steel, cast iron



Description	Length	PQ	Part Number
S 555 CHC	100 mm	1	2 608 900 364
S 955 CHC	150 mm	1	2 608 900 365
		3	2 608 900 366
		10	2 608 900 367
S 1155 CHC	225 mm	1	2 608 900 368
		3	2 608 900 369
		10	2 608 900 370
S 1255 CHC	300 mm	1	2 608 900 371
		10	2 608 900 372

Medium-Thick Tough Metal

Lasts up to 50× longer than Bosch S 1122 BF blade in tough materials

Suitable for tough steel, stainless steel pipes



Description	Length	PQ	Part Number
S 955 HHM	150 mm	1	2 608 900 373
S 1155 HHM	225 mm	1	2 608 900 374
		3	2 608 900 375
		10	2 608 900 376
S 1255 HHM	300 mm	1	2 608 900 377

Vehicle Rescue

Lasts up to 50× longer than Bosch S 1122 BF blade in tough materials

Suitable for tough steel, glass



Description	Length	PQ	Part Number
S 957 CHM	150 mm	1	2 608 900 378
		10	2 608 900 379
S 1157 CHM	225 mm	1	2 608 900 380
		3	2 608 900 381
		10	2 608 900 382

Thin Tough Metal

Lasts up to 50× longer than Bosch S 922 EF blade in tough materials

Suitable for stainless steel sheets, stainless steel pipes



Description	Length	PQ	Part Number
S 522 EHM	115 mm	1	2 608 900 359
S 922 EHM	150 mm	1	2 608 900 360
		3	2 608 900 361
		10	2 608 900 362
S 1022 EHM	200 mm	1	2 608 900 363

Cement Cast Iron

Diamond Technology for long life cutting cement cast iron pipes

Suitable for cast iron, fibre plastics (GFK, CFK)



Description	Length	PQ	Part Number
S 1750 RD	250 mm	1	2 608 900 383

EXPERT RECIPROCATING SAW BLADES FOR MULTI MATERIAL

Multi Material

Lasts up to 50× longer than Bosch S 3456 XF blade in tough materials

Suitable for cast iron, wood with tough metal, construction wood with mortar and nails, plastics, fibre plastics (GFK, CFK)



Description	Length	PQ	Part Number
S 956 XHM	150 mm	1	2 608 900 389
		10	2 608 900 390
S 1156 XHM	225 mm	1	2 608 900 391
		3	2 608 900 392
		10	2 608 900 393
S 1256 XHM	300 mm	1	2 608 900 394
		10	2 608 900 395

Wood with Metal Demolition

Lasts up to 50× longer than Bosch S 1111 DF blade in tough materials

Suitable for wood with tough metal, construction wood with mortar and nails, WPC (Wood plastic), hardwood



Description	Length	PQ	Part Number
S 967 XHM	150 mm	1	2 608 900 396
		10	2 608 900 397
S 1167 XHM	225 mm	1	2 608 900 398
		3	2 608 900 399
		10	2 608 900 400
S 1267 XHM	300 mm	1	2 608 900 401
		10	2 608 900 402

Wood with Metal

Lasts up to 50× longer than Bosch S 611 DF blade in tough materials

Suitable for wood with tough metal, construction wood with mortar and nails



Description	Length	PQ	Part Number
S 715 LHM	100 mm	1	2 608 900 384

Window Demolition

Lasts up to 50× longer than Bosch S 611 DF blade in tough materials

Suitable for wood with tough metal, plastics, aluminium



Description	Length	PQ	Part Number
S 956 DHM	150 mm	1	2 608 900 385
		10	2 608 900 386

Hard Nail Pallets

Lasts up to 50× longer than Bosch S 1122 HF blade in tough materials

Suitable for wood with tough metal, wood with hard nails



Description	Length	PQ	Part Number
S 1122 CHC	225 mm	1	2 608 900 387
		10	2 608 900 388

EXPERT RECIPROCATING SAW BLADES FOR WOOD

Tough Wood

Lasts up to 50× longer than Bosch S 1542 K blade in tough materials

Suitable for construction wood, pressure treated lumber



Description	Length	PQ	Part Number
S 1142 KHM	225 mm	1	2 608 900 403
		3	2 608 900 404
		10	2 608 900 405
S 1242 KHM	300 mm	1	2 608 900 406

PQ = Pack Quantity

EXPERT RECIPROCATING SAW BLADES | 21

EXPERT RECIPROCATING SAW BLADES FOR SPECIAL APPLICATIONS

Fiber Plasterboard

Lasts up to 50× longer than Bosch S 628 DF blade in tough materials

Suitable for fibre cement boards, drywall board, aerated concrete



Description	Length	PQ	Part Number
S 641 HM	150 mm	1	2 608 900 407

Aerated Concrete

Carbide Technology for long life cutting aerated concrete

Suitable for aerated concrete



Description	Length	PQ	Part Number
S 1141 HM	225 mm	1	2 608 900 408
		10	2 608 900 409
S 1241 HM	300 mm	1	2 608 900 410
		3	2 608 900 411
		10	2 608 900 412
S 2041 HM	400 mm	1	2 608 900 413

Hollow Brick

Carbide Technology for long life cutting hollow brick

Suitable for hollow brick building block



Description	Length	PQ	Part Number
S 1543 HM	240 mm	1	2 608 900 414
		3	2 608 900 415
		10	2 608 900 416



Description	Length	PQ	Part Number
S 1243 HM	300 mm	1	2 608 900 417
S 2243 HM	455 mm	1	2 608 900 418

PQ = Pack Quantity



LONG LIFE CUTTING HOLES IN MULTI MATERIAL


EXPERT Tough Material Hole Saws



Exceptional durability is built in with Bosch Carbide Technology

Individually ground teeth made from fine, hard carbide

Slot design for better view and plug ejection



*vs. Bosch 2 608 580 419 hole saw



EXPERT HOLE SAWS | 23

Tough Material



Lasts up to 50× longer than Bosch 2 608 580 419 hole saw in tough materials

Suitable for wood with metal, Brick, soft tiles, stainless steel sheets, plastics

Diameter	Pack Quantity	Part Number
20 mm	1	2 608 900 419
22 mm	1	2 608 900 420
25 mm	1	2 608 900 421
32 mm	1	2 608 900 422
35 mm	1	2 608 900 423
38 mm	1	2 608 900 424
40 mm	1	2 608 900 425
44 mm	1	2 608 900 426
51 mm	1	2 608 900 427
54 mm	1	2 608 900 428
60 mm	1	2 608 900 429
64 mm	1	2 608 900 430
65 mm	1	2 608 900 431
67 mm	1	2 608 900 432
68 mm	1	2 608 900 433
70 mm	1	2 608 900 434
73 mm	1	2 608 900 435
76 mm	1	2 608 900 436
80 mm	1	2 608 900 437
83 mm	1	2 608 900 438
102 mm	1	2 608 900 439
105 mm	1	2 608 900 440
111 mm	1	2 608 900 441
114 mm	1	2 608 900 442
127 mm	1	2 608 900 443
152 mm	1	2 608 900 444

STARTER KITS

Description	Diameter	Part Number
3-pcs.	51 (3×) mm	2 608 900 449
3-pcs.	68 (3×) mm	2 608 900 450

UNIVERSAL SETS

9-pcs.	22 / 25 / 35 / 51 / 60 / 68 mm	2 608 900 445
9-pcs.	22 / 25 / 35 / 40 / 51 / 68 mm	2 608 900 446
14-pcs.	20 / 22 / 25 / 32 / 35 / 40 / 44 / 51 / 60 / 64 / 76 mm	2 608 900 447
14-pcs.	20 / 22 / 25 / 32 / 35 / 40 / 44 / 51 / 60 / 68 / 76 mm	2 608 900 448

Construction Material



Lasts up to 50× longer than Bosch 2 609 256 D05 hole saw in tough materials

Suitable for softwood, chipboard, brick, soft tiles, fibre plastics (GFK, CFK)

Diameter	Pack Quantity	Part Number
19 mm	1	2 608 900 451
20 mm	1	2 608 900 452
22 mm	1	2 608 900 453
25 mm	1	2 608 900 454
30 mm	1	2 608 900 455
32 mm	1	2 608 900 456
35 mm	1	2 608 900 457
38 mm	1	2 608 900 458
40 mm	1	2 608 900 459
41 mm	1	2 608 900 460
44 mm	1	2 608 900 461
48 mm	1	2 608 900 462
51 mm	1	2 608 900 463
54 mm	1	2 608 900 464
57 mm	1	2 608 900 465
60 mm	1	2 608 900 466
64 mm	1	2 608 900 467
65 mm	1	2 608 900 468
67 mm	1	2 608 900 469
68 mm	1	2 608 900 470
70 mm	1	2 608 900 471
73 mm	1	2 608 900 472
76 mm	1	2 608 900 473
79 mm	1	2 608 900 474
80 mm	1	2 608 900 475
83 mm	1	2 608 900 476
86 mm	1	2 608 900 477
92 mm	1	2 608 900 478
98 mm	1	2 608 900 479
102 mm	1	2 608 900 480
105 mm	1	2 608 900 481
111 mm	1	2 608 900 482
114 mm	1	2 608 900 483
121 mm	1	2 608 900 484
127 mm	1	2 608 900 485
140 mm	1	2 608 900 486
152 mm	1	2 608 900 487
159 mm	1	2 608 900 488

UNIVERSAL SETS

Description	Diameter	Part Number
15-pcs.	20 / 22 / 25 / 32 / 35 / 40 / 44 / 51 / 60 / 68 / 76 mm	2 608 900 489

ELECTRICIAN SETS

9-pcs.	20 / 25 / 32 / 38 / 51 / 64 mm	2 608 900 490
--------	--------------------------------	---------------

Sheet Metal



Lasts up to 50× longer than Bosch 2 608 580 408 hole saw in tough materials

Suitable for stainless steel sheets, steel sheets

Diameter	Pack Quantity	Part Number
20 mm	1	2 608 900 491
21 mm	1	2 608 900 492
22 mm	1	2 608 900 493
25 mm	1	2 608 900 494
27 mm	1	2 608 900 495
30 mm	1	2 608 900 496
32 mm	1	2 608 900 497
35 mm	1	2 608 900 498
40 mm	1	2 608 900 499
51 mm	1	2 608 900 500
68 mm	1	2 608 900 501

SHEET METAL SET

Description	Diameter	Part Number
5-pcs.	22 / 25 / 32 mm	2 608 900 502

SHEET METAL PILOT DRILL AND SPRING

Diameter	Length/ Material	Part Number
6.0 mm	55 mm / HSS-Co	2 608 900 503

Power Change Plus Adapter



Adapter	Pilot drill	Part Number
HEX 11	8.5 × 105 mm Carbide drill	2 608 900 526
HEX 11	7.15 × 105 mm HSS-G drill	2 608 900 527

PILOT DRILL BITS

Diameter	Length/ Material	Part Number
7.15 mm	105 mm / HSS-G	2 608 900 528
	105 mm / HSS-Co	2 608 900 530
8.5 mm	105 mm / Carbide	2 608 900 529



Sheet Metal (Arbored)



Lasts up to 50× longer
than Bosch 2 608 580 408
hole saw in tough materials

Suitable for stainless steel
sheets, steel sheets

Diameter	Pack Quantity	Part Number
14	1	2 608 901 397
15	1	2 608 901 398
16	1	2 608 901 399
17	1	2 608 901 400
18	1	2 608 901 401
19	1	2 608 901 402
20	1	2 608 901 403
21	1	2 608 901 404
22	1	2 608 901 405
23	1	2 608 901 406
24	1	2 608 901 407
25	1	2 608 901 408
26	1	2 608 901 409
27	1	2 608 901 410
28	1	2 608 901 411
29	1	2 608 901 412
30	1	2 608 901 413
31	1	2 608 901 414
32	1	2 608 901 415
33	1	2 608 901 416
34	1	2 608 901 417
35	1	2 608 901 418
36	1	2 608 901 419
37	1	2 608 901 420
38	1	2 608 901 421
39	1	2 608 901 422
40	1	2 608 901 423
41	1	2 608 901 424
42	1	2 608 901 425
43	1	2 608 901 426
44	1	2 608 901 427
45	1	2 608 901 428

Diameter	Pack Quantity	Part Number
46	1	2 608 901 429
47	1	2 608 901 430
48	1	2 608 901 431
49	1	2 608 901 432
50	1	2 608 901 433
51	1	2 608 901 434
52	1	2 608 901 435
53	1	2 608 901 436
54	1	2 608 901 437
55	1	2 608 901 438
60	1	2 608 901 439
61	1	2 608 901 440
62	1	2 608 901 441
65	1	2 608 901 442
70	1	2 608 901 443
75	1	2 608 901 444
80	1	2 608 901 445
85	1	2 608 901 446
90	1	2 608 901 447
95	1	2 608 901 448
100	1	2 608 901 449
110	1	2 608 901 450
120	1	2 608 901 451

PILOT DRILL AND EJECTION ACCESSORIES

Description	Diameter	Part Number
Pilot Drill	6 × 48 mm	2 608 901 452
Ejection Spring		2 608 901 453
Screw		2 608 901 454

LONG LIFE CUTTING ABRASIVE AND COMPOSITE MATERIALS


EXPERT Multi Material Segment Blades



Exceptional durability is built in with Bosch Carbide Technology

Thick gauge blade offers extra robustness and stability

Wide body for precise, straight cuts



ACZ 105 ET

Starlock Multi Material Segment Saw Blade

Measurements	PQ	Part Number
Ø 105 mm	1	2 608 664 208
	5	2 608 664 207

*vs. Bosch AIZ 20 AB

PQ = Pack Quantity

EXPERT ACCESSORIES FOR MULTI-CUTTER | 27

LONG LIFE CUTTING SHEET METAL AND ABRASIVE MATERIALS

EXPERT MultiMax Blades



**EXTRA
COATING**

**CARBIDE
TECHNOLOGY**

**UP TO
50x***




Exceptional durability is built in
with Bosch Carbide Technology

Extra coating makes carbide
tougher

Curved-Tec blade for controlled
and clean plunge cuts

Thin carbide blade for faster sawing




AIZ 32 APIT

Starlock Multi Material Extra Plunge Cut



Measurements PQ		Part Number
32 x 40 mm	1	2 608 900 024
	5	2 608 900 025
	10	2 608 900 026
	1 (x25)	2 608 900 027


MULTI-CUTTER ACCESSORIES FOR GROUT AND ABRASIVE



AVZ 90 RT2

Starlock Multi Material Sanding Plate


Measurements	PQ	Part Number
Ø 90 mm, #20	1	2 608 900 045
	10	2 608 900 046



AVZ 90 RT4

Starlock Multi Material Sanding Plate


Measurements	PQ	Part Number
Ø 90 mm, #40	1	2 608 900 047



AVZ 90 RT6

Starlock Multi Material Sanding Plate

Measurements	PQ	Part Number
Ø 90 mm, #60	1	2 608 900 049



AVZ 90 RT10

Starlock Multi Material Sanding Plate

Measurements	PQ	Part Number
Ø 90 mm, #100	1	2 608 900 043



AVZ 32 RT4

Starlock Multi Material Sanding Finger

Measurements	PQ	Part Number
32 × 53 mm, #40	1	2 608 900 040



AVZ 32 RT10

Starlock Multi Material Sanding Finger

Measurements	PQ	Part Number
32 × 53 mm, #100	1	2 608 900 039



ACZ 85 RD4

Starlock Grout and Abrasive
Diamond Segment Blade

Measurements	PQ	Part Number
Ø 85 × 2.0 mm	1	2 608 900 034
	10	2 608 900 035



AVZ 70 RT4

Starlock Grout and Abrasive
3 max Grouting Plate

Measurements	PQ	Part Number
Ø 70 × 2.5 mm	1	2 608 900 041
	10	2 608 900 042

MULTI-CUTTER ACCESSORIES FOR METAL



AIZ 20 AIT

Starlock Metal Extra Plunge Cutting Blade

Measurements	PQ	Part Number
20 × 40 mm	1	2 608 900 012
	5	2 608 900 013



AIZ 32 AIT

Starlock Metal Extra Plunge Cutting Blade

Measurements	PQ	Part Number
32 × 40 mm	1	2 608 900 014
	5	2 608 900 015
	10	2 608 900 016
	1 (×25)	2 608 900 017




AIZ 45 AIT

Starlock Metal Extra Plunge Cutting Blade

Measurements	PQ	Part Number
45 × 35 mm	1	2 608 900 018

ADVANCED DUST REDUCTION SANDING WOOD, PAINT AND DRYWALL

EXPERT M480 Sanding Net



**PARTICLE
CONTROL**


**UP TO
4x***



Highly efficient dust removal with
Bosch Particle Control

Dust is sucked through open net
structure

Available for most popular sanding
tools



*vs. Bosch C420 sandpaper





Diameter	Grit	PQ	Part Number
125 mm	80	5	2 608 900 671
		50	2 608 900 680
	100	5	2 608 900 672
		50	2 608 900 681
	120	5	2 608 900 673
		50	2 608 900 682
	150	5	2 608 900 674
		50	2 608 900 683
	180	5	2 608 900 675
		50	2 608 900 684
	220	5	2 608 900 676
		50	2 608 900 685
	240	5	2 608 900 677
		50	2 608 900 686
	320	5	2 608 900 678
		50	2 608 900 687
	400	5	2 608 900 679
		50	2 608 900 688
150 mm	80	5	2 608 900 689
		50	2 608 900 698
	100	5	2 608 900 690
		50	2 608 900 699
	120	5	2 608 900 691
		50	2 608 900 700
	150	5	2 608 900 692
		50	2 608 900 701
	180	5	2 608 900 693
		50	2 608 900 702
	220	5	2 608 900 694
		50	2 608 900 703
	240	5	2 608 900 695
		50	2 608 900 704
225 mm	320	5	2 608 900 696
		50	2 608 900 705
	400	5	2 608 900 697
		50	2 608 900 706
	80	25	2 608 900 707
	100	25	2 608 900 708
	120	25	2 608 900 709
	150	25	2 608 900 710
	180	25	2 608 900 711
	220	25	2 608 900 712
	240	25	2 608 900 713
	320	25	2 608 900 714
	400	25	2 608 900 715

SETS

Description	Grit	Part Number
6+1-pcs. Ø 125 mm + pad saver	2× 80 / 2× 120 / 2× 180	2 608 901 202
6+1-pcs. Ø 150 mm + pad saver	2× 80 / 2× 120 / 2× 180	2 608 901 203

PQ = Pack Quantity



Measurements	Grit	PQ	Part Number
93×93 mm	80	5	2 608 900 716
	100	5	2 608 900 717
	120	5	2 608 900 718
	150	5	2 608 900 719
	180	5	2 608 900 720
	220	5	2 608 900 721
	240	5	2 608 900 722
	320	5	2 608 900 723
	400	5	2 608 900 724

SETS

Measurements	Grit	Part Number
93×93 mm	2× 80 / 2× 120 / 2× 180	2 608 901 204



Measurements	Grit	PQ	Part Number
100×150 mm	80	10	2 608 900 725
	100	10	2 608 900 726
	120	10	2 608 900 727
	150	10	2 608 900 728
	180	10	2 608 900 729
	220	10	2 608 900 730
	240	10	2 608 900 731
	320	10	2 608 900 732
	400	10	2 608 900 733

SETS

Measurements	Grit	Part Number
100×150 mm	4× 80 / 3× 120 / 3× 180	2 608 901 208

EXPERT M480 SANDING NET FOR WOOD, PAINT AND DRYWALL



Measurements	Grit	PQ	Part Number
80 × 133 mm	80	10	2 608 900 734
	100	10	2 608 900 735
	120	10	2 608 900 736
	150	10	2 608 900 737
	180	10	2 608 900 738
	220	10	2 608 900 739
	240	10	2 608 900 740
	320	10	2 608 900 741
	400	10	2 608 900 742
93 × 186 mm	80	10	2 608 900 743
		50	2 608 900 752
	100	10	2 608 900 744
		50	2 608 900 753
	120	10	2 608 900 745
		50	2 608 900 754
	150	10	2 608 900 746
		50	2 608 900 755
	180	10	2 608 900 747
		50	2 608 900 756
	220	10	2 608 900 748
		50	2 608 900 757
	240	10	2 608 900 749
		50	2 608 900 758
	320	10	2 608 900 750
		50	2 608 900 759
	400	10	2 608 900 751
		50	2 608 900 760
	115 × 230 mm	80	2 608 900 761
			2 608 900 770
		100	2 608 900 762
			2 608 900 771
		120	2 608 900 763
			2 608 900 772
		150	2 608 900 764
			2 608 900 765
		220	2 608 900 766
			2 608 900 773
		240	2 608 900 767
			2 608 900 768
		320	2 608 900 774
			2 608 900 769
		400	2 608 900 775



SETS

Measurements	Grit	Part Number
80 × 133 mm	4 × 80 / 3 × 120 / 3 × 180	2 608 901 205
93 × 186 mm	4 × 80 / 3 × 120 / 3 × 180	2 608 901 206
115 × 230 mm	4 × 80 / 3 × 120 / 3 × 180	2 608 901 207

Measurements	Grit	PQ	Part Number
93 mm × 5 m	80	1	2 608 900 776
	100	1	2 608 900 777
	120	1	2 608 900 778
	150	1	2 608 900 779
	180	1	2 608 900 780
	220	1	2 608 900 781
	240	1	2 608 900 782
	320	1	2 608 900 783
	400	1	2 608 900 784
115 mm × 5 m	80	1	2 608 900 785
	100	1	2 608 900 786
	120	1	2 608 900 787
	150	1	2 608 900 788
	180	1	2 608 900 789
	220	1	2 608 900 790
	240	1	2 608 900 791
	320	1	2 608 900 792
	400	1	2 608 900 793



EXPERT C470 SANDING SHEETS FOR WOOD AND PAINT



Diameter	Grit	PQ	Part Number
125 mm	40	5	2 608 901 092
	50		2 608 901 124
	60	5	2 608 901 093
	50		2 608 901 125
	80	5	2 608 901 094
	50		2 608 901 126
	100	5	2 608 901 095
	50		2 608 901 127
	120	5	2 608 901 096
	50		2 608 901 128
	150	50	2 608 901 129
	180	5	2 608 901 097
	50		2 608 901 130
	220	50	2 608 901 131
	240	5	2 608 901 098
	50		2 608 901 132
	320	5	2 608 901 099
	50		2 608 901 133
	400	5	2 608 901 100
	50		2 608 901 134
150 mm	40	5	2 608 901 102
	50		2 608 901 135
	60	5	2 608 901 103
	50		2 608 901 136
	80	5	2 608 901 104
	50		2 608 901 137
	100	5	2 608 901 105
	50		2 608 901 138
	120	5	2 608 901 106
	50		2 608 901 139
	150	50	2 608 901 140
	180	5	2 608 901 107
	50		2 608 901 141
	220	50	2 608 901 142
	240	5	2 608 901 108
	50		2 608 901 143
	320	5	2 608 901 109
	50		2 608 901 144
	400	5	2 608 901 110
	50		2 608 901 145

SETS

Diameter	Grit	Part Number
125 mm	2× 60 / 2× 120 / 2× 240	2 608 901 101
150 mm	2× 60 / 2× 120 / 2× 240	2 608 901 111


Diameter	Grit	PQ	Part Number
115 mm	40	5	2 608 900 794
	60	5	2 608 900 795
	80	5	2 608 900 796
	120	5	2 608 900 797
	180	5	2 608 900 798
	240	5	2 608 900 799
	320	5	2 608 900 800
	400	5	2 608 900 801
125 mm	40	5	2 608 900 803
	50		2 608 900 908
	60	5	2 608 900 804
	50		2 608 900 909
	80	5	2 608 900 805
	50		2 608 900 910
	100	5	2 608 900 806
	50		2 608 900 911
	120	5	2 608 900 807
	50		2 608 900 912
	150	50	2 608 901 120
	180	5	2 608 900 808
	50		2 608 900 913
	220	50	2 608 901 121
	240	5	2 608 900 809
	50		2 608 900 914
	320	5	2 608 900 810
	50		2 608 900 915
	400	5	2 608 900 811
	50		2 608 900 916

SETS

Diameter	Grit	Part Number
115 mm	2× 60 / 2× 120 / 2× 240	2 608 900 802
125 mm	2× 60 / 2× 120 / 2× 240	2 608 900 812

PQ = Pack Quantity


EXPERT SANDING | 33




Diameter	Grit	PQ	Part Number
150 mm	40	5	2 608 900 813
		50	2 608 900 917
	60	5	2 608 900 814
		50	2 608 900 918
	80	5	2 608 900 815
		50	2 608 900 919
	100	5	2 608 900 816
		50	2 608 900 920
	120	5	2 608 900 817
		50	2 608 900 921
	150	50	2 608 901 122
	180	5	2 608 900 818
		50	2 608 900 922
	220	50	2 608 901 123
	240	5	2 608 900 819
		50	2 608 900 923
	320	5	2 608 900 820
		50	2 608 900 924
	400	5	2 608 900 821
		50	2 608 900 925

SETS


Diameter	Grit	Part Number
150 mm	2× 60 / 2× 120 / 2× 240	2 608 900 822



Diameter	Grit	PQ	Part Number
125 mm	40	50	2 608 900 951
	60	50	2 608 900 952
	80	50	2 608 900 953
	100	50	2 608 901 154
	120	50	2 608 900 954
	180	50	2 608 900 955
	240	50	2 608 900 956
	320	50	2 608 901 155
	400	50	2 608 901 156




Diameter	Grit	PQ	Part Number
225 mm	40	25	2 608 901 146
	60	25	2 608 901 147
	80	25	2 608 901 148
	100	25	2 608 901 149
	120	25	2 608 901 150
	150	25	2 608 901 151
	180	25	2 608 901 152
	220	25	2 608 901 153




Measurements	Grit	PQ	Part Number
93×93 mm	40	5	2 608 900 823
		50	2 608 900 926
	60	5	2 608 900 824
		50	2 608 900 927
	80	5	2 608 900 825
		50	2 608 900 928
	100	5	2 608 900 826
		50	2 608 900 929
	120	5	2 608 900 827
		50	2 608 900 930
	180	5	2 608 900 828
		50	2 608 900 931
	240	5	2 608 900 829
		50	2 608 900 932
	320	5	2 608 900 830
		50	2 608 900 933
	400	5	2 608 900 831
		50	2 608 900 934

SETS

Measurements	Grit	Part Number
93×93 mm	2× 60 / 2× 120 / 2× 240	2 608 900 832



Measurements	Grit	PQ	Part Number
93+62×102 mm	40	10	2 608 900 886
	80	10	2 608 900 887
	120	10	2 608 900 888
	180	10	2 608 900 889



Measurements	Grit	PQ	Part Number
100 × 150 mm	40	10	2 608 901 114
	60	10	2 608 901 115
	80	10	2 608 901 116
	120	10	2 608 901 117
	180	10	2 608 901 118
	240	10	2 608 901 119
	320	10	2 608 901 166
	400	10	2 608 901 167



Measurements	Grit	PQ	Part Number
115 × 230 mm	40	10	2 608 900 860
		50	2 608 900 942
	60	10	2 608 900 861
		50	2 608 900 943
	80	10	2 608 900 862
		50	2 608 900 944
	100	10	2 608 900 875
		50	2 608 900 945
	120	10	2 608 900 863
		50	2 608 900 946
	180	10	2 608 900 864
		50	2 608 900 947
	240	10	2 608 900 865
		50	2 608 900 948
	320	10	2 608 900 868
		50	2 608 900 949
115 × 280 mm	400	10	2 608 900 866
		50	2 608 900 950
	40	10	2 608 900 846
	60	10	2 608 900 847
	80	10	2 608 900 848
	100	10	2 608 900 876
	120	10	2 608 900 849
	180	10	2 608 900 850
	240	10	2 608 900 851
	320	10	2 608 900 869
	400	10	2 608 900 852




Measurements	Grit	PQ	Part Number
80 × 133 mm	40	10	2 608 900 877
	60	10	2 608 900 878
	80	10	2 608 900 879
	100	10	2 608 900 880
	120	10	2 608 900 881
	180	10	2 608 900 882
	240	10	2 608 900 883
	320	10	2 608 900 884
93 × 186 mm	400	10	2 608 900 885
		10	2 608 900 853
	60	50	2 608 900 935
		10	2 608 900 854
	80	50	2 608 900 936
		10	2 608 900 855
	100	50	2 608 900 937
		10	2 608 900 874
	120	50	2 608 900 938
		10	2 608 900 856
	180	50	2 608 900 939
		10	2 608 900 857
	240	50	2 608 900 940
		10	2 608 900 858
	320	10	2 608 900 870
		10	2 608 900 859
93 × 230 mm	400	50	2 608 900 941
		10	2 608 900 833
	60	10	2 608 900 834
		10	2 608 900 835
	80	10	2 608 900 871
		10	2 608 900 836
	120	10	2 608 900 837
		10	2 608 900 838
	240	10	2 608 900 872
		10	2 608 900 839

SETS

Measurements	Grit	Part Number
93 × 230 mm	3 × 60 / 4 × 80 / 3 × 120	2 608 901 112

PQ = Pack Quantity

EXPERT SANDING | 35



Measurements	Grit	PQ	Part Number
115 × 107 mm	40	10	2 608 900 890
	60	10	2 608 900 891
	80	10	2 608 900 892
	120	10	2 608 900 893
	180	10	2 608 900 894
	240	10	2 608 900 895

SETS

Measurements	Grit	Part Number
115 × 107 mm	2 × 40 / 2 × 60 / 2 × 80 / 2 × 120 / 2 × 180	2 608 901 113



Measurements	Grit	PQ	Part Number
93 × 230 mm	40	10	2 608 900 840
	60	10	2 608 900 841
	80	10	2 608 900 842
	100	10	2 608 900 873
	120	10	2 608 900 843
	180	10	2 608 900 844
	240	10	2 608 900 845
	320	10	2 608 900 867

MANUAL SANDING



Measurements	Grit	PQ	Part Number
93 mm × 5 m	40	1	2 608 900 902
	60	1	2 608 900 903
	80	1	2 608 900 904
	120	1	2 608 900 905
	180	1	2 608 900 906
	240	1	2 608 900 907
93 mm × 50 m	40	1	2 608 900 968
	60	1	2 608 900 969
	80	1	2 608 900 970
	100	1	2 608 900 971
	120	1	2 608 900 972
	180	1	2 608 900 973
	240	1	2 608 900 974
	320	1	2 608 900 975
	400	1	2 608 900 976
115 mm × 5 m	40	1	2 608 900 896
	60	1	2 608 900 897
	80	1	2 608 900 898
	120	1	2 608 900 899
	180	1	2 608 900 900
115 mm × 50 m	240	1	2 608 900 901
	40	1	2 608 900 977
	60	1	2 608 900 978
	80	1	2 608 900 979
	100	1	2 608 900 980
	120	1	2 608 900 981
	180	1	2 608 900 982
	240	1	2 608 900 983
	320	1	2 608 900 984
	400	1	2 608 900 985



Measurements	Grit	PQ	Part Number
230 × 280 mm	40	1	2 608 900 957
	60	1	2 608 900 958
	80	1	2 608 900 959
	100	1	2 608 900 960
	120	1	2 608 900 961
	150	1	2 608 900 962
	180	1	2 608 900 963
	220	1	2 608 900 964
	240	1	2 608 900 965
	320	1	2 608 900 966
	400	1	2 608 900 967




EXPERT MULTI-HOLE SANDING PAD



Diameter	Grit	PQ	Part Number
125 mm	Soft	1	2 608 900 003
	Medium	1	2 608 900 004
	Hard	1	2 608 900 005
150 mm	Soft	1	2 608 900 006
	Medium	1	2 608 900 007
	Hard	1	2 608 900 008
150 mm	Soft	1	2 608 900 009
	Medium	1	2 608 900 010
	Hard	1	2 608 900 011

HIGH SPEED GRINDING METAL AND STAINLESS STEEL

EXPERT R781 Prisma Discs for Metal and
EXPERT R782 Prisma Discs for Inox




Fast stock removal with Bosch
Prisma Ceramic technology

Cooling top coat lets you grind
faster without overheating

Cambered design ensures disc
stays flat for maximum performance

Stays faster for longer due to
self-sharpening effect



EXPERT R781

Prisma Discs for Metal




XLOCK

Diameter	Grit	PQ	Part Number
115 mm	36	5	2 608 621 779
		25	2 608 621 791
	60	5	2 608 621 780
		25	2 608 621 792
	80	5	2 608 621 781
		25	2 608 621 793
125 mm	36	5	2 608 621 782
		25	2 608 621 794
	60	5	2 608 621 783
		25	2 608 621 795
	80	5	2 608 621 784
		25	2 608 621 796

EXPERT R782

Prisma Discs for Inox




XLOCK

Diameter	Grit	PQ	Part Number
115 mm	36	5	2 608 621 804
		25	2 608 621 820
	60	5	2 608 621 805
		25	2 608 621 821
	80	5	2 608 621 806
		25	2 608 621 822
125 mm	120	5	2 608 621 807
		25	2 608 621 823
	36	5	2 608 621 808
		25	2 608 621 824
	60	5	2 608 621 809
		25	2 608 621 825
	80	5	2 608 621 810
		25	2 608 621 826
	120	5	2 608 621 811
		25	2 608 621 827



Diameter	Grit	PQ	Part Number
100 mm	36	25	2 608 621 788
	60	25	2 608 621 789
	80	25	2 608 621 790
180 mm	36	25	2 608 621 797
	60	25	2 608 621 798
	80	25	2 608 621 799



Diameter	Grit	PQ	Part Number
100 mm	36	25	2 608 621 816
	60	25	2 608 621 817
	80	25	2 608 621 818
	120	25	2 608 621 819
180 mm	36	25	2 608 621 828
	60	25	2 608 621 829
	80	25	2 608 621 830
	120	25	2 608 621 831



VIBRATION CONTROL HANDLE FOR ANGLE GRINDER



Fitting	Dimension	Part Number
M10	169 × 69 mm	2 608 900 000
M14	169 × 69 mm	2 608 900 001



EXPERT SCM SANDING

SCM Belt



Diameter	Grit	PQ	Part Number
40 × 760 mm	Coarse	10	2 608 901 254
	Medium	10	2 608 901 255
	Fine	10	2 608 901 256

SCM Sleeves




Diameter	Grit	PQ	Part Number
100 × 290 mm	Coarse	10	2 608 901 257
	Medium	10	2 608 901 258
	Fine	10	2 608 901 259

SCM discs with removable center hole



Diameter	Grit	PQ	Part Number
100 mm	extra coarse	1	2 608 901 260
	coarse	1	2 608 901 261
	medium	1	2 608 901 262
	very fine	1	2 608 901 263
115 mm	extra coarse	1	2 608 901 264
	coarse	1	2 608 901 265
	medium	1	2 608 901 266
	very fine	1	2 608 901 267
125 mm	extra coarse	1	2 608 901 268
	coarse	1	2 608 901 269
	medium	1	2 608 901 270
	very fine	1	2 608 901 271

X-LOCK SCM flap discs



XLOCK

Diameter	Grit	PQ	Part Number
125 mm	coarse	1	2 608 901 473
	medium	1	2 608 901 474
	very fine	1	2 608 901 475



PQ = Pack Quantity


EXPERT SANDING FLEECE

Fleece Hand Pad



Diameter	Grit	PQ	Part Number
115 × 140 mm	Coarse AlOx	2	2 608 901 218
	Medium SiC	2	2 608 901 219
	Very Fine AlOx	2	2 608 901 220
	General Purpose	2	2 608 901 221
152 × 229 mm	Extra Cut S	1	2 608 901 210
	Cleaning white	1	2 608 901 211
	Coarse AlOx	1	2 608 901 212
	Medium SiC	1	2 608 901 213
	Medium AlOx	1	2 608 901 214
	Very Fine AlOx	1	2 608 901 215
	Ultra Fine SiC	1	2 608 901 216
	General Purpose	1	2 608 901 217

Fleece Roll



Diameter	Grit	PQ	Part Number
100 mm × 10 m	Coarse AlOx	1	2 608 901 222
	Medium SiC	1	2 608 901 223
	Very Fine AlOx	1	2 608 901 224
	General Purpose	1	2 608 901 225
115 mm × 10 m	Cleaning white	1	2 608 901 226
	Coarse AlOx	1	2 608 901 227
	Medium SiC	1	2 608 901 228
	Medium AlOx	1	2 608 901 229
	Very Fine AlOx	1	2 608 901 230
	Ultra Fine SiC	1	2 608 901 231
	General Purpose	1	2 608 901 232
150 mm × 10 m	Cleaning white	1	2 608 901 233
	Coarse AlOx	1	2 608 901 234
	Medium SiC	1	2 608 901 235
	Medium AlOx	1	2 608 901 236
	Very Fine AlOx	1	2 608 901 237
	Ultra Fine SiC	1	2 608 901 238
	General Purpose	1	2 608 901 239

Fleece Velcro Disc




Diameter	Grit	PQ	Part Number
125 mm	Cleaning white	1	2 608 901 240
	Coarse AlOx	5	2 608 901 385
		1	2 608 901 241
	Medium SiC	5	2 608 901 386
		1	2 608 901 242
	Medium AlOx	1	2 608 901 243
	Very Fine AlOx	1	2 608 901 244
	Ultra Fine SiC	5	2 608 901 387
		1	2 608 901 245
	General Purpose	1	2 608 901 246

Diameter	Grit	PQ	Part Number
150 mm	Cleaning white	1	2 608 901 247
	Coarse AlOx	5	2 608 901 388
		1	2 608 901 248
	Medium SiC	5	2 608 901 389
		1	2 608 901 249
	Medium AlOx	1	2 608 901 250
	Very Fine AlOx	1	2 608 901 251
	Ultra Fine SiC	5	2 608 901 390
		1	2 608 901 252
	General Purpose	1	2 608 901 253

EXPERT SANDING BLOCKS AND PADS

Combi Blocks S470

Lasts up to 5× longer than Bosch C420 sandpaper
Suitable for paint on wood, softwood



Grit	PQ	Part Number
Fine	1	2 608 901 168
SETS		
Description	Grit	Part Number
3-pcs.	Medium	2 608 901 174
	Fine	
	Super fine	

Sanding Pads S473

Lasts up to 5× longer than Bosch C420 sandpaper
Suitable for paint on wood, softwood




Grit	PQ	Part Number
Medium	1	2 608 901 171
	1 (×250)	2 608 625 006
Fine	1	2 608 901 172
	1 (×250)	2 608 625 007
Super fine	1	2 608 901 173
	1 (×250)	2 608 625 008

SETS		
Description	Grit	Part Number
3-pcs.	Medium	2 608 901 176
	Fine	
	Super fine	

Standard Blocks S471

Lasts up to 5× longer than Bosch C420 sandpaper
Suitable for paint on wood, softwood



Grit	PQ	Part Number
Medium	1 (×20)	2 608 901 177
	1 (×50)	2 608 901 169
	1 (×250)	2 608 625 003
Fine	1 (×20)	2 608 901 178
	1 (×50)	2 608 901 170
	1 (×250)	2 608 625 004
Super fine	1 (×20)	2 608 901 179
	1 (×50)	2 608 901 180
	1 (×250)	2 608 625 005

SETS		
Description	Grit	Part Number
3-pcs.	Medium	2 608 901 175
	Fine	
	Super fine	



PQ = Pack Quantity

PRECISION CUTTING FOR A VARIETY OF APPLICATIONS


EXPERT Circular Saw Blade Range

 **BOSCH**
expert Wood



BOSCH
Ø 165 x 1.5/1.0 x 20 mm
48 HW
n max 8500 min⁻¹
2 608 644 509

Made in Italy




**CARBIDE
TECHNOLOGY**

Universal complete range for the most common applications with best cutting result

High precision and exceptionally durable saw blade tip with Bosch Carbide Technology

Friction reduction and anti-corrosive ProteQtion coating

Optimized saw blades range available for cordless saws



A SELECTION OF THE EXPERT CIRCULAR SAW BLADE RANGE



Expert for Wood

Diameter	Bore hole	Teeth	Part Number
165 mm	20 mm	24	2 608 644 022
165 mm	20 mm	48	2 608 644 024
190 mm	30 mm	24	2 608 644 047
190 mm	30 mm	40	2 608 644 048
190 mm	30 mm	56	2 608 644 050
216 mm	30 mm	48	2 608 642 497
250 mm	30 mm	80	2 608 642 500
254 mm	30 mm	32	2 608 644 341
254 mm	30 mm	60	2 608 642 530



Expert for Wood (Cordless)

Diameter	Bore hole	Teeth	Part Number
165 mm	20 mm	48	2 608 644 509
190 mm	30 mm	60	2 608 644 515
216 mm	30 mm	48	2 608 644 519
254 mm	30 mm	60	2 608 644 526
305 mm	30 mm	96	2 608 644 529



Expert for Multi Material

Diameter	Bore hole	Teeth	Part Number
216 mm	30 mm	64	2 608 642 493
305 mm	30 mm	96	2 608 644 115



Expert for Multi Material (Cordless)

Diameter	Bore hole	Teeth	Part Number
165 mm	20 mm	54	2 608 644 539
190 mm	30 mm	54	2 608 644 541
216 mm	30 mm	66	2 608 644 543
254 mm	30 mm	78	2 608 644 546





Expert for Steel

Diameter	Bore hole	Teeth	Part Number
305 mm	25.4 mm	60	2 608 643 060
305 mm	25.4 mm	80	2 608 643 061



You can find more information about the circular saw blade range at
www.bosch-professional.com





FIND OUT MORE ABOUT ALL **EXPERT** PRODUCTS



www.bosch-professional.com

EXPERT

ACCESSORY RANGE

Robert Bosch Sdn Bhd

P.O. Box 1085
46100 Petaling Jaya
MALAYSIA
www.bosch-pt.com.my

Robert Bosch (SEA) Pte Ltd

11 Bishan Street 21
SINGAPORE 573943
www.bosch-pt.com.sg

Bosch Limited Power Tools Division

Post Box No 3000
Hosur Road, Aduangi
Bengaluru-560030
Karnataka
INDIA
www.bosch-pt.co.in

Robert Bosch Inc.

Unit B, 11th Floor, Ten West Campus
20 Le Grand Street, McKinley West, Fort
Bonifacio
1634 Taguig City
PHILIPPINES
www.bosch-pt.com.ph

en – PT-AC/MKB – Printed by Scintilla AG, Luterbachstrasse 10, 4528 Zuchwil, SWITZERLAND.
Subject to technical alterations. Liability for printing errors is not accepted.