

BRY CORE BRILL KIT SEE GARE KIT



DSDC CORE KIT

SESCRIPTION: 5 piece kit in BASE specification for tradesmen who use dry drills regularly. Includes: 42, 52, 65, 117 & 127mm cores, sds plus & hex adaptors, extension, guide rod, drift key and 350mm long pilot drill.

USE ME FOR: Hard York stone / London brick / General House brick Handmade bricks / Facing bricks / Lightweight concrete block / Breeze block

5 PIECE KIT INCLUDES CARRY CASE

CORE SIZES: 42, 52, 65, 117 & 127MM

ADAPTORS - SDS PLUS & HEX

EXTENSION & GUIDE ROD

350MM PILOT DRILL & SHIFT KEY









MATERIA

MATERIAL TYPE CLASS A ENGINEERING BRICKS FLINT AGGREGATE COMMON **CLASS B ENGINEERING BRICKS** LIGHTLY REINFORCED CONCRETE CONCRETE HARD YORK STONE LONDON BRICK GENERAL HOUSE BRICK HANDMADE BRICKS FACING BRICKS LIGHTWEIGHT CONCRETE BLOCK BREEZE BLOCK ABRASIVE SAND / GRIT STONE

78mm

102mm

107mm 117mm

127mm 152mm

158mm DDM

380

440

520 570

HIGHLY SUITED NOT SUITABLE

SUITABLE WITH RESERVATIONS

BRICK & BLOCK / Brick / Block & Concrete	BASE
DIMENSIONS	DSDC
5 PC KIT - 42, 52, 65, 117 & 127MM	DSDC-KITS5

DRY CORE DRILL SPEED RECOMMENDATIONS Speed may be adjusted to suit site conditions. · For very abrasive materials an increase 22_{mm} in drill speed (rpm) will prolong life. 28_{mm} · For harder materials, decrease the 32mm drill speed to prevent overheating. 38mm · Machine and material are the controlling 42mm factors to the life and speed of the core. 48mm · Ultimately, machine and operator determine 52mm the overall performance. 65mm

625 750 860

THE ENTRY-LINE FROM DURO, WHERE PRICE AND PERFORMANCE ARE MATCHED TO OFFER GREAT VALUE OUTPUT THROUGHOUT THE RANGE.



1030 1280 1400 1600 1760 1900 2380 3000