PLASTER, RENDER, RENOVATION & SCREEDING TRADES CATALOGUE Power Tools & Equipment, Hand Tools & Trowels


- MEGAMIXER[®] Plaster & Render Mixers
- ROTAMIXER[®] Mortar & Epoxy Mixers
- ROTAPUMP[®] Coating & Finish Spray Pumps
- Masonry & Render Scabbler
- Drywall Sander
- SUPERFLEX[®] Skimming Trowels
- FINATEX[®] Premium Trowels
- PLAZIFLEX[®] Skimming Trowels & Rules
- CLIKCLAK[®] Sponge Floats
- Rendering Tools & Scrapers
- Aluminium Rules
- Flooring Trowels, Spike Rollers & Levellers





REFINA EQUIPMENT





MIXING EQUIPMENT

REFINA supply the most comprehensive range of specialist mixing equipment for the plaster, render, floor, concrete repair and conservation trades

The equipment includes the best selling, most reliable and durable range of German made MEGAMIXER mixer drills and mixer paddles

REFINA produce the ROTAMIXER and DAINES force action rotary tub and drum mixers. The latest mixer being produced in the UK is the RESIMIXER stainless steel rotary paddle mixer for resins and epoxies

SPRAY EQUIPMENT

REFINA air powered spray equipment is designed to complement our range of mixers, applying decorative coatings, textures, cements, mortars, plasters and renders

There is equipment for applying Sandtex, masonry paints and external coatings, finish plasters, fireproofing and intumescent coatings, tyrolean and external wall textures, acrylic and silicone renders, tanking and waterproofing finishes

SURFACE PREP EQUIPMENT

We supply a range of specialist application power tools that will handle a variety of surface preparation and refurbishment jobs, rendering, concrete repair and screeding

All are dust free when used with dustex hood and vac

The power tools and equipment are available for hire and sale across the country



🔊 in UK

REFINA PLASTER & MORTAR MEGAMIXER[®] H HANDLE



MM30 1800W H HANDLE MEGAMIXER®

- new design H handle for improved cable protection
- powerful motor & long life two speed gearbox
- supplied with MR3 spiral paddle
- · dust cover for switch
- soft start & low splash
- smooth, lump free mixes
- easy & comfortable handling
- · high torque, slow speed for powerful mixing
- heavy duty plaster & mortar mixers
- large range of interchangeable paddles
- guaranteed German made mixers & paddles

The plastering and rendering trades' favourite MEGAMIXER, the MM30 is a well proven and robust power tool with an 1800w motor that will generate a fast, thorough mix action for consistent results. The new H handle gives easy handling and a comfortable work position whilst protecting the power tool motor from damage

All MEGAMIXERS have soft start variable speed that minimises splashing when starting. The power mixers are supplied with an MR3 spiral paddle that is the most efficient for converting power tool torque to an easy and consistent mix action

With its heavy duty 1800w high torque motor and two speed gearbox, this is the most powerful mixer for contractors requiring constant output

The two speed mixer MM30 is best for mixing heavy materials and large volume mixes including plasters, hardwall and bonding, external renders, floor screed, repair and epoxy mortars. It will easily handle a four bag mix without strugging and it will do so day in, day out

MM30
1800w
250/580rpm
6.9kg
MR3 160G 61/4"
50-100kg
1200kg/hr
1.7m/s
72dBA
110v or 230v



H HANDLE MEGAMIXER®

MEGAMIXER, with paddle, H handle, variable two speed, soft start							
Stock no	Description	Power	Weight	Speeds	Paddle	Mix	£ ex VAT
45303160	MM30 two speed mixer drill	1800w	6.9kg	250/580rpm	MR3 160G 61/4"	50-100kg	389.00

REFINA PLASTER & MORTAR MEGAMIXER® H HANDLE

✓ mix finish & backing plaster MM21 & MM22 1150W H HANDLE **EIBENSTOCK** ✓ render & external wall insulation • new design H handle for improved cable protection ✓ mortars & epoxy • powerful motor & long life gearbox ✓ floor screed, latex & coatings • soft start, low splash ✓ heavy bodied coatings & paints • smooth, lump free mixes ✓ mix quantity 2-3 bags • easy & comfortable handling • high torque, slow speed for powerful mixing medium weight plaster & mortar mixer ٠ ٠ large range of interchangeable paddles • guaranteed German made mixers & paddles MEGAMIXER The MM21 & MM22 MEGAMIXERs are medium weight 0 power mixers with H handle, all metal gearbox and reliable 1150w motor MM21 MEGAMIXER They generate a fast, thorough mix action suitable for & MR3 140G modern plasters and building materials paddle All MEGAMIXERs have soft start, variable speed, that minimises splashing when starting The H handle gives easy handling and a comfortable mix position; the new design handle helps protect the power tool motor from damage The power mixers are supplied with an MR3 spiral paddle but can also be supplied with a variety of different paddle designs The two speed MM22 with the extra slow speed will mix both heavy mortars as well as lightweight powders, MEGAMIXER plaster, bonding, drylining adhesive and epoxy coatings, liquid and stiff mixes MM22 MEGAMIXER **MEGAMIXER® MM21 MM22** & MR3 140G Power 1150w 1150w paddle 580rpm 250/450rpm Speed Weight 4.9kg 5.1kg Paddle MR3 140G 51/2" MR3 140G 51/2" 25-75kg 25-75kg Capacity 600kg/hr 600kg/hr Output Vibration level 1.3m/s 1.8m/s 74dBA 76dBA Noise level 110v or 230v Voltage 110v or 230v

H HANDLE MEGAMIXER®

MEGAMIXE	R, with paddle, H handle, variable	e single speed, so	oft start				
Stock no	Description	Power	Weight	Speed	Paddle	Mix	£ ex VAT
45213140	MM21 mixer drill	1150w	4.9kg	580rpm	MR3 140G 51/2"	25-75kg	279.00
MEGAMIXE	R, with paddle, H handle, variable	e two speed, soft	start				
Stock no	Description	Power	Weight	Speeds	Paddle	Mix	£ ex VAT
45223140	MM22 two speed mixer drill	1150w	5.1kg	250/450rpm	MR3 140G 51/2"	25-75kg	309.00

TWIN PADDLE MEGAMIXER®



MZR21 & EZR23 TWIN PADDLE


- · new design H handle for improved cable protection
- powerful contra-rotating positive mix action
- twin paddles for thorough mixing
- · soft start, low splash
- easy & comfortable handling
- · for heavy & difficult to mix materials

The twin contra-rotating paddles generate a thorough and consistent mix action that reduces air entrainment The twin paddles reduce counter rotational torque and the mixer drill does not try and twist when mixing heavier materials; minimising operator fatigue particularly with stiff mixes

The twin paddles give the most thorough mix for heavy mortars, fibre filled cements, pastes, putties and epoxies The mixers are suited to multi-component, specialist materials and critical mix applications

MEGAMIXER [®]	MZR21	EZR23
Power	1200w	1800w
Speed	400rpm	200-530rpm
Weight	6.7kg	7.1kg
Paddles	2 x EZR120	2xEZR130
Capacity	25-75kg	75-100kg
Output	600kg/hr	800kg/hr
Vibration level	4.3m/s	4.3m/s
Noise level	77dBA	77dBA
Voltage	110v or 230v	110v or 230v





TWIN PADDLE MEGAMIXER®

MEGAMIXE	R, with double contra-rotating p	addles, variable si	ngle speed, so	ft start			
Stock no	Description	Power	Weight	Speed	Paddles	Mix	£ ex VAT
452210	MZR21 twin paddle mixer	1150w	6.7kg	400rpm	2x120mm	25-75kg	569.00
MEGAMIXE	ER, with double contra-rotating p	addles, variable si	ngle speed, so	ft start			
Stock no	Description	Power	Weight	Speed	Paddles	Mix	£ ex VAT
452310	EZR23 twin paddle mixer	1800w	7.1kg	530rpm	2x130mm	75-100kg	599.00

REFINA PLASTER & MORTAR MEGAMIXER® D & H HANDLE



MM19 D HANDLE & MM20 H HANDLE

- solidly made, hard working power tools
- heavy duty motor & long life gearbox
- back & hoop handle mixer for easy handling
- high torque & slow speed for heavy materials
- large range of paddle sizes & designs
- reliable power tools with fast service backupguaranteed German made mixer drills & paddles

The MM19 MEGAMIXER is a D handle power mixer and combines a simple well proven design, reliable gearbox and powerful 1050w motor

The MM19 will mix finish and browning plasters, bonding and drywall adhesive, floor coatings and epoxy paints; ideal for one and two bag mixes

The MM19 is our best selling multi purpose mixer for the plastering and building trades

The MM20 MEGAMIXER is a single speed power mixer with H handle design. The H handle gives easy handling and a comfortable mix position; the new design handle helps protect the power tool motor from damage

Both mixers have a robust well proven 1100w motor, soft start switch and MR3 130 spiral mixer paddle $% \left(\frac{1}{2}\right) =0$

It's simple robust design makes it a powerful and reliable power tool for plastering and building trades

MEGAMIXER®	MM19	MM20
Power	1050w	1100w
Speed	450rpm	450rpm
Weight	3.1kg	4.1kg
Paddle	MR3 130G 5"	MR3 130G 5"
Capacity	25-50kg	25-50kg
Output	400kg/hr	400kg/hr
Vibration level	1.9m/s	1.9m/s
Noise level	71dBA	71dBA
Voltage	110v or 230v	110v or 230v



D & H HANDLE MEGAMIXER®

MEGAMIXE	ER, with paddle, D back hand	le, variable single spe	ed, soft start				
Stock no	Description	Power	Weight	Speed	Paddle	Mix	£ ex VAT
45193130	MM19 mixer drill	1050w	3.1kg	450rpm	MR3 130G 5"	25-50kg	209.00
MEGAMIXE	ER, with paddle, H handle, va	riable single speed, so	oft start				
Stock no	Description	Power	Weight	Speed	Paddle	Mix	£ ex VAT
451801	MM20 mixer drill	1100w	4.1kg	450rpm	MR3 130G 5"	25-50kg	249.00

REFINA PLASTER & MORTAR MEGAMIXER® D HANDLE

MM29 D HANDLE MIXER

- solidly made, hard working power tool
- heavy duty motor & long life gearbox
- D back handle, easy handling
- high torque & slow speed for heavy materials
- large range of paddle sizes & designs
- · reliable power tool with fast service backup
- guaranteed German made mixer drill & paddles

The MM29 is a single speed power mixer with slow speed, high torque gearbox, 1800w motor, soft start variable speed switch and spiral mixer paddle

The D handle gives easy handling and a comfortable mix position

This design has been a particular favourite with the rendering trade for many years

It's simple robust design makes it a powerful and reliable power tool for contractors mixing large volumes of heavy materials

It is supplied with an MR3 160G 6¹/4" paddle and is best for mixing heavy materials including render and monocouche, hardwall and bonding, polymer renders, floor screed, epoxy and repair mortars

MEGAMIXER®	MM29
Power	1800w
Speed	400rpm
Weight	5.2kg
Paddle	MR3 160G 61/4"
Capacity	50-100kg
Output	1200kg/hr
Vibration level	1.8m/s
Noise level	75dBA
Voltage	110v or 230v



- ✓ finish & backing coat plaster
- ✓ render & external wall insulation
- ✓ mortars & epoxy
- ✓ floor screed, latex & coatings
- ✓ paints & heavy bodied coatings



D HANDLE MEGAMIXER®

MEGAMIXER, with paddle, D back handle, variable single speed, soft start							
Stock no	Description	Power	Weight	Speed	Paddle	Mix	£ ex VAT
45293160	MM29 mixer drill	1800w	5.2kg	400rpm	MR3 160G 61/4"	50-100kg	359.00

THREADED MIXER PADDLES

EPI MIXER THREADED PADDLES

- trade quality technically designed paddles
- generate a thorough mix action
- · threaded shaft to fit directly into mixer drill
- largest range of designs & sizes
- guaranteed German made quality

Threaded EPI mixer paddles fit directly into the front end M14 thread of the mixer drill

The paddles are of proven design to give efficient mix action; they are produced to ensure a perfectly balanced shape that eliminates paddle wobble

MR3 paddles with negative top to bottom mix action are the most popular design for a wide range of bagged materials, plaster, cements, resins, coatings, wet and pourable mixes. The mix action is thorough and consistent; the paddle floats in the mix making handling easy

The MR3R paddles are the same design but with a right hand spiral and positive bottom to top mix action

Other industrial paddle shapes and sizes are available



MR3 spiral paddle negative mix action



MR3R spiral paddle positive mix action

✓ mix liquids & powders

- ✓ plasters & textures
- ✓ renders & lime mortars
- ✓ paints & coatings
- ✓ cements & mortars
- ✓ resins & epoxies
- ✓ latex & screed
- ✓ tile cements & adhesives





000226G BS connector

Mixer drill chuck



MR4 screw paddle



hoop paddle



MR8 impellor paddle

THREADED M14 PADDLES

MR1 HOOI Stock no	P PADDLES, basket type for multi-fin Description	nish plasters, coa Drill size	atings, cemen Paddle	t powders & latex Length	Mix	£ ex VAT
011402	MR1 140G 5 ¹ / ₂ " paddle	550w	140mm	600mm	25-75 ltr	17.00
011602	MR1 160G 6 ¹ /4" paddle	650w	160mm	600mm	30-100 ltr	19.00
011802	MR1 180G 7" paddle	750w	180mm	600mm	40-150 ltr	21.00
MR3 SPIR	AL PADDLES, reverse spiral for wet	mixes. plasters.	coatings and	powders		
Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
031002	MR3 100G 4" paddle	600w	100mm	600mm	10-25 ltr	26.00
031202	MR3 120G 4 ³ / ₄ " paddle	650w	120mm	600mm	20-50 ltr	28.00
031302	MR3 130G 5" paddle	700w	130mm	600mm	20-50 ltr	29.00
031402	MR3 140G 5 ¹ / ₂ " paddle	750w	140mm	600mm	25-75 ltr	29.00
031602	MR3 160G 61/4" paddle	850w	160mm	600mm	30-100 ltr	33.00
031802	MR3 180G 7" paddle	950w	180mm	600mm	40-150 ltr	39.00
032002	MR3 200G 8" paddle	1000w	200mm	600mm	50-200 ltr	43.00
MR3R SPI	RAL PADDLES, right hand spiral for	wet mixes, plast	ers, coatings	and powders		
Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
031203	MR3R 120G 43/4" paddle	650w	120mm	600mm	20-50 ltr	28.00
031403	MR3R 140G 51/2" paddle	750w	140mm	600mm	25-75 ltr	30.00
031603	MR3R 160G 6 ¹ / ₄ " paddle	850w	160mm	600mm	30-100 ltr	33.00
MR4 SCRE	EW SPIRAL PADDLES, for dry & stiff	mixes, mortars,	renders & epo	xies		
Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
041002	MR4 100G 4" paddle	600w	100mm	600mm	10-25 ltr	25.00
041202	MR4 120G 4 ³ / ₄ " paddle	650w	120mm	600mm	20-50 ltr	27.00
041402	MR4 140G 5 ¹ / ₂ " paddle	750w	140mm	600mm	25-75 ltr	29.00
041602	MR4 160G 6 ¹ / ₄ " paddle	850w	160mm	600mm	30-100 ltr	33.00
MR8 IMPE	LLOR PADDLES, for use with higher	speed drills				
Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
081202	MR8 120G 4 ³ / ₄ " paddle	600w	120mm	600mm	20-50 ltr	26.00
081502	MR8 150G 6" paddle	700w	150mm	600mm	30-100 ltr	39.00
DRILL CHI	CKS, for use with mixer drills & hex	shaft paddles				
Stock no	Description					£ ex VAT
433101	13mm chuck & M14 connector					25.00
000226G	BS connector					8.00

MIXING TUBS & SPOT BOARD STANDS

MIXING TUBS

- · heavy duty plastic tubs
- for mixing & gauging
- plaster & cement
- epoxy & mortar

• can be used for material handling & transport The black mixing tubs are produced in heavy gauge plastic and are tapered for easy stacking

The narrower 30 ltr tub with hoop handle is often used for finish plaster and coatings

The white plastic mixing tubs are produced from rigid plastic with a heavy gauge wall thickness

They are designed for site use, handling and mixing construction materials

The tubs have moulded side handles and are used for mixing plaster, render, mortar and epoxy

Bucket scoop designed by Andy McKay from Ringwood; available to buy on the REFINA website



35 ltr mixing tub & Mack bucket scoop

MIXING TUBS & SPOT BOARD STANDS

329934 spot board stand

HEAVY DU	TY PLASTIC TUB, with metal hoop ha	andle			
Stock no	Description	Width	Height	Capacity	£ ex VAT
323001	mixing tub, 7 gallon	32cm	40cm	30 ltr	13.00
HEAVY DU	TY MIXING TUBS, black plastic, with	side grips			
Stock no	Description	Width	Height	Capacity	£ ex VAT
326502	mixing tub, 14 gallon	60cm	33cm	65 ltr	12.00
329002	mixing tub, 20 gallon	68cm	35cm	90 ltr	13.00
HEAVY DU	TY MIXING TUBS, white plastic, with	side handles			
Stock no	Description	Width	Height	Capacity	£ ex VAT
321010	plastic mixing vessel 8 gallons	39cm	41cm	35 ltr	11.00
321011	plastic mixing vessel 11 gallons	45cm	47cm	50 ltr	16.00
321012	plastic mixing vessel 16 gallons	49cm	57cm	75 ltr	21.00
321013	Plastic mixing vessel 22 gallons	52cm	67cm	100 ltr	27.00
SPOT BOA	RD STANDS				
Stock no	Description	Height			£ ex VAT
329932	spot board stand 32" high	80cm			29.95
329934	spot board stand 36" high	90cm			29.95
329936	spot board stand 40" high	100cm			29.95

FLOORING LATEX & LIQUID SCREED MIXER



FLOORMIX MOBILE MIXER

- · heavy duty motor
- 5 x 20kg capacity for pourable cement floor toppings
- large diameter stirring paddle
- · centrally located paddle gives full sweep of material
- paddle mixes right to the tub base & edge
- no unmixed powders at the tub base
- connection for dust extraction
- drive unit & paddle easily removed
 mobile mix & pour station
- mobile mix & pour station
- · inexpensive additional tubs

The FloorMix will thoroughly and quickly mix up to 5 x 20kg bags with 3 minutes $% \left(1-\frac{1}{2}\right) =0$

Mixing and placing of cementitious floor toppings is easy and fast, boosts productivity, lowers labour costs and reduces physical effort. It will mix, transport and pour directly onto the floor

The FloorMix is designed for self levelling floor compounds but will mix a range of pourable coatings and grouts

There is a dust extraction port for vacuum connection. The mixer top is partly covered to reduce air born dust. There is an additional removable cover for dust and splash reduction ensuring safer use and less mess fully enclosing the mix

FLOORMIX	FM2300
Power	2300w
Speeds	70/130/160/280rpm
Machine weight	48kg
Capacity	150kg
Noise level	67dBA

110 or 230v


EIBENSTOCK



centre mounted motor for full sweep mix



- ✓ levelling compounds
- ✓ pourable coatings & epoxies
- ✓ grouts & adhesives
- ✓ liquid floor screeds



FLOORMIX MOBILE FLOOR MIXER

MOBILE M	IXER, with spiral paddle and side sc	rapers, for pour	able floor top	pings & coatings	
Stock no	Description	Power	Tub	Mix	£ ex VAT
458280	FloorMix 2300 mobile mixer	2300w	110 ltr	150kg	1295.00
REPLACEN	IENT PLASTIC TUB				
Stock no	Description	Width Ø	Depth		£ ex VAT
326110	mixing tub, 110 ltr black plastic	52cm	73cm		49.00

FloorMix 2300 mobile mixer

Voltage

DAINES® MIXAL FORCED ACTION MIXER

DAINES® MR40 MIXER

- compact forced action mixer
- simple L shape paddle for thorough mix action
- easy clean & low maintenance
- produced in the UK

The DAINES Mixal MR40 drum mixer is solidly built with a rigid grp shall, L shape paddle, 32 litre metal drum and simple basket drive. It is easy to clean and gives an excellent mix

The rotating drum produces a centrifugal action and the paddle mixes from the outside in

The mixer uses a 32 ltr steel drum with pail type handle and is for one bag mixes of mortar and epoxy, floor paints and coatings

The new MR30 mixer is built around the same grp shell but includes a tapered 30 litre plastic tub and tapered drive basket

DAINES [®] MIXAL MIXER	MR40
Power	0.75kw
Machine weight	36kg
Size WxL	55x170cm
Height	87cm
Paddle	L shape
Capacity	15-30kg
Output	600kg/hr
Noise level	65dBA
Voltage	110v or 230v





 $\checkmark\,$ mixing cement repair mortars

- ✓ epoxy mortars
- ✓ latex floor topping
- ✓ floor coatings & self levellers
- ✓ heavy bodied paints & coatings
- ✓ mix quantity 1 bag





323203 32 ltr metal drum



323004 30 ltr plastic tub

DAINES® MIXAL ROTARY DRUM MIXER

CTION ROTARY DRUM MIXER, 3	2 Itr metal drum			
Description	Power	Tub	Mix	£ ex VAT
DAINES MR40 mixer	0.7kw	30 ltr	15-30kg	759.00
IENT METAL DRUM, with side h	andles			
Description	Width Ø	Depth		£ ex VAT
mixing drum, 32 ltr	36cm	33cm		20.00
CTION ROTARY DRUM MIXER, 3	0 ltr plastic drum			
Description	Power	Tub	Mix	£ ex VAT
DAINES MR30 mixer	0.7kw	30 ltr	15-30kg	759.00
IENT PLASTIC DRUM, with pail	handles			
Description	Width Ø	Depth		£ ex VAT
mixing drum, 30 ltr	32cm	40cm		13.00
	Description DAINES MR40 mixer IENT METAL DRUM, with side has Description mixing drum, 32 ltr CTION ROTARY DRUM MIXER, 3 Description DAINES MR30 mixer IENT PLASTIC DRUM, with pail I Description	DAINES MR40 mixer 0.7kw IENT METAL DRUM, with side handles Width Ø Description Width Ø mixing drum, 32 ltr 36cm CTION ROTARY DRUM MIXER, 30 ltr plastic drum Description Description Power DAINES MR30 mixer 0.7kw IENT PLASTIC DRUM, with pail handles Description Description Width Ø	DescriptionPowerTubDAINES MR40 mixer0.7kw30 ltrIENT METAL DRUM, with side handlesDepthDescriptionWidth ØDepthmixing drum, 32 ltr36cm33cmCTION ROTARY DRUM MIXER, 30 ltr plastic drumDescriptionPowerDescriptionPowerTubDAINES MR30 mixer0.7kw30 ltrIENT PLASTIC DRUM, with pail handlesDepthDescriptionWidth ØDepth	DescriptionPowerTubMixDAINES MR40 mixer0.7kw30 ltr15-30kgIENT METAL DRUM, with side handlesDepthDescriptionWidth ØDepthmixing drum, 32 ltr36cm33cmCTION ROTARY DRUM MIXER, 30 ltr plastic drumMixDescriptionPowerTubMixDAINES MR30 mixer0.7kw30 ltr15-30kgENT PLASTIC DRUM, with pail handles DescriptionWidth ØDepth

REFINA ROTAMIXER® FORCED ACTION MIXERS

RM65 & RM90 ROTAMIXER®

- robust forced action paddle mixers
- stainless steel adjustable paddles
- twin paddles for thorough mix action
- radial & axial mix, turns & lifts material
- easy clean for epoxies & cements

• produced in the UK

The RM65 & RM90 mixers are robust forced action mixers designed for those materials that can't be successfully mixed in a conventional free-fall cement mixer

The rotating drum produces a centrifugal mix and the technically designed paddles generate a radial and axial action

The machines are easy to clean and maintain, and replacement mixing tubs are economically priced. The machine includes a stainless steel L shaped side paddle and a rotary claw paddle which will mix right up to the tub centre, sides and base

The RM65 is a compact forced action mixer for up to two bags of repair or fibre filled mortar, grout, epoxy, screed, flooring latex and coatings, cements, tile adhesives and special plasters. The RM90 can mix up to three bags These mixers are produced with a 110v high torque motor and sealed gear box; 230v and 415v motors are also available for both models

ROTAMIXER®	RM65
Power	1.1kw
Machine weight	67kg
Size WxL	60x130cm
Height	94cm
Paddles	L & X shapes
Capacity	30-65kg
Output	1200kg/hr
Noise level	67dBA
Voltage	110v or 230v
ROTAMIXER®	RM90
Power	1.1kw
Machine weight	69kg
Size WxL	60x130cm
Height	94cm
Paddles	L & X shapes
Capacity	30-75kg
Output	1500kg/hr
Noise level	67dBA

ROTAMIXER® ROTARY TUB MIXERS

110v or 230v

✓ anti skid road surfaces 駴 🜌 Made ✓ highway repair surfaces 🥖 İn UK ✓ polymer screeds ✓ epoxy mortars & coatings ✓ resin bound aggregates ✓ floor coatings ✓ heavy bodied paints & coatings ✓ driveway surfaces ✓ decorative resin bonded surfaces ✓ quartz & epoxy screeds ✓ adhesives & cements ✓ concrete repair mortars ✓ lime & heritage mortars ✓ repair or fibre filled mortar ✓ grouts & pourable cements ✓ cementitious toppings ✓ latex & self levellers ROTAMIXER **RM65** rotary tub mixer ROTAMIXER ROTAMIXER RM90 twin stainless rotary tub mixer steel paddles 706501

lift & tip trolley

326501 65 ltr mixing tub

ROTAMIXER FORCED ACTION ROTARY MIXER, with L shaped side paddle & rotary paddle & two plastic tubs Stock no Description Power Tub Mix £ ex VAT 706600 RM65 rotary tub mixer twin paddle 1.1kw 65 ltr 30-60kg 1195.00 **REPLACEMENT ROTAMIXER PLASTIC TUB** Stock no Description Width Ø Depth £ ex VAT 33cm mixing tub, 65 ltr black plastic 59cm 19.00 326501 ROTAMIXER FORCED ACTION ROTARY MIXER, with L shaped side paddle & rotary paddle & two plastic tubs Stock no Description Power Tub Mix £ ex VAT 30-75kg 709000 RM90 rotary tub mixer twin paddle 1.1kw 90 ltr 1395.00 **REPLACEMENT ROTAMIXER PLASTIC TUB** Width Ø Stock no Description £ ex VAT Depth 329003 mixing tub, 90 ltr black plastic 67cm 36cm 20.00 TUB LIFTING TROLLEY £ ex VAT Stock no Description 706501 lift & tip trolley for 65 ltr or 90 ltr tubs 180.00

Voltage

REFINA RESIMIXER® RESIN & AGGREGATE MIXER

RMX120 RESIMIXER®

- · heavy duty rotary paddle mixer
- removable 120 ltr stainless steel drum
- 80 ltr mix capacity
- 4 x 25kg bags of aggregate
- adjustable mixer blades
- uniform & consistent mixing
- bottom outlet for discharge into barrow
- · easy to clean, low maintenance
- produced by REFINA in the UK

The RMX120 has been designed and produced in the UK to mix resin bound aggregates and epoxy flooring materials

The rotary paddle forced action mixer will mix resin bound aggregates, driveway materials, resins, rubber crumb and playground surfaces

The machine has a removable stainless steel drum and paddles for easy cleaning

The motor and gearbox is mounted on the top of the mixer drum and is removed for cleaning $% \left({{{\rm{T}}_{\rm{T}}}} \right)$

It has two adjustable paddles and is driven by a powerful electric motor and sealed gearbox

The mixer is supplied with a 1.5kw 110v motor. The 110v mixer should be used with a 5kva transformer and only one 4mm 32amp extension lead

A 230v motor is available for domestic building work The mixer will run off 110v construction site electrics using a 32 amp 5kva transformer or 6kva generator.

RESIMIXER [®]	RMX120
Power	1.5kw
Machine weight	85kg
Size WxL	85x95cm
Height	120cm
Paddles	3 blade set up
Drum size	55cm
Output	600kg/hr
Noise level	71dBA
Voltage	110v or 230v





- ✓ mix resin bound aggregates
- ✓ epoxy mortars & coatings
- \checkmark anti skid road surfaces
- ✓ highway repair surfaces
- ✓ driveway surfaces
- ✓ playground surfaces
- ✓ wet pour safety surfaces
- ✓ polymer screeds
- ✓ rubber crumb toppings
- ✓ decorative resin surfaces
- ✓ quartz & epoxy screeds
- ✓ adhesives & cements
- ✓ concrete repair mortars
- ✓ lime & heritage mortars
- ✓ repair or fibre filled mortar



RESIMIXER® ROTARY PADDLE RESIN MIXER

RESIN MIXER, rotary paddle, bottom outlet				
Stock no	Description			
700150	RMX120 rotary paddle mixer			

ROTAMIXER® RENDER & MORTAR MIXER

RMX140 ROTAMIXER®

- · heavy duty rotary paddle mixer
- three adjustable mixer blades
- uniform & consistent mixing
- bottom outlet for discharge into barrow
- for dry & bulk mixes
- · easy to clean, low maintenance

The RMX140 is a rotary paddle forced action pan mixer with large capacity drum

It will mix mortars and external colour through renders including monocouche and K-Rend

It has three adjustable paddles and is driven by a powerful electric motor and sealed gearbox. This mixer is powerful enough to mix the heaviest render, mortar and screed

The RMX140 can mix materials with aggregate up to 8mm. The mixer is supplied with a 1.5kw 110v motor; a 230v motor is available for domestic building work

It will mix 5 bags of monocouche render or a 4 to 1 sand and cement mix

The mixer will run off a good 110v construction site electrical supply using a 32amp 5kva transformer or 6kva generator. The 110v mixers are not designed to run off a domestic 13amp supply

For refractory cements use a 415v three phase machine

ROTAMIXER [®]	RMX140
Power	1.5kw
Machine weight	95kg
Size WxL	90x95cm
Height	110cm
Paddles	3 blade set up
Drum size	70cm
Output	800kg/hr
Noise level	71dBA
Voltage	110v or 230v

- ✓ monocouche & ocr render
- ✓ sand & cement renders
- $\checkmark\,$ colour through & polymer renders
- ✓ polymer screed & mortars
- \checkmark repair mortars & cements
- ✓ sand & cement screed
- \checkmark refractory cements
- \checkmark six to one screed mixes



ROTAMIXER® ROTARY PADDLE & MORTAR MIXER

 MORTAR MIXER, rotary paddle, bottom outlet

 Stock no
 Description

 700130
 RMX140 rotary paddle mixer

LIME PUTTY & MORTAR MIXERS

RMR230 ROLLER PAN MIXER

- mill type roller pan mixer
- heavy twin grinding rollers
- for use in historic building refurbishment
- conservation & refurbishment trades
- schools & training institutions
- reworking lime mortars & putties

This roller pan mixer uses twin 85kg rollers that will turn and mix lime mortars and putties, renders and plaster, rework traditional and reclaimed materials, crush and rework old and reclaimed materials

The mixer is supplied with mesh lid and guard The 110v model is fitted with a 32amp plug and needs to run off a 5kva transformer

ROII	FR	ΡΔΝ	MIXER	

ROLLER PAN MIXER	RMR230
Power	1.5kw
Speed	30rpm
Machine weight	320kg
Size WxL	120x150cm
Height	110cm
Paddle	scraper & 2 rollers
Capacity	50-100kg
Output	1000kg/hr
Noise level	71dBA
Voltage	110v or 230v



- ✓ lime mortars & putties
- ✓ sand & cement renders
- ✓ polymer screed & mortars
- ✓ repair mortars & cements
- ✓ refractory cements
- ✓ reconstituting heritage mortars



ROLLER PAN LIME PUTTY & MORTAR MIXER

HEAVY DUTY MIXER, for mixing lime mortars & plasters, reworking traditional mortars & putties							
Stock no	Description	Power	Drum Ø	Mix	£ ex VAT		
700120	RMR230 roller pan mixer	1.5kw	120cm	50-100kg	2795.00		

REFINA MASONRY PAINT & TYROLEAN TEXTURE SPRAYER



TEXASPRAY HOPPER SPRAY GUN

- gravity feed spray gun with 5 ltr hopper
- versatile spray gun for heavy bodied paints
- proven design & performance
- · easy to use & clean
- airflow mini regulator included
- · works with 10cfm compressor

The hopper spray gun is supplied with 4mm, 6mm and 8mm nozzles. Other sizes are available on request Coverage is 60m²/hr

ooverage	10	00111	/	

Power 12cfm 1.1kw 15 Air output 280 ltr/min @4 bar 390 ltr/m Weight 38kg	AC15E
	cfm 2.2kw
Weight 38kg	nin @6 bar
	58kg
Size WxL 77x35cm	50x100cm
Height 69cm	86cm
Air tank 24 ltr	60 ltr
Noise level 73dBA	89dBA
Voltage 110v or 230v 110	0v or 230v





150350 Texaspray hopper spray gun

12cfm compressor



TEXASPRAY HOPPER GUN & COMPRESSOR

Stock no	Description	Nozzle Ø	Hopper	Air Consumption	Weight	£ ex VA
150350	Texaspray hopper spray gun	4,6,8mm	5 ltr	150 ltr/min @ 3 bar	0.9kg	129.00
COMPRES	SOR, electric belt drive, for site use)				
Stock no	Description	Power	Air tank	Air output	Max pressure	£ ex VAT
171023	AC12 12cfm compressor	1.5kw	24 ltr	280 ltr/min @ 4 bar	10 bar	499.00
171515	AC15E 15cfm compressor	2.2kw	50 ltr	390 ltr/min @ 6 bar	10 bar	999.00
AIR HOSE	KITS, blue braided with threaded co	onnectors				
Stock no	Description	Length	Air hose Ø			£ ex VAT
982084	air hose kits with 1/4" connectors	5m	10mm			10.00
982085	air hose kits with ¼" connectors	10m	10mm			15.00
982086	air hose kits with ¼" connectors	15m	10mm			20.00
PCL QUICK	RELEASE AIRLINE COUPLING					
Stock no	Description					£ ex VAT
990001K	coupling & adaptor (2 pt)					10.00

✓ thin coat silicone & acrylic renders ✓ Cullamix tyrolean & textured renders

mini regulator

- ✓ Sandtex & masonry paints
- ✓ Artex & textured coatings
- ✓ Monolastic elastomeric textures

✓ high build & cementitious coatings

✓ Vandex tanking & waterproofing coatings

RENDER SPRAY GUNS

RENDER SPRAY GUNS

- high volume, lightweight air powered spray gun
- single & three nozzle gun for sand & cement renders
- four nozzle long arm gun for higher volume applications
- compressor produced in the UK

The single and three nozzle hopper render spray guns are simple and effective to use and are one of the few spray guns that will spray apply sand and cement renders The guns will spray render and dash with an aggregate up to 5mm

The finish can be altered by adjusting the mix or aggregate used

A range of textures and finishes can be achieved; spraying at a lower air pressure (2-3 bar) will give a more textured finish

After application, the render can be ruled flat with an aluminium straight edge and finished with a steel trowel, plastic or wooden float

Render can be applied in one or two coats, normally up to 12mm to 15mm $\,$

The hopper spray guns will spray renders, waterproofing and tanking render, spritz and bonding mortars, concrete repair and cementitious coatings

The single nozzle spray gun will run off a 15cfm compressor, the three nozzle gun a 30cfm compressor The four nozzle gun will give the best results using a one tool site compressor





150655 air regulator & filter





RENDER SPRAY GUNS

HOPPER S Stock no	SPRAY GUN, stainless steel hopper, f Description	ror sand & cemer Nozzle Ø	Hopper	Me mortars Air consumption	Weight		£ ex VA
	•			•	-		
150660	render spray gun, one nozzle	1 x 20mm	4 ltr	300 ltr/min @ 4 bar	2kg		229.00
150662	render spray gun, three nozzles	3 x 20mm	4 ltr	600 ltr/min @ 4 bar	2kg		229.00
HOPPER S	PRAY GUN, plastic hopper, for sand	& cement rende	rs & lime mort	ars			
Stock no	Description	Nozzle Ø	Hopper	Air consumption	Weight		£ ex VA
150666	render spray gun, four nozzles	4 x 20mm	6 ltr	750 ltr/min @ 4 bar	1.8kg		229.00
COMPRES	SORS, Honda petrol, belt drive, for	render spray gun					
Stock no	Description	Power	Motor	Air tank	Air output	Max pressure	£ ex VA
171515P	AC15P 15cfm compressor	5.5hp	GX160	50 ltr	425 ltr/min @ 6 bar	10 bar	1149.00
171530P	AC30P 30cfm compressor	11.0hp	GX340	110 ltr	840 ltr/min @ 6 bar	10 bar	2399.00
AIR REGUI	LATOR & FILTER, with carry frame, to	o control air pres	sure to hoppe	r spray gun			
Stock no	Description	-					£ ex VA
150655	air regulator & filter						95.00
AIR HOSE	KITS, blue braided with threaded co	onnectors					
Stock no	Description	Length	Air hose Ø				£ ex VA
982084	air hose kits with 1/4" connectors	5m	10mm				10.00
982085	air hose kits with 1/4" connectors	10m	10mm				15.00
		15m	10mm				20.00

REFINA ROTAPUMP[®] COATING & FINISH SCREW SPRAY PUMP

Made 🔰

🗾 in UK ✓ grouts & mortars ✓ thin coat & acrylic renders hopper feed screw pump ✓ pointing mortar ✓ fireproofing & intumescent paints · stainless steel hopper ✓ lime mortars ✓ waterproofing renders & tanking slurries · easy to use & clean ✓ textured & high build masonry coatings • 110v available as standard ✓ finish plasters & coatings · quick release rotor & stator assembly ✓ sand & cement render The STX410 is a mini screw pump that will spray finish coatings and plasters, thin coat and external wall coatings, fireproofing and intumescent paints The 110v pump will work off a standard domestic supply 3kva transformer and is ideal for spraying finishing plasters in new build and domestic building refurbishment 141493 141496 The screw pump uses the mono pump principle, with a lance grout gun lance spray gun rotor and rubber stator to pump and spray finish plasters and waterproofing render, fireproofing and textured paints and cementitious coatings The lance spray gun is supplied with a 8.5mm nozzle Other nozzle sizes available The pump, gun and hose are supplied with brass claw couplings as standard, alloy camlock fittings are available. For spraying a compressor is required together with a lance spray gun For pumping grout and mortars no compressor is **ROTAPUMP®** STX410 0.75kw ROTAPUMP Machine weight 25kg 50x75cm 75cm Hopper tank 30 ltr Pump output 4 ltr 59dBA Noise level Air required for spray gun 280 ltr/min @ 4 bar STX410 screw spray pump

✓ pumping & injecting

✓ spraying & coating

AC12 12cfm compressor

ROTAPUMP® MINI SCREW SPRAY PUMP

STX410 SPRAY PUMP

required

Power

Size WxL

Height

Stock no	Description	Power	Pump output	Hose Ø	Hose length	£ ex VA
701022	STX410 screw spray pump	0.75kw	4 ltr	19mm	8m	1795.00
SPRAY LA	NCE, for skim plaster, thin coat rend	er & acrylic wall	coatings			
Stock no	Description	Nozzle Ø	Air cap		Air consumption	£ ex VAI
141496	lance spray gun	8.5mm	round pattern		280 ltr/min @ 4 bar	99.00
LANCE GU	N, for injection mortars & grout					
Stock no	Description	Nozzle Ø				£ ex VAT
141493	lance grout gun	9mm,13mm	n,uncut			29.00
COMPRES	SOR, electric belt drive, for site use					
Stock no	Description	Power	Air tank	Air output	Max pressure	£ ex VAT
171023	AC12 12cfm compressor	1.5kw	24 ltr	280 ltr/min @ 4 bar	10 bar	499.00
MORTAR H	IOSE, black braided with claw coupli	ngs				
Stock no	Description	Length	Material hose	Ø		£ ex VAT
981404	mortar hose	5m	25mm			45.00
981405	mortar hose	8m	25mm			60.00

REFINA PERISTALTIC POINTING & MORTAR PUMP



ACF405 PERISTALTIC PUMP

- hopper feed roller & tube pump
- for refurbishment & repair trades
- heritage & conservation
- bridge & stone reinstatements
- waterproofing & brick pointing

The ACF405 peristaltic electric pump has a metal hopper, variable speed output that can pump up to 5 ltr/min

Pointing machines work best pumping pre-bagged mortars and grouts that have been produced for mechanical application

Mortars mixed on site using sharp builders sand are not suitable for pump application

The peristaltic pump is a positive displacement pump and used for pumping a variety of flowable mortars and grouts. The material is drawn down from the hopper into a roller and tube mechanism. This compresses the flexible tube, forcing the material out towards the gun The 110v peristaltic pump will run off a 13amp supply and 3kva transformer

PERISTALTIC PUMPACF405Power0.5kwMachine weight42kgSize WxL45x50cm

SIZC WAL	+3/300111
Height	55cm
Hopper tank	25 ltr
Pump output	2-5 ltr/min
Noise level	59dBA
Voltage	110v or 230v



PERISTALTIC POINTING & MORTAR PUMP

PERISTALT	IC PUMP, variable speed output, fo	r mortar & grout	ts			
Stock no	Description	Power	Pump output H	ose Ø	Hose length	£ ex VA
784000	ACF405 grout pump	0.5kw	2-5 ltr/min 19	9mm	5m	3695.00
POINTING	LANCE					
Stock no	Description	Nozzle Ø				£ ex VAI
141493	lance grout gun	9mm,13m	m,uncut			29.00
150640	pointing gun with button valve	13mm				189.00
PLASTIC N	IOZZLES, threaded					
Stock no	Description	Nozzle Ø				£ ex VAI
1640077	grey nozzle	uncut cone	9			0.50
1640080	blue nozzle	9mm				0.50
1640081	red nozzle	13mm				0.50
MORTAR H	IOSE, clear braided, for mortars &	cements				
Stock no	Description	Length	Material hose Ø			£ ex VAI
982224	mortar hose, clear braided	5m	19mm			50.00
952115K	claw coupling (set 2)					10.00

SURFACE SCABBLER

EP0180H-SRX SURFACE SCABBLER

- rotary surface scabbler
- replaceable cutters
- solid tungsten cutters or tct cutters
- for paint, render & refurbishment trades
- dust free with vac

The EP0180H with scabbler head will clean, key and prepare interior and exterior wall and floor surfaces. The scabbler is excellent for stripping exterior facades and interiors before refurbishment or replastering, keying cellar walls for tanking

The scabbler uses freely rotating cutters to key and peen the surface. The cutters are replaceable

C6 tungsten carbide tipped scabbling cutters, for render and plaster; leaves a rough finish

C4 solid tungsten carbide claw cutters are for shaving off coatings; leaves a peened finish

C5 solid tungsten star cutters are for keying hard coatings; leaves a keyed surface

SCABBLER	EP0180H
Power	1500w
Speed	1300-4000rpm
Weight	5.9kg
Prep head	150mm
Prep rate	up to 30m/hr
Vibration level	7.9m/s
Noise level	79dBA
Voltage	110v or 230v





EP0180H-SRX6 surface scabbler

- ✓ scabbling concrete & render
- \checkmark taking off masonry paints & tyrolean
- ✓ leaves peened or roughened surface
- ✓ stripping internal paints & exterior coatings
- ✓ chipping off paint & textures
- ✓ cleaning masonry & brick
- ✓ keying back internal walls & plaster
- ✓ taking off floor paints & coatings



356560F dustex hood



346376 C6 cutters

C6

tungsten tipped

cutters



346374 C4 cutters



C4 solid tungsten claw cutters



346375 C5 cutters



C5 solid tungsten star cutters

SURFACE SCABBLER & CUTTERS

MULTI-SUR	RFACE SCABBLERS, for keying & cleani	ing concrete,	render & mas	onry		
Stock no	Description	Power	Weight	Speed	Cutters	£ ex VAI
4811876	EP0180H-SRX6-C6	1500w	5.9kg	1300-4000rpm	C6 x14	539.00
4811874	EP0180H-SRX6-C4	1500w	5.9kg	1300-4000rpm	C4 x28	579.00
4811875	EP0180H-SRX6-C5	1500w	5.9kg	1300-4000rpm	C5 x21	559.00
DUSTEX H	OOD, for dust free use with vac					
Stock no	Description					£ ex VAI
356560F	dust hood for 6" scabbler head					49.00
SCABBLER	R HEADS, for keying back & cleaning re	ender, concre	te, screed & c	oatings		
Stock no	Description	Cutters		Rec speed		£ ex VA
346386	SRX6-C6 6" scabbler	C6 tungste	n tip	3000rpm		209.00
346384	SRX6-C4 6" scabbler	C4 solid tu	ngsten	3000rpm		249.00
346385	SRX6-C5 6" scabbler	C5 solid tu	ngsten	3000rpm		229.00
REPLACEM	MENT CUTTERS, with spacers					
Stock no	Description	Cutter set				£ ex VAI
348146	C6 tungsten tipped 6.0mm cutters	14				65.00
348284	C4 solid tungsten 3.5mm claw cutters	28				105.00
348505	C5 solid tungsten 4.0mm star cutters	21				85.00

REFINA MULTI-SURFACER & PAINT STRIPPER

EP0180H 7" MULTI-SURFACER & STRIPPER

- powerful multi-surfacer
- paint & coating stripper
- · dust free with dustex hood & vac
- reduced vibration H handle

The EPO180H with ATX disc will strip water-based paints, textures and graffiti from plasterboard, ceilings, trowelled concrete, smooth brickwork, masonry and stone


The ATX discs are hard backed silicone carbide abrasives SC discs are semi-flexible fibre backed silicone carbide abrasives that will prep and grind concrete surfaces, stone, brick and masonry as well as removing surface coatings and contaminants

The DS discs will smooth and finish stone, terrazzo and concrete; they can be used wet or dry

MULTI-SURFACER	EP0180H
Power	1500w
Variable speed	1300-4000rpm
Weight	3.8kg
Disc	180mm
Prep rate	up to 30m/hr
Vibration level	2.5m/s
Noise level	79dBA
Voltage	110v or 230v

EIBENSTOCK





- ✓ plasterboard & ceilings
- ✓ cleaning flat brick, stone & concrete
- ✓ cleaning masonry & brick
- ✓ smoothing & refurbishing stone
 - ✓ sanding & finishing concrete
 - ✓ prepping walls, floors & ceilings



EPO180H-ATX multi-surfacer & stripper



EPO180H-ATX without dustex guard



300180 ATX stripper disc



300607 SC ribbed disc



300507 DS finishing disc

MULTI-SURFACER & PAINT STRIPPER

Stock no	RFACER & PAINT STRIPPER, with duste Description	Power	Weight	Speed	Disc Ø	£ ex VA
481208	EPO180H 7" paint stripper	1500w	3.8kg	1300-4000rpm	180mm	389.00
DUSTEX G	UARD, metal & rubber hood for dust fr	ee use with v	ac			
Stock no	Description					£ ex VAI
365570F	dustex guard for 7" discs					49.00
PAINT STR	IPPING DISCS, hard backed, web silico	one carbide, f	or water based	paint removal, no ba	cking pad required	
Stock no	Description	Disc Ø	Rec speed	Grit		£ ex VAT
300180	ATX 7" stripper & cleaning disc	180mm	3000rpm	60		9.95
LOCK NUT	& FLANGE, for hard backed discs					
Stock no	Description	Disc Ø				£ ex VAT
350003	locknut & flange for hard backed disc	180mm				10.00
RIBBED DI	SCS, semi-flexible, silicone carbide fit	ore backed, fo	or finishing conc	rete & render		
Stock no	Description	Disc Ø	Rec speed	Grits		£ ex VAT
300607	SC 7" semi-flexible disc	180mm	4000rpm	16,24,36,60,80,100	0,120	3.95
SANDING	DISCS, silicone carbide fibre backed, u	use wet or dry	/ for concrete, t	errazzo & limestone		
Stock no	Description	Disc Ø	Rec speed	Grits		£ ex VAT
300507	DS 7" terrazzo sanding disc	180mm	4000rpm	36,50,80,100,120,2	180,220,280,320,400	2.95
FLEXIBLE	BACKING PADS, for use with fibre back	ed discs				
Stock no	Description	Pad Ø				£ ex VAT
300207	backing pad for 7" disc	150mm				8.00

DIAMOND GRINDER



EBS1802H 5" DIAMOND GRINDER

- powerful hand-held grinder
- · fitted with low vibration handle
- removable front guard for edging
- · dust free with dustex vac

The EBS1802H is a powerful 1650w 5" diamond grinder, supplied with a segmented diamond disc. The new generation of diamond discs are excellent for prepping a wide range of difficult to remove materials including thick and elastomeric coatings, cement adhesive, bitumens and hardened epoxies

It is produced with a reduced vibration H-handle for easy and smooth working on hard floors. The diamond grinder has a dustex guard and the front is removable for edging The grinder-planer will level floors, slabs and walls, stone, curbs, stairs and pillars; face off shuttered concrete lines and pour spills; remove hardened epoxies and stone paints; smooth out trowel marks from screed and latex; cut back carpet adhesive and tile cement residues; skim off traffic markings and thermoplastics

A range of specialist application diamond discs are available. Only 5" discs will fit the EBS1802H $\,$

DIAMOND GRINDER EBS1802H

Power	1650w
Speed	10000rpm
Weight	5.9kg
Diamond discs	125mm
Prep rate	up to 30m/hr
Vibration level	4.4m/s
Noise level	78dBA
Voltage	110v or 230v

EIBENSTOCK





 $\checkmark\,$ grinding & levelling concrete, screed & stone

- ✓ remove hard epoxy & cement coatings
- \checkmark cut through floor adhesives
- ✓ removing tile cements
- ✓ finish shuttered concrete





315125 DX5-G15 disc

315200 DX5-H5 disc



315194

DX5-MC disc

315170 DX5-K6 disc

DIAMOND GRINDER

DIAMOND	GRINDER-PLANER, with twin row diam	ond disc, for	planing & reduc	ing concrete & sci	reed	
Stock no	Description	Power	Weight	Speed	Disc Ø	£ ex VAT
483180	EBS1802 5" diamond grinder	1650w	5.9kg	10000rpm	125mm	549.00
DIAMOND	DISC, twin row for grinding concrete, h	ard coatings	& surface remo	oval		
Stock no	Description	Disc Ø	Rec speed	Segment	Grit	£ ex VAT
315125	DX5-G15 5" twin open row cup disc	125mm	10000rpm	15	40	89.00
DIAMOND	DISC, curved segments, for aggressive	e grinding of	coatings			
Stock no	Description	Disc Ø	Rec speed	Segment	Grit	£ ex VAT
315200	DX5-H5 5" diamond cup disc	125mm	10000rpm	6	24	85.00
DIAMOND	DISCS, continuous ring, for smoothing	concrete, te	rrazzo & stone			
Stock no	Description	Disc Ø	Rec speed	Segment	Grits	£ ex VAT
315194	DX5-MC 5" solid ring diamond cup disc	125mm	10000rpm	continuous	40,80,120	99.00
DIAMOND	DISC, PCD polycrystalline solid segme	nts, for remo	ving thick coati	ngs, bitumastic &	adhesives, latex & epoxies	
Stock no	Description	Disc Ø	Rec speed	Segment	, <u>-</u>	£ ex VAT
315170	DX5-K6 5" pcd diamond cup disc	125mm	10000rpm	6		179.00

RENDER POWER FLOAT & SPONGE



EPG400 POWER FLOAT & SPONGE

· slow speed finishing

REFINA

• float up to 60 sq metres per hour

• range of discs & floats available

The EPG400 is a hand held rotary power float and sponge for finishing external renders and monocouche

A float disc and medium sponge are included with the machine

The power sponge uses a slow speed motor to sponge or float finish large areas of spray or trowel applied backing coat plaster or one coat render

The toothed scraper disc is for scraping back monocouche render, it is effective where the render has gone off and it is hard to hand scrape. It can be used on new precast concrete

The sanding and tungsten discs are for use on insulation board

POWER FLOAT & SPONGE EPG400

Power	500w
Speed	60rpm
Weight	3.5kg
Disc	400mm
Finish rate	50m/hr
Vibration level	1.9m/s
Noise level	76dBA
Voltage	110v or 230v



medium hard sponge

550417 float disc



550419 toothed scraper disc



300737 sanding disc



300747 tungsten disc

RENDER & PLASTER POWER FLOAT & SPONGE

WALL POW Stock no	/ER SPONGE & FLOAT, for backing coat Description	plasters & o Power	ne coat rende Weight	rs Speed	Disc Ø	£ ex VA
484400	EPG400 16" power float	500w	3.5kg	60rpm	400mm	389.00
SPONGE, V	velcro backed, use wet or dry					
Stock no	Description	Disc Ø	Colour	Texture		£ ex VA
550413	16" sponge	400mm	tan	medium		29.95
PLASTIC F	LOAT, velcro backed, for floating backin	g coat plast	er & render			
Stock no	Description	Disc Ø				£ ex VA
550417	16" float disc, diamond faced	400mm				15.00
SCRAPER	DISCS, for scraping back monocouche	render				
Stock no	Description	Disc Ø				£ ex VA
550419	16" toothed scraper disc with four plates	400mm				45.00
550420	replacement scraper plates (set 4)					24.00
SANDING	DISCS, velcro backed, for sanding polys	styrene insul	ation boards			
Stock no	Description	Disc Ø	Grit			£ ex VA
300737	sanding disc	375mm	24			19.00
300747	tungsten disc	375mm	24			49.00
DUST HOO	D, for dust free use with vac					
Stock no	Description	Disc Ø				£ ex VA
484203	dust hood with brush rim	390mm				49.00

LARGE AREA DRYWALL SANDER



ELS225 9" DRYWALL SANDER

- with quick change flexi joint
- · no tool needed for changing the flexi joint
- powerful large area sander
- · cushioned velcro backing pad
- · large holes for effective dust control
- easy handling for wall work ٠

· removable guard side for edging

The ELS225 is a long reach sander with a simple and light handle extension. The sander head has a flexi joint that can be simply replaced without tools

The sander is used for sanding back and smoothing drywall joints; prepping and sanding walls and ceilings prior to painting and decorating. It is lightweight and comes complete with dust guard allowing dust free operation when coupled with a suitable vac

The edge of the dust guard is cut away allowing sanding right to the edge

The range of discs are velcro backed

Vibration level

Noise level

Voltage

LONG REACH SANDER **ELS225** Power 1050-1600rpm Speed Weight Discs up to 50m/hr Prep rate

EIBENSTOCK





dust free with vac

750w

4.9kg

225mm

2.4m/s

78dBA

110v or 230v



robust multi angle joint to reach walls & ceilings **KEY FEATURE** quick change flexi joint

- ✓ sanding & smoothing walls & ceilings
- ✓ rubbing down drywall & tapered joints
- ✓ prepping back wall paints & emulsions
- ✓ sanding wooden floors & boards
- ✓ cleaning walls, floors & ceilings



LARGE AREA DRYWALL SANDER

LONG REA	CH SANDER, for plaster, drywall joints	, paints & wo	oden floors			
Stock no	Description	Power	Weight	Speeds	Disc Ø	£ ex VAT
481700	ELS225 long reach drywall 9" sander	750w	4.9kg	1050-1600rpm	225mm	599.00
MULTI-HOL	E YELLOW SANDING DISCS, velcro ba	cked, for use	with drywall s	ander, sanding drywall	joints and plaster	
Stock no	Description	Disc Ø	Grits			£ ex VAT
300711	9" yellow sanding disc	225mm	40,60,80,1	100,120,150,180,220		2.95

DUSTEX VACS



- designed for dust control & extraction
- for use with surface prep power tools
- floor grinding machines & sanders
- diamond cutters & core drills
- supplied with M class filter (1.0 micron)
- H class Hepa filter (0.3 micron) available
- heavy duty anti-static plastic tank

The single motor 1400 watt XD14/1 is fitted with filter warning light, manual filter vibrator/cleaner and M class filter

The XD30/3 is a triple motor dust extraction vac with three 1000 watt motors, each motor is fitted with its own independent M class filter

The 3-flow filter system works automatically with two of the filters working on suction with the third motor self cleaning every 30 seconds in rotation

Both dustex vacs use high airflow vacuum motors

The vacs use M class filters to remove particles down to 1.0 micron. The vacs can be fitted with H class Hepa filters that filter down to 0.3 microns

A carbon mesh pre-filter is also available which is effective for gypsum and concrete dust

For large volumes of dust, the cyclone C95T preseparator will remove 95% of the dust and particles before the residues reach the vacuum. This extends the life of the filters and vacuum motors

The HSE notes that scabbling or cutting concrete or stone can also produce high levels of dust that may contain silica. Mortar can also contain respirable crystalline silica (RCS) which is hazardous to health. In most cases it is feasible to control RCS by dust suppression techniques, capturing or controlling the dust at source is better than attempting to control exposure by ventilation

Most dusts will cause some irritation or harm, and it is often the finer dusts that get though face masks that are the most hazardous

DUSTEX VACS	XD14/1	XD30/3
Power	1400w	3000w
Machine weight	17kg	26kg
Size WxLxH	39x39x90cm	53x54x145cm
Hose diameter	38cm	38cm
Hose length	Зm	3m
Vacuum	255m ³ /hr	476m ³ /hr
Noise level	71dBA	71dBA
Voltage		110v or 230v



autovac



✓ effective collection of dust & residues

- \checkmark for concrete & stone dust
- ✓ silica particles
- ✓ plaster dust & drywall joints
- ✓ paint & coating dust
- ✓ wood & board sanders





DUSTEX VACS

Stock no	Description	Power	Weight	Air flow	£ ex VA
360053	XD14/1 autovac	1400w	17kg	255m ³ /hr	599.00
DUSTEX A	UTOVAC, for plaster, concrete, stone,	paint & wood	dust		
Stock no	Description	Power	Weight	Air flow	£ ex VAT
360045	XD30/3 autovac	3000w	26kg	476m ³ /hr	989.00
PRE-SEPA	RATOR DRUM, with trolley, removes 9	5% of dust be	fore vac & imp	roves filter efficiency	
	Description	Weight			£ ex VAT
Stock no	Description				
Stock no 359008	PC95T pre-separator cyclone drum	10kg			180.00
359008	•	10kg			180.00
359008	PC95T pre-separator cyclone drum	10kg			180.00 £ ex VAT

XD30/3 autovac

REFINA PLASTER, RENDER & SCREED TOOLS





REFINA


REFINA HAND TOOLS & TROWELS

REFINA supply only the best quality trade tools and equipment. All tools and trowels are produced in Germany, the UK and Europe and are guaranteed for trade use

REFINA specialise in stainless steel trowels which are rust free and durable, and we stock the largest range of specialist stainless steel trowels in the UK for the plaster, floor, concrete, repair and paint trades

Many of those difficult to find or specialist tools are available off the shelf

- SUPERFLEX[®] Skimming Trowels
- FINATEX® Premium Laying on Trowels
- PLAZIFLEX[®] Skimming Trowels & Spatula-Rules
- Skimming Spatula-Rules
- Bucket & Small Trowels
- Plastic Top Coat Trowels & Floats
- CLIKCLAK[®] Sponge Floats
- Render Scrapers & Rasps
- Feather Edges & Box Rules
- Spike Rollers & Floor Paint Rollers
- Notched Trowels & Pin Levellers
- Squeegees & Coving Trowels
- Concrete Placers & Levellers





SUPERFLEX® SKIMMING TROWELS



SUPERFLEX® SKIMMING TROWELS

flexible stainless steel

REFINA

- rounded edges & tapered blade
- for finishing & smoothing
- · walls & ceilings
- plasters & special finishes
- · produced with soft composite blue rubber handle
- new composite leather & cork handles in stock

The SUPERFLEX trowels are produced with a flexible stainless steel blade, with alloy frame and moulded soft grip handle

These trowels are lightweight and easy to use on multifinish, skimming and board finish plasters

The narrower SUPERFLEX2 trowels have a $43\!\!\!/4^{\!\!"}$ wide blade and a longer bracket which makes the blade slightly stiffer

Additional replaceable handles include leather, cork and wood

SUPERFLEX® SKIMMING & FINISHING TROWELS



630014 leather trowel holder

630024 canvas trowel holder

SUPERFLEX FINISHING TROWELS, 5" wide, stainless steel baled - rust free Thickness Stock no Description Size SUPERFLEX RF12 finishing trowel 12" 300x125mm 0.4mm 228193 228194 SUPERFLEX RF14 finishing trowel 14" 360x125mm 0.4mm 228196 SUPERFLEX RF16 finishing trowel 16" 405x125mm 0.4mm 228198 SUPERFLEX RF18 finishing trowel 18" 450x125mm 0.4mm SUPERFLEX2 FINISHING TROWELS, 4¾" wide, stainless steel blade, longer bracket - rust free Stock no Description Size Thickness 228224 SUPERFLEX2 RFN14 finishing trowel 14" 360x120mm 0.4mm 228226 SUPERFLEX2 RFN16 finishing trowel 16" 405x120mm 0.4mm 228228 SUPERFLEX2 RFN18 finishing trowel 18" 450x120mm 0.4mm LEATHER TROWEL HOLDERS, premium leather holders to hold & protect the trowel Description Stock no Size leather holder 12" 630012 325x165mm 630014 leather holder 14" 380x165mm 630016 leather holder 16" 425x165mm 630018 leather holder 18" 470x165mm CANVAS TROWEL HOLDERS, synthetic holders to hold & protect the trowel Description Stock no Size 630024 canvas holder 14" 380x165mm 630026 canvas holder 16" 425x165mm 630028 canvas holder 18" 470x165mm **TROWEL HANDLES, replacement handles**

Stock no	Description	£ ex VAT
229981	blue handle	6.00
229982	cork handle	6.00
229994	leather handle	6.00
229990	wooden handle	6.00

£ ex VAT

40.00

42.00

44.00

46.00

42.00

44.00

46.00

10.00

10.00

10.00

10.00

8.00

8 00

8.00

£ ex VAT

£ ex VAT

£ ex VAT

FINATEX® PREMIUM TROWELS

NEW PRODUCTS

FINATEX® TROWELS

- · hand finished premium trowel blade
- super flat plastering trowels
- the straightest finishing edge
- slightly radiused corners
- · machine chamfered side edges
- chrome stainless steel, rust free
- produced with soft composite blue rubber handle
- new composite leather $\&\ {\rm cork}\ {\rm handles}\ {\rm in}\ {\rm stock}$

```
• made in Germany
```

These trowels are premium quality trowels for plaster, rendering and cement trades

They are made from the finest and flattest chrome stainless steel for rust free use, manufactured using the most modern production techniques and hand finished to ensure the finest trade quality trowel

The newly improved and lightweight trowels are produced with a slimmer shape handle and are mechanically broken in. The soft blue composite handle has been redesigned, is comfortable on the hand, easier to grip and reduces muscle and joint strain

Our range of additional handles include leather, cork and wood that can be easily changed

The new canvas multi-trowel holder can fit up to three trowels. It has strong buckle fasteners and carry handles and can be folded to go in to a bucket or can be hung up from the two corner eyelets







RT16 FINATEX trowel with composite moulded handle



canvas multi-trowel holder, closed

630036 canvas multi-trowel holder, open

FINATEX® TROWELS

		and the states and the	in advect the second stated as a start must find	
Stock no	Description	Size	n in edges, chrome stainless steel - rust free Thickness	£ ex VAT
221911	FINATEX RT11 trowel 11"	280x120mm	0.6mm	31.00
221912	FINATEX RT12 trowel 12"	305x120mm	0.6mm	32.00
221913	FINATEX RT13 trowel 13"	330x120mm	0.6mm	33.00
221914	FINATEX RT14 trowel 14"	355x120mm	0.6mm	34.00
221916	FINATEX RT16 trowel 16"	405x120mm	0.6mm	39.00
LEATHER 1	ROWEL HOLDERS, premium leathe	r holders to hold & protec	t the trowel	
Stock no	Description	Size		£ ex VAT
630012	leather holder 12"	325x165mm		10.00
630014	leather holder 14"	380x165mm		10.00
630016	leather holder 16"	425x165mm		10.00
CANVAS T	ROWEL HOLDERS, synthetic holder	s to hold & protect the tro	wel	
Stock no	Description	Size		£ ex VAT
630024	canvas holder 14"	380x165mm		8.00
630026	canvas holder 16"	425x165mm		8.00
CANVAS N	IULTI-TROWEL HOLDERS, synthetic	holders to protect the bla	de, fits 3 trowels with blades up to 140mm wide	
Stock no	Description	Size		£ ex VAT
630036	canvas multi-trowel holder 16"	790x440mm		29.00
630038	canvas multi-trowel holder 18"	790x490mm		29.00
TROWEL H	ANDLES, replacement handles			
Stock no	Description			£ ex VAT
229981	blue handle			6.00
229982	cork handle			6.00
229994	leather handle			6.00
229990	wooden handle			6.00

CEMENT, POOL & FLOOR TROWELS

CEMENT, POOL & FLOOR TROWELS

· chrome stainless steel trowels, rust free

soft composite rubber handle

- narrower stiffer trowels
- range of sizes & designsfor cement & plaster finishes

screed & epoxy

These are a range of premium quality trowels produced for trade use on plaster and cement

The trowels are slightly narrower and more rigid than the wider more flexible plastering trowels

They are made from the finest chrome stainless steel for rust free use

The trowels are produced with a composite rubber soft handle. The soft handle is easier to grip and reduces muscle and joint strain. The soft handles are not resistant to solvents

The pool trowels are supplied with either long shank for stiffness or short shank for a more flexible finishing trowel. They are rounded at both ends and used on specialist floor & wall finishes

The pointed end floor trowels have a long shank for stiffness

Our range of additional handles include wood, leather and cork that can be easily changed



18" pool trowel

PREMIUM CEMENT, POOL & FLOOR TROWELS

PREMIUM	CEMENT TROWELS, 4" wide, wit	h stiffer blade for cement & render, chrome stainless steel - rus	st free
Stock no	Description	Size	£ ex VA
221612	RC12 trowel 12"	300x100mm	31.0
221614	RC14 trowel 14"	355x100mm	33.0
221616	RC16 trowel 16"	405x100mm	39.00
PREMIUM	NARROW CEMENT TROWELS, 3	wide, with narrow stiff blade, chrome stainless steel - rust free	•
Stock no	Description	Size	£ ex VA
221412	RC12N trowel 12"	305x80mm	30.00
221414	RC14N trowel 14"	350x80mm	33.0
PREMIUM	CEMENT TROWEL, 4" wide roun	ded corners, chrome stainless steel - rust free	
Stock no	Description	Size	£ ex VA
221214	PCS14R trowel 14"	350x100mm	34.00
PREMIUM	POOL TROWEL, 4" wide, rounde	d ends, chrome stainless steel - rust free	
Stock no	Description	Size	£ ex VA
222214	trowel 14", short shank	350x100mm	33.0
PREMIUM	POOL TROWELS, 4" rounded en	ds, chrome stainless steel - rust free	
Stock no	Description	Size	£ ex VA
222416	trowel 16", long shank	405x100mm	42.00
222418	trowel 18", long shank	460x100mm	43.00
222420	trowel 20", long shank	510x100mm	44.00
PREMIUM	FLOOR TROWEL, 4" wide, pointe	d, chrome stainless steel - rust free	
Stock no	Description	Size	£ ex VA
222618	trowel 18", pointed end	460x110mm	42.00

16" pool trowel

PLAZIFLEX® SKIMMING TROWELS

PLAZIFLEX® FLEXIBACK® TROWELS

- new more durable construction
- replaceable blades & range of sizes
- excellent finish & lightweight to use
- no need for splashing water on final coat
- cover large areas with less trowel pressure
- easier on the arm & joints
- flexible blade suitable for curved surfaces
- for multi finish & skimming
- PLAZIFLEX blades are produced in the UK

These PLAZIFLEX skimming trowels are for finishing and trowelling up topcoat plasters and finishes

They are lightweight and easy to use leaving an excellent finish on the final skim coat

The trowels have a flexiback design that gives flexibility across the blade width but rigidity along the length The trowel body has a stainless steel blade with alloy shank and soft handle; it slots into the plastic blade holder bracket on the flexible plastic blade

The new canvas multi-trowel holder can fit up to three trowels. It has strong buckle fasteners and carry handles and can be folded to go in to a bucket or can be hung up from the two corner eyelets





PLAZIFLEX[®] SKIMMING TROWELS

PLAZIFLEX	& PREMIUM TROWEL, flexiback bl	ade, for finishing skim pla	sters	
Stock no	Description	Size	Thickness	£ ex VA
228172	PLAZIFLEX trowel & blade 12"	300x140mm	1.0mm	33.00
228174	PLAZIFLEX trowel & blade 14"	350x140mm	1.0mm	34.00
228176	PLAZIFLEX trowel & blade 16"	400x140mm	1.0mm	35.00
228178	PLAZIFLEX trowel & blade 18"	450x140mm	1.0mm	37.00
228180	PLAZIFLEX trowel & blade 20"	500x140mm	1.0mm	39.00
228184	PLAZIFLEX trowel & blade 24"	600x140mm	1.0mm	42.00
PLAZIFLEX	(PLASTIC BLADES, flexiback blade	, for finishing skim plaste	s	
Stock no	Description	Size	Thickness	£ ex VAT
228173	PLAZIFLEX blade 12"	300x140mm	1.0mm	16.00
228175	PLAZIFLEX blade 14"	350x140mm	1.0mm	17.00
228177	PLAZIFLEX blade 16"	400x140mm	1.0mm	18.00
228179	PLAZIFLEX blade 18"	450x140mm	1.0mm	20.00
228181	PLAZIFLEX blade 20"	500x140mm	1.0mm	22.00
228185	PLAZIFLEX blade 24"	600x140mm	1.0mm	25.00
CANVAS T	ROWEL HOLDERS, synthetic holder	s to hold & protect the tro	wel	
Stock no	Description	Size		£ ex VA
630024	canvas holder 14"	380x165mm		8.00
630026	canvas holder 16"	425x165mm		8.00
630028	canvas holder 18"	470x165mm		8.00
CANVAS N	IULTI-TROWEL HOLDERS, synthetic	holders to hold & protect	three trowels with blades up to 140mm wide	•
Stock no	Description	Size		£ ex VAI
630036	canvas multi-trowel holder 16"	790x440mm		29.00
630038	canvas multi-trowel holder 18"	790x490mm		29.00
MINI TROV	VEL, short shank, stainless steel -	rust free		
Stock no	Description			£ ex VAT
221022	premium mini trowel with blue handl	e		17.00
221023	premium mini trowel with cork handl	е		17.00
221031	lightweight mini trowel with plastic sh	naft		11.00

PLAZIFLEX® SKIMMING TROWELS

NEW PRODUCT

PLAZIFLEX® SKIMMING TROWELS


- plastic faced trowel blades
- stiffer than flexiback trowel blades
- replaceable blades & range of sizes
- excellent finish & lightweight to use
- cover large areas with less trowel pressure
- for first coat finish & skimming
- white cements & renders
- · produced in the UK

These PLAZIFLEX trowel blades are slightly stiffer than the flexiback trowel blades and are for finishing and trowelling up topcoat plasters and internal coatings


They can also be used to achieve special finishes with external renders. The trowel can be used on decorative wall and floor finishes and epoxy quartz

The new canvas multi-trowel holder can fit up to three trowels. It has strong buckle fasteners and carry handles and can be folded to go in to a bucket or can be hung up from the two corner eyelets











630036 canvas multi-trowel holder, closed

PLAZIFLEX® SKIMMING TROWELS

PLAZIFLEX	(PLASTIC BLADES, plastic blade, fo	r finishing plasters & ren	lers	
Stock no	Description	Size	Thickness	£ ex VA
228151	PLAZIFLEX blade 10"	250x140mm	1.5mm	13.00
228153	PLAZIFLEX blade 12"	300x140mm	1.5mm	16.00
228155	PLAZIFLEX blade 14"	350x140mm	1.5mm	17.00
228143	PLAZIFLEX blade 12"	300x140mm	2.0mm	16.00
228145	PLAZIFLEX blade 14"	350x140mm	2.0mm	17.00
228147	PLAZIFLEX blade 16"	400x140mm	2.0mm	18.00
PREMIUM	MINI TROWEL BLADE HOLDERS, sh	ort shank, stainless steel	- rust free	
Stock no	Description	,		£ ex VA
221022	premium mini trowel with blue handle)		17.00
221023	premium mini trowel with cork handle	2		17.00
221031	lightweight mini trowel with plastic sh	aft		11.00
CANVAS TI	ROWEL HOLDERS, synthetic holders	to hold & protect the tro	wel	
Stock no	Description	Size		£ ex VA
630024	canvas holder 14"	380x165mm		8.0
630026	canvas holder 16"	425x165mm		8.0
630028	canvas holder 18"	470x165mm		8.0
CANVAS M	IULTI-TROWEL HOLDERS, synthetic I	holders to protect the bla	de, fits 3 trowels with blades up to 140mm w	ide
Stock no	Description	Size	-	£ ex VA
630036	canvas multi-trowel holder 16"	790x440mm		29.0
630038	canvas multi-trowel holder 18"	790x490mm		29.0

PLAZIFLEX® SKIMMING SPATULA-RULES

- plastic faced blades
- roll grip handle
- clip on angle handle & extension pole available
- for first coat finish & skimming
- white cements & renders
- produced in the UK

The PLAZIFLEX spatula-rule has a roll grip frame. A clip on adjustable angle handle and extension pole are also available



228076 40" PLAZIFLEX spatula-rule with roll grip

PLAZIFLEX® SKIMMING SPATULA-RULES

PLAZIFLEX	SPATULA-RULE, lightweight plastic	c roll grip frame, grey plast	ic blade, for finishing plasters & renders	
Stock no	Description	Size	Thickness	£ ex VAT
228066	PLAZIFLEX spatula-rule 12"	300x100mm	1.5mm	15.00
228070	PLAZIFLEX spatula-rule 24"	600x100mm	1.5mm	24.00
228074	PLAZIFLEX spatula-rule 32"	800x100mm	1.5mm	28.00
228076	PLAZIFLEX spatula-rule 40"	1000x100mm	1.5mm	32.00
228078	PLAZIFLEX spatula-rule 48"	1200x100mm	1.5mm	35.00
HANDLES,	clip on adjustable angle handle fo	r roll grip		
Stock no	Description	Size		£ ex VAT
608432	clip on handle			12.00
608433	aluminium pole	1.00m		15.00
608434	aluminium extension pole	1.00-2.00m		21.00

SKIMMING SPATULA-RULES

NEW SIZES

SKIMMING SPATULA-RULES

- flexible stainless steel blades
- lighter weight than aluminium rules
- rounded edges & tapered blade

REFINA

- roll grip frame
- for finishing & smoothing
- walls & ceilings
- plasters & special finishes

The spatula-rules are produced with a flexible stainless steel blade and lightweight rigid roll grip handles The smaller mini-spatulas are for fine detailing, smoothing and micro-cement work

The larger skimming spatula-rules are for finishing large areas and ceilings

clip on handle sold separately

608432

with roll grip frame

228092 7" spatula-rule

228098 16" spatula-rule with roll grip frame

228102 26" spatula-rule with roll grip frame

SPATULA-RULES

SPATULA-R	ULES, lightweight plastic roll grip frame	e, flexible stainless steel bla	ade for skimming - rust free	
Stock code	Description	Size	Thickness	£ ex VAT
228090	mini-spatula, roll grip 5½"	140x100mm	0.4m	23.00
228092	mini-spatula, roll grip 7"	180x100mm	0.4m	24.00
228094	mini-spatula, roll grip 9½"	240x100mm	0.4m	25.00
228096	spatula-rule, roll grip 12"	300x100mm	0.4m	30.00
228098	spatula-rule, roll grip 16"	400x100mm	0.4m	33.00
228100	spatula-rule, roll grip 20"	500x100mm	0.4m	39.00
228102	spatula-rule, roll grip 26"	650x100mm	0.4m	49.00
228088	spatula-rule, roll grip 36"	900x100mm	0.4m	65.00
HANDLES, o	lip on adjustable angle handle for roll	grip		
Stock code	Description	Size		£ ex VAT
608432	clip on handle			12.00
608433	aluminium pole	1.00m		15.00
608434	aluminium extension pole	1.00-2.00m		21.00



SKIMMING SPATULA-RULES

NEW



SKIMMING SPATULA-RULES

- flexible stainless steel blades
- lighter weight than aluminium rules
- rounded edges & tapered blade
- ergo grip h frame
- for finishing & smoothing
- walls & ceilings
- plasters & special finishes

The spatula-rules are produced with a flexible stainless steel blade and ergo grip lightweight rigid handle The smaller mini-spatulas are for fine detailing, smoothing and micro-cement work

The larger skimming spatula-rules are for finishing large areas and ceilings

228037 6" mini-spatula with ergo grip frame

228107 24" spatula-rule with ergo grip frame

228110 48" spatula-rule with ergo grip frame

SPATULA-RULES

SPATULA-R	ULES, medium weight rigid ergo gi	rip plastic frame, flexible s	stainless steel blade for skimming - rust free	
Stock code	Description	Size	Thickness	£ ex VAT
228035	mini-spatula, ergo grip 4"	100x100mm	0.3mm	14.00
228037	mini-spatula, ergo grip 6"	150x100mm	0.3mm	16.00
228038	mini-spatula, ergo grip 10"	250x100mm	0.3mm	18.00
228106	spatula-rule, ergo grip 18"	450x100mm	0.3mm	39.00
228107	spatula-rule, ergo grip 24"	600x100mm	0.3mm	49.00
228108	spatula-rule, ergo grip 32"	800x100mm	0.3mm	59.00
228109	spatula-rule, ergo grip 40"	1000x100cm	0.3mm	79.00
228110	spatula-rule, ergo grip 48"	1200x100cm	0.3mm	84.00
ALLOY HAN	DLE, quick clip attachment for spa	itula- rule		
Stock code	Description	Length		£ ex VAT
608439	aluminium pole	1.00m		39.00
608437	aluminium extension pole	1.00-2.00m		49.00

SKIMMING SPATULAS & TAPING KNIVES

- stainless steel finishing blades
- for smoothing & flattening
- wall & ceiling coatings
- plasters & spray finishes
- multi finish & board finish
- fillers & putties
- jointing compounds

The new range of skimming spatulas are produced with a rigid aluminium bracket and stainless steel blades for flattening and smoothing plasters

soft handle and metal end cap



228040

12" skimming spatula

765004 4" taping knife

765010 10" taping knife

SKIMMING SPATULAS & TAPING KNIVES

SKIMMING	SPATULAS, alloy frame, stainl	ess steel blade - rust free	
Stock code	Description	Size	£ ex VAT
228040	skimming spatula 12"	300mm	10.00
228042	skimming spatula 16"	400mm	11.00
228044	skimming spatula 20"	500mm	13.00
228046	skimming spatula 24"	600mm	15.00
TAPING KNI	VES, with steel end cap, sprin	g stainless steel - rust free	
Stock code	Description	Size	£ ex VAT
765004	taping knife 4"	100mm	13.00
765006	taping knife 6"	150mm	16.00
765010	taping knife 10"	250mm	19.00

BUCKET & DABBING TROWELS


BUCKET TROWELS

- square & round end bucket trowels
- range of sizes & shapes
- for scooping up material
- getting the mix from the bucket
- applying & dabbing on walls

• soft composite rubber handle

The bucket trowels have long straight sides to help load the mix onto the trowel and clean the bucket of residue The bucket trowels are produced from heavy gauge stainless steel and are fully welded and ground finished like a brick trowel for rigidity and durability





BUCKET & DABBING TROWELS

BUCKET TH	ROWELS, square end, tapered shape, s	stainless steel - rust free	
Stock no	Description	Size	£ ex VAT
225117	trowel 6", square end	160x85/110mm	10.00
225118	trowel 7", square end	180x90/120mm	12.00
225119	trowel 8", square end	200x110/130mm	13.00
BUCKET TH	ROWELS, heavy duty, square end, tape	red shape, stainless steel - rust free	
Stock no	Description	Size	£ ex VAT
225122	trowel 8", square end	200x80/110mm	19.00
225126	trowel 10", square end	240x95/130mm	22.00
BUCKET TH	ROWELS, heavy duty, square end, tape	red shape, stainless steel - rust free	
Stock no	Description	Size	£ ex VAT
225132	trowel 8", square end, rounded edges	220x80/110mm	20.00
225136	trowel 10", square end, rounded edges	240x90/120mm	22.00
BUCKET TH	ROWELS, heavy duty, round end, tapere	ed shape, stainless steel - rust free	
Stock no	Description	Size	£ ex VAT
225152	trowel 8", round end, tapered	200x55/110mm	21.00
225156	trowel 10", round end, tapered	240x55/130mm	22.00

SMALL TROWELS & TOOLS



SMALL TROWELS & TOOLS

SQUARE E	ND TROWELS, tapered shape, stainle	ss steel - rust free	
Stock no	Description	Size	£ ex VAT
225112	square end trowel 4¾" long	120x75/85mm	9.95
225115	square end trowel 51/2" long	140x60/85mm	9.95
225116	square end trowel 61/4" long	160x60/85mm	9.95
SPATULA T	ROWELS, stainless steel - rust free		
Stock no	Description	Size	£ ex VAT
225304	spatula trowel 11/2" wide	100x40mm	9.95
225306	spatula trowel 2 ³ / ₈ " wide	100x60mm	9.95
225308	spatula trowel 31/8" wide	100x80mm	9.95
MARGIN TI	ROWELS, stainless steel - rust free		
Stock no	Description	Size	£ ex VAT
225503	margin trowel 11/3" wide	180x30mm	9.95
225504	margin trowel 11/2" wide	180x40mm	9.95
225505	margin trowel 2" wide	180x50mm	9.95
POINTING	& GAUGING TROWELS, tapered shape	e, stainless steel - rust free	
Stock no	Description	Size	£ ex VAT
226316	round end pointing trowel 61/4" long	160x60mm	9.95
226716	gauging trowel 61/4" long	160x110mm	9.95
FINGER TR	ROWELS, stainless steel - rust free		
Stock no	Description	Size	£ ex VAT
220708	finger & pointing tool 5/16" wide	180x8mm	9.95
220710	finger & pointing tool ¾" wide	180x10mm	9.95
SMALL TO	OLS, stainless steel - rust free		
Stock no	Description	Size	£ ex VAT
220610	leaf & square ¾" wide	10mm	9.95
220616	leaf & square 5/8" wide	16mm	9.95
220620	leaf & square ¾" wide	20mm	9.95
220626	leaf & square 1" wide	26mm	9.95
220630	leaf & square 11/4" wide	30mm	9.95

CORNER & ANGLE TROWELS


CORNER & ANGLE TROWELS


- light gauge stainless steel, rust free
- internal & external angle trowels
- range of sizes
- soft composite rubber handle
- · adjustable trowel for splayed internal angles

• square & angle tool for reveals The adjustable angle trowel is for matching and finishing splayed angles

The square and angle tool is produced from stainless steel and is for setting accurate corners around windows, frames and reveals







CORNER & ANGLE TROWELS

ADJUSTAB	LE ANGLE TROWEL. for internal spl	layed angles, stainless steel - rust free	
Stock no	Description	Size	£ ex VAI
640010	adjustable corner trowel 4¾"	120x100mm	36.00
INTERNAL	CORNER TROWELS, for internal an	igles, stainless steel- rust free	
Stock no	Description	Size	£ ex VAT
227306	corner trowel internal 2"	60x40mm	10.00
227308	corner trowel internal 3"	80x60mm	10.00
227311	corner trowel internal 4"	100x75mm	10.00
EXTERNAL	CORNER TROWEL, for external an	gles, stainless steel - rust free	
Stock no	Description	Size	£ ex VAT
227508	corner trowel external 3"	80x60mm	10.00
CORNER T	ROWEL, three sided, stainless ste	el - rust free	
Stock no	Description	Size	£ ex VAT
227109	corner trowel three sided 31/2"	90x80mm	9.95
ADJUSTAB	LE SQUARE & ANGLE, for reveals &	& window frames, stainless steel - rust free	
Stock no	Description	Size	£ ex VAT
640006	squangle 9"	230x160mm	19.95

MIDGET TROWELS

MIDGET PLASTERING TROWELS

- stainless steel, rust free
- range of narrow & small finishing trowels
- soft composite rubber handle
- for plaster & cement finishes
- working round pipes & reveals

These are a range of small sized plastering trowels The trowels have composite soft moulded handles and are produced in stainless steel for rust free use They are used for finishing small areas or tight, narrow strips around doors, frames or switches

These midget trowels are a useful addition to any plasterer's tool kit



REFINA



221030 10" pipe trowel

MALE 2



221024

8" rounded midget trowel

MIDGET TROWELS

REFINA

MIDGET TROWEL, 3" wide, short shank, stainless steel - rust free					
Stock no	Description	Size	£ ex VAI		
221020	midget trowel 8"	200x80mm	12.00		
MIDGET TR	ROWEL, 3" wide, rounded corners, sho	ort shank, stainless steel - rust free			
Stock no	Description	Size	£ ex VAI		
221024	midget trowel 8", round corners	200x80mm	12.00		
MIDGET TR	ROWELS, 3" wide, pointed end, short s	shank, stainless steel - rust free			
Stock no	Description	Size	£ ex VAI		
221026	midget trowel 8", pointed front end	200x80mm	12.00		
221028	midget trowel 8", pointed both ends	280x80mm	12.00		
PIPE TROW	VEL, 3" wide, chrome stainless steel -	- rust free			
Stock no	Description	Size	£ ex VAI		
221030	pipe trowel 10"	270x80mm	12.00		

REFINA PLASTIC TOPCOAT RENDER FINISHING TROWELS

PLASTIC TROWELS

· plastic faced trowels

- range of different plastic trowel blades
- · for white cements & renders
- acrylic & silicone topcoat renders
- non marking on epoxies
- · special finishes on render

These trowels are used to achieve special finishes with external renders as the plastic blade gives a different finish to steel trowelling

The trowel with flexible clear blade is for white cements and the stiffer grey blade is for epoxies

The trowel with orange plastic handle has a nylon blade that is solvent resistant and can be used on decorative finishes and epoxy quartz

The range of trowels with black soft handles are for external render finishes and interior decorative coatings Other plastic trowel blades are available for differing surface finishes


Plastic trowels are used mainly to avoid surface discolouration and blade transference from steel trowels











PLASTIC TROWELS

Stock no	ROWEL, white PVC blade, solvent r Description	Size	Thickness		£ ex VA
	•				
269513	white nylon plastic trowel 11"	280x140mm	2mm		8.0
269511	white nylon plastic trowel 11"	280x140mm	3mm		8.0
PLASTIC T	ROWEL, plastic blade, for finishing	topcoat renders with grain	n size 1-2mm		
Stock no	Description	Size	Thickness	Grain size	£ ex VA
231816	beige plastic trowel 11"	280x140mm	3mm	1-2m	8.00
PLASTIC T	ROWEL, plastic blade, for finishing	topcoat renders with grain	n size 2-3mm		
Stock no	Description	Size	Thickness	Grain size	£ ex VA
231812	cream plastic trowel 11"	280x140mm	3mm	2-3mm	8.0
PLASTIC T	ROWEL, plastic blade, for finishing	topcoat renders with grain	n size 2-3mm		
Stock no	Description	Size	Thickness	Grain size	£ ex VA
231802	white plastic trowel 11"	280x140mm	3mm	3-4mm	8.0
PLASTIC T	ROWEL, hard clear plexiglass blade	e, for finishing white ceme	nt finishes & special rei	nders	
Stock no	Description	Size	Thickness		£ ex VA
231817	clear plastic trowel 11"	280x140mm	3mm		9.00
PLASTIC T	ROWEL, nylon plastic blade, for fin	ishing ocr cement renders			
Stock no	Description	Size	Thickness		£ ex VA
231814	dark grey plastic trowel 11"	280x140mm	3mm		8.00


PLASTIC FLOATS

PLASTIC FLOATS

- large range of shapes and sizes
- diamond face for backing coats
- cross grain for sand & cement
- smooth face for epoxies

The range of REFINA floats includes ABS and PU plastic floats combining three different sizes and faces The ABS diamond face floats are excellent for backing coating plasters and OCR renders

The PU cross grain floats are for sand and cement, setting, render and screed



671013 13" standard float 231916 16" wide float



662210 11" diamond face float



662217 17" diamond face float



671313 13" hawk





662216 wide 16" diamond face float

PLASTIC FLOATS

FLOATS, A	LOATS, ABS plastic, diamond face, for hardwall & backing plasters						
Stock no	Description	Size	Face	£ ex VAT			
662210	float 11", standard shape	270x180mm	diamond	6.00			
662216	float 16", wide shape	440x140mm	diamond	6.00			
662217	float 17", long shape	420x260mm	diamond	6.00			
FLOATS, P	U plastic, for traditional float fini	sh					
Stock no	Description	Size	Face	£ ex VAT			
671011	float 11", standard shape	280x110mm	cross grain	5.00			
671013	float 13", standard shape	350x150mm	cross grain	6.00			
231914	float 14", wide shape	360x200mm	cross grain	8.00			
231916	float 16", wide shape	420x220mm	cross grain	9.00			
231919	float 19", wide shape	480x420mm	cross grain	11.00			
PLASTIC H	IAWK, one piece polyurethane pla	astic hand board					
Stock no	Description	Size	Face	£ ex VAT			
671313	hawk 13"	330x330mm	smooth	12.00			

REFINA CLIKCLAK[®] PLASTER, RENDER & TILING SPONGE FLOATS



CLIKCLAK® SPONGE FLOATS

- range of sponge types & sizes
- fine, medium or coarse sponges
- for smoothing plaster & cement surfaces
- opens up the surface before final finishing
- · helps remove trowel marks

• sponges out pockets from sprayed & one coat plaster The CLIKCLAK sponge floats have a quick change plate with sponge attached that allows easy changing between sponge densities

They are the trade standard for sponging up plaster surfaces before final trowelling

The dense sponge floats are used more often on render and cement surfaces

The yellow thick sponges are for use on tile grouts

The wash bucket has twin rollers for washing and rolling out grout residues



261150 11" CLIKCLAK sponge float



261152 11" CLIKCLAK sponge float



S28504 wash bucket

CLIKCLAK® SPONGE FLOATS

	LOAT, CLIKCLAK quick change sponge	· •			
Stock no	Description	Size	Sponges	Colour	£ ex VAT
261150	plaster sponge float 11", 3 sponge kit	280x140mm	fine, medium, coarse	orange	26.00
261155F	single replacement sponge 11"	280x140mm	fine	orange	8.00
261155M	single replacement sponge 11"	280x140mm	medium	orange	8.00
261155C	single replacement sponge 11"		coarse	orange	8.00
SPONGE F	LOAT, CLIKCLAK quick change sponge	float kit, for render & o	cement surfaces		
Stock no	Description	Size	Sponges	Colour	£ ex VAT
261152	render sponge float 11", 3 sponge kit	280x140mm	fine, dense, hard	black, blue, grey	26.00
261155K	single replacement sponge 11"	280x140mm	fine	black	8.00
261155B	single replacement sponge 11"	280x140mm	dense	blue	9.00
261155G	single replacement sponge 11"	280x140mm	hard	grey	10.00
SPONGE F	LOAT, CLIKCLAK quick change sponge	float kit, for tile grout			
Stock no	Description	Size	Sponges	Colour	£ ex VAT
261154	tiling sponge float 11", 2 sponge kit	280x140mm	open, square cut face	yellow	20.00
261154T	single replacement sponge 11"	280x140mm	open	yellow	8.00
261154S	single replacement sponge 11"	280x140mm	square cut face	yellow	8.00
TILERS WA	SH BUCKET, with wheels & twin rollers	s for cleaning off grout			
Stock no	Description	Size			£ ex VAT
328504	wash bucket, twin plastic rollers	16 ltr			20.00

PLASTER SPONGE FLOATS

SPONGE FLOATS


- range of sponge types & sizes
- fine, medium or coarse sponges
- for smoothing plaster & cement surfaces
- opens up the surface before final finishing
- helps remove trowel marks

• takes out air pockets from sprayed plaster

The orange sponge floats are produced with fine, medium and coarse 18mm thick sponge faces They are the trade standard for sponging up plaster surfaces before final trowelling

The smaller floats with denser sponge faces are for use on wetter plaster or cement surfaces

Sponge floats are often used in conjunction with a water brush to dampen the surface, or a large stainless steel spatula to smooth and level the surface





261402 16" sponge float



261112 17" sponge float

SPONGE FLOATS

SPONGE F	SPONGE FLOATS, standard shapes, with durable sponges						
Stock no	Description	Size	Sponge	Colour	£ ex VAT		
261210	sponge float 12"	300x120mm	med coarse	orange	10.00		
SPONGE F	LOATS, standard shapes, with dura	able sponges					
Stock no	Description	Size	Sponge	Colour	£ ex VAT		
261130	sponge float 11"	280x140mm	fine	orange	8.00		
261310	small sponge float 8"	215x135mm	medium	orange	8.00		
261314	narrow sponge float 11"	240x100mm	medium	orange	8.00		
261126	sponge float 11"	280x140mm	medium	orange	8.00		
261312	long narrow sponge float 16"	400x100mm	medium	orange	10.00		
261120	sponge float 11"	280x140mm	coarse	orange	9.00		
LARGE SP	ONGE FLOATS, with durable spong	es					
Stock no	Description	Size	Sponge	Colour	£ ex VAT		
261112	wide sponge float 17"	420x260mm	medium	orange	22.00		
261110	long sponge float 18"	440x140mm	medium	orange	16.00		
SPONGE F	LOATS, with fine, medium hard blu	e sponge faces, for cemer	nt finishes				
Stock no	Description	Size	Sponge	Colour	£ ex VAT		
261403	sponge float 8"	210x150mm	dense, med fine	blue	10.00		
261400	sponge float 10"	240x100mm	dense, med fine	blue	10.00		
261402	sponge float 16"	400x100mm	dense, med fine	blue	10.00		

RENDER SCRAPERS



- for scraping monocouche renders
- range of tooth shapes & lengths
- ٠ gives scraped finish for colour through renders · removes surface laitance

The scrapers are for giving renders a scraped finish and are used before the final set

The surface laitance is scraped back exposing some of the aggregate and leaving a decorative finish

The sharp tooth scraper tends to be less aggressive. The twist tooth scrapers are harder wearing

The comb type scarifier has steel prongs that will score undercoat and backing plasters


The angle plane is for reducing high spots and plaster wall surfaces, cleaning angles, beads and reveals The stainless steel harling trowels are for throwing spar dash and pebble dash onto newly applied sand and cement renders





281310

12" scarifier



10" 8mm spike scraper



281340 10" 15mm spike scraper







243428 18" serrated block rasp

SCRAPERS, SCARIFIERS, PLANES & HARLING TROWELS

	CRAPERS, blue handle, for draggi	ng the curfeese off new ren	dov	
Stock no	Description	Size	Spikes	£ ex VAT
281310	scraper float 10" sharp tooth	249x145mm	8mm	9.00
281314	scraper float 10" twist tooth	249x145mm	8mm	9.00
RENDER S	CRAPERS, blue handle, for draggi	ng the surface off new ren	der	
Stock no	Description	Size	Spikes	£ ex VAT
281300	scraper float 10" twist tooth	251x145mm	8mm	11.00
281340	scraper float 10" twist tooth	237x142mm	15mm	12.00
SCARIFIEF	R, for keying backing & float coats	, stainless steel - rust free		
Stock no	Description	Size	Prongs	£ ex VAT
228232	scarifier 12"	300mm	90mm	17.00
ANGLE PL	ANE, for cleaning corners & reduci	ing high spots		
Stock no	Description	Size		£ ex VAT
201110	angle plane 18"	455x90mm		19.00
TOOTHED	PLANE, serrated steel blades, for	cutting back high spots on	lightweight blocks	
Stock no	Description	Size		£ ex VAT
243428	block rasp 18"	460x85mm		22.00
HARLING 1	ROWELS, for applying roughcast &	& peddle dash, stainless st	eel - rust free	
Stock no	Description	Size		£ ex VAT
232506	harling trowel 6"	150x120mm		23.00
232510	harling trowel 10"	250x120mm		24.00

RENDERING TOOLS

BOARD RASPS & RENDERING TOOLS


- large size hand rasps
- for keying back aircrete blocks
- used on external insulation & finishing systems (EIFS)
- · aluminium tools for use on render

· serrated spatulas for flattening render


The metal and plastic rasps can be brushed clean and are durable in use

The ashlar cutters are used to create recessed joints and profiles in external render to replicate the appearance of traditional ashlar masonry and ground floor elevations Square and V shaped blades available

The serrated spatula is produced with a flexible stainless steel blade and is for knocking back textured topcoat renders to leave a flattened finish



243444 15" metal rasp



24" serrated spatula with roll grip

RENDERING TOOLS

RASPS, wit	th cheese grater face, for sanding in	sulation boards	
Stock no	Description	Size	£ ex VAT
540417	plastic rasp 15"	370x165mm	8.00
243444	coarse metal float 7x16"	370x165mm	9.00
ASHLAR CI	UTTER TOOL, for cutting recessed fea	atures in external render	
Stock no	Description	Blade	£ ex VAT
205147	ashlar tool	25mm	49.00
2051471	ashlar blade 25mm V cut standard	25mm	13.00
2051472	ashlar blade 25mm squared end	25mm	13.00
SERRATED	SPATULA-RULE, lightweight plastic r	oll grip frame, stainless steel - rust free	
Stock no	Description	Size	£ ex VAT
228050	spatula-rule serrated 24"	600mm	43.00

REFINA ALUMINIUM STRAIGHT EDGES & BOX RULES

STRAIGHT EDGES & LEVELS

- full range of shapes & sizes
- for levelling & ruling off
- plaster & render
- floors & walls

• I beam for scraping & levelling render

The trapezium profile feather edges and box section rules are produced from precision aluminium extrusions and have plastic end caps

They are for finishing and levelling plaster and render, wall and floor surfaces. They help to identify hollows and high spots before sponging and trowelling up

The h profile feather edge is often used with projection plasters

The I profile aluminium straight edge is used for scraping back polymer and colour through renders, improving the flatness and uniformity of the scraped finish







ALUMINIUM STRAIGHT EDGES

FEATHER E	EDGES, aluminium trapezium sh	ape, tapered profile, mid v	veight	
Stock no	Description	Length	Profile	£ ex VA
253710	feather edge 3'4"	1.00m	100x18mm	16.00
253715	feather edge 5'0"	1.50m	100x18mm	22.00
253718	feather edge 6'0"	1.80m	100x18mm	26.00
253720	feather edge 6'8"	2.00m	100x18mm	28.00
253725	feather edge 8'2"	2.50m	100x18mm	34.00
FEATHER E	EDGES, aluminium h section sha	pe, 115mm face, with bev	velled lip	
Stock no	Description	Length		£ ex VA
253515	feather edge 5'0"	1.50m		22.00
253518	feather edge 6'0"	1.80m		26.00
253520	feather edge 6'8"	2.00m		29.00
253525	feather edge 8'2"	2.50m		36.00
STRAIGHT	EDGE & SCREED RULES, alumir	ium box section, heavy du	ity	
Stock no	Description	Length	Profile	£ ex VA
252510	board & floor rule 3'4"	1.00m	80x40mm	20.00
252520	board & floor rule 6'8"	2.00m	80x40mm	36.00
252525	board & floor rule 8'2"	2.50m	80x40mm	42.00
252530	board & floor rule 10'0"	3.00m	80x40mm	50.00
ALUMINIU	M SCRAPER, I profile			
Stock no	Description	Length		£ ex VA
256014	scraper I profile 4'0"	1.25m		14.00

SPIKED ROLLERS

Made in UK

SPIKED ROLLERS

- sizes from 7" to 30"
- freely rotating & replaceable discs
- for rolling out air bubbles
- levelling & moving
- epoxy coatings & self-levellers
- produced in the UK

The spiked rollers have individual discs that freely rotate on the centre bar

They are produced with spike lengths of 15mm with an overall diameter of 75mm Order rollers and frames separately



SPIKED ROLLERS

Stock no	Description	Size	Roller Ø	£ ex VA
590107	spike roller 7"	180mm	75mm	6.95
590109	spike roller 9"	230mm	75mm	8.95
590112	spike roller 12"	315mm	75mm	11.95
590115	spike roller 15"	395mm	75mm	14.95
590118	spike roller 18"	460mm	75mm	17.95
590124	spike roller 24"	600mm	75mm	23.95
590130	spike roller 30"	770mm	75mm	29.95
ROLLER FI	RAMES, double arm, heavy d	uty, with quick release clip		
Stock no	Description	Size	Roller Ø	£ ex VA
608309	roller frame 9"	230mm	28mm	12.00
608312	roller frame 12"	305m	28mm	14.00
608315	roller frame 15"	380mm	28mm	15.00
608318	roller frame 18"	460mm	28mm	16.00
608324	roller frame 24"	610mm	28mm	20.00
608330	roller frame 30"	760mm	28mm	24.00
ROLLER FI	RAME, single arm, for 7" spik	e roller		
Stock no	Description	Size	roller	£ ex VA
608307	roller frame 7"	180mm	28mm	5.00

FLOOR PAINT ROLLERS



600804 4" mini roller

FLOOR PAINT ROLLERS

LO-FLUFF				
	FLOOR TRADE ROLLERS, fully nylon m	id pile, for top coats,	sealers & finishes	
Stock no	Description	Size		£ ex VAI
601109	roller 9" mid pile nylon	230mm		6.25
601112	roller 12" mid pile nylon	315mm		6.95
601115	roller 15" mid pile nylon	380mm		8.50
601118	roller 18" mid pile nylon	460mm		10.25
FLOOR TR/	ADE ROLLERS, synthetic, for top coat	s, sealers & finishes		
Stock no	Description	Size		£ ex VAI
601310	roller 10" synthetic blue stripe	250mm		4.95
STIPPLE &	TEXTURE ROLLERS, synthetic foam			
Stock no	Description	Size		£ ex VAI
601610	push on burnhole roller 10"	250mm		9.50
601710	yellow foam roller 10" black end cap	250mm		8.50
MINI ROLL	ER, blue stripe			
Stock no	Description	Size		£ ex VAI
600804	mini rad roller 4"	100mm		1.50
ROLLERS	FRAMES, double arm, heavy duty, witl	n quick release clip		
Stock no	Description	Size	Handle	£ ex VAI
608309	roller frame 9"	230mm	28mm	12.00
608312	roller frame 12"	305mm	28mm	14.00
608315	roller frame 15"	380mm	28mm	15.00
608318	roller frame 18"	460mm	28mm	16.00
ROLLER FF	RAMES, single arm			
Stock no	Description	Size	Handle	£ ex VAI
608104	roller frame 4" single long arm	100mm	26mm taper end	3.00
608110	roller frame 10" single arm 8mm bar	255mm	26mm taper end	3.00
WOODEN H	HANDLES, heavy duty			
Stock no	Description	Length	Handle	£ ex VAI
608705	handle 5'0" wooden	1.50m	28mm for double arm frame	4.00
608701	handle 5'0" wooden	1.50m	28mm tapered end for single arm frame	4.00

NOTCHED LEVELLERS & TROWELS

Made in UK

NOTCHED LEVELLERS & TROWELS

- adjustable height coating & topping gaugers
- used for setting various material depths
- · aluminium frame & slotted stainless steel blades
- with stainless steel hardened pins
- adjustable end skids
- produced by REFINA in the UK
- for epoxy coatings & latexpumped screeds & self-levellers

The pin leveller uses a set of hardened pins with an adjustable stainless steel plate to gauge and level floor toppings and coatings. The pins will wear down with regular use and the pin bar is easily replaceable. The depth is fully adjustable from 1mm to 20mm

The skid leveller has the same adjustable stainless steel blade but also two end skids. It is more suitable for working on rough and uneven floors. The depth is fully adjustable from 10mm to 30mm

The notched levellers are used for pulling out floor surfaces to a precise depth and for putting down scratch coats. Any of the notched blades can be fitted to the leveller







647122 22" notched leveller







scalloped notched blade

NOTCHED LEVELLERS & TROWELS

PIN LEVEL Stock no	LERS, with replaceable pin bars, adj Description	ustable stainless steel bla Size	ade, rust free Handle		£ ex VA
647024	pin leveller 24"	60cm	28mm		49.95
					49.90
	LLER, with replaceable skids, adjust		,		
Stock no	Description	Size	Handle		£ ex VA
647324	skid leveller 24"	60cm	28mm		59.95
NOTCHED	LEVELLER, with replaceable notched	l blades			
Stock no	Description	Size	Handle		£ ex VAT
647122	notched leveller 22"	56cm	28mm		39.95
SLOTTED 1	ROWEL, with hole for notched blade	insert, stainless steel - r	ust free		
Stock no	Description	Size			£ ex VA
201906R	slotted trowel 11" for notch blade	280x100mm			15.00
NOTCHED	BLADES, square serrations				
Stock no	Description	Notched depth	Tip to tip	Flat width	£ ex VA
201736C3	C3 blade insert notch	3.00mm	3.00mm	3.00mm	1.45
201736C1	C1 blade insert notch	4.00mm	4.00mm	4.00mm	1.45
201736C2	C2 blade insert notch	6.00mm	6.00mm	6.00mm	1.45
201736C4	C4 blade insert notch	8.00mm	8.00mm	8.00mm	1.45
201736C5	C5 blade insert notch	10.00mm	10.00mm	10.00mm	1.45
NOTCHED	BLADES, round scalloped serrations				
Stock no	Description	Notched depth	Tip to tip	Flat width	£ ex VA
201736R1	0 R10 blade insert notch blade	10.00mm	30.00mm	10.00mm	1.45
201736R1	5 R15 blade insert notch blade	15.00mm	30.00mm	10.00mm	1.45
201736R2	0 R20 blade insert notch blade	20.00mm	30.00mm	10.00mm	1.45

SQUEEGEES & COVE TROWELS

SQUEEGEES

- specialist application squeegees
- heavy gauge steel frame and replaceable blades
- black rubber blades that are economical to replace
- soft neoprene sponge rubber (normally used in pairs)
- hard wearing and solvent resistant polyurethane blades
- v notch serrated blades
- all blades are replaceable & interchangeable
- · they can be reversed to use on both sides
- produced by REFINA in the UK

COVE TROWELS

- · produced from stainless steel
- traditional wooden handles
- cove trowels produce smooth corners
- used particularly in hygienic environments



647144 24" notched blade

•


•



2" gutter & cove trowel



646020 2" floor coving trowel



646220 2" mitred coving trowel

SQUEEGEES & COVE TROWELS

-	E, with replaceable black rubber blade		lless die		C
Stock no	Description	Size	Handle		£ ex VA
647223	squeegee 24"	600mm	28mm		22.00
	IENT SQUEEGEE BLADE, polyurethane		-		
Stock no	Description	Size	Hardness		£ ex VA
647242	polyurethane blade 24"	600x50mm	medium		10.00
REPLACEN	IENT SQUEEGEE BLADE, black rubber				
Stock no	Description	Size	Hardness		£ ex VA
647246	rubber blade 24", black	600x50mm	medium		3.00
REPLACEN	IENT SQUEEGEE BLADE, neoprene sp	onge			
Stock no	Description	Size	Hardness		£ ex VA
647248	neoprene rubber blade 24"	600x50mm	soft		3.00
REPLACEN	NENT NOTCHED RUBBER BLADES, tria	ngular serrations, poly	urethane, solvent resist	tant, non marking	
Stock no	Description	Size	Hardness	Notch depth	£ ex VA
647144	polyurethane blade 24"	600x50mm	medium	3mm	11.00
647146	polyurethane blade 24"	600x50mm	medium	4mm	11.00
647148	polyurethane blade 24"	600x50mm	medium	6mm	11.00
FLOOR CO	VE TROWELS, stainless steel - rust fre	ee			
Stock no	Description	Size	Height	Radius	£ ex VA
646010	coving trowel 6" 1" radius	150x140mm	130mm	25mm	24.00
646015	coving trowel 6" 11/2" radius	150x140mm	130mm	40mm	24.00
646020	coving trowel 6" 2" radius	150x140mm	130mm	50mm	24.00
CORNER C	OVE TROWELS, stainless steel - rust	free			
Stock no	Description	Size	Height	Radius	£ ex VA
646210	mitred coving trowel pair, 1" radius	150x140mm	130mm	25mm	59.00
646215	mitred coving trowel pair, $1^{1/_{2}"}$ radius	150x140mm	130mm	40mm	59.00
646220	mitred coving trowel pair, 2" radius	150x140mm	130mm	50mm	59.00
GUTTER &	COVE TROWEL, stainless steel - rust	free			
Stock no	Description	Size	Height	Radius	£ ex VA
646420	gutter & cove trowel, 2" radius	150x100mm	50mm	50mm	24.00

EPOXY & CONCRETE PLACERS



EPOXY & CONCRETE PLACERS

- aluminium levelling tools
- sturdy & lightweight
- for placing & levelling
- resin bound aggregate • epoxy driveway materials
- concrete & cementitious floor toppings

The aluminium placing and levelling tools are robust yet lightweight

The blades are produced from aluminium, the brackets are produced in steel

The wooden handle is supplied as an extra

flexible joint bracket

256071 aluminium smoothing float





EPOXY & CONCRETE PLACERS

EPOXY & CONCRETE FLOAT, aluminium straight edge, flexible joint bracket								
Stock no	Description	Length		£ ex VAT				
256071	smoothing float	100cm		58.00				
EPOXY & C	ONCRETE PLACERS, straight	edge, steel handle bracket						
Stock no	Description	Length		£ ex VAT				
256081	placer & leveller	60cm		29.00				
256082	placer & leveller	80cm		33.00				
EPOXY & C	ONCRETE PLACERS, serrated	edge, steel handle bracket						
Stock no	Description	Length		£ ex VAT				
256085	placer & leveller	60cm		32.00				
256086	placer & leveller	80cm		36.00				
WOODEN H	HANDLE, heavy duty							
Stock no	Description	Length	Handle	£ ex VAT				
608707	handle 6'0" wooden	1.80m	31mm	9.00				

Refina Ltd. Unit 7 Factory Road, Upton Industrial Estate, Poole, Dorset, BH16 5SL UK Tel: 01202 632270 | Fax: 01202 632432 Email: sales@refina.co.uk | Website www.refina.co.uk