



baumit.com

# 2023 Catalogue

**EWI • Render • Plaster**

Valid from February 2023.

**Baumit.** Ideas with a future.

WELCOME



Moving into 2023, I would like to start by thanking all of our customers for the support you have shown Baumit during the positive transition period in 2022. The Baumit UK team has a number of new faces but the ‘customer centric’ mindset very much remains in place and the new colleagues bring a new focus and drive to further improve service levels. This is echoed by the corporate vision of the Baumit group as shown below.

A number of projects and enhancements are planned for 2023:

- New innovative products launched
- Further BBA's to expand our product usage across all sectors
- ISO certification and industry body membership
- New internal systems and processes to aid our focus of support
- Specification focus to bring leads to our customers
- Significant investment in our warehouse, c. 650m<sup>2</sup> of mezzanine space to double our stock holding
- Focus on our market leading training with further Academies planned across the British Isles

With utility prices showing no signs of decreasing anytime soon, the need to insulate our homes is becoming ever more critical. With the ECO4 and ECO+ Government backed schemes presenting the case for fabric first before looking at any other green system, Baumit's EWI solutions should certainly be considered by homeowners looking to improve their homes energy credentials. Throughout 2023, Baumit UK will be looking to educate the general public on the benefits of external wall insulation and demonstrate the savings it offers.

So 2023 is going to be another year of exciting developments and enhancements. As always, we love to hear feedback from our customers and welcome the opportunity to understand how we can support you, so please do get in touch with myself, or the team.

*David Stolton*

**David Stolton**  
Managing Director

“We empower our partners  
to build **healthy, energy efficient and  
beautiful homes for a sustainable future.**”

At Baumit, we are committed to beauty and sustainability in the areas of construction and living since the beginning. We have been striving to develop and produce sustainable products that meet the highest quality standards and aesthetic demands. Conducting research in our unique VIVA Research Park helps us to constantly examine and improve our products as well as to come up with innovative solutions for healthy, energy efficient and beautiful homes. We see it as part of our vision to pass on this knowledge from over 30 years of experience in form of high-quality systems and services to our partners for building a sustainable future together.

OVERVIEW

CONTACTS .....	4
SALES ENQUIRIES .....	5
SERVICE .....	6
3 ELEMENTS OF HEALTHY LIVING .....	8
BAUMIT LIFE COLOUR SYSTEM .....	10

INSULATION FIRST

FINAL COATINGS .....	
FAÇADE PAINTS & RENDERS .....	18
FAÇADE PRIMERS & ADDITIVES .....	28

EWI .....	
ADHESIVES & BASE COATS .....	32
INSULATION BOARDS .....	34
MESH & FIXINGS .....	36
ACCESSORIES .....	42

MINERAL RENDERS .....	
RENDER .....	48


RENOVATION SYSTEMS .....	
MULTIPURPOSE RENDER .....	50
SANOVA .....	51

INTERIOR VALUES

HEALTHY LIVING .....	
KLIMA SYSTEMS .....	54
AIRLESS PLASTER .....	57

SERVICE

COMPANY NOTES .....	60
TERMS & CONDITIONS .....	62
INDEX .....	64
WORLD OF BAUMIT .....	66




- |                               |                                  |
|-------------------------------|----------------------------------|
| <b>O</b> OPENSYSYSTEM         | <b>R</b> STARSYSYSTEM RESOLUTION |
| <b>E</b> STARSYSYSTEM EPS     | <b>N</b> STARSYSYSTEM NATURE     |
| <b>M</b> STARSYSYSTEM MINERAL | <b>I</b> POWERSYSYSTEM           |





## SALES ENQUIRIES



### James Wilson

Head of Sales  
07872 073 267  
james.wilson@baumit.co.uk

### Chris Kendall

Business Development Manager  
07539 836 441  
c.kendall@baumit.co.uk

### Jake Simons

Business Development Manager  
07483 449 421  
jake.simons@baumit.co.uk

### John Buckley

Business Development Manager  
07789 561 703  
john.buckley@baumit.co.uk

### Paul Scott

Business Development Manager  
07539 836 446  
paul.scott@baumit.co.uk

### Matt Woodhams

Technical Specification Manager  
07483 391 468  
matthew.woodhams@baumit.co.uk

## GENERAL CONTACT ENQUIRIES

**Baumit Ltd**  
Unit 2 Westmead  
New Hythe Lane  
Aylesford  
Maidstone  
Kent  
ME20 6XJ

t: 01622 710 763  
e: contact@baumit.co.uk

[www.linkedin.com/company/baumit-uk-ltd](https://www.linkedin.com/company/baumit-uk-ltd)  
[www.instagram.com/baumit\\_uk](https://www.instagram.com/baumit_uk)  
[www.facebook.com/BaumitLtd](https://www.facebook.com/BaumitLtd)  
[www.twitter.com/BaumitUKLtd](https://www.twitter.com/BaumitUKLtd)  
[www.youtube.com/@BaumitUK](https://www.youtube.com/@BaumitUK)

## BAUMIT REFERENCES

Baumit provides the opportunity to give each building its own unique character through the choice of material, structure, form and colour.



Share your work:  
#BuildWithBaumit



## BAUMIT CUSTOMER SERVICE

Baumit offers a comprehensive customer service package in all areas of rendering, insulation and façade renovation. We support you with expert advice from our experienced specialists to help you select the right products, and provide training and guidance on application best practice.

Our range of services includes:

- Making recommendations for insulation, render and façade renovation
- Technical support, including product data sheets and health and safety method statement guidelines
- Application guidelines and practical installation training for external wall insulation and render systems
- A range of colour fans to aid colour selection
- Original colour samples
- CPD's and seminars for architects
- Calculating the U-Values of external walls and condensation risk analysis
- Online services, including sample requests and colour designing software

## BAUMIT ONLINE SERVICES

The Baumit website provides comprehensive information on Baumit products, external wall insulation and render systems and accessories together with details on how to renovate a properties façade.

- Technical information including application guidelines and product data sheets
- Downloadable product brochures
- Request a colour sample
- Find out more about our training academies
- Design a façade and try out different colour options
- Find inspiration from past Baumit projects




## SAMPLES

Find the perfect colour for your project by requesting a sample from Baumit. You can order samples directly from the website at [www.baumit.co.uk/sample](http://www.baumit.co.uk/sample) or email [samples@baumit.co.uk](mailto:samples@baumit.co.uk) with your request.



**Sample bucket**  
1 kg



**Sample board**  
9 x 7 inch finished board

## BAUMIT TRAINING ACADEMY

Baumit has over 35 years' experience in creating our range of innovative, tested EWI and render products, designed to create beautiful, healthy homes for people to live in. We are therefore keen to give tradespeople the opportunity to use our products to create better spaces for their clients. But most importantly, we want to ensure our customers have the utmost confidence when it comes to application of EWI systems.

- Become Baumit approved
- Learn EWI installation best practice
- Issue 10/25 year system warranties
- Ongoing expert advice & support
- Locations in Kent & Yorkshire

### Introduction to EWI Course - ½ day - £100

An introduction course designed to give you an understanding of EWI, its benefits and a practical demonstration of it being applied.

### Assessment EWI Course - 1 day - £150

If you are already approved by other manufacturers and are competent in EWI, then this course allows you to add Baumit expertise to your knowledge.

### Advanced EWI Course - 2 days - £200

Designed to educate participants on the broad range of EWI installations and practices via both theoretical and practical experience.

### Advanced Plus EWI Course - 2½ days - £250

Featuring all the elements included in the advanced course, with the addition of professional instruction of how to install to PAS 2035 standard.

### Machine Training - 1 day - £150

A course tailored for teaching you how to use machines when applying Baumit products, with practical base coat and topcoat tutorials.

#### SOUTH

Unit 2 Westmead,  
New Hythe Lane  
Aylesford,  
Maidstone,  
Kent,  
ME20 6XJ

#### NORTH

Unit 4A,  
Marrtree Business Park,  
Silk Road,  
Doncaster,  
South Yorkshire,  
DN2 4BQ



#### Find out more:

w. [baumit.co.uk/academy](http://baumit.co.uk/academy)  
t: 01622 710 763  
e: [training@baumit.co.uk](mailto:training@baumit.co.uk)



# 3 Elements of Healthy Living

After many years of intensive research, analysing and evaluating millions of data, it clearly demonstrated that construction methods and building materials have a significant impact on health and quality of life. Regardless of which design you choose when building a house, all 3 criterias have to be taken into account to create a healthy living environment:

## INSULATION FIRST

Protection and comfort

## INTERIOR VALUES

Natural and healthy living

## SOLIDITY COUNTS

Safety and comfort



## INSULATION FIRST



## Protection and cosiness

Good thermal insulation not only makes a significant contribution to the energy efficiency of your building, but also ensures pleasantly warm walls in winter and pleasantly cool walls in summer. The living space thus becomes a comfortable space with no draughts. Living becomes more comfortable and healthy.



## INTERIOR VALUES



## Natural and healthy living

A good interior mineral plaster system can act as a buffer for any peaks in humidity by absorbing excessive air humidity into the first few centimetres and releasing it again later. This guarantees a constant level of air-humidity, ensuring a healthy indoor climate.



## SOLIDITY COUNTS



## Safety and comfort

Solid walls, as well as solid ceilings and floors, can be externally protected with good thermal insulation so they store heat in the winter and keep the coolness in the house in summer. The more mass, the more effective the thermal storage and the more stable, pleasant and healthy the indoor climate.








*Life*  
COLORED BY BAUNIT

# Baunit Life Colour System

'Life' Baunit's unique colour system for façade colours offers the right colour for every taste. It has now been expanded by 180 natural & earthy colours to bring the latest trend of façade design on your walls.





# Baumit Life Colour System



W1200	W1209	0021	0031	0041	0051	0061	0071	0081	0121	0131	0141	0151	0161	0171	0181	0191	1251
W1201	W1210	0022	0032	0042	0052	0062	0072	0082	0122	0132	0142	0152	0162	0172	0182	0192	1252
W1202	W1211	0023	0033	0043	0053	0063	0073	0083	0123	0133	0143	0153	0163	0173	0183	0193	1253
W1203	0014	0024	0034	0044	0054	0064	0074	0084	0124	0134	0144	0154	0164	0174	0184	0194	1254
W1204	0015	0025	0035	0045	0055	0065	0075	0085	0125	0135	0145	0155	0165	0175	0185	0195	1255
W1205	0016	0026	0036	0046	0056	0066	0076	0086	0126	0136	0146	0156	0166	0176	0186	0196	1256
W1206	0017	0027	0037	0047	0057	0067	0077	0087	0127	0137	0147	0157	0167	0177	0187	0197	1257
W1207	0018	0028	0038	0048	0058	0068	0078	0088	0128	0138	0148	0158	0168	0178	0188	0198	1258
W1208	0019	0029	0039	0049	0059	0069	0079	0089	0129	0139	0149	0159	0169	0179	0189	0199	1259
0321	0331	0341	0351	0361	0371	0381	0391	1281	1291	0401	0411	1311	1301	0421	0431	0441	0451
0322	0332	0342	0352	0362	0372	0382	0392	1282	1292	0402	0412	1312	1302	0422	0432	0442	0452
0323	0333	0343	0353	0363	0373	0383	0393	1283	1293	0403	0413	1313	1303	0423	0433	0443	0453
0324	0334	0344	0354	0364	0374	0384	0394	1284	1294	0404	0414	1314	1304	0424	0434	0444	0454
0325	0335	0345	0355	0365	0375	0385	0395	1285	1295	0405	0415	1315	1305	0425	0435	0445	0455
0326	0336	0346	0356	0366	0376	0386	0396	1286	1296	0406	0416	1316	1306	0426	0436	0446	0456
0327	0337	0347	0357	0367	0377	0387	0397	1287	1297	0407	0417	1317	1307	0427	0437	0447	0457
0328	0338	0348	0358	0368	0378	0388	0398	1288	1298	0408	0418	1318	1308	0428	0438	0448	0458
0329	0339	0349	0359	0369	0379	0389	0399	1289	1299	0409	0419	1319	1309	0429	0439	0449	0459
0601	0611	0621	0631	0671	0681	0691	0701	0711	0721	0731	0741	0751	0761	0771	0781	0791	0831
0602	0612	0622	0632	0672	0682	0692	0702	0712	0722	0732	0742	0752	0762	0772	0782	0792	0832
0603	0613	0623	0633	0673	0683	0693	0703	0713	0723	0733	0743	0753	0763	0773	0783	0793	0833
0604	0614	0624	0634	0674	0684	0694	0704	0714	0724	0734	0744	0754	0764	0774	0784	0794	0834
0605	0615	0625	0635	0675	0685	0695	0705	0715	0725	0735	0745	0755	0765	0775	0785	0795	0835
0606	0616	0626	0636	0676	0686	0696	0706	0716	0726	0736	0746	0756	0766	0776	0786	0796	0836
0607	0617	0627	0637	0677	0687	0697	0707	0717	0727	0737	0747	0757	0767	0777	0787	0797	0837
0608	0618	0628	0638	0678	0688	0698	0708	0718	0728	0738	0748	0758	0768	0778	0788	0798	0838
0609	0619	0629	0639	0679	0689	0699	0709	0719	0729	0739	0749	0759	0769	0779	0789	0799	0839
1381	1341	1351	1361	1371	0971	1331	0981	0991	1001	1011	1411	1021	1401	1391	1031	1041	1051
1382	1342	1352	1362	1372	0972	1332	0982	0992	1002	1012	1412	1022	1402	1392	1032	1042	1052
1383	1343	1353	1363	1373	0973	1333	0983	0993	1003	1013	1413	1023	1403	1393	1033	1043	1053
1384	1344	1354	1364	1374	0974	1334	0984	0994	1004	1014	1414	1024	1404	1394	1034	1044	1054
1385	1345	1355	1365	1375	0975	1335	0985	0995	1005	1015	1415	1025	1405	1395	1035	1045	1055
1386	1346	1356	1366	1376	0976	1336	0986	0996	1006	1016	1416	1026	1406	1396	1036	1046	1056
1387	1347	1357	1367	1377	0977	1337	0987	0997	1007	1017	1417	1027	1407	1397	1037	1047	1057
1388	1348	1358	1368	1378	0978	1338	0988	0998	1008	1018	1418	1028	1408	1398	1038	1048	1058
1389	1349	1359	1369	1379	0979	1339	0989	0999	1009	1019	1419	1029	1409	1399	1039	1049	1059

The colors and patterns shown serve as a color guide for the selected product.  
Absolute color matching with the supplied material cannot be guaranteed.

All Shades of White tones (starting with W12...) are available for Baumit StarTop/Color, CrystalTop, CreativTop (excluding Silk) and SilikonTop/Color.  
With the exception of W1200 StarWhite which is only available in StarTop/Color and CreativTop (excluding Silk).

**Final digits 1-3:** It is recommended to prime with colored Baumit PremiumPrimer.

● Colors are only available in Baumit PuraTop/Color. ▶ Colors are only available in Baumit StarTop/Color, PuraTop/Color, GranoporTop/Color and CreativTop.

▲ Colors can be used on ETICS only in Baumit PuraTop/Color, Baumit StarTop/Color & Baumit CrystalTop (available in colors 3-9 as final digit).

More information on [life.baumit.com](http://life.baumit.com).



# Baumit Life Colour System



●	1271	●	0201	●	0211	●	0221	●	0231	●	0241	●	0281	●	0291	●	0301	●	0311
▲	1272		0202		0212		0222		0232		0242		0282		0292		0302		0312
	1273		0203		0213		0223		0233		0243		0283		0293		0303		0313
	1274		0204		0214		0224		0234		0244		0284		0294		0304		0314
	1275		0205		0215		0225		0235		0245		0285		0295		0305		0315
	1276		0206		0216		0226		0236		0246		0286		0296		0306		0316
	1277		0207		0217		0227		0237		0247		0287		0297		0307		0317
	1278		0208		0218		0228		0238		0248		0288		0298		0308		0318
	1279		0209		0219		0229		0239		0249		0289		0299		0309		0319
●	0471	●	0481	●	0491	●	0501	●	0511	●	0521	●	0561	●	0571	●	0581	●	0591
▶	0472	▶	0482	▶	0492	▶	0502	▶	0512	▶	0522	▶	0562	▶	0572	▶	0582	▶	0592
▶	0473	▶	0483	▶	0493	▶	0503	▶	0513	▶	0523	▶	0563	▶	0573	▶	0583	▶	0593
▶	0474	▶	0484	▶	0494	▶	0504	▶	0514	▶	0524	▶	0564	▶	0574	▶	0584	▶	0594
▶	0475	▶	0485	▶	0495	▶	0505	▶	0515	▶	0525	▶	0565	▶	0575	▶	0585	▶	0595
▶	0476	▶	0486	▶	0496	▶	0506	▶	0516	▶	0526	▶	0566	▶	0576	▶	0586	▶	0596
▶	0477	▶	0487	▶	0497	▶	0507	▶	0517	▶	0527	▶	0567	▶	0577	▶	0587	▶	0597
▶	0478	▶	0488	▶	0498	▶	0508	▶	0518	▶	0528	▶	0568	▶	0578	▶	0588	▶	0598
▶	0479	▶	0489	▶	0499	▶	0509	▶	0519	▶	0529	▶	0569	▶	0579	▶	0589	▶	0599
●	0851	●	1321	●	0861	●	0871	●	0881	●	0891	●	0901	●	0911	●	0921	●	0931
▲	0852	▲	1322	▲	0862	▲	0872	▲	0882	▲	0892	▲	0902	▲	0912	▲	0922	▲	0932
	0853		1323		0863		0873		0883		0893		0903		0913		0923		0933
	0854		1324		0864		0874		0884		0894		0904		0914		0924		0934
	0855		1325		0865		0875		0885		0895		0905		0915		0925		0935
	0856		1326		0866		0876		0886		0896		0906		0916		0926		0936
	0857		1327		0867		0877		0887		0897		0907		0917		0927		0937
	0858		1328		0868		0878		0888		0898		0908		0918		0928		0938
	0859		1329		0869		0879		0889		0899		0909		0919		0929		0939
●	1071	●	1421	●	1111	●	1121	●	1131	●	1141	●	1431	●	1441	●	1151	●	1161
	1072		1422		1112		1122		1132		1142		1432		1442		1152		1162
	1073		1423		1113		1123		1133		1143		1433		1443		1153		1163
	1074		1424		1114		1124		1134		1144		1434		1444		1154		1164
	1075		1425		1115		1125		1135		1145		1435		1445		1155		1165
	1076		1426		1116		1126		1136		1146		1436		1446		1156		1166
	1077		1427		1117		1127		1137		1147		1437		1447		1157		1167
	1078		1428		1118		1128		1138		1148		1438		1448		1158		1168
	1079		1429		1119		1129		1139		1149		1439		1449		1159		1169

**Final digits 1-3:** It is recommended to prime with colored Baumit PremiumPrimer.

● Colors are only available in Baumit PuraTop/Color. ▶ Colors are only available in Baumit StarTop/Color, PuraTop/Color, GranoporTop/Color and CreativTop.

▲ Colors can be used on ETICS only in Baumit PuraTop/Color, Baumit StarTop/Color & Baumit CrystalTop (available in colors 3-9 as final digit).

More information on [life.baumit.com](http://life.baumit.com).



## Baumit Shades of White

W1200 StarWhite	W1201 MineralWhite	W1202 CottonWhite	W1203 ChampagneWhite	W1204 LaceWhite	W1205 IvoryWhite
W1206 OpalWhite	W1207 AntiqueWhite	W1208 CeramicWhite	W1209 MagnoliaWhite	W1210 ShadowWhite	W1211 IceWhite

All 12 white tones available for Baumit StarTop/Color, CreativTop und SilikonTop/Color. W1200 StarWhite only available for StarTop/Color and CreativTop!

## Baumit Lasur

725L Shine	726L Sensual	727L Impulse	728L Gentle	729L Solid	730L Mystic	731L Fresh	732L Casual	733L Placid	734L Faith	735L Cosy

## Baumit Glitter

771G Gold	773G Silver	774G SilverFine	775G Rainbow

## Baumit Metallic

746M Tital	747M Platin	748M Saphir	751M Smaragd	753M Gold	754M Rubin	775M Bronze	756M Azurit

## Baumit Mosaik – Essential Line

M 301 Albaron	M 302 Monviso	M 303 Matterhorn	M 304 Denali	M 305 Victoria	M 306 Parmass	M 307 Bistra	M 308 Kope
M 312 Cook	M 313 Athos	M 314 Ararat	M 315 Rodna	M 316 Kosh	M 317 El Capitan	M 318 Rax	M 325 Bellavista
M 326 Triglav	M 327 Rushmore	M 328 Durano	M 329 Cristallo	M 330 Elbrus	M 331 Nemrut		

All color samples shown here serve as a visual orientation for the selected product. Slight deviations between the colors shown here, color samples, color folders, natural patterns and the materials provided are production-related possible and can not be claimed. The uniformity of color and texture can only be guaranteed within one production batch.

## Baumit Mosaik – Natural Line

M 337 Montblanc	M338 Olympus	M 339 Castle	M 340 Babla	M 341 Rocky	M 342 Everest	M 343 Etna	M 344 Vesuvius



For protection  
***Insulation First***  
and cosiness

FINAL COATINGS

PAGE 18

EWI

PAGE 32

MINERAL RENDERS

PAGE 48

RENOVATION

PAGE 50





# Façade Paints & Renders

## PREMIUM FAÇADE PAINTS



### Baumit StarColor

Highly weather-resistant façade paint with silicone binder and new functional filler. The all new Drypor effect guarantees a quick-drying façade surface after rain, fog and condensation.

- Fast drying surfaces
- Increased protection against algae
- Highly vapour permeable

StarColor	14 l	Product Code
Consumption:	approx. 0.3 – 0.35 l/m² for two coats	010324
Yield:	approx. 43 m²/bucket for two coats	
Packaging:	14 l bucket, 1 pallet = 32 buckets = 448 l	

StarColor	5 l	Product Code
Consumption:	approx. 0.3 – 0.35 l/m² for two coats	010305
Yield:	approx. 14 m²/bucket for two coats	
Packaging:	5 l bucket, 1 pallet = 64 buckets = 320 l	



### Baumit PuraColor

High quality pure acrylic façade paint with high covering power and very good application properties. Use when requiring more intense colours, for a rich long lasting colour finish.

- Unlimited colour range
- Intense colour tones
- Cool pigments technology

PuraColor	14 l	Product Code
Consumption:	approx. 0.3 – 0.35 l/m² for two coats	010414
Yield:	approx. 40 m²/bucket for two coats	
Packaging:	14 l bucket, 1 pallet = 32 buckets = 448 l	

PuraColor	5 l	Product Code
Consumption:	Approx. 0.3 – 0.35 l/m² for two coats	010405
Yield:	Approx. 14 m²/bucket for two coats	
Packaging:	5 l bucket, 1 pallet = 64 buckets = 320 l	



## PROFESSIONAL FAÇADE PAINTS



### Baumit SilikonColor

A universal façade paint based on reliable silicone resin. Vapour permeable, extremely water-repellent, dirt resistant and universally applicable.

- Weather resistant
- Vapour permeable
- Water repellent

SilikonColor	14 l	Product Code
Consumption:	approx. 0.3 – 0.35 l/m² for two coats	010524
Yield:	approx. 40 m²/bucket for two coats	
Packaging:	14 l bucket, 1 pallet = 32 buckets = 448 l	

SilikonColor	5 l	Product Code
Consumption:	approx. 0.3 – 0.35 l/m² for two coats	010505
Yield:	approx. 14 m²/bucket for two coats	
Packaging:	5 l bucket, 1 pallet = 64 buckets = 320 l	



### Baumit SilikatColor

Ready to use silicate-based paint for outdoor use. Highly breathable and water-repellent. Can also be used for renovation and for the maintenance of historical structures.

- Breathable
- Mineralic
- Specialised for renovation

SilikatColor	14 l	Product Code
Consumption:	approx. 0.3 – 0.35 l/m² for two coats	010624
Yield:	approx. 40 m²/bucket for two coats	
Packaging:	14 l bucket, 1 pallet = 32 buckets = 448 l	

SilikatColor	5 l	Product Code
Consumption:	approx. 0.3 – 0.35 l/m² for two coats	010605
Yield:	approx. 14 m²/bucket for two coats	
Packaging:	5 l bucket, 1 pallet = 64 buckets = 320 l	



### Baumit GranoporColor

Universal, ready to use acrylic façade paint, suitable for most requirements. Water repellent.

- Weather resistant
- Vapour permeable
- Water repellent

GranoporColor	14 l	Product Code
Consumption:	approx. 0.3 – 0.35 l/m² for two coats	010724
Yield:	approx. 40 m²/bucket for two coats	
Packaging:	14 l bucket, 1 pallet = 32 buckets = 448 l	

GranoporColor	5 l	Product Code
Consumption:	approx. 0.3 – 0.35 l/m² for two coats	010705
Yield:	approx. 14 m²/bucket	
Packaging:	5 l bucket, 1 pallet = 64 buckets = 320 l	





## DESIGN FAÇADE PAINTS

**Baumit Lasur**

Ready to use, matt glaze paint for a more decorative, creative designed façade. See product data sheet for full details.

- Matt
- For creating decorative façades
- Individual design

Lasur	14 l	Product Code
Consumption:	approx. 0.08 – 0.1 l/m <sup>2</sup>	<b>010911</b>
Yield:	approx. 140 – 175 m <sup>2</sup> /bucket	
Packaging:	14 l bucket, 1 pallet = 32 buckets = 448 l	

Lasur	5 l	Product Code
Consumption:	approx. 0.08 – 0.1 l/m <sup>2</sup>	<b>010902</b>
Yield:	approx. 50–62 m <sup>2</sup> /bucket	
Packaging:	5 l bucket, 1 pallet = 64 buckets = 320 l	



## DESIGN FAÇADE PAINTS


**Baumit Metallic**

Ready to use, metallic finish paint, for decorative wall and façade design. Create modern, luxurious finish for a truly unique building design. See product data sheet for full details.

- Elegant glaze
- For decorative highlights
- Imitation of metallic surfaces

Metallic	14 l	Product Code
Consumption:	approx. 0.3 – 0.35 l/m <sup>2</sup> on smooth surfaces	<b>010914</b>
Yield:	approx. 40 – 47 m <sup>2</sup> /bucket	
Packaging:	14 l bucket, 1 pallet = 32 buckets = 448 l	

Metallic	5 l	Product Code
Consumption:	approx. 0.3–0.35 l/m <sup>2</sup> on smooth surfaces	<b>010905</b>
Yield:	approx. 14–16,5 m <sup>2</sup> /bucket	
Packaging:	5 l bucket, 1 pallet = 64 buckets = 320 l	


**Baumit Glitter**

Ready to use transparent coating with metallic glitter. Use for decorative highlights on top of other Baumit paints and renders. – See product data sheet for full details.

- Sparkling effect through sunlight
- Decorative and exceptional
- Individual design

Glitter	14 l	Product Code
Consumption:	approx. 0.10–0.15 l/m <sup>2</sup> for 1 layer	<b>010916</b>
Yield:	approx. 93 – 140 m <sup>2</sup> /bucket	
Packaging:	14 l bucket, 1 pallet = 32 buckets = 448 l	

Glitter	5 l	Product Code
Consumption:	approx. 0.10–0.15 l/m <sup>2</sup> for 1 layer	<b>010907</b>
Yield:	approx. 33–50 m <sup>2</sup> /bucket	
Packaging:	5 l bucket, 1 pallet = 64 buckets = 320 l	

**Baumit Finish**

Ready to use, matt, colourless seal for use with Baumit Lasur paint. Also suitable for dilution of Lasur.

- For use with Baumit Lasur
- Long-term protection
- Control of colour intensity

Finish	14 l	Product Code
Consumption:	approx. 0.08 – 0.1 l/m <sup>2</sup> for 1 layer	<b>010918</b>
Yield:	approx. 140 – 175 m <sup>2</sup> /bucket	
Packaging:	14 l bucket, 1 pallet = 32 buckets = 448 l	

Finish	5 l	Product Code
Consumption:	approx. 0.08 –0.1 l/m <sup>2</sup> for 1 layer	<b>010909</b>
Yield:	approx. 50 –62 m <sup>2</sup> /bucket	
Packaging:	5 l bucket, 1 pallet = 64 buckets = 320 l	



## PREMIUM FAÇADE RENDERS



## Baumit StarTop

Highly weather-resistant façade render with silicone binder and new functional filler. The all new Drypor effect guarantees a quick-drying façade surface after rain, fog and condensation.

- Fast drying surfaces
- Increased protection against algae
- Highly vapour permeable

StarTop	K 2.0 mm	Product Code
Consumption:	approx. 2.9 kg/m <sup>2</sup>	<b>020312</b>
Yield:	approx. 8.6 m <sup>2</sup> /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	

StarTop	K 1.5 mm	Product Code
Consumption:	approx. 2.5 kg/m <sup>2</sup>	<b>020310</b>
Yield:	approx. 10 m <sup>2</sup> /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	

StarTop	K 3.0 mm	Product Code
Consumption:	approx. 3.9 kg/m <sup>2</sup>	<b>020313</b>
Yield:	approx. 6.4 m <sup>2</sup> /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	



## PREMIUM FAÇADE RENDERS



## Baumit PuraTop

High quality pure acrylic façade render with very good application properties. Use when requiring more intense colours, for a rich long lasting colour finish.

- Unlimited colour range
- Intense colour tones
- Cool pigments technology

PuraTop	K 2.0 mm	Product Code
Consumption:	approx. 2.9 kg/m <sup>2</sup>	<b>021620</b>
Yield:	approx. 8.6 m <sup>2</sup> /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	

PuraTop	K 1.5 mm	Product Code
Consumption:	approx. 2.5 kg/m <sup>2</sup>	<b>021616</b>
Yield:	approx. 10 m <sup>2</sup> /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	

PuraTop	K 3.0 mm	Product Code
Consumption:	approx. 3.9 kg/m <sup>2</sup>	<b>021630</b>
Yield:	approx. 6.4 m <sup>2</sup> /bucket	
Packaging:	25 kg bucket, 1 pallet = 16 buckets = 400 kg	

PuraTop Fine	K 1.0 mm*	Product Code
Consumption:	approx. 2.0 kg/m <sup>2</sup>	<b>021610</b>
Yield:	approx. 12.5 m <sup>2</sup> /bucket	
Packaging:	25 kg bucket, 1 pallet = 16 buckets = 400 kg	



\*The structure is only suitable for small areas and façade details

## PROFESSIONAL FAÇADE RENDERS



## Baumit SilikonTop

A universal façade render based on reliable silicone resin. Highly permeable, extremely water-repellent, dirt resistant and universally applicable.

- Weather resistant
- Vapour permeable
- Water repellent

SilikonTop	K 2.0 mm	Product Code
Consumption:	approx. 2.9 kg/m <sup>2</sup>	<b>020392</b>
Yield:	approx. 8.6 m <sup>2</sup> /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	

SilikonTop	K 1.5 mm	Product Code
Consumption:	approx. 2.5 kg/m <sup>2</sup>	<b>020391</b>
Yield:	approx. 10 m <sup>2</sup> /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	

SilikonTop	K 3.0 mm	Product Code
Consumption:	approx. 3.9 kg/m <sup>2</sup>	<b>020393</b>
Yield:	approx. 6.4 m <sup>2</sup> /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	

SilikonTop Fine	K 1.0 mm*	Product Code
Consumption:	approx. 2.0 kg/m <sup>2</sup>	<b>021001</b>
Yield:	approx. 12.5 m <sup>2</sup> /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	



\*The structure is only suitable for small areas and façade details



## PROFESSIONAL FAÇADE RENDERS



## Baumit SilikatTop

Ready to use silicate-based paint for outdoor use. Highly breathable and water-repellent. Can also be used for renovation and for the maintenance of historical structures.

- Breathable
- Mineralic
- Specialised for renovation

SilikatTop	K 2.0 mm	Product Code
Consumption:	approx. 2.9 kg/m <sup>2</sup>	020692
Yield:	approx. 8.6 m <sup>2</sup> /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	

SilikatTop	K 1.5 mm	Product Code
Consumption:	approx. 2.5 kg/m <sup>2</sup>	020691
Yield:	approx. 10 m <sup>2</sup> /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	

SilikatTop	K 3.0 mm	Product Code
Consumption:	approx. 3.9 kg/m <sup>2</sup>	020693
Yield:	approx. 6.4 m <sup>2</sup> /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	



## PROFESSIONAL FAÇADE RENDERS



## Baumit GranoporTop

Universal, ready to use acrylic façade paint, suitable for most requirements. Water repellent. *See pages x for further details.*

- Weather resistant
- Vapour permeable
- Water repellent

GranoporTop K 2.0 mm	Product Code
Consumption:	Approx. 2.9 kg/m <sup>2</sup>
Yield:	Approx. 8.6 m <sup>2</sup> /bucket
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg

GranoporTop K 1.5 mm	Product Code
Consumption:	Approx. 2.5 kg/m <sup>2</sup>
Yield:	Approx. 10 m <sup>2</sup> /bucket
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg

GranoporTop K 3.0 mm	Product Code
Consumption:	Approx. 3.9 kg/m <sup>2</sup>
Yield:	Approx. 6.4 m <sup>2</sup> /bucket
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg



## PROFESSIONAL FAÇADE RENDERS



## Baumit CreativTop

Ready-to-use, highly weather-resistant, silicone-reinforced finishing render with a new, functional filler for quick re-drying façade surfaces after rain, fog and condensation. Modelable render for a creative exterior façade design. For manual or machine application.

- Functional re-drying effect (Drypor)
- Unlimited design possibilities
- Improved processing properties

CreativTop Max 4.0 mm	Product Code
Consumption:	approx. 5.0 – 6.2 kg/m <sup>2</sup>
Yield:	approx. 4.0 – 5.0 m <sup>2</sup> /bucket
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg

CreativTop Trend 3.0 mm	Product Code
Consumption:	approx. 4.2 – 6.2 kg/m <sup>2</sup>
Yield:	approx. 4.0 – 5.9 m <sup>2</sup> /bucket
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg

CreativTop Vario 1.5 mm	Product Code
Consumption:	approx. 2.5 – 5.0 kg/m <sup>2</sup>
Yield:	approx. 5.0 – 10.0 m <sup>2</sup> /bucket
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg

CreativTop Fine 1.0 mm	Product Code
Consumption:	approx. 2.9 – 4.2 kg/m <sup>2</sup>
Yield:	approx. 5.9 – 8.6 m <sup>2</sup> /bucket
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg

CreativTop Pearl 0.5 mm	Product Code
Consumption:	approx. 1.5 – 3.5 kg/m <sup>2</sup>
Yield:	approx. 7.1 – 16.6 m <sup>2</sup> /bucket
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg

CreativTop Silk 0.2 mm	Product Code
Consumption:	approx. 2.4 – 4.0 kg/m <sup>2</sup>
Yield:	approx. 6.25 – 10.0 m <sup>2</sup> /bucket
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg



## DESIGN FAÇADE RENDERS

**Baumit MosaikTop**

Ready-to-use, acrylic based render for external use. Coloured quartz sand specifically designed for use at a buildings splash zone and for individual design elements. See product data sheet for recommended primers.

- Coated and coloured quartz sand
- Natural and authentic stone look
- Highly shockproof

**MosaikTop – Natural Line**

Consumption:	approx. 4.5 kg/m <sup>2</sup>
Yield:	approx. 5.5 m <sup>2</sup> /bucket
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg

**MosaikTop – Essential Line**


Consumption:	approx. 5.5 kg/m <sup>2</sup>
Yield:	approx. 4.5 m <sup>2</sup> /bucket
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg

**MOSAİK – NATURAL LINE**

**M 337 Montblanc**  
Product Code - **021372**




**M 338 Olympus**  
Product Code - **021373**




**M 339 Castle**  
Product Code - **021374**



**M 340 Babia**  
Product Code - **021375**




**M 341 Rocky** •  
Product Code - **021376**



**M 342 Everest** •  
Product Code - **021377**



**M 343 Etna** •  
Product Code - **021378**



**M 344 Vesuvius** •  
Product Code - **021379**

- Can be used on EWI only with a double reinforcement layer (minimum thickness 5mm) according to the product datasheet.

**MOSAİK – ESSENTIAL LINE**

**M 301 Albaron**  
Product Code - **021300**



**M 302 Monviso**  
Product Code - **021301**



**M 303 Matterhorn**  
Product Code - **021302**



**M 304 Denali**  
Product Code - **021303**



**M 305 Victoria**  
Product Code - **021304**



**M 306 Parnass** •  
Product Code - **021305**




**M 307 Bistra**  
Product Code - **021306**




**M 308 Kope**  
Product Code - **021307**




**M 312 Cook**  
Product Code - **021311**




**M 313 Athos** •  
Product Code - **021312**




**M 314 Ararat** •  
Product Code - **021313**



**M 315 Rodna** •  
Product Code - **021314**




**M 316 Kosh** •  
Product Code - **021315**



**M 317 El Capitan** •  
Product Code - **021316**




**M 318 Rax** •  
Product Code - **021317**




**M 325 Bellavista**  
Product Code - **021324**




**M 326 Triglav**  
Product Code - **021325**



**M 327 Rushmore**  
Product Code - **021326**




**M 328 Durano** •  
Product Code - **021327**



**M 329 Cristallo**  
Product Code - **021328**



**M 330 Elbrus** •  
Product Code - **021329**



**M 331 Nemrut** •  
Product Code - **021299**

All colour samples shown here serve as a visual orientation for the selected product. Slight deviations between the colours shown here, colour samples, colour folders, natural patterns and the materials provided are production-related possible and can not be claimed. The uniformity of colour and texture can only be guaranteed within one production batch.

- Can be used on EWI only with a double reinforcement layer (minimum thickness 5mm) according to the product datasheet.

**CLASSIC RENDER FINISHES****Baumit SEP**

Mineral based decorative topcoat render providing decoration and protection to façades or internal finishes. Suitable for hand or machine application. Suitable for use as a part of all Baumit EWI Systems.

- Internal and external use
- Hand or machine application

SEP 01 - 1mm 25kg			Product Code	
Consumption:	approx. 2.2kg/m <sup>2</sup>	White:	<b>030401</b>	
Yield:	approx. 11.4m <sup>2</sup> /bag	Coloured:	<b>030491</b>	
Packaging:	25kg, 1 pallet = 42 bags = 1050kg			
SEP 02 - 2mm 25kg			Product Code	
Consumption:	approx. 3.3kg/m <sup>2</sup>	White:	<b>030402</b>	
Yield:	approx. 7.6m <sup>2</sup> /bag	Coloured:	<b>030492</b>	
Packaging:	25kg, 1 pallet = 42 bags = 1050kg			
SEP 03 - 3mm 25kg			Product Code	
Consumption:	approx. 4.0kg/m <sup>2</sup>	White:	<b>030403</b>	
Yield:	approx. 6.3m <sup>2</sup> /bag	Coloured:	<b>030493</b>	
Packaging:	25kg, 1 pallet = 42 bags = 1050kg			
SEP 04 - 4mm 25kg			Product Code	
Consumption:	approx. 5.5kg/m <sup>2</sup>	White:	<b>030404</b>	
Yield:	approx. 4.5m <sup>2</sup> /bag	Coloured:	<b>030494</b>	
Packaging:	25kg, 1 pallet = 42 bags = 1050kg			



# Façade Primers & Additives

## PRIMERS



### Baumit PremiumPrimer

Ready-to-use, universally usable primer to equalize absorption and acts as bonding agent for all Baumit ETIC- and plaster systems. The added grain makes it easier to apply and structure all top coats. Can be coloured - see product data sheet for detailed information.

- Excellent absorption equalizer
- Ideal bonding agent
- For a perfect structure

PremiumPrimer	20 kg	Product Code
Consumption:	approx. 0.2 – 0.4 kg/m <sup>2</sup> depending on the substrate	040120
Yield:	approx. 50 – 100 m <sup>2</sup> /bucket	
Packaging:	20 kg bucket, 1 pallet = 32 buckets = 640 kg	

PremiumPrimer	5 kg	Product Code
Consumption:	approx. 0.25 kg/m <sup>2</sup> depending on the substrate	040105
Yield:	approx. 20 m <sup>2</sup> /bucket	
Packaging:	5 kg bucket, 1 pallet = 64 buckets = 320 kg	



### Baumit UniPrimer

Ready-to-use, all-purpose primer to regulate absorption and improve adhesion for all Baumit render finishes and Baumit façade paints.

- Regulates absorption
- Proven and safe
- Solvent-free

UniPrimer	25 kg	Product Code
Consumption:	approx. 0.20 – 0.4 kg/m <sup>2</sup> depending on the substrate	040325
Yield:	approx. 62 – 125 m <sup>2</sup> /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	

UniPrimer	5 kg	Product Code
Consumption:	approx. 0.20 – 0.25 kg/m <sup>2</sup>	040305
Yield:	approx. 20 – 25 m <sup>2</sup> /bucket	
Packaging:	5 kg bucket, 1 pallet = 64 buckets = 320 kg	

## PRIMERS



### Baumit MultiPrimer

Water vapour permeable primer for solidification of mineral and organic surfaces, before application of Baumit façade renders and paints. Ideal for high suction backgrounds.

- Compacting surface
- Universal use
- Diffusion open

MultiPrimer	10 l	Product Code
Consumption:	approx. 0.10 – 0.25 /m <sup>2</sup> (depending on dilution)	040510
Yield:	approx. 40 – 100 m <sup>2</sup> /canister	
Packaging:	10 l canister, 1 pallet = 40 canisters = 400 l	



### Baumit FillPrimer

Ready-to-use, crack-filling, fiber-reinforced, universal primer for outside and inside. Fills and covers cracks up to 0.5 mm. Solvent free.

- Crack-filling
- Fiber-reinforced
- Solvent free

FillPrimer	25 kg	Product Code
Consumption:	approx. 0.30 kg/m <sup>2</sup> (on smooth surfaces applied in 1 layer)	040100
Yield:	approx. 80 m <sup>2</sup> /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	



### Baumit SanovaPrimer

Silicate primer for stabilising sandy, mineral plasters. Suitable for lime/cement and chalky plasters. Can also be used as thinner for Baumit SanovaColor.

- Solidifying surfaces
- For mineralic substrates
- Silicate based

SanovaPrimer	10 l	Product Code
Consumption:	approx. 0.20 l/m <sup>2</sup> per painting	040711
Yield:	approx. 40 – 50 m <sup>2</sup> /canister	
Packaging:	10 l canister, 1 pallet = 40 canisters = 400 l	



### Baumit SuperPrimer **NEW**

Ready-to-use, high quality, solvent-free primer filled with quartz sand, especially for weak and non-absorbent surfaces on walls and floors indoor and outdoor.

- Universal adhesive bridge
- Especially for weak and non-absorbent surfaces
- Solvent-free

SuperPrimer	20 kg	Product Code
Consumption:	approx. 0.3 kg/m <sup>2</sup> (depending on substrate)	040326
Packaging:	20 kg bucket, 1 pallet = 32 buckets = 640 kg	



SUBSTRATE PREPARATION



Baumit FungoFluid

Remediation solution for treating façade surfaces with fungal or algae growth, solvent free.

- For beautiful façades
- Treatment against algae and fungi
- Ready to use

FungoFluid	10 l	Product Code
Consumption:	approx. 0.05 – 0.1 l / m² (depending on dilution)	040731
Yield:	approx. 100 – 200 m²/canister	
Packaging:	5 l canister, 1 pallet = 128 canisters = 640 l	



Baumit AntiSulfat

Aqueous solution for the chemical treatment of lead salts (sulphates and chlorides) for masonry renovation.

AntiSulfat	5kg	Product Code
Consumption:	approx. 0.5 - 0.8kg/m² (depending on substrate)	040741
Yield:	approx. 6.0 - 10m²/canister	


COLD WORKING ADDITIVES



Baumit SpeedTop

Ready to use additive for SilikonTop and GranoporTop. Provides accelerated film forming properties, enhanced durability on the façade in high humidity and low temperatures, as well as in fog. Can be added in temperatures of >+1 °C and <15 °C and with relative humidity of <95%.

SpeedTop	250 ml	Product Code
Consumption:	One bottle (= 250 ml) per 25 kg SilikonTop or GranoporTop	971414





FAST  
EASY  
SUSTAINABLEGEL  
TECHNOLOGY

# Adhesives & Base Coats

## ADHESIVES AND BASE COATS



### Baumit StarContact White

Top quality adhesive and reinforcing mortar with white cement, especially for Baumit StarSystems. Complying, with a high degree of safety, to all parameters required by the new European Assessment Document for External Thermal Insulation Composite System (EWI). Very flexible, extremely weather-resistant, with excellent workability, guaranteeing long lasting performance. Formulated for demanding applications, weather conditions during processing and demanding substrates.

- Extra flexible
- White
- High resistance

E M N  
R

StarContact White	25 kg	Product Code
Consumption:	As adhesive: approx. 4.0 – 5.0 kg/m <sup>2</sup> As base coat: approx. 5.0 – 6.0 kg/m <sup>2</sup>	050325
Yield:	As adhesive: approx. 5.0 – 6.25 m <sup>2</sup> /bag As base coat: approx. 4.2 – 5.0 m <sup>2</sup> /bag	
Packaging:	25 kg, 1 pallet = 42 bags = 1.050 kg	



### Baumit StarContact

Flexible, mineral-based, dry adhesive and basecoat render for Baumit EWI systems. Also suitable as a bonding mortar onto concrete. Suitable for use as a part of Baumit StarSystem, StarSystem Mineral, StarSystem Nature and Plinth System. Compliant with ETAG 004 European System Standards for EWI systems with rendering.

E M N  
R

StarContact White	25 kg	Product Code
Consumption:	As adhesive: approx. 4.0 – 5.0 kg/m <sup>2</sup> As base coat: approx. 5.0 – 6.0 kg/m <sup>2</sup>	050525
Yield:	As adhesive: approx. 5.0 – 6.25 m <sup>2</sup> /bag As base coat: approx. 4.2 – 5.0 m <sup>2</sup> /bag	
Packaging:	25 kg, 1 pallet = 42 bags = 1.050 kg	

## ADHESIVES AND BASE COATS



### Baumit MultiContact MC 55 W

Natural-white, fibre-reinforced multi-purpose bonding mortar. Suitable as a remediating render over existing stable, mineral and synthetic-resin-based plasters, renders and paintwork. Also suitable as a keying coat on concrete and insulating boards or as a finish render on concrete formwork and fair faced masonry. System component of Baumit StarSystem Nature.

Baumit MultiContact MC 55W 25 kg		Product Code
Consumption:	As adhesive: approx. 4.0 – 5.0kg/m² As basecoat: approx. 5.0 – 5.5kg/m²	100125
Yield:	As adhesive: Approx. 5.0 – 6.25m² /bag As basecoat: approx. 4.5 - 5.0kg/m² /bag	
Grain size:	0 - 1.2mm	
Packaging:	25 kg, 1 pallet = 42 bags = 1.050 kg	

## BASE COATS



### Baumit PowerFlex

Ready-to-use, cement-free, fibre-reinforced, organic base coat. Specially developed for Baumit PowerSystem due to high impact resistance. Complies with all requirements of ETAG 004.

- Highly shockproof
- Cement-free
- Fibre-reinforced

I



PowerFlex	25 kg	Product Code
Consumption:	approx. 4.0 - 5.0 kg / m <sup>2</sup>	051025
Yield:	approx. 5.0 - 6.25 m <sup>2</sup> /bucket	
Packaging:	25 kg bucket, 1 pallet = 32 buckets = 800 kg	

## ADHESIVES



### Baumit SupraFix

Mineral-based, dry adhesive for bonding façade insulation boards on to wooden substrates (eg. OSB, chipboard) or on to bituminous substrates.

- For wooden substrates
- High adhesion
- Flexible

P



SupraFix	25 kg	Product Code
Consumption:	approx. 2.0 – 4.5 kg/m <sup>2</sup>	051325
Yield:	approx. 5.0 – 12.5 m <sup>2</sup> /bag	
Packaging:	25 kg, 1 pallet = 54 bags = 1.350 kg	

### Baumit BituFix 2K

Two-component, polystyrene-filled, solvent free, for cold application rubber modified bituminous thick coating. For use in bonding Baumit Plinth Insulation board onto bituminous sealant background.

- For Plinth insulation board



Baumit BituFix 2K	30 l	Product Code
Consumption:	approx. 4 – 8 l/m <sup>2</sup>	071130
Yield:	approx. 4 – 7.5 m <sup>2</sup> /bucket	
Packaging:	30 l bucket, 1 pallet = 12 buckets = 360 l	

## SEALANTS



### Baumit DS 26 Flex

Cementitious waterproofing layer in the Plinth area. Apply with a brush, roller or trowel.

Baumit DS 26 Flex	20 kg	Product Code
Consumption:	approx 1.2kg/m <sup>2</sup> /mm	071120
Yield:	approx 8m <sup>2</sup> /bag /2mm	
Packaging:	20kg, 1 pallet = 48 bags = 960kg	





# Insulation Boards

## EPS INSULATION BOARD



### Baumit openTherm reflectair (OpenSystem)

Grey, water vapour permeable, perforated EPS boards. Part of the ultimate highly breathable EWI system Baumit OpenSystem, with improved thermal insulation. Compliant with ETAG 004 European System Standards for EWI systems with rendering. Size: 500 x 1000mm. and demanding substrates.

- High thermal insulation ■ Highly vapour permeable

openTherm reflectair / Thermal conductivity: $\lambda = 0.031$ W/mK		
SIZE	Packaging	Product Code
60mm	8 boards/pack = 4.0m <sup>2</sup> /pack	060160
80mm	6 boards/pack = 3.0m <sup>2</sup> /pack	060180
100mm	5 boards/pack = 2.5m <sup>2</sup> /pack	060110
120mm	4 boards/pack = 2.0m <sup>2</sup> /pack	060112
140mm	3 boards/pack = 1.5m <sup>2</sup> /pack	060114
160mm	3 boards/pack = 1.5m <sup>2</sup> /pack	060116
180mm	2 boards/pack = 1.0m <sup>2</sup> /pack	060118
200mm	2 boards/pack = 1.0m <sup>2</sup> /pack	060120

### Baumit StarTherm EPS (StarSystem EPS)

Grey, square-edged, EPS boards for EWI systems. Compliant with ETAG 004 European System Standards for EWI systems with rendering. Size: 1200 x 600mm, thicknesses from 20 - 300mm.

Grey EPS / Thermal conductivity: $\lambda = 0.032$ W/mK		
SIZE	Packaging	Product Code
20mm	30 boards/pack = 21.60m <sup>2</sup> /pack	060323
30mm	20 boards/pack = 14.40m <sup>2</sup> /pack	060335
40mm	15 boards/pack = 10.80m <sup>2</sup> /pack	060340
50mm	12 boards/pack = 8.64m <sup>2</sup> /pack	060350
60mm	10 boards/pack = 7.62m <sup>2</sup> /pack	060360
70mm	8 boards/pack = 5.76m <sup>2</sup> /pack	060385
80mm	7 boards/pack = 5.04m <sup>2</sup> /pack	060380
90mm	6 boards/pack = 4.32m <sup>2</sup> /pack	060390
100mm	6 boards/pack = 4.32m <sup>2</sup> /pack	060310
120mm	5 boards/pack = 3.60m <sup>2</sup> /pack	060312

Additional sizes available on request.

EWI



## MINERAL WOOL INSULATION BOARDS




### Mineral Wool EWI Slab (StarSystem Mineral)

Non-combustible, EWI mineral wool façade insulation board complying with EN 13162. System component of Baumit StarSystem Mineral. Euroclass A1 Rated. Compliant with ETAG 004 European System Standards for EWI systems with rendering. Thicknesses of 30 - 250mm. Size: 600 x 1200mm.

Mineral Wool EWI Slab / Thermal conductivity: $\lambda = 0.036$ W/mK		
SIZE	Packaging	Product Code
60mm	40 boards = 28.8m <sup>2</sup> /pallet	060660
80mm	30 boards = 21.6m <sup>2</sup> /pallet	060680
100mm	24 boards = 17.28m <sup>2</sup> /pallet	060610
120mm	20 boards = 14.4m <sup>2</sup> /pallet	060612
140mm	18 boards = 12.96m <sup>2</sup> /pallet	060614
160mm	16 boards = 11.52m <sup>2</sup> /pallet	060616
180mm	12 boards = 8.64m <sup>2</sup> /pallet	060618
200mm	12 boards = 8.64m <sup>2</sup> /pallet	060620

## PHENOLIC INSULATION BOARDS



### Baumit ResolutionTherm (StarSystem Resolution)

Rigid phenolic façade insulation board complying with DIN EN 13166 faced with 3mm grey EPS layer on both surfaces. System component of EWI Baumit StarSystem Resolution. Board size: 500 x 1000mm.

ResolutionTherm / Thermal conductivity: $\lambda = 0.022$ W/mK		
SIZE	Packaging	Product Code
40mm	12 boards = 8.6m <sup>2</sup> /pallet	060740
60mm	8 boards = 5.8m <sup>2</sup> /pallet	060760
80mm	6 boards = 4.3m <sup>2</sup> /pallet	060780
100mm	5 boards = 3.6m <sup>2</sup> /pallet	060710
120mm	4 boards = 2.9m <sup>2</sup> /pallet	060712

## WOOD FIBRE INSULATION BOARDS



### Baumit StarTherm Nature (StarSystem Nature)

Wood fibre façade insulation board: The core of the Baumit StarTherm Nature EWI System is the Baumit StarTherm Nature wood fibre insulation board. This multi-layered insulation board is produced without any artificial binders and is bound using the timber's own lignin. Size 1350 x 600.

Wood Fibre Board / Thermal conductivity: $\lambda = 0.040$ W/mK		
SIZE	Packaging	Product Code
40mm	56 boards = 45.3m <sup>2</sup> /pallet	060941
60mm	38 boards = 30.7m <sup>2</sup> /pallet	060960
80mm	28 boards = 22.6m <sup>2</sup> /pallet	060980
100mm	22 boards = 17.8m <sup>2</sup> /pallet	060910
120mm	18 boards = 14.3m <sup>2</sup> /pallet	060912

## INSULATED PLINTH BOARDS



### Baumit PlinthTherm XPS (PlinthSystem)

High density XPS boards for use in EWI systems in the plinth area. Board size: 1250 x 650mm Thickness: 40 - 300mm


PlinthTherm XPS / Thermal conductivity: $\lambda = 0.035$ W/mK		
SIZE	Packaging	Product Code
40mm	10 boards/ 7.5m <sup>2</sup>	060840
60mm	7 boards/ 5.25m <sup>2</sup>	060860
80mm	5 boards/ 3.75m <sup>2</sup>	060880
100mm	4 boards/ 3.00m <sup>2</sup>	060810
120mm	4 boards/ 3.00m <sup>2</sup>	060812
140mm	3 boards/ 2.25m <sup>2</sup>	060814
160mm	3 boards/ 2.25m <sup>2</sup>	060816
180mm	2 boards/ 1.50m <sup>2</sup>	060818
200mm	2 boards/ 1.50m <sup>2</sup>	060820





# Mesh & Fixings

## GLASS FIBRE MESH



### Baumit StarTex Fine 160

Flexible and alkali-resistant glass fibre mesh. Tested system components for the reinforcement of Baumit renders onto Baumit EWI systems. Compliant with ETAG 004 European System Standards for EWI systems with rendering. Tear resistance > 2.0 kN/5 cm. Weight: approx. 160 g/m<sup>2</sup>

StarTex 160		Product Code
Mesh:	approx. 4 x 4.5mm	070250
Consumption:	approx. 1.1m <sup>2</sup> /m <sup>2</sup>	
Yield:	approx. 45m <sup>2</sup> /roll	
Packaging:	Roll: 50m <sup>2</sup> (width 100cm), 1 pallet = 30 rolls = 1500m <sup>2</sup>	



### Baumit StarTex Grob/CeramicTex

Flexible and alkali-resistant glass fibre mesh. Tested system components for the reinforcement of Baumit renders onto Baumit EWI systems. Tear resistance > 2.2 kN/5 cm. Weight: approx. 200 g/m<sup>2</sup>

StarTex 200		Product Code
Mesh:	approx. 6.5 x 7mm	070275
Consumption:	approx. 1.1m <sup>2</sup> /m <sup>2</sup>	
Yield:	approx. 45m <sup>2</sup> /roll	
Packaging:	Roll: 50m <sup>2</sup> (Width 100 cm), 1 pallet = 20 rolls = 1000m <sup>2</sup>	



### Baumit StrongTex 300

Flexible and alkali-resistant, reinforced glass fibre mesh for use as an extra reinforcing layer over the normal reinforcement mesh. Tested system components. Tear resistance > 3.4 kN/5 cm. Weight: approx. 300 g/m<sup>2</sup>

StrongTex 300		Product Code
Mesh:	approx. 6 x 6mm	070299
Consumption:	approx. 1m <sup>2</sup> /m <sup>2</sup>	
Yield:	approx. 25m <sup>2</sup> /roll	
Packaging:	Roll: 25m <sup>2</sup> (Width 100 cm), 1 pallet = 30 rolls = 750m <sup>2</sup>	

EWI



## STARTRACK

For use with Baumit StarSystem EPS and openSystem



### Baumit StarTrack X1

Additional mechanical fastening as an alternative to conventional dowelling for concrete. Due to the powder-actuated tool, powered by Hilti, there is no more need to drill and fix the anchor separately. Just fix Baumit StarTrack X1 in one application step.

Baumit StarTrack X1		Product Code
Field of application:	concrete	070541
Usage category:	A	
Consumption:	min. 6 adhesive anchors/m <sup>2</sup> (1 carton for approx. 50 m <sup>2</sup> )	
Carton:	400 pieces, 1 pallet = 24 cartons = 9.600 pcs.	



### Baumit StarTrack Orange

Supplementary mechanical fitting as an alternative to traditional fixings, for use with perforated building materials, aerated concrete and critical backgrounds. Existing render up to max. 40mm can be bridged. Drill diameter: 8mm.

Baumit StarTrack Orange		Product Code
Anchor depth in supporting background:	> 40mm/ > 65mm in aerated concrete	070540
Shaft length:	88mm	
Bore hole depth:	min. 95mm	
Consumption:	6 StarTrack/m <sup>2</sup> (1 Carton for approx. 50m <sup>2</sup> )	
Quantity per box:	Carton 300 pcs, 1 pallet = 12 cartons = 3600 pcs	



### Baumit StarTrack Red

Supplementary mechanical fitting as an alternative to traditional fixings. For use with perforated and solid masonry and concrete. Existing render up to max. 40mm can be bridged. Drill diameter: 8mm.

Baumit StarTrack Red		Product Code
Anchor depth in supporting background:	> 40mm	070510
Shaft length:	88mm	
Bore hole depth:	min. 95mm	
Consumption:	6 StarTrack/m <sup>2</sup> (1 Carton for approx. 50m <sup>2</sup> )	
Quantity per box:	Carton 300 pcs	



### Baumit StarTrack Blue

Supplementary mechanical fitting as an alternative to traditional fixings. For use on concrete and stone backgrounds. Drill diameter: 8mm.

Baumit StarTrack Blue		Product Code
Anchor depth in supporting background:	> 40mm	070520
Shaft length:	55mm	
Bore hole depth:	min. 60mm	
Consumption:	6 StarTrack/m <sup>2</sup> (1 Carton for approx. 50m <sup>2</sup> )	
Quantity per box:	Carton 300 pcs	



### Baumit StarTrack Duplex

Supplementary mechanical fitting as an alternative to traditional fixings, for use when installing Baumit EWI systems over existing external insulation. Drill diameter: 8mm.

Baumit StarTrack Duplex		Product Code
Anchor depth in supporting background:	> 40mm	070531
Shaft length:	138mm	
Bore hole depth:	min. 150 - 155mm	
Consumption:	6 StarTrack/m <sup>2</sup> (1 Carton for approx. 33m <sup>2</sup> )	
Quantity per box:	Carton 200 pcs	



BAUMIT EWI SYSTEM FIXINGS



Baunit S (replaces STR U 2G)

Plate screw anchor optimised for thermal bridges with increased installation speed (faster, shorter screw). Different cone lengths of the plug depending on the insulation thickness.

STR U 2G						
Fixing length	Max insulation thickness	Washer diameter	Anchor diameter	Pack Size	NEW Product Code	Old Product Code
115mm	80mm	60mm	8mm	100	070716	070601
135mm	100mm	60mm	8mm	100	070717	070602
155mm	120mm	60mm	8mm	100	070718	070604
175mm	140mm	60mm	8mm	100	070719	070605
195mm	160mm	60mm	8mm	100	070720	070606
215mm	180mm	60mm	8mm	100	070721	070607
235mm	200mm	60mm	8mm	100	070722	070608
255mm	220mm	60mm	8mm	100	070723	070633
275mm	240mm	60mm	8mm	100	070724	070651
295mm	260mm	60mm	8mm	100	070725	070697
315mm	280mm	60mm	8mm	100	070715	



Baunit S Tool

Special setting tool for recessing the Baunit S fixing anchor. With exchangeable circular cutters, screw bits and depth stop plate. Baunit replacement cutting blades on request.

S Installation Tool		Product Code
Pack size:	1 piece	070738
S Adjustment Rod Spare		Product Code
Pack size:	1 piece	070739
S Screw Bit Spare		Product Code
Pack size:	1 piece	070740



Rondelle STR U

Insulating caps EPS for Baunit STR U 2G fixing anchor with conical flank for firm fitting into the insulating material.

Rondelle STR U	
Size:	Diameter: 65mm Thickness: 15mm
Pack size:	100 pcs
Models	Product Code
EPS 032 grey	070620
Mineral Cap	070621



Baunit S EPS Plug

Insulating plugs for use with surface mounted fixings.

S EPS Plug	Product Code
Pack size:	Carton quantity 500 plugs
	070737

BAUMIT EWI SYSTEM FIXINGS



Baunit N (replaces H1 ECO & H3)

Plate impact anchor with fibre reinforced plastic nail with defined plate retraction (telescopic effect).

N						
Fixing length	Max insulation thickness	Washer diameter	Anchor diameter	Pack Size	NEW Product Code	Old Product Code
95mm	60mm	60mm	8mm	100	070726	070653
115mm	80mm	60mm	8mm	100	070727	070646
135mm	100mm	60mm	8mm	100	070728	070647
155mm	120mm	60mm	8mm	100	070729	070652
175mm	140mm	60mm	8mm	100	070730	070671
195mm	160mm	60mm	8mm	100	070731	070672
215mm	180mm	60mm	8mm	100	070732	070673
235mm	200mm	60mm	8mm	100	070733	070674
255mm	220mm	60mm	8mm	100	070734	070675
275mm	240mm	60mm	8mm	100	070735	070676
295mm	260mm	60mm	8mm	100	070736	070677



Baunit H3 Hammer Fixing

Universal hammer-in anchor with plastic expansion pin, flexible washer. For concrete, solid and perforated masonry. Compliant with ETAG 004 European System Standards for EWI systems with rendering.

H3 Hammer Fixing					
Fixing Length	Max insulation thickness	Washer diameter	Anchor diameter	Pack size	Product Code
75mm	40mm	60mm	8mm	200	070634



BAUMIT EWI SYSTEM FIXINGS



Baumit STR H

Recessed or surface-fixed screw-set anchor for use in timber substrates. For recessed applications use STR insulation caps available in Mineral wool and EPS.

STR H					
Fixing length	Max insulation thickness	Washer diameter	Anchor diameter	Pack size	Product Code
80mm	40mm	60mm	6mm	100	070609
100mm	60mm	60mm	6mm	100	070610
120mm	80mm	60mm	6mm	100	070611
140mm	100mm	60mm	6mm	100	070612
160mm	120mm	60mm	6mm	100	070613
180mm	140mm	60mm	6mm	100	070614
200mm	160mm	60mm	6mm	100	070615
220mm	180mm	60mm	6mm	100	070616
240mm	200mm	60mm	6mm	100	070617



Baumit Fire Pins DMH 8 for masonry

Stainless steel, non-combustible fixing for use in EWI systems onto masonry substrates.

DMH 8			
Fixing length	Max insulation thickness	Pack size	Product Code
80mm	30mm	100	970698
110mm	60mm	100	970699
140mm	90mm	100	970700
170mm	120mm	100	970701
200mm	150mm	100	970702



Baumit DIPK 10/40-60

Mesh support system for scrim and pin system.

DIPK 10/40-60		Product Code
Anchor diameter:	10mm	970703
Usable length:	40 - 60mm	
Washer diameter:	50mm	
Min. drill hole depth:	40mm	

BAUMIT EWI SYSTEM FIXINGS



Baumit Nail Anchors

Pre-mounted nail anchor to mount base rails. Available in 6mm or 8mm diameter.

ND-K 8 x 80		Product Code
Size:	8 x 80mm	140238
Bore hole depth:	less than or equal to 40mm	
Embedded depth:	less than or equal to 30mm	
Pack size:	Carton 100 pcs	



Baumit Backing Board Fixing for CP board

For application onto sheathing boards. Carbon steel with organic corrosion resistant finish. Use in conjunction with SBH-T Washer. Available in 60-300mm lengths.

SW8R Fixing			
Fixing length	Thread diameter	Pack size	Product Code
60mm	4.8mm	500	070686
80mm	4.8mm	250	070687
90mm	4.8mm	250	070688
100mm	4.8mm	250	070689
110mm	4.8mm	250	070690
120mm	4.8mm	250	070691
130mm	4.8mm	250	070692
140mm	4.8mm	200	070693
150mm	4.8mm	200	070694
200mm	4.8mm	200	070695
220mm	4.8mm	200	070710
240mm	4.8mm	200	070711
260mm	4.8mm	200	070712
280mm	4.8mm	200	070713
300mm	4.8mm	200	070714



SBH-T 65/25 Washer		Product Code
Size:	65mm	070696


Fixing Type	Substrate Type						
	Concrete	Concrete Blocks	Bricks	Solid Masonry	Solid Stonework	Timber	Steel
Baumit S	●	●	●	●	●		
Baumit N	●	●	●	●	●		
Baumit H3 Hammer Fixing	●	●	●	●	●		
Baumit STR H						●	
Baumit Fire Pins DMH 8	●	●	●				
Baumit DIPK 10/40-60	●	●	●	●	●		





# Accessories

## PROFILES



### Baunit PVC Base Profile Therm

BaseProfile made of plastic to minimise thermal bridges, with drip edge trim, bonded glass fibre mesh and connector pin system to prevent cracking occurring at the connection joints.

Base Profile Therm		
Width of mesh 125mm. Thermal conductivity: $\lambda = 0.20 \text{ W/mK}$ (Aluminium: approx. $200 \text{ W/mK}$ )		
Insulation thickness	Packaging	Product Code
50-60mm	Length 2m, carton = 10 lengths = 20m	970805
60-70mm	Length 2m, carton = 10 lengths = 20m	970806
80-90mm	Length 2m, carton = 10 lengths = 20m	970808
100-110mm	Length 2m, carton = 10 lengths = 20m	970810
120-130mm	Length 2m, carton = 10 lengths = 20m	970812
140-150mm	Length 2m, carton = 10 lengths = 20m	970814
160-170mm	Length 2m, carton = 10 lengths = 20m	970816



### Baunit Aluminium Base Profile

Aluminium base profile in U-shape with drip nose and upstand.

Aluminium Base Profile Therm		
Insulation thickness	Packaging	Product Code
20mm	Length 2.5m, pack qty = 10.	970869
30mm	Length 2.5m, pack qty = 10.	970873
40mm	Length 2.5m, pack qty = 10.	970874



### Baunit 6mm PVC Profile Clip

PVC profile clip for Aluminium base profile.

PVC Profile Clip 6mm		Product Code
Size:	Length 2.5m	970900
Packaging:	Length 2m, 1 pack = 15 lengths = 30m	



### Baunit Base Profile Therm Extension (40mm)


Plastic self adhesive strip to extend the depth of the BaseProfile Therm for insulation thicknesses up to 200mm

Base Profile Therm extension 40mm		Product Code
Size:	Length 2m	970804
Packaging:	Length 2m, 1 pack = 10 lengths = 20m	

EWI



## BAUNIT PROFILES



### Baunit Cement Board Edge Bead

PVC edge profile with an alkali-resistant 100mm glass fibre mesh for the use at the base of cement render carrier boards when rendering directly to the board'

Cement Board Edge Bead		Product Code
Plaster thickness:	6mm	971562
Packaging:	Length 2.5m, 1 pack = 25 pcs. = 62.5m	


## BAUNIT JOINT PROFILES



### Baunit Return Drip Bead

Plastic drip bead with reinforcement mesh. For use only with EWI systems as a window and door head drip detail.


Drip Bead		Product Code
Size:	125 x 125mm	971416
Packaging:	Length 2.0m, 1 pack = 10 pcs. = 20m	



### Baunit Expansion Joint E-Profile

Expansion joint profile with alkali-resistant fibreglass reinforcement and render stop beads. For sealing and incorporating existing structural movement joints into an external wall insulation system. The E-Form profile is for joints which are in the plane of a wall. Maximum joint width of 10mm, e.g. between two components such as extensions, garages etc.


Expansion Joint E-Profile		Product Code
Size:	125 x 125mm	971417
Packaging:	Length 2.5m, 1 pack = 10 pcs. = 25m	



### Baunit Expansion Joint V-Profile

Expansion joint profile with alkali-resistant fibreglass reinforcement and render stop beads. For sealing and incorporating existing structural movement joints into an external wall insulation system. For corner joints. Maximum joint width of 10mm, e.g. between two components such as extensions, garages etc.

Expansion Joint V-Profile		Product Code
Size:	125 x 125mm	971418
Packaging:	Length 2.5m, 1 pack = 10 pcs. = 25m	



### Baunit Movement Joint

Plastic profile with alkali-resistant fibreglass reinforcement to form vertical movement joints. Maximum joint width of 10mm. Available in 3mm or 6mm.

Movement Joint 3mm		Product Code
Size:	125 x 125mm	971420
Packaging:	Length 2.5m, 1 pack = 25 lengths = 62.5m	

Movement Joint 6mm		Product Code
Size:	125 x 125mm	971419
Packaging:	Length 2.5m, 1 pack = 25 lengths = 62.5m	



### Baunit Flashing Bead

PVC profile with alkali-resistant fibreglass reinforcement for attachment to sheet metal connections (e.g. at fascia) to produce a flexible, driven rain-proof connection between the render system and sheet metal.

Flashing Bead		Product Code
Size:	Width: 125mm, Length: 2m	971422
Packaging:	1 pack = 25 pcs. = 50m	



## BAUMIT DIAGONAL ARROW MESH




## Baunit Diagonal Arrow Mesh

Alkali-resistant glass fibre mesh fabric for precise formation of a diagonal reinforcement in the corner of façade openings.

Diagonal Arrow Mesh		Product Code
Size:	400 x 330mm	971421
Packaging:	1 pack = 100 pcs.	


## BAUMIT WINDOW PROFILES



## Baunit Window Profile Ideal

Self adhesive rigid, white PVC window seal bead with a sealing foam strip and reinforcement. Two interconnected sections to enable horizontal and vertical movement. For creating a flexible, driving rain resistant connection between external wall insulation systems and window/door frames.

Window Profile ideal		Product Code
Size:	Width: 125mm. Length 2.4m	971406
Packaging:	Length 2.4m, 1 pack = 25 lengths = 60m	




## Baunit Window Profile Flexible

Self adhesive rigid, white PVC window seal bead with compressed polyurethane sealing tape and reinforcement, for the sealing and decoupling of connection joints at window and door frames. For use in low energy and passive constructions. Specially designed peel-off strips allow easy render application. Typically used in EWI systems of a thickness greater than 100mm.

Window Profile Flexible		Product Code
Size:	Width: 125mm. Length 2.4m	971407
Packaging:	Length 2.4m, 1 pack = 10 lengths = 24m	

## BAUMIT PVC STOP BEADS




## Baunit Stop Bead with Mesh

PVC stop bead with alkali-resistant fibre glass reinforcement, suitable as a render/plaster stop for finish coats. Also suitable for round arches.

Stop Bead with mesh (3mm)		Product Code
Size:	Width: 125mm. Length: 2.5m, pack = 10 lengths = 20m	971425
Depth:	3mm	
Packaging:	Length: 2.5m, 1 pack = 25 lengths = 62.5m	

Stop Bead with mesh (6mm)		Product Code
Size:	Width: 125mm. Length: 2.5m, pack = 10 lengths = 20m	971426
Depth:	6mm	
Packaging:	Length: 2.5m, 1 pack = 25 lengths = 62.5m	

## BAUMIT CORNER BEADS




## Baunit Corner Bead

PVC corner bead with mesh for protection of 90° angles on façades.

Corner Bead		Product Code
Size:	10 x 15cm; 1 pcs = 2.5m	971412
Packaging:	125m = 1 pack = 50 pcs	


## VERGE TRIMS AND OVER SILLS



## Over Sill Trim

White coated 1.2mm aluminium suitable for most conditions requiring weather protection of external wall insulation and rendering, with peel-off low tack film to protect the section during fixing on site. Powder coating available. Available in lengths of 2.5m. Available in Depths (Dim A): 30mm – 300mm. Allow for 40mm overhang.


Over Sill Trim		
Product	Depth (Dim A)	Product Code
Over Sill Trim	60mm	971531
Over Sill Trim	70mm	971532
Over Sill Trim	80mm	971533
Over Sill Trim	90mm	971534
Over Sill Trim	100mm	971535
Over Sill Trim	110mm	971536
Over Sill Trim	120mm	971537
Over Sill Trim	130mm	971538
Over Sill Trim	140mm	971539



## Verge Trim

Suitable for most conditions requiring weather protection of external wall insulation and rendering. Aluminium white coated with peel-off low tack film to protect the section during fixing on site. Powder coating available. Available in lengths of 2.5m. Available in Depths (Dim A): 50mm – 300mm. Allow for 40mm overhang.

Verge Trim		
Product	Depth (Dim A)	Product Code
Verge Trim	60mm	971453
Verge Trim	70mm	971510
Verge Trim	80mm	971456
Verge Trim	90mm	971497
Verge Trim	100mm	971480
Verge Trim	110mm	971513
Verge Trim	120mm	971516
Verge Trim	130mm	971519
Verge Trim	140mm	971471




## Universal Full End Caps

Universal full end caps for use with verge trim and over sill trim.

Full End Caps		
Product	Depth (Dim A)	Product Code
Full End Caps	60mm	971455
Full End Caps	70mm	971512
Full End Caps	80mm	971458
Full End Caps	90mm	971499
Full End Caps	100mm	971481
Full End Caps	110mm	971515
Full End Caps	120mm	971518
Full End Caps	130mm	971521
Full End Caps	140mm	971473



VERGE TRIMS AND OVER SILLS



Universal Push Fit End Caps

Universal push fit end caps for use with verge trim and over sill trim.

Push Fit End Caps		
Product	Length	Product Code
Push Fit End Caps	50mm	971540
Push Fit End Caps	60mm	971541
Push Fit End Caps	70mm	971542
Push Fit End Caps	80mm	971543
Push Fit End Caps	90mm	971544
Push Fit End Caps	100mm	971545
Push Fit End Caps	110mm	971546
Push Fit End Caps	120mm	971547
Push Fit End Caps	130mm	971548
Push Fit End Caps	140mm	971549



Universal Connectors

Universal connectors for use with verge trim and over sill trim.

Connectors		
Product	Length	Product Code
Connector	50mm	971451
Connector	60mm	971454
Connector	70mm	971511
Connector	80mm	971457
Connector	90mm	971498
Connector	100mm	971482
Connector	110mm	971514
Connector	120mm	971517
Connector	130mm	971520
Connector	140mm	971472

ACCESSORIES



Baumit Spiral Anchor

For fixing light attachments into insulation (Approx. 3kg per fixing)

Spiral Anchor		Product Code
Packaging:	Bag of 10 fixings	070632



Baumit Joint Seal Band

Pre-compressed, self-adhesive, self-expanding joint sealing band of flexible polyurethane foam. Driving rain resistant and weather-proof. Colour: grey.

Joint Seal Band 5 - 11mm		Product Code
Size:	5 - 11mm joint width	971405
Yield:	4.2 running metres per roll	
Packaging:	7 rolls/pack	
Joint Seal Band 3 - 7mm		Product Code
Size:	3 - 7mm joint width	971404
Yield:	5.5 running metres per roll	
Packaging:	7 rolls/pack	

ACCESSORIES



Baumit Adjustment Packing Shims

Adjustment packing shims made from hard PVC. A range of differently sized and coloured shims to help level up rails and tracks for EWI systems to achieve agreed façade tolerances.

Adjustment packing shims			
Size	Colour	Packaging	Product Code
1mm	Light Yellow	1 box = 100 pieces	070624
2mm	Light Green	1 box = 100 pieces	070625
3mm	Green	1 box = 100 pieces	070626
5mm	Yellow	1 box = 100 pieces	070627
8mm	Orange	1 box = 100 pieces	070628
10mm	Light Blue	1 box = 100 pieces	070629
15mm	Black	1 box = 100 pieces	070630
30mm	Blue	1 box = 100 pieces	070631



Baumit Montage Set

Fastening material for base and connection profiles, consisting of: 10 base profile connectors made of hard PVC, 50 balance pieces 3mm and 75 nail plugs with galvanized screw 8 x 75mm. Content sufficient for fastening approx. 25m of base rail.

Montage Set		Product Code
Pack:	1 set	070637



Baumit Montage Z

Cylindrical fixing piece made from dense EPS. For fixing pipe clamps and clothes rails.

Montage Metre Z		Product Code
Size:	90mm diameter, length: 1m.	060901



Baumit Montage R

Rectangular fixing piece made from dense EPS. For fixing pipe clamps and clothes rails.

Montage Metre R		Product Code
Size:	160 x 100mm, length: 1m.	060902



Baumit Filling Foam B1

Fast reacting polyurethane foam B1 for filling gaps (2 - 5mm) between installed EPS façade insulation boards.

Filling Foam B1		Product Code
Size:	750ml	071401
Pack:	12 cans	

Foam Gun		Product Code
Foam gun for applying polyurethane foam.		071400

Foam Gun Cleaner		Product Code
For cleaning the foam gun and tools.		071403
Size:	Can 500ml	
Pack:	12 cans	



# Mineral Renders

## SURFACE PREPARATION



### Baumit VS 60

Cement spray mortar for the preparation of substrates. Helps to regulate suction for mineralic substrates with strong or uneven suction and increase adhesion properties. Manual and machine application.

VS 60	35kg	Product Code
Grain size:	0 - 4mm	200101
Consumption:	approx. 5 - 6kg/m <sup>2</sup> 50-60% coverage approx. 10 - 11 kg/m <sup>2</sup> full coverage	
Yield:	approx. 5.8 - 7.0m <sup>2</sup> /bag	
Packaging:	35kg, pallet = 36 bags = 1260kg	

## RENDER



### Baumit MP 69

Lightweight lime-cement render complying with EN 998-1, with lightweight mineral aggregates. Suitable for all external and internal areas including bathrooms. Manual and machine application.

MP 69	30kg	Product Code
Grain size:	0 - 1.2mm	091130
Consumption:	approx. 1.0kg/m <sup>2</sup> /mm	
Yield:	approx. 2.0m <sup>2</sup> /bag/ 15mm coat thickness	
Packaging:	30kg, pallet = 30 bags = 1050kg	



### Baumit KZP 65

General purpose lime-cement render for manual and machine application, complying with EN 998-1. Suitable for use on most types of masonry and rough cast concrete. **Part of the UniRend System.**

KZP 65	35kg	Product Code
Grain size:	0 - 1.2mm	091160
Consumption:	approx. 1.4kg/m <sup>2</sup> /mm thickness	
Yield:	1.7m <sup>2</sup> /bag/10mm thickness	
Packaging:	35kg, pallet = 36 bags = 1260kg	

## RENDER



### Baumit DP 85

Factory prepared dry powder, thermally insulating render basecoat with fine organic grain. For use on the façade on all types of brick/blockwork. Manual and machine application.

DP 85	9kg	Product Code
Grain size:	0 - 2mm	080209
Consumption:	approx. 2.25 kg/m <sup>2</sup> /cm	
Yield:	approx. 1 m <sup>2</sup> /bag/40mm coat thickness	
Packaging:	9kg, pallet=40 bags=360kg	



### Baumit LS 62

Pure mineral cement lightweight render for outside and inside as well as damp rooms, especially for the plinth and wet areas with highly insulating masonry, suitable as a base and top coat. For all base-type substrates and as light plaster with increased strength indoors. Manual and machine application.

LS 62	35kg	Product Code
Grain size:	0 - 1.2mm	091900
Consumption:	approx. 1.2 kg / m <sup>2</sup> / mm	
Yield:	2 m <sup>2</sup> / bag / 15mm coat thickness	
Packaging:	35kg, pallet = 35 bags = 1225kg	

## RENDER BEADS



### Baumit PVC Stop Bead

PVC Render Stop Bead			
Size	Render Depth	Packaging	Product Code
10mm	10-12mm	Length 2.5m, pack qty = 25.	971489
15mm	15-17mm	Length 2.5m, pack qty = 25.	971559



### Baumit PVC Corner Bead

PVC Render Stop Bead			
Size	Render Depth	Packaging	Product Code
10mm	10-12mm	Length 2.5m, pack qty = 25.	971488
15mm	15-17mm	Length 2.5m, pack qty = 25.	971558




### Baumit PVC Bellcast Bead

PVC Bellcast Bead			
Size	Render Depth	Packaging	Product Code
10mm	6-12mm	Length 2.5m, pack qty = 25.	971490
15mm	10-17mm	Length 2.5m, pack qty = 25.	971560



### Baumit PVC Movement Bead

PVC Movement Bead			
Size	Render Depth	Packaging	Product Code
10mm	10-12mm	Length 2.5m, pack qty = 25.	971491
15mm	15-17mm	Length 2.5m, pack qty = 25.	971561



### Baumit Window Profile Ideal Bead

Self adhesive PVC profile for use on window reveals or door frames

Window Profile Ideal Bead			Product Code
Render depth:	9mm		971408
Packaging:	Length 2.6m, pack qty = 60.		



# Renovation Systems

## MULTIPURPOSE RENDER



### Baumit MultiContact MC 55 W

Natural-white, fibre-reinforced multi-purpose bonding mortar. Suitable as a remediating render over existing stable, mineral and synthetic resin-based plasters, renders and paintwork. Also suitable as a keying coat on concrete and insulating boards or as a finish render on concrete formwork and fair faced masonry.

MultiContact MC 55 W	25 kg	Product Code
Grain size:	1.2mm	100125
Consumption:	as adhesive: approx. 4.0 – 5.0kg/m <sup>2</sup> as basecoat: approx. 5.0 – 5.5kg/m <sup>2</sup>	
Yield:	as adhesive: Approx. 5.0 – 6.25m <sup>2</sup> /bag as basecoat: approx. 4.5 – 5.0kg/m <sup>2</sup> /bag	
Packaging:	25kg bag, 1 pallet = 42 bags= 1050kg	



### Baumit MultiFine RK 70 N | Klima RK 70 N

Natural-white lime render with eminently hydraulic additives, for external and internal areas.

MultiFine RK 70 N	25 kg	Product Code
Grain size:	0 - 0.6mm	120870
Consumption:	approx. 2.8kg/m <sup>2</sup> /2mm	
Yield:	approx. 8.9m <sup>2</sup> /bag/2mm	
Packaging:	25kg bag, 1 pallet = 42 bags= 1050kg	

## SPECIALIST RENOVATION RENDERS



### Baumit Sanova SP Grey | Sanova SP 64 P

Grey, hydrophobic renovation render with active production of breathable pores. For renovation of damp and high salt content block/brickwork. For internal and external use. Suitable for machine application.

Sanova SP Grey	35 kg	Product Code
Grain size:	0 - 1.2mm	110413
Consumption:	approx. 1.1kg/m <sup>2</sup> /mm	
Yield:	approx. 2.1m <sup>2</sup> /bag/15mm	
Packaging:	35kg, 1 pallet = 36 bags = 1260kg	

## SUBSTRATE PREPARATION



### Baumit SanovaPre | Sanova SV 61

Adhesion promoter for damp and salt containing block/brickwork. High resistance to sulphates. For internal and external use.

SanovaPre	35 kg	Product Code
Grain size:	4.0mm	111035
Consumption:	approx. 5 - 6kg/m <sup>2</sup> /50 - 60% coverage	
Yield:	approx. 5.8 - 7.0m <sup>2</sup> /bag/50 - 60% coverage	
Packaging:	35kg, 1 pallet = 36 bags = 1260kg	



For a natural  
**Interior Values**  
and healthy living



HEALTHY LIVING

PAGE 54

AIRLESS PLASTER

PAGE 57





# Healthy Living

## INTERIOR WET PLASTER



### Baumit KlimaDekor

Ready-to-use top coat plaster. Natural white, lime-based, ecological thin coat plaster for internal use. Use with EasyPrimer. Can be tinted.

- Vapour permeable
- Ready mixed
- Low emissions

KlimaDekor	25 kg	Product Code
Grain Size:	0.2 - 1.7mm	130101
Texture:	Stippled	
Consumption:	approx. 2.7 - 2.9kg/m <sup>2</sup>	
Yield:	approx. 9.0kg/m <sup>2</sup> /bucket	
Packaging:	25kg bucket, 1 pallet = 32 buckets = 800kg	



### Baumit KlimaFinish

Ready to use, natural white lime skimming plaster for internal use. Use to achieve a high-quality, smooth finish on lime and cement-based plaster, concrete, aerated concrete and plasterboard. Highly vapour permeable to improve indoor climate. Ideal for hand or machine application.

- Ready mixed
- High-quality smooth surface
- Pollutant-free & mildew-inhibiting

KlimaPerla	25 kg	Product Code
Grain Size:	0 - 0.2mm	129001
Consumption:	approx. 1.5kg/m <sup>2</sup> /mm with 2mm thickness	
Yield:	approx. 13m <sup>2</sup> /bag for 2mm thickness	
Packaging:	20kg bucket, 1 pallet = 32 buckets = 640kg	

## FINE PLASTER



### Baumit Klima Glätt W | KlimaFino

Natural white, powdered lime plaster for internal use. Use to achieve a high-quality smooth surface on existing lime / cement-based plaster concrete, aerated concrete and plasterboard. Ideal for hand or machine application.

- Improves the indoor climate and highly permeable
- For a high quality, smooth finish
- Pollutant free & mould and mildew resistant

Klima Glätt W	20 kg	Product Code
Grain Size:	only stone powder	127020
Consumption:	approx. 1kg/m <sup>2</sup> /mm	
Yield:	approx. 20m <sup>2</sup> /bag/ 1mm	
Packaging:	20kg, pallet = 48 bags = 960kg	

## LIME PLASTER



### Baumit MultiFine RK 70 N | Klima RK 70 N

Natural-white lime render with eminently hydraulic additives, for external and internal areas. Suitable as a bonding mortar on difficult substrates.

MultiFine RK 70 N	25 kg	Product Code
Grain Size:	0 - 0.6mm	120870
Consumption:	approx. 2.8kg/m <sup>2</sup> /2mm	
Yield:	approx. 8.9m <sup>2</sup> /bag/2mm	
Packaging:	25kg, 1 pallet = 42 bags = 1050kg	



### Baumit Klima RK 38

Cement-free, natural-white lime render for internal areas. Suitable as a basecoat and finish coat for fine textures.

Klima RK 38	35 kg	Product Code
Grain Size:	0 - 0.8mm	121238
Consumption:	approx. 1.3kg/m <sup>2</sup> /mm	
Yield:	approx. 2.7m <sup>2</sup> /bag/10mm	
Packaging:	35kg, pallet = 36 bags = 1260kg	



### Baumit Klima RK 39

Cement-free, natural-white lime render for external and internal areas. Suitable as a basecoat and finish coat, specially for higher thicknesses.

Klima RK 39	35 kg	Product Code
Grain Size:	0 - 3.0mm	121039
Consumption:	approx. 1.3kg/m <sup>2</sup> /mm	
Yield:	approx. 1.7m <sup>2</sup> /bag/15mm	
Packaging:	35kg, pallet = 36 bags = 1260kg	



## LIME PLASTER



### Baumit Klima KP 36 W | KlimaWhite

A lightweight, vapour-permeable, white lime internal plaster that regulates indoor humidity. Suitable for use even in wet rooms. The natural micro-porous structure ensures rapid absorption and release of water vapour for an excellent indoor climate. Ideal for machine application.

Klima KP 36 W	35 kg	Product Code
Grain Size:	0 - 1.0mm	121636
Consumption:	approx. 1.3kg/m <sup>2</sup> /mm	
Yield:	approx. 2.7m <sup>2</sup> /bag/10mm	
Packaging:	35kg, pallet = 36 bags = 1260kg	

## INTERIOR PAINT



Life

### Baumit KlimaColor

Ready-to-use, silicate interior paint with high covering power and whiteness. Can be airless sprayed. No preservatives, solvents, amine-free and ammoniac-free. Very low in emissions and not harmful to the environment. Can be tinted to Baumit Life colours ending in 7-9.

- Preservative and solvent-free
- Highly vapour permeable
- Suitable for conservation projects

KlimaColor	14L	Product Code
Consumption:	approx. 0.25L/m <sup>2</sup> (per coat)	130224
Yield:	approx. 56m <sup>2</sup> /bucket	
Packaging:	14L, 1 pallet = 32 buckets = 448L	

## PRIMER



### Baumit EasyPrimer

Use on plastered surfaces before applying Baumit KlimaColor to seal the surface. Low odour, emission and solvent free (E.L.F.).

- Primer for Klima Color
- For absorbent and chalky surfaces

EasyPrimer	10L	Product Code
Consumption:	approx. 0.10L/m <sup>2</sup> /mm	122610
Yield:	approx. 100m <sup>2</sup> /10L bucket	
Packaging:	10L, 1 pallet = 60 buckets = 600L	



### Baumit SperrGrund

Primer for plasterboard, old interior plasters, wood fibre boards and carrier boards. Provides a good barrier effect to prevent existing stains (e.g. water or nicotine stains) bleeding through the plaster. Odourless, solvent free, pigmented white.

SperrGrund	14L	Product Code
Consumption:	approx. 0.4L/m <sup>2</sup> (for 2 coats)	111512
Yield:	approx. 33m <sup>2</sup> /bucket	
Packaging:	14L, 1 pallet = 32 buckets = 448L	



# Airless Plaster

## AIRLESS PLASTER



### Baumit SX Airless

White, ready-to-use dispersion-based sprayable plaster. High filling performance for large-scale, mechanical application, e.g. with airless spray machines.

- Suitable for interior walls and ceilings
- Ideal for a smooth finish
- Free from solvents

SX Airless	25 kg	Product Code
Consumption:	dependant on surface flatness and substrate approx 1.7kg/m <sup>2</sup> /mm for first coat approx 1.6 - 2.3kg/m <sup>2</sup> /mm for second coat	141030
Yield:	approx. 15m <sup>2</sup> /bag/1mm	
Packaging:	25kg, 1 pallet = 40 bags = 1000kg	

#### Features

- SX Airless is ready to use; no mixing required on site and no risk of overmixing affecting finished product performance for interior walls and ceilings.
- Supplied in a consistent, mixed finish generating zero airborne dust.
- Machine applicable; speed of application is far quicker than hand applied traditional plasters.
- Low mess application means minimal wastage.
- Natural white colour negates the need for a mist coat prior to painting, requiring no water within the entire application process.
- Can be applied at a maximum 4mm thickness in a single pass.. quicker application time compared to traditional plasters.
- Quick drying, can be sanded and finished in under 48 hours compared to a minimum 4-5 days drying for traditional plaster finish.







**baumit**

COMPANY NOTES

PAGE 60

GENERAL TERMS & CONDITIONS

PAGE 62

INDEX

PAGE 64



COMPANY NOTES

	Our General Terms and Conditions of Sale and Delivery shall apply exclusively (see page 145).
<b>Material consumption information</b>	All material consumption figures are for guidance only. The actual rate depends on the type and nature of the substrate and the application technique.
<b>Application procedures</b>	Application procedures shall be in accordance with the applicable regulations and the respective Baumit product data sheets, which can be found on our website.
<b>ISO 9001</b>	Baumit Beteiligungen GmbH is ISO 9001 certified.
<b>CE Marking</b>	As a matter of course, Baumit products meet all necessary national and EU-wide requirements, including CE marking. <div></div>
<b>Material returns and restocking fees</b>	All goods ordered and correctly delivered will be charged and are only returnable by agreement. Products may be returned if they are unopened, in a suitable condition and returned within 8 weeks from delivery date. <b>Tinted product and non-stock items are non-returnable under any circumstances.</b> 20% restocking fee will apply.
<b>Pallets</b>	Pallets, pallet wrapping/foils and airbags will be supplied as required and will be charged at the rates agreed.
<b>Colour Shades</b>	Baumit Life is the basis of all coloured façade renders and paints. Detailed information is shown on the respective product pages. Other colours are available on request. The colour fan is not a 100% representation of what will be applied to the wall, samples can be provided on request. The appearance of colours can be effected by grain size, texture, application technique and size of area of application. No liability is accepted for such variations. We recommend a physical colour sample be requested before ordering coloured product. No liability is accepted for colour variations and the customer should satisfy themselves that the colour is in line with their expectations before placing the order.
<b>Ex-Stock colours</b>	White (0019) – NB. Due to the use of natural ingredients, there may be slight colour variations.
<b>Pre-order colours</b>	All colours except white (0019).
<b>Cancellation fees</b>	For cancellation of orders, and when the ordered goods are not picked up within 21 days, a cancellation fee will be charged.
<b>Lead times</b>	Goods for collection can be collected no sooner than 2 hours after the order confirmation is received. Orders made after 12pm will be despatched the following working day.
<b>Re-ordering</b>	When re-ordering, note that slight colour variations are possible. Colour uniformity is assured only within a single batch.
<b>Material consumption</b>	The consumption values indicated in this Catalogue are intended for guidance only. An allowance for over-usage of about 10 % may be taken for estimating purposes. The consumption data is dependent on the roughness and porosity of the substrate and the application technique employed.
<b>Colour surcharges</b>	Baumit Life colour system: No surcharge Other colours: Surcharges fees on request
<b>Mould and algae</b>	Baumit SilikonTop, SilikatTop, GranoporTop, PuraTop and CreativTop are formulated with basic biocide additives to protect against algae and fungal attack. Thus mould and algae repellency is achieved.  For projects with critical environmental conditions (such as above-average exposure to moisture, rainfall, proximity to water, natural habitats, forest locations, in a house near shrubs and trees and vegetation, etc.) and for the renovation of algae and/or fungus-infested façades we recommend additional rates.  Surcharge fees for additional biocide are available on request. When ordering please specify with addition algae & fungus protection. Please note that a permanent protection against algae and/or fungus can not be guaranteed. Will be one pallet per product, with the exception of bucket products.

COMPANY NOTES

<b>Minimum order quantities</b>	As laid out in the customer price list.
<b>Colour samples</b>	Please refer to the samples section on page 3.
<b>Minimum thickness for EWI</b>	Please consult applicable national approval certificates for details of the minimum permitted thickness of decorative finishes for use in external wall insulation systems. Unless otherwise specified, the minimum thickness is 1.5mm (scrapped texture). If the maximum aggregate size of the finish coat is less than 1.5mm then a multilayer application is required to achieve the required minimum thickness.
<b>Deliveries</b>	Delivery contact details must be provided at the point of order. Deliveries are made via the pallet network and third party couriers and transit times are not guaranteed. Some goods from the same order may be delivered by different delivery methods. It is the customers responsibility to inspect the goods at the time of receipt and report any issues within one working day. Failed deliveries are chargeable and will incur a redelivery charge.
<b>Baumit Warranty App</b>	All customers who complete the Baumit Approved training course run via the Academy will gain access to the Baumit Warranty app. Our app provides you with a warranty checklist which allows you to automatically produce your own warranties simply and easily. Contact us for more information: training@baumit.co.uk





# TERMS & CONDITIONS

The Customer's attention is particularly drawn to the provisions of clause 12.

## 1 Interpretation

- 1.1 Definitions.  
**Baumit** means Baumit UK Limited (company number 7966190)  
**Business Day** means a day (other than a Saturday, Sunday or a public holiday) when banks in London are open for business.  
**Conditions** means these terms and conditions as amended from time to time.  
**Contract** means each contract between Baumit and the Customer for the supply of Goods and/or Services in accordance with these Conditions.  
**Customer** means the party purchasing the Goods and/or receiving the Services from Baumit.  
**Force Majeure Event** has the meaning given to it in clause 15.1(a).  
**Goods** means the goods (or any part of them) set out in the Order.  
**Order** means the Customer's order for the supply of Goods and/or Services however given including without limitation on the Customer's purchase order form or through the Customer's acceptance of Baumit's quotation.  
**Services** means any advice, information, guidance, training or other service supplied by Baumit (if any) to the Customer or any other services agreed between the parties and set out in the Specification.  
**Specification** means any description of the Goods (and, if relevant, Services) provided in writing by Baumit to the Customer.
- 1.2 Construction.  
(a) a reference to a party includes its successors or permitted assigns; (b) a reference to a statute or statutory provision is a reference to such statute or statutory provision as amended or re-enacted and includes any subordinate legislation made under that statute or statutory provision;  
(c) any phrase introduced by the terms **including**, **include**, **in particular** or any similar expression shall be construed as illustrative and shall not limit the sense of the words preceding those terms.
- 2 **Basis of contract**
- 2.1 These Conditions apply to the Contract to the exclusion of any other terms that the Customer seeks to impose or incorporate, or which are implied by trade, custom, practice or course of dealing.
- 2.2 The Order constitutes an offer by the Customer to purchase Goods and (where applicable) receive the Services in accordance with these Conditions.
- 2.3 The Order shall only be deemed to be accepted when Baumit issues written acceptance of the Order or, if no written acceptance is issued, when the Goods are delivered to the Customer at which point and on which date the Contract shall come into existence. Any such Contract shall be subject to clauses 2.7 and 9.4.
- 2.4 The Contract constitutes the entire agreement between the parties. The Customer acknowledges that it has not relied on any statement, promise or representation made or given by or on behalf of Baumit which is not set out in the Contract.
- 2.5 Any samples, drawings, descriptive matter or advertising issued by Baumit and any illustrations or descriptions of any Services contained in Baumit's catalogues or brochures are issued or published for the sole purpose of giving an approximate idea of the Services and/or Goods described in them. They shall not form part of the Contract or have any contractual force.
- 2.6 Any quotation given by Baumit shall not constitute an offer, and is only valid for the period specified in the quotation.
- 2.7 Baumit shall be under no obligation to supply any Goods (even after acceptance of an Order) which are subsequently withdrawn from supply or altered by the manufacturer/distributor of those Goods. In such circumstances Baumit will give the Customer as much notice of such withdrawal as is reasonably possible in the circumstances of the non-availability or alteration of such Goods.
- 3 **Use of Goods**
- 3.1 Since the conditions of work on construction sites and the areas of application for Baumit's products can vary greatly, Baumit can only give general guide-lines as part of its processing instructions for the Goods. Should the Customer be planning to use the Goods in circumstances where special requirements may apply which will lie outside the normal ranges of application and working conditions covered by Baumit's

- processing instructions, then Baumit's advice on the particular case should be obtained before processing is commenced.
- 3.2 Statements on consumption and yield given in Baumit's processing instructions are mean, empirical values. Baumit shall have no liability if the consumption or yield on a particular structure or for a particular application is greater or less than the statement made in our processing instructions.
  - 3.3 The advice, guidance and information provided by Baumit is issued only for the purposes of guidance. Baumit gives no warranty in respect of any advice, guidance or information given by Baumit and the Customer should make its own enquiries and reach its own conclusions as to the suitability and use of the Goods for any particular purpose. The provision of any such advice, guidance and information shall not in any way commit Baumit to supply the Goods.
  - 3.4 Should the Customer desire specific detailed advice, then the provision of this will be agreed between Baumit and the Customer in a separate written agreement. Baumit shall only have liability for specific advice to the extent provided in these terms and conditions and in the written agreement with the Customer.
  - 4 **Delivery of Goods**
  - 4.1 Unless agreed otherwise delivery of Goods shall be Ex-Works. Baumit shall issue the Customer with a notice that the Goods are ready for collection and specifying where they can be collected from. Subject to clauses 4.2 and 4.6 (a) delivery shall take place when the Customer (or any third party engaged by the Customer) collects the Goods from the venue specified in the notice.
  - 4.2 If Baumit agrees to arrange for delivery to the Customer this will be on the basis that delivery will be CFR (Incoterms 2010) in which case delivery shall take place when the Goods pass the ships rail at the port of shipment.
  - 4.3 Baumit shall ensure that each delivery of the Goods is accompanied by a delivery note which shows the date of the Order, all relevant Customer and Supplier reference numbers, the type and quantity of the Goods (including the code number of the Goods, where applicable), special storage instructions (if any) and, if the Order is being delivered by instalments, the outstanding balance of Goods remaining to be delivered.
  - 4.4 Any dates quoted for delivery of the Goods are approximate only, and the time of delivery is not of the essence.
  - 4.5 Baumit shall not be liable for any delay in delivery of the Goods that is caused by a Force Majeure Event or the Customer's failure to provide Baumit with adequate delivery instructions or any other instructions that are relevant to the supply of the Goods.
  - 4.6 If the Customer fails to collect the Goods within 10 Business Days of the date of the notice that the Goods are ready for collection (in accordance with clause 4.1) then: (a) delivery of the Goods shall be deemed to have been completed at 9.00 am on the tenth Business Day following the day on which Baumit notified the Customer that the Goods were ready; and (b) Baumit shall store the Goods until delivery takes place, and charge the Customer for all related costs and expenses (including insurance). Baumit may deliver the Goods by instalments, which shall be invoiced and paid for separately. Each instalment shall constitute a separate contract. Any delay in delivery or defect in an instalment shall not entitle the Customer to cancel any other instalment.
  - 5 **Quality of Goods**
  - 5.1 Baumit warrants that on delivery the Goods shall: (a) conform in all material respects with their description and, if applicable, the Specification; (b) be free from material defects in design, material and workmanship; and (c) be of satisfactory quality (within the meaning of the Sale of Goods Act 1979);
  - 5.2 The Customer shall examine the Goods on Delivery and shall give notice in writing to Baumit within 7 days of delivery of any defect (insofar as the same could be detected on proper investigation) which means that some or all of the Goods do not comply with the warranty set out in clause 5.1. If the defect could not be detected on proper investigation the Customer shall give written notice to Baumit of such defect within 14 days of discovery. If the Customer fails to give notice of any defect within the requisite period it shall be deemed to have waived its rights in respect of that defect.
  - 5.3 Following any notice given by the Customer in accordance with clause 5.2 then provided that the Customer shall: (a) give Baumit a reasonable opportunity to examine such Goods; and/or (b) (if asked to do so by

- Baumit) return to Baumit samples of such Goods and details of the batch number of those Goods, then Baumit shall, at its option, repair or replace the defective Goods, or refund the price of the defective Goods in full.
- 5.4 Baumit shall not be liable for the Goods' failure to comply with the warranty in clause 5.1 if:  
(a) the Customer fails to comply with clause 5.3(a) or 5.3 (b);  
(b) the Customer makes any further use of such Goods after giving a notice in accordance with clause 5.2;  
(c) the defect arises because of a failure by the Customer or any end user to follow Baumit's written processing instructions as to the storage, installation, commissioning, use or maintenance of the Goods or (if there are none) good trade practice;  
(d) the defect arises as a result of Baumit following any information, drawing, design or specification supplied by the Customer;  
(e) the Customer alters or repairs such Goods without the written consent of Baumit;  
(f) the defect arises as a result of fair wear and tear, wilful damage, negligence, or abnormal working conditions;  
(g) the defect arises from defective processing or the use of unsuitable additives or the mixing or any other combination of the Goods with those of any third party manufacturer (save for any third party product which Baumit has explicitly approved in writing)  
(h) the Goods differ from their description as a result of changes made to ensure they comply with applicable statutory or regulatory standards.
  - 5.5 Except as provided in this clause 5, Baumit shall have no liability to the Customer in respect of the Goods' failure to comply with the warranty set out in clause 5.1.
  - 5.6 The terms of these Conditions shall apply to any repaired or replacement Goods supplied by Baumit under clause 5.2.
  - 6 **Title and risk**
  - 6.1 The risk in the Goods shall pass to the Customer on the date of delivery.
  - 6.2 Title to the Goods shall not pass to the Customer until Baumit has received payment in full (in cash or cleared funds) for: (a) the Goods; and (b) any other goods that Baumit has supplied to the Customer.
  - 6.3 Until title to the Goods has passed to the Customer, the Customer shall:  
(a) hold the Goods on a fiduciary basis as Baumit's bailee; (b) store the Goods separately from all other goods held by the Customer so that they remain readily identifiable as Baumit's property; (c) not remove, deface or obscure any identifying mark or packaging on or relating to the Goods; (d) maintain the Goods in satisfactory condition and keep them insured against all risks for their full price on Baumit's behalf from the date of delivery; (e) notify Baumit immediately if it becomes subject to any of the events listed in clause 13.1(b) to clause 13.1(i); and (f) give Baumit such information relating to the Goods as Baumit may require from time to time, but the Customer may resell or use the Goods in the ordinary course of its business.
  - 6.4 If before title to the Goods passes to the Customer the Customer becomes subject to and of the events listed in clause 13.1(b) to clause 13.1(i), or Baumit reasonably believes that any such event is about to happen and notifies the Customer accordingly, then, provided the Goods have not been resold, or irrevocably incorporated into another product, and without limiting any other right or remedy Baumit may have, Baumit may at any time require the Customer to deliver up the Goods and, if the Customer fails to do so promptly, enter any premises of the Customer or of any third party where the Goods are stored in order to recover them.
  - 7 **Services**
  - 7.1 Baumit may provide the Services to the Customer consisting of the provision of information, guidance and training in respect of the Goods or any other service specifically agreed between the parties.
  - 7.2 Baumit shall have the right to make any changes to the Services which are necessary to comply with any applicable law or safety requirement.
  - 7.3 Unless explicitly agreed otherwise in writing by Baumit the Services provided by Baumit are for advice, guidance, information and training purposes only and the Customer should not rely on any such information provided by Baumit.
  - 7.4 To the maximum extent permitted by law Baumit gives no warranty (whether express or implied) in respect of any advice, guidance, information and training or other Services given by Baumit to the Customer. The Customer acknowledges that it must make its own

- enquiries and rely on its own findings and conclusions as to the suitability, operation and use of the Goods or any other matter in relation to which Services are provided by Baumit.
- 7.5 Without prejudice to clause 7.3 and 7.4 Baumit shall have no liability to Baumit for any failure of the Services which results from reliance by Baumit on any information from the Customer or any other third party.
  - 8 **Customer's obligations**
  - 8.1 The Customer shall:  
(a) ensure that the terms of the Order and (if submitted by the Customer) the Specification are complete and accurate;  
(b) co-operate with Baumit in all matters relating to the Contract;  
(c) provide Baumit with such information and materials as Baumit may reasonably require to supply the Goods, and ensure that such information is accurate in all material respects.
  - 8.2 If Baumit's performance of any of its obligations under the Contract is prevented or delayed by any act or omission by the Customer or failure by the Customer to perform any relevant obligation (Customer Default);  
(a) Baumit shall without limiting its other rights or remedies have the right to suspend performance of the Contract until the Customer remedies the Customer Default, and to rely on the Customer Default to relieve it from the performance of any of its obligations to the extent the Customer Default prevents or delays Baumit's performance of any of its obligations;  
(b) Baumit shall not be liable for any costs or losses sustained or incurred by the Customer arising directly or indirectly from Baumit's failure or delay to perform any of its obligations as set out in this clause 8.2; and (c) the Customer shall reimburse Baumit on written demand for any costs or losses sustained or incurred by Baumit arising directly or indirectly from the Customer Default.
  - 9 **Charges and payment**
  - 9.1 The price for Goods shall be the price set out in the Customer price list. The price of the Goods is exclusive of all costs and charges of packaging, insurance, transport of the Goods which will be charged separately by Baumit.
  - 9.2 Any charges for Services shall be agreed on a case by case basis between the parties.
  - 9.3 Baumit reserves the right to amend the Customer price list at any time to reflect any increase in the cost of the Goods to Baumit that is due to any factor beyond the control of Baumit (including foreign exchange fluctuations, increases in taxes and duties, and increases in labour, materials and other manufacturing or transport costs).
  - 9.4 Baumit reserves the right to amend the price of an accepted Order at any time to reflect any increase in the cost that is due to: (i) any request by the Customer to change the delivery date(s), quantities or types of Goods (or any Services) ordered, or the Specification for the same; or (ii) any delay caused by any instructions of the Customer in respect of the Goods or failure of the Customer to give Baumit adequate or accurate information or instructions in respect of the Goods.
  - 9.5 Baumit shall invoice the Customer on or at any time after the date of delivery of the Goods.
  - 9.6 The Customer shall pay each invoice submitted by Baumit:  
(a) within 30 days of the date of the invoice; and  
(b) in full and in cleared funds to a bank account nominated in writing by Baumit, and time for payment shall be of the essence of the Contract.
  - 9.7 All amounts payable by the Customer under the Contract are exclusive of amounts in respect of value added tax chargeable from time to time (VAT). Where any taxable supply for VAT purposes is made under the Contract by Baumit to the Customer, the Customer shall, on receipt of a valid VAT invoice from Baumit, pay to Baumit such additional amounts in respect of VAT as are chargeable on the supply of the Goods (or Services) at the same time as payment is due for the supply of the Goods (or Services).
  - 9.8 Without limiting any other right or remedy of Baumit, if the Customer fails to make any payment due to Baumit under the Contract by the due date for payment (Due Date), Baumit shall have the right to charge interest on the overdue amount at the rate of 4 per cent per annum above the then current HSBC Bank plc base rate accruing on a daily basis from the Due Date until the date of actual payment of the overdue amount, whether before or after judgment, and compounding quarterly.
  - 9.9 The Customer shall pay all amounts due under the Contract in full without any deduction or withholding except as required by law and the Customer shall not be entitled to assert any credit, set-off or counterclaim against Baumit in order to justify withholding payment of any such amount in whole or in part. Baumit may, without limiting its other rights or remedies, set off any amount owing to it by the Customer against any amount payable by Baumit to the Customer.
  - 9.10 Baumit may in its absolute discretion at any time either before or after acceptance of an Order from the Customer require payment to be made in advance of delivery of any Goods or Service or alternatively Baumit may require the Customer to provide such security for payment as Baumit shall in its discretion demand. Failure to make payment in advance or provide security after demand shall be a material breach of the Contract which shall permit Baumit to terminate the Contract in accordance with clause 13.1(a).
  - 10 **Intellectual property rights**
  - 10.1 All intellectual property rights (including patents, copyrights and related rights, trade marks, trade, business and domain names, rights in goodwill, registered and unregistered design rights, rights in confidential information (including know-how and trade secrets) and any other intellectual property rights) in or arising out of or in connection with the Goods and Services (including, without limitation, all drawings and designs supplied by Baumit) shall be owned by and remain the property of Baumit.
  - 11 **Confidentiality**
  - A party (Receiving Party) shall keep in strict confidence all technical or commercial knowhow, specifications, inventions, processes or initiatives which are of a confidential nature and have been disclosed to the Receiving Party by the other party (Disclosing Party), its employees, agents or subcontractors, and any other confidential information concerning the Disclosing Party's business or its products or its services which the Receiving Party may obtain. The Receiving Party shall restrict disclosure of such confidential information to such of its employees, agents or subcontractors as need to know it for the purpose of discharging the Receiving Party's obligations under the Contract, and shall ensure that such employees, agents or subcontractors are subject to obligations of confidentiality corresponding to those which bind the Receiving Party. This clause 11 shall survive termination of the Contract.
  - 12 **Limitation of liability:**
  - THE CUSTOMER'S ATTENTION IS PARTICULARLY DRAWN TO THIS CLAUSE

- 12.1 Nothing in these Conditions shall limit or exclude Baumit's liability for:  
(a) death or personal injury caused by its negligence, or the negligence of its employees, agents or subcontractors; (b) fraud or fraudulent misrepresentation; (c) breach of the terms implied by section 2 of the Supply of Goods and Services Act 1982 (title and quiet possession); (d) breach of the terms implied by section 12 of the Sale of Goods Act 1979 (title and quiet possession); or (e) defective products under the Consumer Protection Act 1987.
- 12.2 Subject to clause 12.1:  
(a) Baumit shall under no circumstances whatever be liable to the Customer, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, for any loss of profit, or any indirect or consequential loss arising under or in connection with any Contract; and (b) Baumit's total liability to the Customer in respect of all other losses arising under or in connection with any Contract, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, shall in no circumstances exceed the amount paid by the Customer in respect of that Contract.
- 12.3 Except as set out in these Conditions, all warranties, conditions and other terms implied by statute or common law are, to the fullest extent permitted by law, excluded from each Contract.
- 12.4 This clause 12 shall survive termination of the Contract.
- 13 **Termination**
- 13.1 Without limiting its other rights or remedies, each party may terminate a Contract with immediate effect by giving written notice to the other party if:  
(a) the other party commits a material breach of its obligations under the Contract and (if such breach is remediable) fails to remedy that breach within 14 days after receipt of notice in writing of the breach;  
(b) the other party suspends, or threatens to suspend, payment of its debts or is unable to pay its debts as they fall due or admits inability to pay its debts or (being a company) is deemed unable to pay its debts within the meaning of section 123 of the Insolvency Act 1986 or (being an individual) is deemed either unable to pay its debts or as having no reasonable prospect of so doing, in either case, within the meaning of section 268 of the Insolvency Act 1986 or (being a partnership) has any partner to whom any of the foregoing apply;  
(c) the other party commences negotiations with all or any class of its creditors with a view to rescheduling any of its debts, or makes a proposal for or enters into any compromise or arrangement with its creditors other than (where a company) for the sole purpose of a scheme for a solvent amalgamation of that other party with one or more other companies or the solvent reconstruction of that other party;  
(d) a petition is filed, a notice is given, a resolution is passed, or an order is made, for or in connection with the winding up of the other party (being a company) other than for the sole purpose of a scheme for a solvent amalgamation of the other party with one or more other companies or the solvent reconstruction of that other party;  
(e) the other party (being an individual) is the subject of a bankruptcy petition or order;  
(f) a creditor or encumbrancer of the other party attaches or takes possession of, or a distress, execution, sequestration or other such process is levied or enforced on or sued against, the whole or any part of its assets and such attachment or process is not discharged within 14 days;  
(g) an application is made to court, or an order is made, for the appointment of an administrator or if a notice of intention to appoint an administrator is given or if an administrator is appointed over the other party (being a company);  
(h) a floating charge holder over the assets of the other party (being a company) has become entitled to appoint or has appointed an administrative receiver;  
(i) a person becomes entitled to appoint a receiver over the assets of the other party or a receiver is appointed over the assets of the other party;  
(j) any event occurs, or proceeding is taken, with respect to the other party in any jurisdiction to which it is subject that has an effect equivalent or similar to any of the events mentioned in clause 13.1(b) to clause 13.1(i) (inclusive);  
(k) the other party suspends, threatens to suspend, ceases or threatens to cease to carry on, all or substantially the whole of its business; or  
(l) the other party (being an individual) dies or, by reason of illness or incapacity (whether mental or physical), is incapable of managing his own affairs or becomes a patient under any mental health legislation.
- 13.2 Without limiting its other rights or remedies, Baumit shall have the right to suspend the supply of Services or all further deliveries of Goods under the Contract or any other contract between the Customer and Baumit if: (a) the Customer fails to make pay any amount due under the Contract on the due date for payment; or (b) the Customer becomes subject to any of the events listed in clause 13.1(b) to clause 13.1(i), or Baumit reasonably believes that the Customer is about to become subject to any of them.
- 14 **Consequences of termination**
- On termination of the Contract for any reason:  
(a) the Customer shall immediately pay to Baumit all of Baumit's outstanding unpaid invoices and interest and, in respect of Goods supplied but for which no invoice has yet been submitted, Baumit shall submit an invoice, which shall be payable by the Customer immediately on receipt;  
(b) the Customer shall return all materials which have not been fully paid for. If the Customer fails to do so, then Baumit may enter the Customer's premises and take possession of them. Until they have been returned, the Customer shall be solely responsible for their safe keeping and will not use them for any purpose not connected with the Contract;  
(c) the accrued rights and remedies of the parties as at termination shall not be affected, including the right to claim damages in respect of any breach of the Contract which existed at or before the date of termination or expiry; and  
(d) clauses which expressly or by implication have effect after termination shall continue in full force and effect.
- 15 **General**
- 15.1 Force majeure:  
(a) For the purposes of the Contract, Force Majeure Event means an event beyond the reasonable control of Baumit including but not limited to strikes, lock-outs or other industrial disputes (whether involving the workforce of the party or any other party), failure of a utility service or transport network, act of God, war, riot, civil commotion, malicious damage, compliance with any law or governmental order, rule, regulation or direction, accident, breakdown of plant or machinery, fire, flood, storm or default of suppliers or subcontractors.  
(b) Baumit shall not be liable to the Customer as a result of any delay or

- failure to perform its obligations under the Contract as a result of a Force Majeure Event.
- (c) If the Force Majeure Event prevents Baumit from providing any of the Services and/or Goods for more than 30 days, Baumit shall, without limiting its other rights or remedies, have the right to terminate the Contract immediately by giving written notice to the Customer.
  - 15.2 Assignment and subcontracting:  
(a) Baumit may at any time assign, transfer, charge, subcontract or deal in any other manner with all or any of its rights under the Contract and may subcontract or delegate in any manner any or all of its obligations under the Contract to any third party.  
(b) The Customer shall not, without the prior written consent of Baumit, assign, transfer, charge, subcontract or deal in any other manner with all or any of its rights or obligations under the Contract.
  - 15.3 Notices:  
(a) Any notice or other communication required to be given to a party under or in connection with the Contract shall be in writing and shall be delivered to the other party personally or sent by prepaid first-class post, recorded delivery or by commercial courier, at its registered office (if a company) or (in any other case) its principal place of business, or sent by fax to the other party's main fax number. (b) Any notice or other communication shall be deemed to have been duly received if delivered personally, when left at such address or, if sent by prepaid first-class post or recorded delivery, at 9.00 am on the second Business Day after posting, or if delivered by commercial courier, on the date and at the time that the courier's delivery receipt is signed, or if sent by fax, on the next Business Day after transmission. (c) This clause 15.3 shall not apply to the service of any proceedings or other documents in any legal action. For the purposes of this clause, „writing“ shall not include e-mails and for the avoidance of doubt notice given under the Contract shall not be validly served if sent by e-mail.
  - 15.4 Waiver and cumulative remedies:  
(a) A waiver of any right under the Contract is only effective if it is in writing and shall not be deemed to be a waiver of any subsequent breach or default. No failure or delay by a party in exercising any right or remedy under the Contract or by law shall constitute a waiver of that or any other right or remedy, nor preclude or restrict its further exercise.  
No single or partial exercise of such right or remedy shall preclude or restrict the further exercise of that or any other right or remedy.  
(b) Unless specifically provided otherwise, rights arising under the Contract are cumulative and to not exclude rights provided by law.
  - 15.5 Severance:  
(a) If a court or any other competent authority finds that any provision of the Contract (or part of any provision) is invalid, illegal or unenforceable, that provision or part-provision shall, to the extent required, be deemed deleted, and the validity and enforceability of the other provisions of the Contract shall not be affected.  
(b) If any invalid, unenforceable or illegal provision of the Contract would be valid, enforceable and legal if some part of it were deleted, the provision shall apply with the minimum modification necessary to make it legal, valid and enforceable.
  - 15.6 No partnership: Nothing in the Contract is intended to, or shall be deemed to, constitute a partnership or joint venture of any kind between any of the parties, nor constitute any party the agent of another party for any purpose. No party shall have authority to act as agent for, or to bind, the other party in any way.
  - 15.7 Third parties: A person who is not a party to the Contract shall not have any rights under or in connection with it.
  - 15.8 Variation: Except as set out in these Conditions, any variation, including the introduction of any additional terms and conditions, to the Contract shall only be binding when agreed in writing and signed by Baumit.
  - 15.9 Governing law and jurisdiction: The Contract, and any dispute or claim arising out of or in connection with it or its subject matter or formation (including non-contractual disputes or claims), shall be governed by, and construed in accordance with, English law, and the parties irrevocably submit to the exclusive jurisdiction of the courts of England and Wales.

Revision February 2023.



# INDEX

<b>A</b>		<b>E</b>		<b>K</b>	
Academy	6	EasyPrimer	56	Klima Glätt W	55
Adjustment packing shims	47	Expansion Joint E-Profile	43	Klima KP 36 W	56
AntiSulfat	30	Expansion Joint V-Profile	43	Klima RK 38	55
				Klima RK 39	55
				Klima RK 70 N	See Multifine RK 70 N
				KlimaColor	56
				KlimaDekor	54
				KlimaFinish	54
				KZP 65	48
<b>B</b>		<b>F</b>		<b>L</b>	
Backing Board Fixing	41	Filling Foam	47	Lasur	20
Base Profile (Aluminium)	42	Finish	21	Life Colours	12
Base Profile Therm	42	Fire Pins	40	LS62	49
Base Profile Therm Extension	42	Flashing Bead	43		
BituFix 2K	33	FungoFluid	30		
<b>C</b>		<b>G</b>		<b>M</b>	
Cement Board Edge Bead	43	Glitter	21	Mesh	See StarTex
Corner Bead	44	GranoporColor	19	Metallic	21
Colour Chart	10	GranoporTop	24	Mineral Wool EWI Slab	35
CreativTop	25			Montage	47
				MosaikTop	26
				Movement Joint	43
				MP69	48
<b>D</b>		<b>H</b>		MultiContact MC55W	33
Diagonal Arrow Mesh	44	H3 Hammer Fixing	39	MultiFine RK 70 N	50
DIPK	40			MultiPrimer	29
DP85	49				
Drip Bead	43	<b>J</b>			
DS 26 Flex	33	Joint Seal Band	46		
Dual Density Slab	35				

<b>N</b>		<b>S</b>		<b>T</b>	
N	39	S	38	Tiefengrund.	See MultiPrimer
Nail Anchors	41	S EPS Plug	38		
		S Tool	38		
		Sanova SP Grey / SP 64 P	51	<b>U</b>	
		SanovaPre / SV 61	51	UniPrimer	28
<b>O</b>		SanovaPrimer	29		
OpenTherm reflectair	34	SBH-T washer	41		
Over Sill Trim	45	SEP	27	<b>V</b>	
		SilikatColor	19	Verge Trim	45
		SilikatTop	24	VS 60	48
		SilikonColor	19		
<b>P</b>		SilikonFine	23		
PlinthTherm XPS	35	SilikonTop	23		
PowerFlex	33	SpeedTop	30		
PremiumPrimer	28	SperrGrund	56	<b>W</b>	
PuraColor	18	Spiral Anchor	46	Window Profile Flexible	44
PuraTop	22	StarColor	18	Window Profile Ideal	44
PutzFestiger	See SanovaPrimer	StarContact	32		
PVC Profile Clip 6mm	42	StarContact White	32		
		StarSystem EPS	34		
		StarSystem Mineral	35		
		StarSystem Nature	35		
		StarTherm Resolution	35		
<b>R</b>		StarTex	36		
ReCompact	See SanovaPrimer	StarTherm EPS	34		
Return Drip Bead	43	StarTherm Nature	35		
		StarTop	22		
		StarTrack	37		
		Stop Bead with Mesh	44		
		STR H	40		
		STR U 2G	38		
		STR U Plug	38		
		STR U Rondelle	38		
		SupraFix	33		
		SX Airless	57		





**LT - LIETUVA**  
**Baumit UAB**  
LT-14188 Lithuania  
Ukmergės g. 364, Vilnius  
Tel.: +370 5 264 07 78  
info@baumit.lt  
www.baumit.lt

**SI - SLOVENIJA**  
**Baumit d.o.o.**  
Dobrave 12  
1236 Trzin  
Tel.: +386 1 236 37 55  
Fax: +386 1 236 37 40  
baumit@baumit.si  
www.baumit.si

**LV - LATVIJA**  
**Baumit SIA**  
LV-1035 Riga  
Duntes iela 3, Riga  
Tel.: +371 674 513 15  
office@baumit.lv  
www.baumit.lv  
**In charge of: EE**

**SK - SLOVENSKÁ REPUBLIKA**  
**Baumit, spol. s r.o.**  
SK - 811 02 Bratislava 1  
Žitková 9  
Tel.: +421 2 593 03 311  
office@baumit.sk  
www.baumit.sk

**MD - REPUBLICA MOLDAVA**  
**Rep. Permanenta Baumit**  
**in Republica Moldova**  
MD - 2012 Chisinau  
Str. Vasile Alecsandri 89/1  
Tel: +373 (0)22/999019  
Fax: +373 (0)22/999018  
office@baumit.md  
www.baumit.md

**TR - TURKIYE**  
**Baumit TR**  
Baumit İnşaat Malzemeleri San.  
Tic.Ltd.Şti  
Esenşehir Mahallesi Hale  
Sokak No. 10 B Blok  
TR - 34776 Ümraniye/İstanbul  
Tel.: +90 (0) 216/680 34 00  
Fax: +90 (0) 216/680 34 01  
info@baumit.com.tr  
www.baumit.com.tr

**MK - REPUBLIKA SEVERNA**  
**MAKEDONIJA**  
**Baumit Makedonija Dooel**  
MK - 1000 Skopje  
Ul. Jadranska Magistrala 165  
Tel.: +389 2 306 98 07  
Fax: +389 2 306 98 07  
info@mk.baumit.com  
www.baumit.com.mk

**UA - UKRAINE**  
**TOV Baumit Ukraine**  
UA - 03083 Kiev  
vul. Pyrohivskyy Shlyah 34  
Tel.: +380 44 568 52 54  
Fax: +380 44 586 47 39  
office@baumit.ua  
www.baumit.ua

**PL - POLSKA**  
**Baumit sp. z o.o.**  
PL - 53-012 Wrocław  
ul. Wyścigowa 56 G  
Tel.: +48 71 358 25 00  
Fax: +48 71 358 25 06  
info@baumit.pl  
www.baumit.pl

**UK - UNITED KINGDOM**  
**Baumit Ltd.**  
Unit 2 Westmead  
New Hythe Lane, Aylesford  
Maidstone, Kent, ME20 6XJ - UK  
Tel.: +44 (0) 1622 710 763  
contact@baumit.co.uk  
www.baumit.co.uk  
**In charge of: IE**

**RO - ROMANIA**  
**Baumit Romania Com SRL**  
RO - 061129 Bucuresti  
B-dul Iuliu Maniu nr. 600A, sector 6  
Tel.: +40 21 350 01 06  
Fax: +40 21 318 24 08  
office@baumit.ro  
www.baumit.ro

**RS - SRBIJA**  
**Baumit Serbia d.o.o.**  
SRB - 11130 Beograd  
Smederevski put 25k  
Tel.: +381 11 347 50 82  
Fax: +381 11 347 47 95  
office@baumit.rs  
www.baumit.rs  
**In charge of: AL, KO**

**RU - RUSSIA**  
**Baumit OOO**  
RUS - 141980 Moscow region, Dubna  
Universitetskaya ul., 11  
Tel.: +7 495/984 76 12  
Fax: +7 495/645 54 35  
baumit@baumit.ru  
www.baumit.ru  
**In charge of: BY**

**AT - AUSTRIA**  
**Baumit GmbH**  
Wopfing 156  
A - 2754 Waldegg  
Tel.: +43 (0) 0501 888-0  
Fax: +43 (0) 0501 888-1266  
office@wopfing.baumit.com  
www.baumit.at

**BA - BOSNA I HERCEGOVINA**  
**Baumit d.o.o.**  
BiH-71210 Iliđa  
Osik 2 b  
Tel.: +387 33 566 770  
Fax: +387 33 566 771  
info@baumit.ba  
www.baumit.ba  
**In charge of: ME**

**CZ - ČESKÁ REPUBLIKA**  
**Baumit, spol. sr.o.**  
CZ - 250 01 Brandýs nad Labem  
Průmyslová 1841  
Tel.: +420 326 900 400  
info@baumit.cz  
www.baumit.cz

**ES - ESPAÑA**  
**Baumit S.L.**  
ES - 28935 Móstoles (Madrid)  
P.I. Las Nieves, c/ Puerto de Cotos, 16  
Tel.: +34 916 407 227  
Fax: +34 916 360 092  
info@baumit.es  
www.baumit.es  
**In charge of: PT**

**GR - GRIECHENLAND**  
**Baumit Hellas A.E.**  
GR - 15235 Vrilissia-Athens  
142, Pentelis avenue  
Tel.: +30 210 6095600  
Fax: +30 210 6095611  
info@baumit.gr  
www.baumit.gr  
**In charge of: CY**

**HR - HRVATSKA**  
**Baumit d.o.o.**  
HR - 10090 Zagreb  
Vučak 34  
Tel.: +385 1 346 68 00  
Fax: +385 1 346 68 38  
baumit@baumit.hr  
www.baumit.hr

**BG - BULGARIA**  
**Baumit Bulgaria EOOD**  
BG - 21 00 Elin Pelin  
Bulgaria Str. 38  
Tel.: +359 2 926 69 11  
Fax: +359 2 926 69 18  
office@baumit.bg  
www.baumit.bg

**CH - SCHWEIZ**  
**Baumit Schweiz AG**  
CH - 8303 Bassersdorf  
Hardstrasse 20  
Tel.: +41 52 354 50 70  
Fax: +41 52 354 50 71  
office@schweiz.baumit.com  
www.baumit.com

**DE - DEUTSCHLAND**  
**Baumit GmbH**  
D - 87541 Bad Hindelang/Allgäu  
Reckenberg 12  
Tel.: +49 83 24 921-0  
Fax: +49 83 24 921-1279  
info@baumit.de  
www.baumit.de  
**In charge of: BE, NE, LU, DK, NO, FI, SE**

**FR - FRANCE**  
**Baumit SAS**  
FR - 77360 Vaires-sur-Marne  
1 Impasse de la Centrale  
Tel.: +33 1 762 170 21  
Fax: +33 1 762 170 10  
office@baumit.fr  
www.baumit.fr

**HU - MAGYARORSZÁG**  
**Baumit Kft.**  
H - 2510 Dorog, Baumit út 1.  
H - 2511 Dorog, Pf.: 132.  
Tel.: +36 33 512 910  
Fax: +36 33 431 512  
baumit@baumit.hu  
www.baumit.hu

**IT - ITALIA**  
**Baumit Spa**  
I - 33078 San Vito al Tagliamento (PN)  
Via Castelnuovo del Friuli 1 -  
Z.L. Ponte Rosso  
Tel.: +39 0434 1850980  
Fax: +39 0434 853 59  
info@baumit.it  
www.baumit.it





# Discover the **Baumit Life** **Colour** System



- **180 new colour shades**
- **Endless design possibilities**
- **Intense and radiant**

**Discover** our Life colour palette extension  
inspired by current trends



The Baumit Life Colour System offers the right façade colour for every taste and brings the latest trends on your walls. Our façade plasters and colours are now available in new 180 earthy and natural shades with Baumit proven quality.

Explore more at [life.baumit.com](http://life.baumit.com)