

# Safety Data Sheet According to Regulation (EC) No 1907/2006

**Fuel Cells For Nailer** 

Version 1.0

Issue date: 18/09/2017 Revision date: 18/09/2017

SDS Record Number: CSSS-TCO-010-100006

## Section 1 Identification of the substance/mixture and of the company/undertaking

1	1	Р	ro	d	u	ct	i	d	e	n	ti	fi	ie	r	:

Identification on the label/Trade name:

Fuel Cells For Nailer

Additional identification:

Not available

Identification of the product:

see section 3

Index Number:

Not available

REACH pre-registration No.:

see section 3

## 1.2 Relevant identified uses of the substance and uses advised against:

#### 1.2.1 Identified uses:

Combustion.

#### 1.2.2 Uses advised against:

Not available.

#### 1.3 Details of the supplier of the safety data sheet:

Supplier(Only representative):

Serracon Ltd T/A DART Tool Group

Supplier(Manufacturer):

Unit 1 Wheatfield Road

Dunnikier Business Park Mitchelson Ind Est, Kirkcaldy

Fife,KY1 3PD

Contact person(E-mail):

sales@darttoolgroup.com

Telephone:

Fax:

Address:

+44 (0) 1592 652900

# 1.4 Emergency telephone Number:

+44 (0) 1592 652900

Available outside office hours?

YES

NC

Х

#### Section 2 Hazards Identification

#### 2.1 Classification of the substance/mixture:

#### 2.1.1 Classification:

The substance is classified as following according to REGULATION (EC) No 1272/2008:

REGULATION (EC) No 1272/2008						
Hazard classes/Hazard categories	Hazard statement codes					
Flam. Gas 1	H220					
Press.Gas	H280					

For full text of H- phrases: see section 2.2.

#### 2.2 label elements:

## **Hazard Pictograms:**



Product name: Fuel Cells For Nailer

Version #: 1.0 Issue dat

Issue date: 18-09-2017.

Revision date: 18-09-2017.

SDS EU



Signal Word(S):

Danger

**Hazard Statement:** 

H220: Extremely flammable gas.

H280: Contains gas under pressure; may explode if heated.

**Precautionary statement:** 

P210: Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P377: Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381: Eliminate all ignition sources if safe to do so.

P410 + P403: Protect from sunlight. Store in a well-ventilated place.

### 2.3 Other hazards:

Not available

## Section 3 Composition/information on ingredients

Substance/Mixture:

Mixture

Ingredient(s):

Chemical Name	Pre-Registration No.	CAS No.	EC No.	Concentration
Butane	05-2114131909-43-0000	106-97-8	203-448-7	20-60%
Isobutane	05-2118669741-32-0000	75-28-5	200-857-2	20-35%
Propane	05-2114131905-51-0000	74-98-6	200-827-9	20-45%

## **Section 4 First aid measures**

## 4.1 Description of first aid measures:

In all cases of doubt, or when symptoms persist, seek medical attention.

## 4.1.1 In case of inhalation:

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician if you feel unwell.

#### 4.1.2 In case of skin contact:

Take off contaminated clothing and shoes. Wash off with soap and plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

# 4.1.3 in case of eyes contact:

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Consult a physician if you feel unwell.

#### 4.1.4 In case of ingestion:

Wash out mouth with water, induce vomiting unless directed to do so by medical personnel. Consult a physician if you feel unwell.

# 4.2 Most important symptoms and effects, both acute and delayed:

The product is not classified as harmful to human health effect.

## 4.3 Indication of any immediate medical attention and special treatment needed:

If skin irritation or rash occurs, get medical advice/attention.

## **Section 5 Fire-Fighting measures**

#### 5.1 Extinguishing media:

Suitable extinguishing media:

Water spray, foam, carbon dioxide, dry powder.

Product name: Fuel Cells For Nailer

Version #: 1.0 Issue date: 18-09-2017.

Revision date: 18-09-2017.

SDS EU



Unsuitable extinguishing media:

Not available.

5.2 Special hazards arising from the substance or mixture

carbon and water.

5.3 Advice for fire-fighters:

As in any fire, wear self-contained breathing apparatus pressure-demand.

This material is flammable. In case of fire, the following can be release: Oxides of

MSHA/NIOSH (approved or equivalent) and full protective gear.

#### Section 6 Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures:

6.1.1 For non-emergency personnel:

Use personal protective equipment. Ensure adequate ventilation. If insufficient

ventilation, wear suitable respiratory equipment. Avoid inhalation of gas.

6.1.2 For emergency responders:

Wear an appropriate NIOSH/MSHA approved respirator If leaks.

6.2 Environmental Precautions:

Do not discharge into sewage / drainage system.

6.3 Methods for Containment and Cleaning

up:

Stay upwind and away from spill/release. Notify persons down wind of the spill/release, isolate danger area and keep unauthorized personnel out. Stop spill/release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Water spray may

be useful in minimizing or dispersing vapors.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

## Section 7 Handling and storage

#### 7.1 Precautions for safe handling:

7.1.1 Protective measures:

Avoid breathing vapors or spray mists. Avoid contact with skin and eyes. Contents under pressure. The use of explosion-proof electrical equipment is recommended and may be required. The use of appropriate respiratory protection is advised when concentrations exceed any established exposure limits.

7.1.2 Advice on general occupational hygiene:

Do not eat, drink and smoke in work areas. Wash hands after use. Remove contaminated dothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated area away from heavily trafficked areas and emergency exits. Do not allow the temperature where cylinders are stored to exceed 30°C. Cylinders should be stored upright and firmly secured to prevent falling or being knocked over. Full and empty cylinders should be segregated.

7.3 Specific end use(s):

Not applicable.

## **Section 8 Exposure Controls/Personal Protection**

#### 8.1 Control parameters:

# 8.1.1 Occupational exposure limits:

Substance	CAS No.	Occupational	Exposure Limit	Occupati	onal Exposure	e Limit Value
Name		Value (8-hour reference period)		(15-minute reference period)		
		ppm	mg/ m <sup>3</sup>	ppm	mg/ m <sup>3</sup>	Notes
Butane	106-97-8	600	1430	750	1780	-
Propane	74-98-6	-	-	-	-	Asphx.

8.1.2 Additional exposure limits under the

8.1.3 DNEL/DMEL and PNEC-Values:

Not available.

conditions of use:

Not available.

Product name: Fuel Cells For Nailer

Version #: 1.0 | Issue date: 18-09-2017.

Revision date: 18-09-2017.

SDS EU



#### 8.2 Exposure controls:

8.2.1 Appropriate engineering controls: If current ventilation practices are not adequate to maintain airborne concentrations

> below the established exposure limits, additional engineering controls may be required. Where explosive mixtures may be present, electrical systems safe for

such locations must be used.

8.2.2 Individual protection measures, such as personal protective equipment:

Eyelface protection: Wear safety goggles.

Hand protection: Wear safety gloves to prevent any possibility of liquid contact and repeated or

prolonged vapor contact.

**Body protection:** Protective clothing to prevent any possibility of liquid contact and repeated or

prolonged vapor contact.

Respiratory protection: In case of brief exposure or low pollution, use respiratory filter device. In case of

intensive or longer exposure, use self-contained respiratory protective device.

Thermal hazards: Wear suitable protective clothing to prevent heat.

8.2.3 Environmental exposure controls: Avoid discharge into the environment.

According to local regulations, Federal and official regulations.

## Section 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties:

Gaseous Appearance: Colour: Colorless Odour: Odorless

Odour threshold: Not available pH: Not available

-160 °C /-187.1 °C Melting point/range (°C):

-11.7 °C /- 42.1°C Boiling point/range (°C): -60 °C /-140 °C Flash point (°C):

Evaporation rate: Not available Flammability limit - lower (%): Not available Flammability (solid, gas): Not available

Ignition temperature (°C): Not available Upper/lower flammability/explosive limits: 9.5/ 1.8

Vapour pressure: 11.8bar/50°C Not available Vapour density:

Density: 1.56 / 2.01 Bulk density (kg/m<sup>3</sup>): Not available Water solubility (g/l): Slightly soluble n-Octanol/Water (log Po/w): Not available

Auto-ignition temperature: Not available **Decomposition temperature:** Not available Viscosity, dynamic (mPa.s): Not available **Explosive properties:** Not available **Oxidising properties:** Not available



Molecular Formula:

Not available

Molecular Weight:

Not available

9.2. Other information:

Fat solubility(solvent- oil to be specified)

Soluble in alcohol, ether.

etc:

Surface tension:

Not available

Dissociation constant in water( pKa):

Not available

**Oxidation-reduction Potential:** 

Not available

# Section 10 Stability and reactivity

10.1 Reactivity:

The substance is stable under normal storage and handling conditions.

10.2 Chemical stability:

Stable at room temperature in closed containers under normal storage and handling

conditions.

10.3 Possibility of hazardous reactions:

No dangerous reactions known.

10.4 Conditions to avoid:

Incompatible materials. Avoid high temperatures. Avoid all possible sources of

ignition.

10.5 Incompatible materials:

Strong oxidizing agents.

10.6 Hazardous decomposition products:

Carbon monoxide, carbon dioxide.

## **Section 11 Toxicological information**

## 11.1 Information on toxicological effects:

Acute toxicity:

LD50(Oral, Rat):

Not available

LD50(Dermal, Rabbit):

Not available

LC50(Inhalation, Rat):

Not available

Skin corrosion/Irritation:

Not classified Not classified

Serious eye damage/irritation:

Not classified

Respiratory or skin sensitization: Germ cell mutagenicity:

Not classified

Cerm cen matager

TOT GIAGOITICS

Carcinogenicity:

Not classified

Reproductive toxicity:

Not classified

STOT- single exposure:

Not classified

STOT-repeated exposure: Aspiration hazard:

Not classified Not classified

## **Section 12 Ecological information**

#### 12.1 Toxicity:

Acute toxicity		Time	Species	Method	Evaluation	Remarks
LC50	N/A	96h	Fish	OECD 203	N/A	N/A
EC50	N/A	48h	Daphnia	OECD 202	N/A	N/A
EC50	N/A	72h	Algae	OECD 201	N/A	N/A

12.2 Persistence and degradability:

Not available.

12.3 Bioaccumulative potential:

Not available.

Product name: Fuel Cells For Nailer

Version #: 1.0 Issue date: 18-09-2017.

Revision date: 18-09-2017.

SDS EU



12.4 Mobility in soil:Not available.12.5 Results of PBT&vPvB assessment:Not available.12.6 Other adverse effects:Not available.

## **Section 13 Disposal considerations**

13.1 Waste treatment methods: The material should be disposed of by incineration in a chemical incinerator in

compliance with national and regional requirements.

#### **Section 14 Transport information**

	Land transport(ADR/RID)	Sea transport (IMDG)	Air transport (ICAO/IATA)					
UN-Number	1950	1950	1950					
UN Proper shipping name	Aerosols	Aerosols	Aerosols					
Transport hazard Class	2.1	2.1	2.1					
Packaging group	Not regulated	Not regulated	Not regulated					
Environmental hazards	No	No	No					
Special precautions for user	See section 2.2	See section 2.2	See section 2.2					
Transport in bulk according to Annex II of MARPOL and the IBC Code	Not regulated	Not regulated	Not regulated					

## **Section 15 Regulation information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Relevant information regarding authorization: Not applicable.

Relevant information regarding restriction: Not applicable.

Other EU regulations: Employment restrictions concerning young person must be observed. For

use only by technically qualified individuals.

NO

Other National regulations: Not applicable

15.2 Chemical Safety Assessment has been carried YES

out?

# **Section 16 Other information**

## 16.1 Indication of changes:

Version 1.0 Amended by EU No 2015/830

## 16.2 Training instructions:

Not applicable.

#### 16.3 Further information:

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

#### 16.4 Notice to reader:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is

Product name: Fuel Cells For Nailer

Version #: 1.0 | Issue date: 18-09-2017. | Revision date: 18-09-20



furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Author: Hangzhou CIRS Co., Limited Website:www.cirs-group.com Tel:0571-87206555 Email:info@cirs-group.com

Product name: Fuel Cells For Nailer Version #: 1.0 Issue date: 18-09-2017. SDS EU Revision date: 18-09-2017. 7 / 7