Technical Data Sheet



AGB2XTWC(FINISH) ATLANTIC® AGB POLARIS 2XT MAGNETIC BATH LOCK

Product Code AGB2XTWC(finish)

Product Name AILANIIC® AGB Polaris 2XI Italian Magnetic Bathlock

Product Description ATLANTIC® AGB Polaris 2XT Italian Magnetic Bolt Through Bathroom Lock with

Adjustable Strike Plate - Sold in Singles

Product Base Material Zamak, Sleel

Available Finishes & Backset 60mm Backset & Standard strike plate:

AGB2XTWCMB (Mall Black)
AGB2XTWCPB (Polished Brass)
AGB2XTWCPC (Polished Chrome)
AGB2XTWCSC (Satin Chrome)
AGB2XTWCWH (While)

50mm Backset & EASY FIX strike plate:

AGB2XTWCAB (Antique Brass)

AGB2XIWCB (Bronze)

Other Information To be cleaned using a soft damp cloth. Chemicals, solvents or abrasives will

damage the applied finish.

10 Year Mechanical Guarantee subject to filling requirements.

Sold with matching wood screws.

Dimensions


Back Set: 60mm / 50mm (AB & B only)

Case height: 132mm Case thickness: 14mm

Face Plate Size: 196mm X 18mm Centre to Centre: 96mm

Fixed Faceplate

WC hole: 6mm (reducer included for 5mm spindles)



Product Image



Care of Finish

In the unusual event of this product tailing mechanically, we will replace it tree of charge, providing you can supply us with the faulty product and a receipt to show proof of purchase. If the items are not fifted in accordance with the fifting instructions, in a correct application, this may not apply.

Products have an applied thish, and we do recommend regular cleaning with a soft cloth. It necessary, you may maister the aloth, with water. If this is not effective in removing accumulated deposits, try using a PH-neutral soap on a soft cloth, then remove the soap immediately after application, with the help of a clean, maist, soft cloth. Under no circumstances should you use an aprasive/hard loat, chemical, acidic or obrasive super and clean, hose products. This will break down the applied thish. The thish may applie or scratch it subjected to impact from sharp items such as keys and jewellery. At antic UK retains the right to send items away for chemical resting to analyse if the product has come into contact with any abrasive or chemical substance before issuing replacements.

Please be aware that in environments where there are high concentrations of chemicals in the dir, for example from the use of low-quality pain, or corrosive agents, corrosion and damage may occur to the surface of the product. Products should therefore not be fitted in such environments, until the high concentration of chemicals in the dir has subsided.