

TEBO® PARTNER



Genesis

For the Perfect Finish

Product Catalogue





Need Support?

Feel free to contact our helpful team that offers no nonsense, clear and functional advice that helps achieve the perfect finish.

customer.service@genesis-gs.com

For the Perfect Finish...

Established in 1989 in the ceramic accessories market, Genesis quickly became a leading brand in the UK and around the world. Exporting since 1990 and now available in over 70 countries.

Since then we have diversified the range into the contract flooring, resin, landscaping and entrance matting sectors.

WELCOME TO GENESIS....





Aluminium
Profiles

Page 5




Stainless Steel
Profiles

Page 15



Solid Brass
Profiles

Page 20



Dividing
Strips

Page 22



Resin
Profiles

Page 24



LVT
Profiles

Page 26



Panel
Profiles

Page 29



Edge
Protection

Page 32



Metal
Skirting

Page 34



Commercial
Nosing

Page 37



Outdoor
Profiles, Balcony
& Pedestals

Page 55



Kitchen &
Bathroom

Page 61



vision

Page 63




Movement
Joints

Page 69



Step
Edges

Page 73



P.V.C.
Profiles

Page 79



Access, Anti-Slip
& Matting

Page 85



Transitions

Page 91




Self Adhesive
Profiles

Page 96



Marketing

Page 101



Genesis

For the Perfect Finish

Straight Edge & Formable Trim

A comprehensive range of profiles designed to protect corners avoiding the unsightly and fragile 45° cut. The defined square edge clearly outlines coverings such as rectified porcelain stoneware. Available in different materials, colours and finishes, these profiles offer a practical and aesthetic solution, ideal for walls and floors.

Anodised finishes are supplied with a transparent protective film offering protection during transport, storage, simply peel off after installation.



Code	D (mm)	L (m)	Finish	Box Qty
ESA030	2.25	2.7	80	20
ESA040	3.25	2.7	80	20
ESA050	4.25	2.7	80	20
ESA060	6	2.7	80	20
ESA060	6	2.5	01,81,91	20
ESA080	8	2.7	80	20
ESA080	8	2.5	01,02,16,17,18,77,79,81,86,88,91,94,95,96	20
ESA080	8	2.5	34,401,411,414,425,435,489	20
ESA100	10	2.7	80	20
ESA107	10	2.7	81,91,94 NEW	20
ESA100	10	2.5	01,02,16,17,18,77,79,81,85,86,88,89,90,91,92,94,95,96,99	20
ESA100	10	2.5	34,401,411,414,425,435,489	20
ESA120	12	2.7	80	20
ESA127	12	2.7	81,91,94 NEW	20
ESA120	12	2.5	01,02,16,17,18,77,79,81,85,86,88,89,90,91,92,94,95,96,99	20
ESA120	12	2.5	34,401,411,414,425,435,489	20
ESA150	15	2.5	01,17,81,91,94	20
ESA180	18	2.5	81,91	20

Formable

Code	D (mm)	L (m)	Box Qty
EFA040.80	4	2.7	20
EFA050.80	5	2.7	20
EFA060.80	6	2.7	20
EFA080.80	8	2.7	20
EFA100.80	10	2.7	20
EFA120.80	12	2.7	20

Universal Corner Pieces - ESC


Produced from Machined Aluminium to ensure a perfect finish to compliment the profile.

Code	D (mm)	Finish	Pack Qty
ESC082	8	77,79,81,91,94	2
ESC102	10	77,79,81,90,91,94	2
ESC102	10	401,411,414,425,435,489	2
ESC122	12	77,79,81,90,91,94	2
ESC122	12	401,411,414,425,435,489	2

01 White	02 Matt White	16 Black	17 Matt Black	18 Brushed Black	34 Soft Grey
77 Gunmetal	79 Auburn	80 Mill	81 Matt Silver	85 Pewter	86 Bright Brass
88 Nickel	89 Bronze	90 Brushed Brass	91 Bright Silver	92 Matt Nickel	94 Brushed Silver
95 Bright Copper	96 Brushed Copper	99 Bright Rose	401 Chalk Stone	411 Granite	414 Bath Stone
425 Sand Stone	435 Dark Granite	489 Bronzite			




Angle Trim - Slim



Code	W x D (mm)	L (m)	Box Qty
EAD100.17	15 x 10	2.5	20
EAD100.91	15 x 10	2.5	20
EAD120.91	18 x 12	2.5	20




Medium Duty Trim



Code	D (mm)	L (m)	Box Qty
EMA100.80	10	2.5	50
EMA120.80	12	2.5	50

Cube Trim





Code	D (mm)	L (m)	Box Qty
EAM100.91	11 x 10	2.5	20

Square Trim & Corners

An alternative to an ordinary straight edge profile, the TDP offers a more luxurious finish. The extruded Aluminium profile gives a square appearance when installed and is also available with internal and external corner pieces (EDP) to obviate sharp edges when mitring is necessary.

Anodised finishes are supplied with a transparent protective film offering protection during transport and storage, simply peel off after installation.



Code	W x D (mm)	L (m)	Finish	Box Qty
TDP080	10 x 8	2.5	81,91,94	20
TDP100	10 x 10	2.5	01,02,16,17,18,81,86,90,91,94,95,96,99,411,414,425,435	20
TDP120	10 x 12	2.5	01,02,16,17,18,81,86,90,91,94,95,96,99,411,414,425,435	20

01 White	02 Matt White	16 Black	17 Matt Black	18 Brushed Black	81 Matt Silver
86 Bright Brass	90 Brushed Brass	91 Bright Silver	94 Brushed Silver	95 Bright Copper	96 Brushed Copper
99 Bright Rose	411 Granite	414 Bath Stone	425 Sand Stone	435 Dark Granite	

Universal Corner Pieces

Produced from Machined Aluminium to ensure a perfect finish to compliment the profile.

Code	D (mm)	Finish	Pack Qty
EDP082	8	81,91,94	2
EDP102	10	01,16,17,18,81,90,91,94,95,96,411,414,425,435	2
EDP122	12	01,16,17,18,81,90,91,94,95,96,411,414,425,435	2

22.5 mm

More size options in the Outdoor Tiling Section Page 57



Contour Trim & Corners


Code	W x D (mm)	L (m)	Box Qty
TDG084.81	8 x 8	2.5	20
TDG084.91	8 x 8	2.5	20
TDG104.81	10 x 10	2.5	20
TDG104.91	10 x 10	2.5	20
TDG124.81	12 x 12	2.5	20
TDG124.91	12 x 12	2.5	20



Corner Pieces - ECG

Produced from Machined Aluminium to ensure a perfect finish to compliment the profile.

Code	D (mm)	Pack Qty
ECG082.81	8	2
ECG082.91	8	2
ECG102.81	10	2
ECG102.91	10	2
ECG122.81	12	2
ECG122.91	12	2




Pro Trim & Corners

Genesis ETA Aluminium Profile offers a perfect quadrant face. Designed to protect the edge of ceramic or similar hard surface in wall or floor installations. Designed with a vertical anchor leg to give the front face more strength.



Code	W x D (mm)	L (m)	Box Qty
ETA060.81	8 x 6	2.5	20
ETA060.91	8 x 6	2.5	20
ETA080.81	8 x 8	2.5	20
ETA080.91	8 x 8	2.5	20
ETA080.94	8 x 8	2.5	20
ETA100.81	10 x 10	2.5	20
ETA100.91	10 x 10	2.5	20
ETA100.94	10 x 10	2.5	20
ETA120.81	12 x 12	2.5	20
ETA120.91	12 x 12	2.5	20
ETA120.94	12 x 12	2.5	20





Corner Piece

Code	D (mm)	Finish	Pack Qty
ETC062	6	81	2
ETC062	6	91	2

Also compatible with EAC / EIQ opposite

Round Edge




Code	D (mm)	Z (mm)	L (m)	Box Qty
ERA100.91	10	22	2.5	20
ERA120.81	12	24	2.5	20
ERA120.91	12	24	2.5	20





Quadrant Trim & Corners

An extruded aluminium profile with a fully rounded quadrant face designed to protect the edges of ceramic tiles or similar hard finishes fitted in wall or floor installations. Available in a wide range of heights and finishes with corresponding Internal and External Aluminium corners avoiding the unsightly and exposed 45° cuts.



Code	D (mm)	L (m)	Finish	Box Qty
EAQ080	8	2.5	01,81,91,94	20
EAQ100	10	2.5	01,16,81,86,91,94	20
EAQ120	12	2.5	01,16,81,86,91,94	20

Solid Brass available upon request - lead times and MOQ's apply.



Corner Pieces

Produced from Machined Aluminium to ensure a perfect finish to compliment the profile.

External Corners

Code	D (mm)	Finish	Pack Qty
EAC082	8	01,81,91,94	2
EAC102	10	01,16,81,86,91,94	2
EAC122	12	01,16,81,91,94	2

Internal Corners


Code	D (mm)	Finish	Pack Qty
EIQ082	8	81,91	2
EIQ082	8	94	2
EIQ102	10	81,86,91	2
EIQ102	10	94	2
EIQ122	12	81,91	2
EIQ122	12	94	2



Angle Trim & Corners

These unique profiles offer an attractive professional finish to ceramic tiles; the specially engineered triangular shape of these trims provide outstanding strength and protection for tiled edges and corners.

All are supplied with a transparent protective film offering protection during transport and storage, simply peel off after installation.




Code	D x W (mm)	L (m)	Box Qty
EAT100.81	11 x 10	2.7	20
EAT100.91	11 x 10	2.7	20
EAT100.94	11 x 10	2.7	20
EAT120.81	13 x 12	2.7	20
EAT120.91	13 x 12	2.7	20
EAT120.94	13 x 12	2.7	20

Corner Pieces

Produced from Machined Aluminium to ensure a perfect finish to compliment the profile.

Code	D (mm)	Pack Qty
EET102.81	10	2
EET102.91	10	2
EET102.94	10	2
EET122.81	12	2
EET122.91	12	2
EET122.94	12	2


Code	D (mm)	Pack Qty
EIT102.81	10	2
EIT102.91	10	2
EIT102.94	10	2
EIT122.81	12	2
EIT122.91	12	2
EIT122.94	12	2



Self Adhesive Internal Trim, Corners & Caps

Aluminium Internal Trim applied retrospectively and secured into position with the pre-bonded adhesive tape, simply remove the backing and apply to the prepared area.

Ideal for floor and worktop applications, a range of complimentary accessories complete the perfect finish.



Code	D x W (mm)	L (m)	Box Qty
EWA150.81	11.5	2.5	20
EWA150.91	11.5	2.5	20



Corner Pieces & End Caps

The fabricated aluminium corners and caps with integral guide arms that help locate and guide into the profile, producing a perfect match to the EWA profile offering a neat and professional finish.

Code	D (mm)	Pack Qty
EWE150.81	11.5	2
EWE150.91	11.5	2



Code	D (mm)	Pack Qty
EWI150.81	11.5	2
EWI150.91	11.5	2

Code	D (mm)	Pack Qty
EW150.81	11.5	2
EW150.91	11.5	2




Glass Panel / Shadow Gap

Code	D (mm)	L m	Box Qty
LGA100.91	10	2.5	20
LGA120.91	12	2.5	20



Flat Line Listello

Genesis LFA is a flat decorative Aluminium profile designed to create a feature in ceramic wall tile installations.



Code	W x D (mm)	Length (m)	Box Qty
LFA100.81	10 x 8	2.5	20
LFA100.86	10 x 8	2.5	20
LFA100.91	10 x 8	2.5	20
LFA100.94	10 x 8	2.5	20
LFA200.16	20 x 8	2.5	20
LFA200.17	20 x 8	2.5	20
LFA200.90	20 x 8	2.5	20
LFA200.91	20 x 8	2.5	20
LFA200.94	20 x 8	2.5	20


16 Black	17 Matt Black	81 Matt Silver	86 Bright Brass	90 Brushed Brass
91 Bright Silver	94 Brushed Silver			



Angle Edge


The Grade 304 Stainless Steel Angle Edge trim provides a discrete 45° finish that offers tile protection and a subtle additive aesthetic.

The small external surface is non-porous and affords superb resistance to chemical and atmospheric agents.




Code	D (mm)	L (m)	Box Qty
ETS100.84	10	2.5	10

84



Quadrant



Stainless Steel Grade 304

Code	W x D (mm)	L (m)	Box Qty
ESQ080.84	8	2.5	10
ESQ080.102	8	2.5	10
ESQ100.84	10	2.5	10
ESQ100.102	10	2.5	10
ESQ120.84	12	2.5	10
ESQ120.102	12	2.5	10

Stainless Steel Grade 316

Code	D (mm)	L (m)	Box Qty
ESQ310.84	10	2.5	10
ESQ310.102	10	2.5	10
ESQ312.84	12	2.5	10
ESQ312.102	12	2.5	10

Corners

Code	D (mm)	Pack Qty
ECQ082.84	8	2
ECQ082.102	8	2
ECQ102.84	10	2
ECQ102.102	10	2
ECQ122.84	12	2
ECQ122.102	12	2

84

102




Straight Edge

This Stainless Steel profile should be chosen where high levels of hygiene are sought, such as food processing industries, breweries, dairies and hospitals.

These profiles offer superb resistance to principal chemical and atmospheric agents and are particularly recommended to protect steps in zones such as food processing industries, breweries, dairies, hospitals and external applications.

Its smooth and non-porous surface makes it especially difficult for the adhesion and survival of bacteria and/or other micro-organisms.



Stainless Steel Grade 304

Code	D (mm)	L (m)	Box Qty
ESS060.84	6	2.5	10
ESS060.102	6	2.5	10
ESS080.84	8	2.5	10
ESS080.102	8	2.5	10
ESS100.84	10	2.5	10
ESS100.102	10	2.5	10
ESS100.117	10	2.5	10
ESS100.187	10	2.5	10
ESS100.190	10	2.5	10
ESS100.195	10	2.5	10
ESS100.V90	10	2.5	10
ESS100.V96	10	2.5	10
ESS120.84	12	2.5	10
ESS120.102	12	2.5	10
ESS120.117	12	2.5	10
ESS120.187	12	2.5	10
ESS120.190	12	2.5	10
ESS120.195	12	2.5	10
ESS120.V90	12	2.5	10
ESS120.V96	12	2.5	10
ESS150.84	15	2.5	10
ESS150.102	15	2.5	10
ESS180.84	18	2.5	10
ESS180.102	18	2.5	10

Stainless Steel Grade 316

Code	D (mm)	L (m)	Box Qty
ESS310.84	10	2.5	10
ESS310.102	10	2.5	10
ESS312.84	12	2.5	10
ESS312.102	12	2.5	10

Formable

Code	D (mm)	L (m)	Box Qty
ESF100.84	10	2.5	10
ESF100.102	10	2.5	10
ESF120.84	12	2.5	10
ESF120.102	12	2.5	10



84 Steel	102 Brushed	117 Matt Black	187 Gold	190 Brushed Gold	195 Copper
V90 Vintage Brass	V96 Vintage Copper				
NEW	NEW				



22.5 mm

More size options in the Outdoor Tiling Section Page 56


Stainless Steel Profiles

Square Edge

This Stainless Steel profile should be chosen where high levels of hygiene are sought, such as food processing industries, breweries, dairies and hospitals.


These profiles offer superb resistance to principal chemical and atmospheric agents and are particularly recommended to protect steps in zones such as food processing industries, breweries, dairies, hospitals and external applications.

Its smooth and non-porous surface makes it especially difficult for the adhesion and survival of bacteria and/or other micro-organisms.



Stainless Steel Grade 304

Code	W x D (mm)	L (m)	Box Qty
EQQ080.84	8 x 8	2.5	10
EQQ080.102	8 x 8	2.5	10
EQQ100.84	10 x 10	2.5	10
EQQ100.102	10 x 10	2.5	10
EQQ100.117	10 x 10	2.5	10
EQQ100.187	10 x 10	2.5	10
EQQ100.190	10 x 10	2.5	10
EQQ100.195	10 x 10	2.5	10
EQQ100.V90	10 x 10	2.5	10
EQQ100.V96	10 x 10	2.5	10
EQQ120.84	12 x 12	2.5	10
EQQ120.102	12 x 12	2.5	10
EQQ120.117	12 x 12	2.5	10
EQQ120.187	12 x 12	2.5	10
EQQ120.190	12 x 12	2.5	10
EQQ120.195	12 x 12	2.5	10
EQQ120.V90	12 x 12	2.5	10
EQQ120.V96	12 x 12	2.5	10



Stainless Steel Grade 316

Code	W x D (mm)	L (m)	Box Qty
EQQ308.84	8 x 8	2.5	10
EQQ308.102	8 x 8	2.5	10
EQQ310.84	10 x 10	2.5	10
EQQ310.102	10 x 10	2.5	10
EQQ312.84	12 x 12	2.5	10
EQQ312.102	12 x 12	2.5	10

EQQ 3 Way Corners

Code	D (mm)	Pack Qty
EDQ082.84	8	2
EDQ082.102	8	2
EDQ102.84	10	2
EDQ102.102	10	2
EDQ102.117	10	2
EDQ102.187	10	2
EDQ102.190	10	2
EDQ102.195	10	2
EDQ122.84	12	2
EDQ122.102	12	2
EDQ122.117	12	2
EDQ122.187	12	2
EDQ122.190	12	2
EDQ122.195	12	2



Don't cut corners...

...there's a piece for that!

We sell a range of corner pieces to provide the Perfect Finish




Genesis




For the Perfect Finish

Solid Brass


Our range of solid brass profiles are suitable for both domestic and commercial areas. Solid brass is extremely hard wearing and provides a truly unique finish.



Code	D (mm)	Length (m)	Box Qty
ESB107.86	10	2.7	10
ESB107.87	10	2.7	10
ESB107.90	10	2.7	10
ESB127.86	12	2.7	10
ESB127.87	12	2.7	10
ESB127.90	12	2.7	10




Code	D (mm)	Length (m)	Box Qty
TDB107.87	10	2.7	10
TDB107.90	10	2.7	10
TDB127.87	12	2.7	10
TDB127.90	12	2.7	10






Dividing Strips




EDA510




EDA408



EDA147



EDS



Aluminium

Code	W x D (mm)	Length (m)	Box Qty
EDA510.80	5 x 10	2.5	20
EDA408.81	22 x 9	2.5	20
EDA408.83	22 x 9	2.5	20
EDA408.91	22 x 9	2.5	20
EDA147.81	14 x 8	2.5	20

80 Mill	81 Matt Silver	83 Matt Brass	91 Bright Silver
------------	----------------------	---------------------	------------------------

Stainless Steel

Code	W x D (mm)	Length (m)	Box Qty
EDS209.84	20 x 9	2.5	10
EDS209.102	20 x 9	2.5	10

84 Steel	102 Brushed
-------------	----------------




Genesis


For the Perfect Finish

Capping Strip

The Grade 304 Stainless Steel Capping Strip provides a sleek and durable capping option to culminate any cove edging and is perfect for industrial epoxy flooring or applications where hygiene is key.





Code	W x D (mm)	Length (m)	Box Qty
ETS060.102	6 x 25	2.5	10




Straight Edge & Formable Trim

Aluminium L-Shape profiles available in 15mm and 18mm depths are the perfect solution for Resin installations and formable options provide freedom and flexibility for a range of designs.



Code	D (mm)	Length (m)	Box Qty
ESA150.80	15	2.7	20
ESA180.80	18	2.7	20

Formable			
Code	D (mm)	Length (m)	Box Qty
EFA150.80	15	2.7	20
EFA180.80	18	2.7	20




Genesis
For the Perfect Finish

Genesis

For the Perfect Finish


Internal Corner



81
Matt
Silver


89
Bronze

91
Bright
Silver



Code	W x D (mm)	L (m)	Box Qty
TVI037.81	25 x 25	2.7	10
TVI037.89	25 x 25	2.7	10
TVI037.91	25 x 25	2.7	10

External Corner



17
Matt
Black


81
Matt
Silver

89
Bronze

91
Bright
Silver


94
Brushed
Silver

NEW



Code	W x D (mm)	L (m)	Box Qty
TVC037.17	4.7 x 26	2.7	10
TVC037.81	4.7 x 26	2.7	10
TVC037.89	4.7 x 26	2.7	10
TVC037.91	4.7 x 26	2.7	10
TVC037.94	4.7 x 26	2.7	10

Reducer



Code	W x D (mm)	L (m)	Box Qty
TVR037.17	38 x 3	2.7	10
TVR037.81	38 x 3	2.7	10
TVR037.89	38 x 3	2.7	10
TVR037.91	38 x 3	2.7	10
TVR037.94	38 x 3	2.7	10
TVR057.17	39 x 5	2.7	10
TVR057.81	39 x 5	2.7	10
TVR057.89	39 x 5	2.7	10
TVR057.91	39 x 5	2.7	10
TVR057.94	39 x 5	2.7	10

17
Matt
Black

81
Matt
Silver




89
Bronze

91
Bright
Silver

94
Brushed
Silver



NEW

Step Edge




Code	D x H (mm)	L (m)		Box Qty
TVN037.17	19 x 3	2.7	NEW	10
TVN037.81	19 x 3	2.7		10
TVN037.89	19 x 3	2.7		10
TVN037.91	19 x 3	2.7		10
TVN037.94	19 x 3	2.7		10
TVN057.17	21 x 5	2.7	NEW	10
TVN057.81	21 x 5	2.7		10
TVN057.89	21 x 5	2.7		10
TVN057.91	21 x 5	2.7		10
TVN057.94	21 x 5	2.7		10

End Profile




Code	W x D x H (mm)	L (m)		Box Qty
TVE037.17	6 x 5 x 3	2.7	NEW	10
TVE037.81	6 x 5 x 3	2.7		10
TVE037.89	6 x 5 x 3	2.7		10
TVE037.91	6 x 5 x 3	2.7		10
TVE037.94	6 x 5 x 3	2.7		10
TVE057.17	8 x 7 x 5	2.7	NEW	10
TVE057.81	8 x 7 x 5	2.7		10
TVE057.89	8 x 7 x 5	2.7		10
TVE057.91	8 x 7 x 5	2.7		10
TVE057.94	8 x 7 x 5	2.7		10


Vinyl Bull Nose



Code	D x H (mm)	L (m)		Box Qty
TVB037.17	35 x 3	2.7	NEW	10
TVB037.81	35 x 3	2.7		10
TVB037.89	35 x 3	2.7		10
TVB037.91	35 x 3	2.7		10
TVB037.94	35 x 3	2.7		10
TVB057.17	37 x 5	2.7	NEW	10
TVB057.81	37 x 5	2.7		10
TVB057.89	37 x 5	2.7		10
TVB057.91	37 x 5	2.7		10
TVB057.94	37 x 5	2.7		10







Genesis
For the Perfect Finish








End Profile





Code	W x D (mm)	L (m)	Box Qty
PUA118.01	6 x 11.5	2.4	50
PUA118.17	6 x 11.5	2.4	50
PUA118.81	6 x 11.5	2.4	50
PUA118.90	6 x 11.5	2.4	50
PUA118.91	6 x 11.5	2.4	50
PUA118.94	6 x 11.5	2.4	50

H - Joint




Code	W x D (mm)	L (m)	Box Qty
PHA118.01	11 x 11.5	2.4	50
PHA118.17	11 x 11.5	2.4	50
PHA118.81	11 x 11.5	2.4	50
PHA118.90	11 x 11.5	2.4	50
PHA118.91	11 x 11.5	2.4	50
PHA118.94	11 x 11.5	2.4	50

External




Code	W x D (mm)	L (m)	Box Qty
PXA118.01	30 x 11.5	2.4	25
PXA118.17	30 x 11.5	2.4	25
PXA118.81	30 x 11.5	2.4	25
PXA118.90	30 x 11.5	2.4	25
PXA118.91	30 x 11.5	2.4	25
PXA118.94	30 x 11.5	2.4	25

Internal



Code	W x D (mm)	L (m)	Box Qty
PIA118.01	12 x 11.5	2.4	25
PIA118.17	12 x 11.5	2.4	25
PIA118.81	12 x 11.5	2.4	25
PIA118.90	12 x 11.5	2.4	25
PIA118.91	12 x 11.5	2.4	25
PIA118.94	12 x 11.5	2.4	25

Scotia Retro Fit



Code	W x D (mm)	L (m)	Box Qty
PSA308.91	27 x 19	2.4	50



Genesis


For the Perfect Finish



Edge Protection


Aluminium Retro-Fit Protector

Corner guard designed to protect one of the most vulnerable areas of a wall from severe impact and wear, significantly reducing ongoing maintenance and repair costs.




Self Adhesive

Code	W x D (mm)	L (m)	Self-Adhesive	Box Qty
EAA100.81	10 x 10	2.5	Yes	20
EAA100.91	10 x 10	2.5	Yes	20
EAA206.01	20 x 20	2.6	No	20
EAA206.16	20 x 20	2.6	No	20
EAA206.81	20 x 20	2.6	No	20
EAA206.90	20 x 20	2.6	No NEW	20
EAA206.91	20 x 20	2.6	No	20
EAA206.94	20 x 20	2.6	No	20
EAA254.81	25 x 25	2.6	No	20



Stainless Steel Retro-Fit Protector
- Self Adhesive

These self adhesive edge protection profiles are designed to absorb and protect against impact damage on external corners on walls. Suitable for retro fixing the profiles provide a decorative and clean finish as well as covering existing damage to walls so the wall covering doesn't have to be replaced.



Self Adhesive

Code	W x D (mm)	L (m)	Box Qty
EAS154.84	15 x 15	2.5	10
EAS154.102	15 x 15	2.5	10
EAS154.117	15 x 15	2.5	NEW 10
EAS154.187	15 x 15	2.5	NEW 10
EAS154.195	15 x 15	2.5	NEW 10
EAS304.84	30 x 30	2.5	10
EAS304.102	30 x 30	2.5	10
EAS304.117	30 x 30	2.5	10
EAS304.187	30 x 30	2.5	10
EAS304.195	30 x 30	2.5	10
EAS504.84	50 x 50	2.5	10
EAS504.102	50 x 50	2.5	10
EAS515.84	50 x 50	1.5	10





Genesis


For the Perfect Finish

Skirting, Corners & End Caps

Genesis KAA is an anodised Aluminium Skirting. It is ideal for use where a modern, hi-tech finish is required. It can be used with most types of floor covering including carpets, resilient flooring, stone, wood, wood laminate and ceramic tiles.


The profile is designed to sit on top of the floor covering in order to provide a neat finish.

Available in Matt Silver, and with matching finishing trims for neat installation: End caps, junctions and internal/external corners.



Code	D (mm)	L (m)	Box Qty
KAA607.01	60	2.7	10
KAA607.17	60	2.7	10
KAA607.81	60	2.7	10
KAA807.81	80	2.7	10
KAA107.81	100	2.7	10


P.V.C. Corners & End Caps		
Code	Description	Box Qty
KPE600.01	External Corner for KAA607	20
KPE600.11	External Corner for KAA607	20
KPE600.17	External Corner for KAA607	20
KPI600.01	Internal Corner for KAA607	20
KPI600.11	Internal Corner for KAA607	20
KPI600.17	Internal Corner for KAA607	20
KPC600.01	Pair End Caps (L/R) for KAA607	20
KPC600.11	Pair End Caps (L/R) for KAA607	20
KPC600.17	Pair End Caps (L/R) for KAA607	20
KPE800.11	External Corner for KAA807	20
KPI800.11	Internal Corner for KAA807	20
KPC800.11	Pair End Caps (L/R) for KAA807	20
KPE100.11	External Corner for KAA107	20
KPI100.11	Internal Corner for KAA107	20
KPC100.11	Pair End Caps (L/R) for KAA107	20



Aluminium Skirting

Clip On Skirting, Corners & End Caps

This profile is anodised Aluminium skirting which is easy to install and allows you to cover and protect low running cables around the perimeter, providing an attractive finish to low wall corners. The internal interlocking clip is fixed to the wall with screws, which are supplied, to provide a solid foundation. The top section simply clips into place.



Code	W x D (mm)	L (m)	Box Qty
KAC710.81	10 x 70	2.5	10

External Corners			
Code	W x D x L (mm)	Description	Pack Qty
KEC710.81	10 x 70 x 80	Pre-formed external corner	1
KIC710.81	10 x 70 x 80	Pre-formed internal corner	1

End Caps			
Code	W x D (mm)	Description	Pack Qty
KLC710.81	10 x 70	Left end cap	1
KRC710.81	10 x 70	Right end cap	1



KRC



KLC



KEC



KIC



We can now colour match most of our aluminium profiles to any RAL, please contact us for more information.



LRV's – Clarification

Reflectance is the proportion of light that a surface reflects compared to the amount or volume of light that falls on the said surface. An LRV is a value given to a surface to identify the amount of light reflected. People with impaired vision can perceive light and dark, therefore LRV's are a suitable method to measure contrast between 2 different surfaces.

Note that dark, matt or textured surfaces absorb a large amount of light, therefore have low reflectance values, however a combination of one or all light, shiny or smooth surfaces reflect the majority of light and therefore have higher reflectance values.

In order to achieve a suitable contrast between different surfaces, ADM 2004 recommend at least a 30 point difference in the LRV's of the two contrasting surfaces.

Genesis Finish	LRV	RAL	Genesis Finish	LRV	RAL
01 White	79.9	9003	48 Cobalt Blue	9.2	5000
16 Black	4.5	9004	58 Cloud	59	7047
20 Brown	9.1	8014	68 Haze	66.2	860-2 [#]
25 Beige	41.1	1001	78 Sand	70.3	1013
27 Canvas	53.2	7044	80 Mill Aluminium	78.9	
30 Red	10.6	3031	601 White	49.9	9003
43 Dolphin Grey	27.6	7042	616 Black	4.6	9004
44 Ice Grey	42.1	7001	621 Safety Blue	10.8	5015
46 Midnight Grey	12.8	7024	643 Dolphin Grey	11.5	7000
47 Yellow	55.7	1018	647 Yellow	48.1	1012

Please note the RAL numbers in the table are a guide only and cannot guarantee an exact match due to variables within the manufacturing process.

[#]Special colour matching RAL E3 Effects.

Nosing Insert Slip Resistance

Slip-resistance tests have been independently undertaken by Lucideon Ltd using the pendulum and inclined platform test.

Inclined Platform Test DIN 51130:2010

The critical angle at which a test person reaches the limit of safe walking on an inclined plane is used as a measure of slip resistance.

Pendulum Test BS 7976-2:2002

The energy absorbed by contact with the pre-set distance is read from a physical scale by a pointer that follows the overswing of the pendulum arm. 12 results are averaged to give the final pendulum number which is used to categorise the tile surface.

^{*}Average of Six Shod Results (Corrected). [#]PTV Average Value.

The UK slip resistance group recommends the following guidelines;

PTV	Slip Potential
0-24	High
25-35	Moderate
36+	Low

International testing houses consider the following guidelines;

Ramp	Slip Potential
R9	High
R10	Normal
R11	Low
R12	Very Low

Templates/Curves

Stair casings can be made to fit most irregular shapes and curves. However each curved step must be treated individually and a separate template made for each using card, felt or paper. Follow these three simple steps as an easy guide to the perfect edge.

For assistance with any aspect of measuring or making templates please speak to Technical Services.


Not available for NXF/S, NTC, ATC, NTS, PVC or Vision



Step 1

Place the card or felt on top of the curve that requires a template and draw a line underneath with a felt pen or marker (see Figure 1) following the edge of the curve to create a smooth line.

Figure 1




Side view of stair

Step 2

Cut the shape along the felt pen mark (Figure 2) and clearly indicate the top and front edge of the template.


Figure 2



Step 3

Clearly mark on the template, the customer name and reference, the profile required, the colour insert required and finally whether your curve is required drilled or undrilled (Figure 3).

Figure 3




Drilling Guide

Stair casings can be made to fit most irregular shapes and curves. However each curved step must be treated individually and a separate template made for each using card, felt or paper. Follow these three simple steps as an easy guide to the perfect edge.


Start 75mm from each end and set all holes equally as indicated for single and double channel.

Length	No. of Holes
600 - 699	2
700 - 1049	3
1050 - 1399	4
1400 - 1749	5
1750 - 2099	6
2100 - 2449	7
2450 - 2799	8
2800 - 3220	9

Single Channel




Double Channel - drill back channel only



Results

Insert	Inclined Platform Test DIN 51130:2010 [*]	Category	Pendulum Test BS 7976-2:2002 [#]	
			Dry	Wet
Standard	22.9°	R11	66	54
Tredsafe [®]	24.7°	R11	57	47

Potential of slipping



Installation - Mechanical Fix

If fixing inserts separate follow steps 1 – 6, remove release paper from channel and position insert ends flush applying pressure towards the centre finishing with hand roller to ensure adhesion.



1 Prepare surface, it must be clean, smooth and free of debris.



2 Position the profile, check the fit and mark the drill holes.



3 Drill and Plug to suit the screw size.



4 Apply adhesive as per manufacturer's instructions.



5 Position onto step.



6 Mechanically fix.



7 Insert plug.




8 Remove protective film when applicable.

Installation - Adhesive

Installer must follow individual manufacturers guidelines.




1 Prepare surface, it must be clean, smooth and free of debris.



2 Apply 5mm bead to the underside of the profile, 2 lines for Single and 3 for double channel.



3 Position, press and slide to ensure full bond.



4 Allow min. 1 hour after fixing. It is the contractor's responsibility to ensure the bond is secure before opening the area.

Installation - Easi-Lay Tape

For a simple installation solution try our NEW Easi-Lay Tape

See page 53 for details



Insert quick reference guide

Standard - NISL38
38mm | 2mm

Standard - NISL50
50mm | 2mm

Standard - NIHD38
38mm | 3.4mm

Standard - NIHD50
50mm | 3.4mm


Tredsafe® - NITR38
38mm | 3.5mm

Tredsafe® - NITR50
50mm | 3.5mm

Castellated - NIA50
50mm | 3.5mm

Insert	Fits	External
NISL38	NSL Twin Channel	No
NISL50	NSL Single Channel	No
NIHD38	NHD Twin Channel	No
NIHD50	NHD Single Channel	No
NITR38	NSL, NHD Twin Channel	Yes
NITR50	NSL, NHD Single Channel	Yes
NIA50	NHD Single Channel	Yes

Insert	LRV	NSL		ASL		NHD		AHD		NTC/S	ATC/S	NXF/S	LNR	P.V.C
		SINGLE	DOUBLE	SINGLE	DOUBLE	SINGLE	DOUBLE	SINGLE	DOUBLE					
Standard														
01 White	79.9													
16 Black	4.5													
20 Brown	9.1													
25 Beige	41.1													
27 Canvas	53.2													
30 Red	10.6													
43 Dolphin Grey	27.6													
44 Ice Grey	42.1													
46 Midnight Grey	12.8													
47 Yellow	55.7													
48 Cobalt Blue	9.2													
58 Cloud	59													
68 Haze	66.2													
78 Sand	70.3													
120H Hazard														
Tredsafe®														
601 White	49.9													
616 Black	4.6													
621 Safety Blue	10.8													
643 Dolphin Grey	11.5													
647 Yellow	48.1													
NIA50														
80 Mill	78.9													
P.V.C Channel														
16 Black														
Anodising														
16 Black	4.7													
86 Bright Brass	64.3													



Slimline Aluminium Nosings

The NSL Profile comprises of an aluminium channel with a choice of insert material designed to meet the guidance in Approved Document M and BS8300:2009+A1:2010. It is a straight edge, single channel profile and is ideal for use with resilient flooring.

The profile is supplied Mill finish as standard, other anodised and powder coated options can be made available.

Designed to meet the guidelines in BS8300:2009+A1:2010.

External grade Tredsafe® Insert.

Tredsafe® insert is manufactured from a special blend of P.V.C., silica quartz and polymeric plasticiser giving an homogeneous hard wearing anti-slip flooring for wet and dry conditions. The three dimensional pyramid pattern provides excellent slip resistance in both wet and dry conditions.




Channel Options

16 Black	80 Mill	86 Bright Brass
LRV: 4.7	LRV: 78.9	LRV: 64.3


Standard Insert

01 White	16 Black	20 Brown	25 Beige	27 Canvas
LRV: 79.9	LRV: 4.5	LRV: 9.1	LRV: 41.1	LRV: 53.2
30 Red	43 Dolphin Grey	44 Ice Grey	46 Midnight Grey	47 Yellow
LRV: 10.6	LRV: 27.6	LRV: 42.1	LRV: 12.8	LRV: 55.7
48 Cobalt Blue	58 Cloud	68 Haze	78 Sand	
LRV: 9.2	LRV: 59	LRV: 66.2	LRV: 70.3	



Tredsafe® Insert

601 White	616 Black	621 Safety Blue	643 Dolphin Grey	647 Yellow
LRV: 49.9	LRV: 4.6	LRV: 10.8	LRV: 11.5	LRV: 48.1




Silicone Carbide

16 Black	47 Yellow
LRV: 3.8	LRV: 48.4

NSL23 Only

Code	W x D (mm)
NSL01	56 x 32
NSL02	57 x 32
NSL03	60 x 39
NSL09	85 x 32
NSL15	85 x 32
NSL16	66 x 32
NSL19	56 x 55
NSL20	57 x 55
NSL21	67 x 55
NSL23*	68 x 33
NSL25	73 x 39
NSL26	67 x 55
NSL27	69 x 55
NSL28	69 x 55
NSL29	91 x 39
NSL30	94 x 32
NSL31	93 x 32
Available in 2.46m, 2.77m, 3.22m Standard Lengths.	
*3m Standard Lengths	



Aluminator® Slimline Nosings

In addition to the function of step edge protection the **Aluminator®** range offers an easy, energy efficient solution to illuminate steps. Should a local or emergency power failure occur on stairways, increasing the risk of hazard for evacuees, the **Aluminator®** system allows the evacuee to orientate, locate stair edges and risers, and to assist in the safe evacuation of the premises. The system requires no electrical connection, is simple to install and requires no special maintenance other than that which you would normally carry out on any similar product. Only normal illumination, daylight, fluorescent or standard tungsten filaments are required to activate its performance. The highly durable and slip resistant silicone carbide is suitable for external use, ideal for both commercial and domestic applications where public safety is paramount.

The diverse range can be used on a wide variety of substrates such as concrete, timber, tiles, vinyl, steel and checker plate with inserts available in a wide array of colours promoting the visibility while complimenting the aesthetics.



Channel Options


16 Black	80 Mill	86 Bright Brass
LRV: 4.7	LRV: 78.9	LRV: 64.3

Standard Insert

01 White	16 Black	20 Brown	25 Beige	27 Canvas
LRV: 79.9	LRV: 4.5	LRV: 9.1	LRV: 41.1	LRV: 53.2
30 Red	43 Dolphin Grey	44 Ice Grey	46 Midnight Grey	47 Yellow
LRV: 10.6	LRV: 27.6	LRV: 42.1	LRV: 12.8	LRV: 55.7
48 Cobalt Blue	58 Cloud	68 Haze	78 Sand	
LRV: 9.2	LRV: 59	LRV: 66.2	LRV: 70.3	

Code	W x D (mm)
ASL01	56 x 32
ASL02	57 x 32
ASL03	60 x 39
ASL09	85 x 32
ASL10	85 x 32
ASL15	66 x 32
ASL16	66 x 32
ASL19	56 x 55
ASL20	57 x 55
ASL21	67 x 55
ASL25	73 x 39
ASL26	67 x 55
ASL27	69 x 55
ASL28	69 x 55
ASL29	91 x 39
ASL30	94 x 32
ASL31	93 x 32



Available in 2.46m, 2.77m, 3.22m Standard Lengths.



Tredsafe® Insert

601 White	616 Black	621 Safety Blue	643 Dolphin Grey	647 Yellow
LRV: 49.9	LRV: 4.6	LRV: 10.8	LRV: 11.5	LRV: 48.1

NEW



Heavy Duty Aluminium Nosings

The NHD Profile is designed to be used in most commercial and industrial applications with a coloured PVC insert. It is available in a 5mm gauge allowing for fixing with carpet or similar floor covering. The profile is available in a range of designs with DDA and building regulations accounted for.

Designed to meet the guidelines in BS8300:2009+A1:2010.

External grade Tredsafe® Insert.

Tredsafe® insert is manufactured from a special blend of P.V.C., silica quartz and polymeric plasticiser giving an homogeneous hard wearing anti-slip flooring for wet and dry conditions. The three dimensional pyramid pattern provides excellent slip resistance in both wet and dry conditions.



Channel Options


16 Black	80 Mill	86 Bright Brass
LRV: 4.7	LRV: 78.9	LRV: 64.3

Standard Insert

01 White	16 Black	20 Brown	25 Beige	27 Canvas
LRV: 79.9	LRV: 4.5	LRV: 9.1	LRV: 41.1	LRV: 53.2
30 Red	43 Dolphin Grey	44 Ice Grey	46 Midnight Grey	47 Yellow
LRV: 10.6	LRV: 27.6	LRV: 42.1	LRV: 12.8	LRV: 55.7
48 Cobalt Blue	58 Cloud	68 Haze	78 Sand	120H Hazard
LRV: 9.2	LRV: 59	LRV: 66.2	LRV: 70.3	LRV: 32.8

Code	W x D (mm)
NHD05	60 x 32
NHD06	63 x 32
NHD07	70 x 40
NHD08	71 x 55
NHD11	91 x 32
NHD12	93 x 32
NHD13	91 x 35
NHD17	60 x 55
NHD22	70 x 55
NHD24	60 x 55
NHDEXT*	63 x 5 NEW
NNL01*	40 x 10
NNL02*	20 x 3.5


Available in 2.46m, 2.77m, 3.22m Standard Lengths.
*3.22m Standard Lengths



Tredsafe® Insert


601 White	616 Black	621 Safety Blue	643 Dolphin Grey	647 Yellow
LRV: 49.9	LRV: 4.6	LRV: 10.8	LRV: 11.5	LRV: 48.1

NEW



NIA50 Insert


80 Mill
LRV: 82.7



Aluminator® Heavy Duty Nosings

In addition to the function of step edge protection the **Aluminator®** range offers an easy, energy efficient solution to illuminate steps. Should a local or emergency power failure occur on stairways, increasing the risk of hazard for evacuees, the **Aluminator®** system allows the evacuee to orientate, locate stair edges and risers, and to assist in the safe evacuation of the premises.

The system requires no electrical connection, is simple to install and requires no special maintenance other than that which you would normally carry out on any similar product. Only normal illumination, daylight, fluorescent or standard tungsten filaments are required to activate its performance.




Channel Options

16 Black	80 Mill	86 Bright Brass
LRV: 4.7	LRV: 78.9	LRV: 64.3

Standard Insert


01 White	16 Black	20 Brown	25 Beige	27 Canvas
LRV: 79.9	LRV: 4.5	LRV: 9.1	LRV: 41.1	LRV: 53.2
30 Red	43 Dolphin Grey	44 Ice Grey	46 Midnight Grey	47 Yellow
LRV: 10.6	LRV: 27.6	LRV: 42.1	LRV: 12.8	LRV: 55.7
48 Cobalt Blue	58 Cloud	68 Haze	78 Sand	
LRV: 9.2	LRV: 59	LRV: 66.2	LRV: 70.3	



Tredsafe® Insert

601 White	616 Black	621 Safety Blue	643 Dolphin Grey	647 Yellow
LRV: 49.9	LRV: 4.6	LRV: 10.8	LRV: 11.5	LRV: 48.1

NEW




Silicone Carbide

16 Black	47 Yellow
--------------------	---------------------

AHD23 Only

Code	W x D (mm)
AHD05	60 x 32
AHD06	63 x 32
AHD07	70 x 40
AHD08	71 x 55
AHD11	91 x 32
AHD12	93 x 32
AHD13	91 x 35
AHD17	60 x 55
AHD22	70 x 55
AHD23*	68 x 33
AHD24	60 x 55

Available in 2.46m, 2.77m, 3.22m Standard Lengths.
*3m Standard Lengths




Heavy Duty Ceramic Tile-In Edges

This Tile-In Nosing offers a cost effective alternative to ceramic treads. The PVC insert on the tread has been designed to provide additional slip resistance. Although mainly used with ceramic tile it can also be used with wood, laminate and stone. Meets DDA Guidelines and Building regulations.

The **Aluminator®** range of profiles are available with the innovative external grade Tredsafe® Insert.

Tredsafe® insert is manufactured from a special blend of P.V.C., silica quartz and polymeric plasticiser giving an homogeneous hard wearing anti-slip flooring for wet and dry conditions. The three dimensional pyramid pattern provides excellent slip resistance in both wet and dry conditions.




Channel

81 Matt Silver
LRV: 73.9


Standard Insert

01 White	16 Black	20 Brown	25 Beige	27 Canvas
LRV: 79.9	LRV: 4.5	LRV: 9.1	LRV: 41.1	LRV: 53.2
30 Red	43 Dolphin Grey	44 Ice Grey	46 Midnight Grey	47 Yellow
LRV: 10.6	LRV: 27.6	LRV: 42.1	LRV: 12.8	LRV: 55.7
48 Cobalt Blue	58 Cloud	68 Haze	78 Sand	120H Hazard
LRV: 9.2	LRV: 59	LRV: 66.2	LRV: 70.3	LRV: 32.8




Tredsafe® Insert

601 White	616 Black	621 Safety Blue	643 Dolphin Grey	647 Yellow
LRV: 49.9	LRV: 4.6	LRV: 10.8	LRV: 11.5	LRV: 48.1



NIA50 Insert

80 Mill
LRV: 82.7



Code	D (mm)
NTC10322	10
NTC12322	12.5
ATC10322	10
ATC12322	12.5
Available in 2.46m, 3.22m Standard Lengths.	



Frontier NXF/S

The Frontier range offers a unique mechanism to secure the insert in position while offering heightened exposure to the leading edge.

This increased foot contact to the slip-resistant insert reduces the risk of slips, trips and falls on stairs designed to meet the guidance in Approved Document M and BS8300-2:2018.

The profile is supplied Mill finish as standard, other anodised and powder coated options can be made available on request.




Channel Options

16 Black	80 Mill	86 Bright Brass
LRV: 4.7	LRV: 78.9	LRV: 64.3

Standard Insert

16 Black	44 Ice Grey	47 Yellow
LRV: 4.5	LRV: 42.1	LRV: 55.7




Code	W x D (mm)
NXF05	62 x 36
NXF06	62 x 36
NXFS01	56 x 36
NXFS02	56 x 36
Available in 2.77m Standard Lengths.	



Hard Nose P.V.C

Designed to be used in most commercial and domestic applications, the rear of the profile tapers to 3mm offering greater installation opportunities.

In addition to the function of step edge protection the **Aluminator®** offers an easy, energy efficient solution to illuminate steps. Should a local or emergency power failure occur on stairways, increasing the risk of hazard for evacuees, the **Aluminator®** system allows the evacuee to orientate, locate stair edges and risers, and so assist in the safe evacuation of the premises.




Channel

16
Black
LRV: 4.7


Standard Insert

01 White LRV: 79.9	16 Black LRV: 4.5	20 Brown LRV: 9.1	25 Beige LRV: 41.1	27 Canvas LRV: 53.2
30 Red LRV: 10.6	43 Dolphin Grey LRV: 27.6	44 Ice Grey LRV: 42.1	46 Midnight Grey LRV: 12.8	47 Yellow LRV: 55.7
48 Cobalt Blue LRV: 9.2	58 Cloud LRV: 59	68 Haze LRV: 66.2	78 Sand LRV: 70.3	120H Hazard LRV: 32.8




Tredsafe® Insert


601 White LRV: 49.9	616 Black LRV: 4.6	621 Safety Blue LRV: 10.8 NEW	643 Dolphin Grey LRV: 11.5	647 Yellow LRV: 48.1
---------------------------	--------------------------	---	----------------------------------	----------------------------



Heavy Duty



Slimline




Heavy Duty

Code	W x D (mm)
NHP16	67 x 39
AHP16	67 x 39
Available in 3.22m lengths	

Slimline

Code	W x D (mm)
NRP16	67 x 32 NEW
ARP16	67 x 32 NEW
NSP16	62 x 35
ASP16	62 x 35
Available in 3.22m lengths	

Stair Edge Trim Pre-Formed / Landing Strip




Code	D (mm)	L (mm)	Style	Box Qty
NSA290.16	42	350	Straight	10
NSA290.80	42	350	Straight	10
NSA283.16	42	350	Rakeback	10
NSA283.80	42	350	Rakeback	10
NTL1.16	42	2500		10
NTL1.80	42	2500		10



Stair Edge Trim Clips

Code	D (mm)	Pack Qty
NTAB1	4.5 / 7 Dual Height	20



Side Profile of NSA/NTL with NTAB1

Easi-Lay Adhesive Tape

High Performance Bonding Tape is pressure sensitive adhesive exhibiting high levels of adhesion and cohesion. Unlike many other rubber resin adhesive tapes, Easi-Lay Adhesive Tape is solvent free and has good UV resistance coupled with good peel strength. It is easy to use with a fingerlift liner offering an instant high bond to most common materials from plastic, ceramics, metals, wood and glass and will bond to most common substrates including difficult to bond materials such as polyethylene and polypropylene.

- Suitable for indoor and outdoor use
- Forms a strong waterproof bond
- Good UV resistance
- Indirect Food Approved FDA 21 CFR 175.105
- Easy to apply with finger lift liner
- Instant bonds with high levels of adhesion and cohesion
- Supplied in roll form for application by hand only.

Code	Description	Pack Qty
NEZ50	46mm Easi-Lay Nosing Adhesive Tap	50m Rolls



Did you know?...

...our stair nosings come with protective film on the **tread AND riser**


Double Protection!



Stainless Steel Straight Edge

Enhance your outdoor space with our Stainless Steel Straight Edge profiles designed for external use with 2cm tiles, offering lasting durability and available in brushed or polished finishes.

These weatherproofed profiles are available in 2.5m lengths with 22.5mm internal depth and provide corrosive resistance and are a long-lasting edge protection for your tiles.



Code	D (mm)	Length (m)	Box Qty
ESS225.84	22.5	2.5	10
ESS225.102	22.5	2.5	10




84 Steel

102 Brushed

Aluminium Square

For a bolder finish to your outdoor space the Aluminium Square Edge profiles offer a 10mm top face to show off the striking finishes alongside providing edge protection for your tiles or alternatively can be used as a feature strip.

Available in 2.5m with 22.5mm internal depth we offer bespoke Powder Coating to match any colour you may need.



Code	W x D (mm)	Length (m)	Box Qty
TDP225.17	10 x 22.5	2.5	20
TDP225.81	10 x 22.5	2.5	20
TDP225.411	10 x 22.5	2.5	20
TDP225.414	10 x 22.5	2.5	20
TDP225.425	10 x 22.5	2.5	20
TDP225.435	10 x 22.5	2.5	20



17 Matt Black

81 Matt Silver

411 Granite

414 Bath Stone


425 Sand Stone

435 Dark Granite

Aluminium Straight Edge

Available in a wider range of standard finishes, including our versatile stone finish range, the Aluminium L-Shape profiles provide protection and add to the aesthetic touch of your external space.

Available in both 2.5m and 2.7m with 22.5mm internal depth we offer bespoke Powder Coating to match any colour you may need.



Code	D (mm)	Length (m)	Box Qty
ESA225.80	22.5	2.7	20
ESA225.17	22.5	2.5	20
ESA225.91	22.5	2.5	20
ESA225.94	22.5	2.5	20
ESA225.411	22.5	2.5	20
ESA225.414	22.5	2.5	20
ESA225.425	22.5	2.5	20
ESA225.435	22.5	2.5	20



17 Matt Black

80 Mill

91 Bright Silver

94 Brushed Silver

411 Granite

414 Bath Stone


425 Sand Stone

435 Dark Granite

Aluminium Tile-In Step Edge

For elevated spaces or steps in your outdoor area the Aluminium Tile-In Step Edge profile is a perfect solution. The simple innovative design provides a safe and secure grooved edge to step on as well as protecting the riser tile edge and preventing water ingress into the joint gap.

Available in 2.8m with 22.5mm internal depth we offer bespoke Powder Coating to match any colour you may need.



Code	W x D (mm)	Length (m)	Box Qty
NLT225.17	28 x 22.5	2.8	10
NLT225.81	28 x 22.5	2.8	10
NLT225.411	28 x 22.5	2.8	10
NLT225.414	28 x 22.5	2.8	10
NLT225.425	28 x 22.5	2.8	10
NLT225.435	28 x 22.5	2.8	10



17 Matt Black

81 Matt Silver

411 Granite

414 Bath Stone

425 Sand Stone



435 Dark Granite

Drainage System **NEW**

Introduced as an expansion of the Outdoor range of products is a drainage system used for the collection and drainage of rainwater designed and reinforced for high resistance and functionality.

Available in 1 metre lengths with a design that simply clicks together to extend to the desired length, the channel is made from PP (Polypropylene) with a galvanized steel or PP grating and a load class of A15 (maximum load rating of 1.5 tonnes) in accordance with UNI EN 1433.

Accompanied by end caps and a screw fitted adapter with the choice of side drain or floor drain the system enables drainage suitable for driveways, patios and gardens.



Code	Description	Dimensions	Qty
MCP1284.16	Midi Channel with PP Grating	121 x 84 x 1000	140
MCGS1284.84	Midi Channel with Galvanized Grating	121 x 84 x 1000	140
MCEC	End Caps for Midi Channel - set 2pcs		200
MCAD	Adapter for Midi Channel - incl. 4 Screws	ø 110	100





Balcony Profiles

We are constantly expanding our popular range of profiles to ensure everywhere trim is applicable has the perfect finish, and terraces and balconies deserve the same treatment which is why we have developed a range of aluminium profile for your outdoor areas.

We have two shapes available – the flat surface and slope designs are both available in 10mm and 12mm in Anthracite, Matt Black or Matt Silver finishes with connectors as well as internal and external corners all available to match.

The profiles have been designed with drip edges to push the falling water away from the surface where it can stain the fascia. The large punched flanges allow for secure installation and adhesive bedding, providing protection as well as an appealing aesthetic touch to the edges of your balcony.



Profile					
Code	Description	H x D (mm)	L (m)	Box Qty	
BAA100.17	10mm Profile	42 x 10	2.5	10	
BAA100.81	10mm Profile	42 x 10	2.5	10	
BAA100.82	10mm Profile	42 x 10	2.5	10	
BAA120.17	12mm Profile	44 x 12	2.5	10	
BAA120.81	12mm Profile	44 x 12	2.5	10	
BAA120.82	12mm Profile	44 x 12	2.5	10	

Corners & Accessories for BAA				
Code	Description	H x D (mm)	Box Qty	
BACA10.17	Connector	10	1	
BACA10.81	Connector	10	1	
BACA10.82	Connector	10	1	
BAEA10.17	External Corner	10	1	
BAEA10.81	External Corner	10	1	
BAEA10.82	External Corner	10	1	
BAIA10.17	Internal corner	10	1	
BAIA10.81	Internal corner	10	1	
BAIA10.82	Internal corner	10	1	
BACA12.17	Connector	12	1	
BACA12.81	Connector	12	1	
BACA12.82	Connector	12	1	
BAEA12.17	External Corner	12	1	
BAEA12.81	External Corner	12	1	
BAEA12.82	External Corner	12	1	
BAIA12.17	Internal corner	12	1	
BAIA12.81	Internal corner	12	1	
BAIA12.82	Internal corner	12	1	

Profile					
Code	Description	H x D (mm)	L (m)	Box Qty	
BAF100.17	10mm Profile	53 x 10	2.5	10	
BAF100.81	10mm Profile	53 x 10	2.5	10	
BAF100.82	10mm Profile	53 x 10	2.5	10	
BAF120.17	12mm Profile	55 x 12	2.5	10	
BAF120.81	12mm Profile	55 x 12	2.5	10	
BAF120.82	12mm Profile	55 x 12	2.5	10	

Corners & Accessories for BAF			
Code	Description	H x D (mm)	Box Qty
BACF10.17	Connector	10	1
BACF10.81	Connector	10	1
BACF10.82	Connector	10	1
BAEF10.17	External Corner	10	1
BAEF10.81	External Corner	10	1
BAEF10.82	External Corner	10	1
BAIF10.17	Internal corner	10	1
BAIF10.81	Internal corner	10	1
BAIF10.82	Internal corner	10	1
BACF12.17	Connector	12	1
BACF12.81	Connector	12	1
BACF12.82	Connector	12	1
BAEF12.17	External Corner	12	1
BAEF12.81	External Corner	12	1
BAEF12.82	External Corner	12	1
BAIF12.17	Internal corner	12	1
BAIF12.81	Internal corner	12	1
BAIF12.82	Internal corner	12	1





Raising the world to a higher level
Check out Buzon www.tebo.se




Glass / Shower Deck Profiles

A stainless steel line profile which allows you to accurately configure tiled showers flush with the floor. Developed in order to cover the slope of 2% it makes the shower area aesthetically perfect and at one with the modern trends of interior design.



Code	Side	L (m)	Incline	D > H (mm)	Box Qty
KBSL102.102	LEFT	1.2	2%	10 > 34	10
KBSL102.117	LEFT	1.2	2%	10 > 34	10
KBSL102.190	LEFT	1.2	2%	10 > 34	10
KBSR102.102	RIGHT	1.2	2%	10 > 34	10
KBSR102.117	RIGHT	1.2	2%	10 > 34	10
KBSR102.190	RIGHT	1.2	2%	10 > 34	10



Surface Protectors

Retrofit 3M self adhesive stainless steel surface protecting tactiles.

Set contains 8 stainless steel heat resistant tactiles (25mm) and template.

Code	Description	Box Qty
KBWPP8	25mm x 3.5mm Flat Top x 8 pcs	1
KBSWP28	Worktop protector 280 x 16 x 3.5mm x 4 pcs	1



vision



1. Lighting System

2. Driver

3. Receiver (optional)
Single Zone or Multi Zone

 NATURAL WHITE 4000K	→ 	
 NATURAL WHITE 4000K	→ 	→  or 
 COOL WHITE 6000K NATURAL WHITE 4000K WARM WHITE 3000K	→ 	→  or 
 RED GREEN BLUE	→ 	→  or 


Retro Self Adhesive

A versatile profile designed for internal corner installations for downlighting or vertical fitting used in conjunction with Vision LED, CCT and RGB lighting systems.

Supplied in anodised Matt Silver finish with frosted polycarbonate diffuser for optimum light dispersion and self-adhesive for easy installation.

Rated IP64 under IEC standard 60529 resistant to water splashes from any direction.







Code	W x D (mm)	L (m)	Box Qty
TRV368.81	36 x 11	2.8	10

81


Vision - 3mm Plaster Profile NEW



Code	W x D (mm)	L (m)	Box Qty
TPD308.81	50 x 3	2.8	10

81

Vision - MultiFix




Code	D (mm)	L (m)	Box Qty
TLD108.81	10	2.8	10
TLD128.81	12	2.8	10

End Caps

Code	D	Box Qty
TUC100.81	10	10

81

Vision - Guidance System



Code	W x D (mm)	L (m)	Box Qty
TUD118.81	17 x 11	2.8	10

End Caps

Code	D	Box Qty
TUC100.81	10	10


81

Vision - Skirting






Code	W x D (mm)	L (m)	Box Qty
KLD118.81	100 x 11	2.8	10
KLD118.94	100 x 11	2.8	10

End Caps		
Code	D (mm)	Box Qty
NPC100.81	10	10
NPC100.94	10	10




Universal LED Skirting **NEW**





Code	H x D (mm)	L (m)	Box Qty
KRD107.02	100 x 14	2.8	10
KRD107.17	100 x 14	2.8	10
KRD107.81	100 x 14	2.8	10

End Caps		
Code	D (mm)	Box Qty
KDP100.02	100	10
KDP100.17	100	10
KDP100.81	100	10



Vision - Step



Code	X x D (mm)	L (m)	Box Qty
NLD908.81	9 x 20	2.8	10
NLD118.81	11 x 22	2.8	10



End Caps		
Code	D (mm)	Box Qty
NPC100.81	10	10



Vision - Light Down & Light Out

Commercial style stair nosing incorporating a range of non-slip PVC based inserts and Vision LED, CCT and RGB lighting systems in a 'light down' configuration.

Supplied in anodised Matt Silver finish, other finishes are available on request. Standard length is 2.8m but we offer a bespoke cutting and drilling service if required and end caps to complete the professional aesthetic. Complete with frosted polycarbonate diffuser to ensure optimum light dispersion.



Channel



Standard Insert

01 White	16 Black	20 Brown	25 Beige	27 Canvas
30 Red	43 Dolphin Grey	44 Ice Grey	46 Midnight Grey	47 Yellow
48 Cobalt Blue	58 Cloud	68 Haze	78 Sand	

Tredsafe® Insert

601 White	616 Black	621 Safety Blue NEW	643 Dolphin Grey	647 Yellow
-----------	-----------	----------------------------	------------------	------------

Vision - Light Down

Code	W x D (mm)	L (m)	Box Qty
NALR50	76.5 x 26	2.8	5

NALR50 - When ordering, please advise the insert colour

End Caps

Code	Description	Box Qty
NECR50.81	End caps x 2	10

Vision - Light Out

Code	W x D (mm)	L (m)	Box Qty
NSLR50	77.5 x 48.5	2.8	5

NSLR50 - When ordering, please advise the insert colour

End Caps

Code	Description	Box Qty
NECS50.81	End caps x 2	10



Genesis


For the Perfect Finish



Genesis


For the Perfect Finish

P.V.C. Movement & Perimeter Joint




Code	D (mm)	L (m)	Box Qty
MLB100.16	10	2.5	25
MLB100.25	10	2.5	25
MLB100.35	10	2.5	25
MLB125.16	12.5	2.5	25
MLB125.25	12.5	2.5	25
MLB125.35	12.5	2.5	25

Thin	Code	D (mm)	L (m)	Box Qty
	MLT100.16	10	2.5	25
	MLT100.25	10	2.5	25
	MLT100.35	10	2.5	25
	MLT125.16	12.5	2.5	25
	MLT125.25	12.5	2.5	25
	MLT125.35	12.5	2.5	25



Optimax Aluminium Heavy Duty

The use of Santoprene as a movement accommodation material offers an outstanding flexibility, chemical and weathering resistance, in addition the tensile strength is a contributing factor to the durability; the anchoring angles are Aluminium grade 6063 T6, which is heat treated to increase tensile strength.




Code	D (mm)	L (m)	Box Qty
MSA080.16	8	2.5	10
MSA080.25	8	2.5	10
MSA080.35	8	2.5	10
MSA100.16	10	2.5	10
MSA100.25	10	2.5	10
MSA100.35	10	2.5	10
MSA125.16	12.5	2.5	10
MSA125.25	12.5	2.5	10
MSA125.35	12.5	2.5	10
MSA150.16	15	2.5	10
MSA150.25	15	2.5	10
MSA150.35	15	2.5	10
MSA180.16	18	2.5	10
MSA180.25	18	2.5	10
MSA180.35	18	2.5	10
MSA225.16	22.5	2.5	10
MSA225.25	22.5	2.5	10
MSA225.35	22.5	2.5	10

Optimax Aluminium Heavy Duty Replaceable Infill	Code	D (mm)	L (m)	Box Qty
	MSI100.16	9.8	2.5	20
	MSI100.25	9.8	2.5	20
	MSI100.35	9.8	2.5	20




Stainless Steel Heavy Duty




Code	D (mm)	L (m)	Box Qty
MHS100.16	10	2.5	10
MHS100.35	10	2.5	10
MHS120.16	12	2.5	10
MHS120.35	12	2.5	10
MHS150.16	15	2.5	10
MHS150.35	15	2.5	10
MHS225.16	22.5	2.5	10
MHS225.35	22.5	2.5	10




Optimax Stainless Steel Heavy Duty



Code	D (mm)	L (m)	Box Qty
MSS100.16	10	2.5	10
MSS100.35	10	2.5	10
MSS125.16	12.5	2.5	10
MSS125.35	12.5	2.5	10




Aluminium Intermediate Joint



Code	D (mm)	L (m)	Box Qty
MMA100.16	10	2.5	10
MMA100.35	10	2.5	10
MMA120.16	12	2.5	10
MMA120.35	12	2.5	10



Self Adhesive Structural Covers




Stainless Steel Covers

Code	W x D (mm)	L (m)	Side Drill	Max Load	Box Qty
GC2796	60 x 5	2.5	On request	25kg/cm ²	10
GC2797	80 x 5	2.5	On request	15kg/cm ²	10
GC2798	100 x 5	2.5	On request	11kg/cm ²	10






Aluminium Covers

Code	W x D (mm)	L (m)	Side Drill	Max Load	Box Qty
GC2806	60 x 4	2.7	On request	8kg/cm ²	10
GC2820	80 x 4	2.7	On request	55kg/cm ²	10
GC2814	100 x 3	2.7	On request	75kg/cm ²	10



Heavy Duty Aluminium Structural Joints



Heavy Duty Aluminium - 30mm

Code	W (mm)	D (mm)	A (mm)	L (m)	Lat Movement (mm)
GFSR3023.16	36	23	30	3	8 (± 4)
GFSR3023.35	36	23	30	3	8 (± 4)
GFSR3030.16	36	30	30	3	8 (± 4)
GFSR3030.35	36	30	30	3	8 (± 4)
GFSR3050.16	36	50	30	3	8 (± 4)
GFSR3050.35	36	50	30	3	8 (± 4)
GFSR3070.16	36	70	30	3	8 (± 4)
GFSR3070.35	36	70	30	3	8 (± 4)

Code	W (mm)	D (mm)	A (mm)	L (m)	Lat Movement (mm)
GFGR3023.16	36	23	30	3	10 (± 5)
GFGR3023.35	36	23	30	3	10 (± 5)
GFGR3030.16	36	30	30	3	10 (± 5)
GFGR3030.35	36	30	30	3	10 (± 5)
GFGR3050.16	36	50	30	3	10 (± 5)
GFGR3050.35	36	50	30	3	10 (± 5)
GFGR3070.16	36	70	30	3	10 (± 5)
GFGR3070.35	36	70	30	3	10 (± 5)

Heavy Duty Aluminium - 50mm

Code	W (mm)	D (mm)	A (mm)	L (m)	Lat Movement (mm)
GFSR5023.16	56	23	50	3	12 (± 6)
GFSR5023.35	56	23	50	3	12 (± 6)
GFSR5030.16	56	30	50	3	12 (± 6)
GFSR5030.35	56	30	50	3	12 (± 6)
GFSR5050.16	56	50	50	3	12 (± 6)
GFSR5050.35	56	50	50	3	12 (± 6)
GFSR5070.16	56	70	50	3	12 (± 6)
GFSR5070.35	56	70	50	3	12 (± 6)

Code	W (mm)	D (mm)	A (mm)	L (m)	Lat Movement (mm)
GFGR5023.16	56	23	50	3	14 (± 7)
GFGR5023.35	56	23	50	3	14 (± 7)
GFGR5030.16	56	30	50	3	14 (± 7)
GFGR5030.35	56	30	50	3	14 (± 7)
GFGR5050.16	56	50	50	3	14 (± 7)
GFGR5050.35	56	50	50	3	14 (± 7)
GFGR5070.16	56	70	50	3	14 (± 7)
GFGR5070.35	56	70	50	3	14 (± 7)




Slimline Ceramic Tile-In Edges

This Tile-In Nosing offers a cost effective alternative to ceramic treads. The PVC insert on the tread has been designed to provide additional slip resistance. Although mainly used with ceramic tile it can also be used with wood, laminate and stone. Meets DDA Guidelines and Building regulations.

The **Aluminator**® range of profiles are available with the innovative external grade Tredsafe® Insert.

Tredsafe® insert is manufactured from a special blend of P.V.C., silica quartz and polymeric plasticiser giving an homogeneous hard wearing anti-slip flooring for wet and dry conditions. The three dimensional pyramid pattern which provides excellent slip resistance in both wet and dry conditions.



Code	D (mm)	L (m)	Box Qty
NTS10.81	10	2.8	5
NTS12.81	12.5	2.8	5
ATS10.81	10	2.8	5
ATS12.81	12.5	2.8	5

Channel

81
Matt
Silver

Standard Insert



01 White LRV: 79.9	16 Black LRV: 4.5	20 Brown LRV: 9.1	25 Beige LRV: 41.1	27 Canvas LRV: 53.2
30 Red LRV: 10.6	43 Dolphin Grey LRV: 27.6	44 Ice Grey LRV: 42.1	46 Midnight Grey LRV: 12.8	47 Yellow LRV: 55.7
48 Cobalt Blue LRV: 9.2	58 Cloud LRV: 59	68 Haze LRV: 66.2	78 Sand LRV: 70.3	

Tredsafe® Insert

601 White LRV: 49.9	616 Black LRV: 4.6	621 Safety Blue LRV: 10.8 NEW	643 Dolphin Grey LRV: 11.5	647 Yellow LRV: 48.1
---------------------------	--------------------------	---	----------------------------------	----------------------------





Aluminium Retro-Fit




Code	W x D (mm)	L (m)	Box Qty
NRA50277.80	50 x 30	2.77	10

Aluminium Nosing with Black Rubber Insert



Code	W x D (mm)	L (m)	Box Qty
NRE05277.16	57 x 33	2.7	10

Aluminium Stair Grip + PVC Top and End Caps




Code	W x D (mm)	L (m)	Box Qty
NIB106.16	30 x 10	2.5	10
NIB106.35	30 x 10	2.5	10
NIB126.16	30 x 12	2.5	10
NIB126.35	30 x 12	2.5	10

End Caps


Code	Description	Pack Qty
NUC102.16	Pair of universal end caps	2
NUC102.35	Pair of universal end caps	2

Aluminium Tile-In with Carbide Insert











Code	D (mm)	L (m)	Box Qty
NLC106.81	10	2.6	10
NLC126.81	12.5	2.6	10

Aluminium Formable 2 in 1











Code	W x D (mm)	L (m)	Box Qty
NFA125.81	3 x 10/12	2.6	20
NFA125.91	3 x 10/12	2.6	20

Aluminium Tile-In











Code	D (mm)	L (m)	Box Qty
NLM103.81	26 x 10	3	10
NLM123.81	26 x 12	3	10

Aluminium Tile-In Bullnose











Code	D (mm)	L (m)	Box Qty
NAT105.81	10	2.6	20
NAT125.81	12	2.6	20


Aluminium Tile-In Step Edge













Code	W x D (mm)	L (m)	Box Qty
NLT108.81	19 x 10	2.8	10
NLT128.81	19 x 12.5	2.8	10

Stainless Steel Tile-In Nosing









Code	D (mm)	L (m)	Box Qty
NSS106.84	10	2.5	10
NSS126.84	12	2.5	10

Colour match our aluminium and stainless steel profiles to any RAL or tile surface with bespoke powder coating


- **FREE Samples** • **No MOQ**

Match to any RAL or tile surface




Genesis

For the Perfect Finish



Trim Regular & Corners

ETR features a smart quadrant face which is good for three dimensional alignment, overhang lips to better butt against the cushion edge of the ceramic tile, and a second upright to support the face making it the most suitable trim for floor tile use.



Code	W x D (mm)	Z (mm)	L (m)	Finish	Box Qty
ETR608.01	7.5 x 6	21	2.5	01	60
ETR608	7.5 x 6	21	2.5	11,16,32,34	60
ETR708.01	8.5 x 7	22	2.5	01	60
ETR808.01	9.5 x 8	25	2.5	01	60
ETR808	9.5 x 8	25	2.5	11,16,32,34	60
ETR808	9.5 x 8	25	2.5	63,64,70,72	60
ETR108.01	11.5 x 10	26	2.5	01	60
ETR108	11.5 x 10	26	2.5	11,16,32,34	60
ETR108	11.5 x 10	26	2.5	64,70,72	60
ETR128.01	12.5 x 12	32	2.5	01	60
ETR128	12.5 x 12	32	2.5	11,32	60
ETR128.64	12.5 x 12	32	2.5	64	60

Corner Pieces

Code	D (mm)	Finish	Pack Qty
PDM603	6	01,11,16,32,34	100
PDP604	6	01,34	4 Blister Pack
PDL803	8	01,11,16,32,34	100
PDP804	8	01,34	4 Blister Pack
PDX103	10	01,11,16,32,34	100
PDP104	10	01,34	4 Blister Pack
PDX123	12	01,11,32	100
PDP124	12	01	4 Blister Pack



Plain



01 White	11 Grey	16 Black	32 Soft Cream	34 Soft Grey
----------	---------	----------	---------------	--------------

Marble Effect

63 Grey Marble	64 White Marble	70 Toffee Swirl	72 Roman Marble
----------------	-----------------	-----------------	-----------------

Straight Edge Trim

A straight edge alternative to the popular round edge profiles. In addition to being used with standard ceramic tiles the ESP can be used with rectified or square cut tiles. The profile is available in 8, 10, 12 and 15mm depths. The ESP can also be used as a capping on the horizontal where skirting tiles have been fitted or where walls are not fully tiled.





Code	D (mm)	L (m)	Box Qty
ESP060.01	6	2.5	60
ESP080.01	8	2.5	60
ESP080.11	8	2.5	60
ESP080.16	8	2.5	60
ESP080.32	8	2.5	60
ESP080.34	8	2.5	60
ESP100.01	10	2.5	60
ESP100.11	10	2.5	60
ESP100.16	10	2.5	60
ESP100.32	10	2.5	60
ESP100.34	10	2.5	60
ESP120.01	12	2.5	60
ESP120.11	12	2.5	60
ESP120.16	12	2.5	60
ESP120.32	12	2.5	60
ESP120.34	12	2.5	60



01 White	11 Grey	16 Black	32 Soft Cream	34 Soft Grey
----------	---------	----------	---------------	--------------




Seal Under / Over Tile



Code	Fixing	L (m)	Box Qty
SBS180.01	Under / over tile	1.8	25

Corner Pieces		
Code	Packed	Box Qty
SMT100.01	1 corner + 2 end caps	50 packs


Beading





Code	Fixing	L (m)	Box Qty
SRP250.01	Over tile only	2.5	25

Corner Pieces


Code	Packed	Box Qty
SRE100.01	2 way x 5	50
SRI100.01	2 way x 5	50
SRT100.01	3 way x 5	50







Flexible Cove Former




Code	W x D (mm)	L (m)	Box Qty
KCOV1.16	35 x 35	2	30
KCOV2.16	20 x 20	2	30




Dim Strip





Code	W x D (mm)	L (m)	Box Qty
RDIM20.16	26 x 2	15 (coil)	10
RDIM25.16	26 x 2.5	15 (coil)	10
RDIM45.16	36 x 4.5	2	40
RDIM60.16	40 x 6	2	20





Vinyl to Tile







Code	W x D (mm)	L (m)	Box Qty
EVC080.01	15 x 8	2.5	50
EVC080.11	15 x 8	2.5	50
EVC080.16	15 x 8	2.5	50
EVC100.01	15 x 10	2.5	50
EVT080.01	15 x 8	2.5	25
EVT120.01	19 x 12	2.5	25
EFU080.01	15 x 8	2.5	50



Capping Strip





Code	W x D (mm)	L (m)	Box Qty
KCS01.01	40 x 2	2	40
KCS01.16	40 x 2	2	40
KCS01.43	40 x 2	2	40
KCS02.01	40 x 1.5	2	40
KCS02.16	40 x 1.5	2	40
KCS022.01	40 x 1.5	20 (coil)	1
KCS022.16	40 x 1.5	20 (coil)	1
KCS022.43	40 x 1.5	20 (coil)	1

Flexible Skirting



Sit On			
Code	H x D (mm)	Length (m)	Box Qty
KSO100.16	100 x 20	2	30
KSO100.43	100 x 20	2	30
KSO1015.16	100 x 20	15 (coil)	3
KSO1015.43	100 x 20	15 (coil)	3
KSO150.16	150 x 20	2	20
KSO150.43	150 x 20	2	20

Set In			
Code	H x D (mm)	Length (m)	Box Qty
KSI100.16	100 x 50	2	20
KSI100.43	100 x 50	2	20



TrakMat®
ENTRANCE MATTING

PATHWAY
GUIDANCE SYSTEM

PATHWAY

GUIDANCE SYSTEM



The traditional 6mm Ø shank method or 3M adhered versions offer an incredibly versatile system that can provide an instant DDA and Equality Act 2010 compliant tactile surface to any platform edge, stairway or ramp due to their unique installation methods.

Manufactured from Stainless Steel grade 316 these are highly durable and offers excellent contrasting options to ensure conformity within internal and external applications.

Aluminium, Brass and Polyurethane design options available, minimum order quantities may apply.



Stainless Steel Tactile



Stainless Steel Discs Shanked

Code	Ø (mm)	Description
FTSSD25.01	25	Stainless Steel Anti-Slip Tactile
FTSSD25.16	25	Stainless Steel Anti-Slip Tactile
FTSSD25.47	25	Stainless Steel Anti-Slip Tactile
FTSCD25.84	25	Stainless Steel Circle Tactile
FTSCD35.84	35	Stainless Steel Circle Tactile
FTCHD25.84	25	Stainless Steel Crosshatch Tactile
FTCHD35.84	35	Stainless Steel Crosshatch Tactile

Stainless Steel Discs Self Adhesive

Code	Ø (mm)	Description
FTSAS25.01	25	Stainless Steel Anti-Slip Tactile
FTSAS25.16	25	Stainless Steel Anti-Slip Tactile
FTSAS25.47	25	Stainless Steel Anti-Slip Tactile
FTSSA25.17	25	Stainless Steel Black PVD Circle Tactile
FTSSA25.84	25	Stainless Steel Circle Tactile
FTSSA35.84	35	Stainless Steel Circle Tactile
FTSCA25.84	25	Stainless Steel Crosshatch Tactile
FTSCA35.84	35	Stainless Steel Crosshatch Tactile


Stainless Steel Corduroy Shanked

Code	W x L (mm)	Description
FTCD280.01	25 x 280	Stainless Steel Anti-Slip
FTCD280.16	25 x 280	Stainless Steel Anti-Slip
FTCD280.47	25 x 280	Stainless Steel Anti-Slip
FTCD280.84	25 x 280	Stainless Steel Crosshatch




Stainless Steel Corduroy Self Adhesive

Code	W x L (mm)	Description
FTCA280.01	25 x 280	Stainless Steel Anti-Slip
FTCA280.16	25 x 280	Stainless Steel Anti-Slip
FTCA280.47	25 x 280	Stainless Steel Anti-Slip
FTGA280.17	25 x 280	Stainless Steel Black PVD Grooved
FTGA280.84	25 x 280	Stainless Steel Grooved
FTCA280.84	25 x 280	Stainless Steel Crosshatch

Discs



Corduroy



TrakMat®

ENTRANCE MATTING


A versatile system incorporating aluminium sections with rubber or carpet inserts linked by semi-rigid P.V.C to cushion traffic and reduce noise.

The unique design allows the matting to be rolled easing transport, relocation and cleaning.

Light to medium traffic <2,000/day.

Use TrakMat® Fluted Rubber outside for primary coarse dirt retention.

Use TrakMat® Loop Pile inside to clean and absorb residual moisture and dirt.



*Cut to required width, up to 39mm.



Black Rubber Anthracite Grey Red Natural

TrakMat® Fluted Rubber

Code	Height (mm)	Finish	Size
EM8950	12	Black	m ²
EM8951	14	Black	m ²
EM8952	18	Black	m ²

TrakMat® Loop Pile

Code	Height (mm)	Finish	Size
EM8900	12	Anthracite	m ²
EM8901	12	Grey	m ²
EM8902	12	Natural	m ²
EM8903	12	Red	m ²
EM8910	17	Anthracite	m ²
EM8911	17	Grey	m ²
EM8912	17	Natural	m ²
EM8913	17	Red	m ²
EM8920	22	Anthracite	m ²
EM8921	22	Grey	m ²
EM8922	22	Natural	m ²
EM8923	22	Red	m ²

End Profile

Code	Height (mm)	Finish	Size
EMCAP12	12	Black	3



TrakMat® HDR - Exterior Rubber

Heavy Traffic: >2000/day

Use outside for primary coarse dirt retention.

Aluminium sections containing rubber inserts linked with galvanised steel cables and secured with plated fixings. Designed for internal or external use.



Code	Height (mm)	Finish	Size
EMR8030	18	Black	m ²

TrakMat® HDR - Superior Buffed

Heavy Traffic: >2000/day

Use inside to clean and absorb residual moisture and dirt.

Reversible inserts are fitted between mill profiles and assembled with galvanised steel rods.




Code	Height (mm)	Finish	Size
EMR8000	18	Grey	m ²
EMR8016	18	Black	m ²
EMR8002	12	Grey	m ²
EMR8003	12	Black	m ²

Silicone Carbide Safety Strip

A versatile anti slip tape made from a fine grade aluminium oxide, which makes it suitable for use in a wide range of applications.

The 60 grit is a medium anti slip abrasive coating, perfect for general anti slip requirements possessing excellent levels of grip.



Code	W (mm) x L (m)
NIW250.16	25 x 18.3 roll
NIW250.47	25 x 18.3 roll
NIW250.120	25 x 18.3 roll
NIW500.16	50 x 18.3 roll
NIW500.47	50 x 18.3 roll
NIW500.120	50 x 18.3 roll



Aluminium profiles with stone finish

Available in

- Sand Stone
- Bath Stone
- Granite
- Dark Granite

And **NEW** Chalk Stone & Bronzite



Genesis

For the Perfect Finish




Genesis

For the Perfect Finish

Fast Fit Ramp System

Innovative hidden mechanical pivot system alongside varied base fittings allow for simple transition installations between different floor covering materials and depth differentials of up to 20mm.

- TCR: Cover and drill fitting
- TCG: Multiflex Gripper Base for carpet installation
- TCC: Multiflex Universal Base for all other floor coverings
- TTG: Multiflex Set Cover and Gripper Base
- TTC: Multiflex Set Cover and Universal Base



Code	W (mm)	L (m)	Box Qty
TCR409.81	40	0.92	20
TCR409.83	40	0.92	20
TCR409.85	40	0.92	20
TCR409.87	40	0.92	20
TCR409.91	40	0.92	20
TCR405.81	40	1.85	20
TCG109.80	9	0.92	20
TCC109.80	9	0.92	20
TTG409.911	40	0.92	20
TTC409.912	40	0.92	20


81 Matt Silver	83 Matt Brass	85 Pewter	87 Bright Brass	91 Bright Silver
----------------------	---------------------	--------------	-----------------------	------------------------



Fast Fit Slimline

Perfect finishing for transitions between different floor coverings of the same height, differing bases allow for simple but varied installation options.

- Covers a gap of up to 30mm
- TCS: Cover and drill fitting
- TCG: Multiflex Gripper Base for carpet installation
- TCC: Multiflex Universal Base for all other floor coverings




Code	W (mm)	L (m)	Box Qty
TCS409.81	40	0.92	20
TCS409.83	40	0.92	20
TCS405.81	40	1.85	20
TCG109.80	9	0.92	20
TCC109.80	9	0.92	20

81 Matt Silver	83 Matt Brass
----------------------	---------------------

Aluminium Z-Bar Carpet Lock & Z-Bar Pro

The Aluminum Z-Bar Carpet Lock from Genesis provides an effective transition between different heights and types of floor finishes.

Simple to install the TGA profile provides a neat finish and protects the edges of both floor coverings even when they are slightly different depths.




Code	W x D (mm)	L (m)	Box Qty
TGA909.81	28 x 9	0.9	15
TGA909.83	28 x 9	0.9	15
TGA909.87	28 x 9	0.9	15
TGA909.91	28 x 9	0.9	15
TGA907.81	28 x 9	2.7	15
TGA907.91	28 x 9	2.7	15
TGA149.81	28 x 14	0.9	15
TGA149.83	28 x 14	0.9	15
TGS159.87	30 x 15	0.9	15
TGS159.91	30 x 15	0.9	15

81 Matt Silver	83 Matt Brass	87 Bright Brass	91 Bright Silver
----------------------	---------------------	-----------------------	------------------------



Aluminium Retro-Fit Vinyl Reducer



Pre drilled



Code	W x D (mm)	L (m)	Box Qty
TVA259.81	40 x 2.5	0.92	20
TVA258.81	40 x 2.5	2.8	20



Brushed Stainless Steel Cover

Pre drilled





Code	W (mm)	L (m)	Box Qty
TSC307.102	30	2.7	40
TSC407.102	40	2.7	40

Tile Aluminium Ramp



Code	W x D (mm)	L (m)	Box Qty
RSA104.81	20 x 10	2.5	20
RSA124.81	23 x 12	2.5	20
RUA104.81	16 x 10	2.5	20
RUA124.81	19 x 12	2.5	20



Carpet Tile Edge **NEW**




Code	W x D (mm)	L (m)	Box Qty
CAR060.80	6 x 6	2.5	20

Aluminium Reducer

Pre drilled



RAR077 - for carpet tiles, loose lay PVC tiles etc.




RAR157 - for easy access with pallet trucks, trolleys and wheelchairs.

Code	H (mm)	L (m)	Box Qty
RAR077.81	5 - 7	2.7	10
RAR157.81	10.5 - 15	2.7	10

Heavy Duty Aluminium Reducer **NEW**



Pre drilled



Suitable for use in heavy traffic environments, and is ideal for use in environments subject to wheeled traffic e.g. wheelchairs and shopping trolleys.



Code	H (mm)	L (m)	Box Qty
RAW057.81	5	2.7	10

Aluminium Access Ramp



Code	W x D (mm)	L (m)	Box Qty
RAA104.81	65 x 10	2.5	10
RAA124.81	65 x 12.5	2.5	8



Stainless Steel Tile-in Ramp



Code	W x D (mm)	L (m)	Box Qty
RSS104.84	20 x 10	2.5	10
RSS124.84	25 x 12.5	2.5	10

Eurocover Strip

- Suitable for transitions between surfaces of similar height.
- Clean smooth design.
- Quick and easy to install.
- Strong adhesive bond for durability.




Code	W x D (mm)	L (m)		Box Qty
CAS407.17	38 x 3	2.7	NEW	10
CAS407.40	38 x 3	2.7		10
CAS407.81	38 x 3	2.7		10
CAS407.83	38 x 3	2.7		10
CAS407.89	38 x 3	2.7		10
CAS407.91	38 x 3	2.7		10
CAS407.94	38 x 3	2.7		10
CAS409.17	38 x 3	0.9	NEW	10
CAS409.40	38 x 3	0.9		10
CAS409.81	38 x 3	0.9		10
CAS409.83	38 x 3	0.9		10
CAS409.89	38 x 3	0.9		10
CAS409.91	38 x 3	0.9		10
CAS409.94	38 x 3	0.9		10

17 Matt Black NEW	40 Oak	81 Matt Silver	83 Matt Brass	89 Bronze
91 Bright Silver	94 Brushed Silver			

Nosing

- Durable Retro-Fit Solution
- Strong adhesive bond negates need for mechanical fixing
- Grooved surface for better step grip
- Perfect for vinyl, ceramic or laminate wood flooring coverings




Code	W x D (mm)	L (m)		Box Qty
NAS107.40	25 x 10	2.7		10
NAS107.81	25 x 10	2.7		10
NAS107.83	25 x 10	2.7		10
NAS107.89	25 x 10	2.7		10
NAS109.40	25 x 10	0.9		10
NAS109.81	25 x 10	0.9		10
NAS109.83	25 x 10	0.9		10
NAS109.89	25 x 10	0.9		10
NAS207.17	30 x 20	2.7	NEW	10
NAS207.40	30 x 20	2.7		10
NAS207.81	30 x 20	2.7		10
NAS207.83	30 x 20	2.7		10
NAS207.89	30 x 20	2.7		10
NAS209.17	30 x 20	0.9	NEW	10
NAS209.40	30 x 20	0.9		10
NAS209.81	30 x 20	0.9		10
NAS209.83	30 x 20	0.9		10
NAS209.89	30 x 20	0.9		10

17 Matt Black NEW	40 Oak	81 Matt Silver	83 Matt Brass	89 Bronze
----------------------------	-----------	----------------------	---------------------	--------------


Genesis
For the Perfect Finish




Ramp



Code	W x D (mm)	L (m)		Box Qty
TAS107.17	43 x 10	2.7	NEW	10
TAS107.40	43 x 10	2.7		10
TAS107.81	43 x 10	2.7		10
TAS107.83	43 x 10	2.7		10
TAS107.89	43 x 10	2.7		10
TAS109.17	43 x 10	0.9	NEW	10
TAS109.40	43 x 10	0.9		10
TAS109.81	43 x 10	0.9		10
TAS109.83	43 x 10	0.9		10
TAS109.89	43 x 10	0.9		10
TAS157.40	50 x 15	2.7		10
TAS157.81	50 x 15	2.7		10
TAS157.83	50 x 15	2.7		10
TAS157.89	50 x 15	2.7		10
TAS159.40	50 x 15	0.9		10
TAS159.81	50 x 15	0.9		10
TAS159.83	50 x 15	0.9		10
TAS159.89	50 x 15	0.9		10





Cover



Code	W x D (mm)	L (m)	Box Qty
CAS257.81	25 x 3	2.7	10
CAS257.83	25 x 3	2.7	10

Vinyl / LVT Ramp




Code	W x D (mm)	L (m)	Box Qty
TAV257.81	30 x 2.5	2.7	10
TAV257.83	30 x 2.5	2.7	10
TAV259.81	30 x 2.5	0.9	10
TAV259.83	30 x 2.5	0.9	10


Reducer **NEW**

- Multi Height Self-Adhesive Reducer
- Clean smooth design
 - Max. fixing depth 15mm




Code	W (mm)	L (m)	Box Qty
TVS257.17	40	2.7	
TVS257.40	40	2.7	
TVS257.81	40	2.7	
TVS257.83	40	2.7	
TVS257.89	40	2.7	
TVS257.91	40	2.7	
TVS257.94	40	2.7	
TVS259.17	40	0.9	
TVS259.40	40	0.9	
TVS259.81	40	0.9	
TVS259.83	40	0.9	
TVS259.89	40	0.9	
TVS259.91	40	0.9	
TVS259.94	40	0.9	





Add character
with brass details




Genesis
For the Perfect Finish

Z110 1m Deluxe Stand

- Rubber mat and specially strengthened base ideal for Metal profiles
- Profiles are simply leaned against the back of the display and rested on the rubber mat on the base
- Works on its own or combined to form a run of displays for larger showrooms
- Includes 12 euro hooks
- Dividers create 18 sections on this display
- Each section holds on average 20 profiles depending on the profile shape and size
- Complete assembly instructions are included with each display stand

Note: Images show two stands side by side



Personalised Samples Panel for Z110

A brand-new stand attachment is available for the Z110, offering an installed vision of the 4 profile designs offered by Genesis; Triangular, Square, Straight and Round. The Z109 also acts as a sales aid for highlighting and upselling the use of corner pieces to clients and homeowners allowing them to keep their options open on design and finish.


Code	Description	Box Qty
Z110	Deluxe Stand 2200mm x 1000mm (lean back) Box A+B	1
Z110B	BIHUI Header for Z110 Stand	1
Z110H	Genesis Header for Z110 Stand	1
Z110S	Shelf for the Z110 Display Stand - 968 x 300mm	1
Z109	POS Attachment for Z110 with 6 Hooks (Board not included)	1
Z111	Single Hooks for Z110 and Z115 Stands	1
Z113	300mm Extension for Z110 Stand	1

Z115 0.5m Svelte Stand

- Rubber mat and specially strengthened base ideal for Metal profiles
- Profiles are simply leaned against the back of the display and rested on the rubber mat on the base
- Works on its own or combined to form a run of displays for larger showrooms
- Includes 6 euro hooks
- Dividers create 9 sections on this display
- Each section holds on average 20 profiles depending on the profile shape and size
- Complete assembly instructions are included with each display stand

Note: Images show two stands side by side

Code	Description	Box Qty
Z115	Svelte Stand 2200mm x 500mm (12 Profiles / Lean back)	1
Z115B	BIHUI Header for Z115 Stand	1
Z115H	Genesis Header for Svelte Stand	1
Z115S	Shelf for Z115 Display Stand - 468 x 300mm	1
Z109	POS Attachment for Z110 with 6 Hooks (Board not included)	1
Z111	Single Hooks for Z110 and Z115 Stands	1
Z113	300mm Extension for Z110 Stand	1



Flooring Stand **NEW**

- 4 Main Shelves to showcase and distribute Folders, Sample Boxes and Catalogues
- Additional compartments for catalogues and business cards

Code	Description	Box Qty
Z135	Flooring Stand	1

Transition Stand

- 10 hooks to hold Genesis 0.92m lengths of transition profiles
- Comes complete with Genesis header

Code	Description	Box Qty
Z015	Transition Stand	1



Samples Folders & Case

Code	Description	Box Qty
Z871	Trakmat & Pathway	1
Z424	Metal Profiles	1
Z425	Ramps and Transitions	1
Z428	Movement Joints & Step Edges	1
Z430	Edge Protection and Skirting	1
Z432	Vision	1
Z426	Metal Finish Selector	1
Z751	Genesis Flooring Sample Case	1



Samples Boards



Z865 Z889 Z890



Z422 Z422

Code	Description	Box Qty
Z422	Self Adhesive	1
Z865	Panel Profiles	1
Z889	Transitions Board	1
Z890	Metal Trim Samples Board (1)	1
Z895	PVC Trim Samples Board	1
Z897	Metal Trim Samples Board (2)	1
Z888	Counter Top Display - Profile Design	1
Z893	Counter Top Display - Stone	1
Z894	Counter Top Display - Pathway	1
Z899	Counter Top Display - Stainless	1
Z885	Counter Top Display - 2cm	1
Z886	Counter Top Display - Movement Joints	1
Z891	Counter Top Display - Powder Coating	1

Display Modules

- Individual modules constructed with ceramics specified by you and using prescribed Genesis profiles to create the perfect point of sale display
- These modules have been designed to show a selection of Genesis Profiles and perfectly illustrate the function of the product as well as the aesthetics
- Eye-catching and perfect for displaying corner pieces



Code	Description	Box Qty
Z123	Display Module	1
Z123ST	Display Module - Stair	1
Z860	Display Module - LVT	1



A

AHD	48-49	EAA	33
AHP	52	EAD	7
Aluminator Nosing,		EAM	7
AHD Heavy Duty	48-49	EAQ	11
Aluminator Nosing, ASL Slimline	44-45	EAS	33
Aluminator Nosing, ATC Tile-In	50	Easi-Lay Adhesive Tape	53
Aluminator Step Edge	74	EAT	12
Aluminium Angle, EAD	7	EDA	23
Aluminium Contour Trim, TDG	9	Edge Protection, EAA Aluminium	33
Aluminium Cube, EAM	7	Edge Protection, EAS Stainless Steel	33
Aluminium Dividing Strip, EDA	23	EDS	23
Aluminium Edge Protection, EAA	33	EFA	6
Aluminium Flat Line Listello, LFA	14	EFU	83
Aluminium Glass Panel /		EMA	7
Shadow Gap, LGA	13	Entrance Matting, TrakMat	88-89
Aluminium Medium Duty, EMA	7	EQQ	18
Aluminium Pro Trim, ETA	10	ERA	10
Aluminium Quadrant, EAQ	11	ESA	6,25,56
Aluminium SA Internal Trim, EWA	13	ESA225	56
Aluminium Skirting	34-36,66	ESB	21
Aluminium Square, TDP	8,57	ESF	17
Aluminium Straight Edge, ESA	6,25,56	ESP	81
Aluminium Straight Edge		ESQ	16
Formable, EFA	6,25	ESS	17
Aluminium Triangular, EAT	12	ESS225	56
Angle, EAD Aluminium	7	ETA	10
Angle, ETS Stainless Steel	16,25	ETR	80
Anti-Slip Safety Strip, NIW	89	ETS	16,25
Anti-Slip Tactiles, PATHWAY	86-87	EVC	83
ARP	52	EVT	83
ASL	44-45	EWA	13
ASP	52		
ATC	50		
ATS	74		

B

Balcony Profiles	59
Brass Square Edge, TDB	21
Brass Straight Edge, ESB	21

C

Capping Strip, ETS Stainless	
Steel Resin	25
Carpet Lock Transitions	93
Carpet Tile Edge	93
CAR	93
CAS	97,99

D

Dividing Strip, EDA Aluminium	23
Dividing Strip, EDS Stainless Steel	23
Drainage System	58

E

EAA	33
EAD	7
EAM	7
EAQ	11
EAS	33
Easi-Lay Adhesive Tape	53
EAT	12
EDA	23
Edge Protection, EAA Aluminium	33
Edge Protection, EAS Stainless Steel	33
EDS	23
EFA	6
EFU	83
EMA	7
Entrance Matting, TrakMat	88-89
EQQ	18
ERA	10
ESA	6,25,56
ESA225	56
ESB	21
ESF	17
ESP	81
ESQ	16
ESS	17
ESS225	56
ETA	10
ETR	80
ETS	16,25
EVC	83
EVT	83
EWA	13

F

Flexible PVC Trim, Cove Former	84
Flexible PVC Trim, Dim Strip	84
Flexible PVC Trim, Skirting	86
Formable, EFA Aluminium	
Straight Edge	6,25
Formable, ESF Stainless	
Steel Straight Edge	17

G

GC2	72
Guidance / Feature Strip, Vision TUD	65

I

Insert Guide, Nosing	40
----------------------	----

K

KAA	35
KAC	36
KCOV	84
KCS	85
KLD	67
KRD	67
KSI100	86
KSO	86

L

Landing Strip, NSA	53
LFA	14
LGA	13
Light Out & Light Down Nosing,	
Vision	68
Listello, LFA Aluminium Flat Line	14
LVT Bullnove, TVB	28
LVT End Profile, TVE	28
LVT External Corner, TVC	27
LVT Internal Corner, TVI	27
LVT Reducer, TVR	27
LVT Step Edge, TVN	28

M

MHS	71
MLB	70
MLT	70
MMA	71
Movement Joint, GC2	
Structural Covers	72
Movement Joint, MLB PVC	70
Movement Joint, MLT PVC	70
Movement Joint, MMA Aluminium	
Intermediate	71
Movement Joint, MSA Optimax	
Aluminium Heavy Duty	70
Movement Joint, MSS Optimax	
Stainless Steel Heavy Duty	71
MSA	70
MSS	71
MultiFix, Vision TLD	65

N

NALR	68
NAS	97
NAT	77
NEZ	53
NFA	77
NHD	46-47
NHP	52
NIA	40
NIB	75
NIHD	40
NISL	40
NITR	40
NIW	89
NLC	76
NLD	67
NLM	76
NLT	57,76
NLT225	57
Nosing Adhesive Tape, Easi-Lay	53
Nosing Insert Guide	40
Nosing, AHD Heavy Duty	
Aluminator	48-49
Nosing, ASL Slimline Aluminator	44-45
Nosing, ATC Tile-In Aluminator	50
Nosing, NHD Heavy Duty	46-47

Nosing, NSL Slimline	42-43
Nosing, NTC Tile-In	50
Nosing, NXF Frontier	51
Nosing, PVC	52
Nosing, Vision	67
NRA	75
NRE	127
NRP	52
NSA	53
NSL	42-43
NSLR	67
NSP	52
NSS	77
NTC	50
NTS	74
NXF	51

P

Panel Profile End, PUA	30
Panel Profile External Corner, PXA	31
Panel Profile H-Joint, PHA	30
Panel Profile Internal Corner, PIA	3
Panel Profile Scotia, PSA	31
PATHWAY Anti-Slip Tactiles	86-87
PHA	30
PIA	31
Plaster Profile, Vision	65
Protectors, Worktop	62
PSA	31
PUA	30
PVC Nosing	52
PVC Trim, Beading	84
PVC Trim, Capping Strip	85
PVC Trim, ESP Straight Edge	85
PVC Trim, ETR Trim Regular	82
PVC Trim, Flexible Cove Former	84
PVC Trim, Flexible Dim Strip	84
PVC Trim, Flexible Skirting	86
PVC Trim, Under / Over Seal	13
PVC Trim, Vinyl to Tile	85
PXA	31

Q

Quadrant, EAQ Aluminium	11
Quadrant, ESQ Stainless Steel	16

R

RAA	95
Ramps	95
Ramp, SA	98
Ramp, TCR Fast Fit System	92
RAR	94
RAW	94
RDIM	84
Resin Capping Strip,	
ETS Stainless Steel	16

Resin Straight Edge Formable,	
EFA Aluminium	6
Resin Straight Edge, ESA Aluminium	25
Retro Trim, Vision TRV	64
RSA	95
RSS	95
RUA	95

S

Safety Strip, Silicon Carbide	89
SBS180	81
Self Adhesive Internal Trim,	
EWA Aluminium	13
Self Adhesive, CAS Eurocover Strip	97
Self Adhesive, CAS25 Cover Strip	99
Self Adhesive, NAS Nosing	97
Self Adhesive, TAV Ramp	99
Skirting, Aluminium	35-36,66
Skirting, Vision KLD	66
Square Edge, EQQ Stainless Steel	18
Square Edge, TDB Solid Brass	21
Square, TDP Aluminium	8
SRP250	82
Stainless Steel Angle, ETS	16
Stainless Steel Capping Strip,	
ETS Resin	25
Stainless Steel Dividing Strip, EDS	23
Stainless Steel Edge Protection,	
EAS	33
Stainless Steel Quadrant, ESQ	16
Stainless Steel Square Edge, EQQ	18
Stainless Steel Straight Edge	
Formable, ESF	17
Stainless Steel Straight Edge, ESS	17
Stair Edge / Landing Strip, NSA	53
Stair Nosing, Vision	67
Step Edge, Aluminium Retro-Fit	75
Step Edge,	
Aluminium Tile-in	74-77
Step Edge, ATS Aluminator Slimline	
Ceramic Tile-In	74
Step Edge, NAT Aluminium	
Bullnose	79
Step Edge, NFA Aluminium	
Formable	79
Step Edge, NIB Aluminium	
Stair Grip + PVC Top	75
Step Edge, NSS Stainless Steel	
Tile-in	77
Step Edge, NTS Slimline Ceramic	
Tile-In	74
Step Edge, Vision NLD	66
Straight Edge, ESA Aluminium	6,25,56
Straight Edge, ESB Solid Brass	21
Straight Edge, ESS Stainless Steel	17,56
Structural Joints	72
Surface Protectors	62

T

Tactiles, Anti-slip PATHWAY	86-87
TAS	98
TAV	99
TCR	92
TCS	93
TDB	21
TDG	9
TDP	8
TDP225	57
TGA	93
TGS	93
TLD	65
TrakMat Entrance Matting	88-89
Transitions, RAR Aluminium	
Reducer	94
Transitions, RAW HD Aluminium	
Reducer	94
Transitions, TCR Fast Fit Ramp	92
Transitions, TCS Fast Fit Slimline	93
Transitions, TGA Carpet Lock	93
Transitions, Tile-In Ramps	95
Transitions, TSC Stainless	
Steel Cover	93
Transitions, TVA Vinyl Reducer	94
Triangular Trim, EAT Aluminium	12
TRV	64
TSC	94
TUD	65
TVA	94
TVB	28
TVC	27
TVE	28
TVI	27
TVN	28
TVR	27
TVS	98

V

Vision Guidance / Feature Strip, TUD	65
Vision Light Out & Light Down	
Nosing	67
Vision MultiFix, TLD	65
Vision Nosing	67
Vision Plaster Profile	65
Vision Retro Trim, TRV	64
Vision Simple Guide	64
Vision Skirting, KLD / KRD	66
Vision Step Edge, NLD	66

W

Worktop Protectors	62
--------------------	----



Genesis

For the Perfect Finish



Telefon: 08 – 96 70 44 | Email: info@tebo.se

www.tebo.se

Tebo Byggtillbehör AB – Blygatan 5 – 195 72 Rosersberg