

NAYLOR

FENCING



Fencing Products

Concrete Posts & Gravel Boards
Palisade Fencing & Gates
Pro-Mesh Fencing & Gates

tel: 0113 286 2586 email: fencing@naylor.co.uk web: www.fencingmaterials.co.uk



Introduction

Naylor Fencing (formerly Procter Fencing) is a member of The Naylor Group of Companies.

Naylor has 130 years of manufacturing and supply experience to the Construction, Building and Civil Industries and over 60 years' experience in supplying high quality precast concrete and steel fencing products. Our comprehensive range of concrete fencing products includes slotted posts, posts for timber fencing and gravel boards, whilst our steel fencing systems comprise galvanised palisade fencing and pro-mesh fencing.

Naylor deliver throughout the UK and the sales team are on hand to discuss your requirements.


Contents

Introduction	2
Concrete Slotted Posts for timber fencing	3
Concrete Posts for timber fencing	4
Palisade Fencing	5
Palisade Gates	5
Pro-Mesh Fencing	6
Pro-Mesh Gates	6
Handling & Storage	7
Rapid Set Fence Post Concrete	7

Concrete Slotted Posts for timber panels


Intermediate Posts

Code	Post Length	Fence Height	Section	Pack Wt. kg	Pack Qty.
SP45I	1.36m	0.9m	125 x 100mm	1240	40
SP6I	1.75m	1.2m	125 x 100mm	1560	40
SP7I	2.06m	1.5m	125 x 100mm	1840	40
SP8I	2.36m	1.8m	125 x 100mm	1590	30
SP9I	2.66m	2.1m	125 x 100mm	1770	30
SP10I	2.97m	Stepping	125 x 100mm	1584	24




End Posts

Code	Post Length	Fence Height	Section	Pack Wt. kg	Pack Qty.
SP45E	1.36m	0.9m	125 x 100mm	544	16
SP6E	1.75m	1.2m	125 x 100mm	688	16
SP7E	2.06m	1.5m	125 x 100mm	816	16
SP8E	2.36m	1.8m	125 x 100mm	944	16
SP9E	2.66m	2.1m	125 x 100mm	1056	16




Corner Posts

Code	Post Length	Fence Height	Section	Pack Wt. kg	Pack Qty.
SP45C	1.36m	0.9m	125 x 125mm	564	12
SP6C	1.75m	1.2m	125 x 125mm	744	12
SP7C	2.06m	1.5m	125 x 125mm	864	12
SP8C	2.36m	1.8m	125 x 125mm	984	12
SP9C	2.66m	2.1m	125 x 125mm	1128	12




Three way Posts

Code	Post Length	Fence Height	Section	Pack Wt. kg	Pack Qty.
SP45T	1.36m	0.9m	125 x 125mm	258	6
SP6T	1.75m	1.2m	125 x 125mm	336	6
SP7T	2.06m	1.5m	125 x 125mm	390	6
SP8T	2.36m	1.8m	125 x 125mm	456	6
SP9T	2.66m	2.1m	125 x 125mm	510	6



Gravel Boards


Code	Dimensions	Section	Pack Wt. kg	Pack Qty.
12GBSM	1830 x 300mm plain	45mm	1240	20
6GBSM	1830 x 150mm plain	45mm	1160	40
12GBRC	1830 x 300mm rock faced	45mm	928	16



Concrete Posts for timber fencing


Universal posts holed at 150mm centres

Code	Post Dimensions	Pack Wt. kg	Pack Qty.
UP63	1.22m x 100 x 100mm	1160	40
UP93	1.52m x 100 x 100mm	1440	40
UP120	1.83m x 100 x 100mm	1720	40
UP150	2.13m x 100 x 100mm	2000	40
UP180	2.43m x 100 x 100mm	2280	40
UP210	2.73m x 100 x 100mm	2048	32



Recessed posts

Code	Post Dimensions	Pack Wt. kg	Pack Qty.
RC105	1.52m x 140 x 115/100 x 115mm	1536	32
RC120	1.75m x 140 x 115/100 x 115mm	1760	32
RC150	2.20m x 140 x 115/100 x 115mm	1680	24
RC180	2.50m x 140 x 115/100 x 115mm	1896	24




Gravelboards for recessed posts

Code	Post Dimensions	Pack Wt. kg	Pack Qty.
GB18	1.8m x 150 x 50mm	640	20
GB20	2.0m x 150 x 50mm	720	20
GB25	2.5m x 150 x 50mm	900	20
GB30	3.0m x 150 x 50mm	1060	20



Heavy duty posts

Code	Post Dimensions	Pack Wt. kg	Pack Qty.
HD120	1.83m x 125 x 100mm	1728	32
HD150	2.13m x 125 x 100mm	2016	32
HD180	2.43m x 125 x 100mm	1728	24
HD210	2.73m x 125 x 100mm	1944	24





Galvanised palisade fencing

Perfect for deterring intruders

Palisade fencing is the most popular choice for locations requiring a level of security and vandal resistance and can be seen protecting premises of many different types throughout the UK.

Steel Palisade fencing is especially popular for schools and industrial sites because of its high damage resistance and that it is difficult to climb.



Galvanised palisade fencing - 2.75m bays

Code	Description	kg/per bay
PAL18W	1.8m high 2mm W section triple point	88
PAL24W	2.4m high 2mm W section triple point	113

Palisade fencing extras

Code	Description	kg
PALPOST18	2.32m x 100 x 55mm	20
PALPOST24	3.15m x 100 x 55mm	28
PALPALEW18	1.75m W section pale	27
PALPALEW24	2.35m W section pale	29
PALNUT/BOLT8	m8 shear nut & bolt	
PALNUT/BOLT12	m12 shear nut & bolt	
FISHPLATES	straight fishplate	
FISHPLATEC	corner fishplate	



Palisade Gates

Perfect for deterring intruders, trespassers and vandals

Palisade gates are especially popular as they are often combined with our palisade fencing and together offer an effective security solution.

In fact, steel palisade gates represent by far the biggest number of swing gates we supply. Palisade security gates are available in a range of standard heights and widths.

Single palisade entrance gates 1.8m high

Code	Description	kg
PG1812	1.8m x 1.2m Single leaf gate	103

Single palisade entrance gates 2.4m high

Code	Description	kg
PG2412	2.4m x 1.2m Single leaf gate	127

Double leaf palisade entrance gates 1.8m high

Code	Description	kg
PG1830*	1.8m x 3.0m Opening Double leaf gate	360
PG1840	1.8m x 4.0m Opening Double leaf gate	426
PG1850*	1.8m x 5.0m Opening Double leaf gate	492
PG1860*	1.8m x 6.0m Opening Double leaf gate	558

Double leaf palisade entrance gates 2.4m high

Code	Description	kg
PG2430*	2.4m x 3.0m Opening Double leaf gate	444
PG2440	2.4m x 4.0m Opening Double leaf gate	525
PG2450*	2.4m x 5.0m Opening Double leaf gate	605
PG2460*	2.4m x 6.0m Opening Double leaf gate	686

*Made to order



Pro-Mesh

Difficult to climb & cut through

Pro-Mesh fence systems comprise pressed panels with reinforced profiled sections to provide rigidity and strength. The number of these profiled sections will vary depending on the height of the mesh panel.

These are typically used for medium security applications, with the nature of the mesh panels making it difficult to climb and cut through. Despite this, a Pro-mesh panel fence has an attractive appearance and the open and strong mesh allows good visibility through it.

Pro-Mesh panels are first galvanised and then polyester powder-coated to RAL 6005 green.

Panel Dimensions (mm)

Heights	1730	1930	2330
Widths	3000		
Mesh	200 x 50		

Post Dimensions (mm)

Post	60 x 60 x 1.5	Wall Thickness
Clip	54 x 37	
Centres	3010	

Pro-Mesh mesh panel fencing system

Code	Description
PFM18	1.8m high Pro-Mesh mesh panel fencing system 200mm x 50mm galvanised and powder coated green panel, 60 x 60mm box section post
PFM20	2.0m high Pro-Mesh mesh panel fencing system 200mm x 50mm galvanised and powder coated green panel, 60 x 60mm box section post
PFM24	2.4m high Pro-Mesh mesh panel fencing system 200mm x 50mm galvanised and powder coated green panel, 60 x 60mm box section post
PFMPOST18	2.4m high 60 x 60mm box section post
PFMPOST20	2.7m high 60 x 60mm box section post
PFMPOST24	3.0m high 60 x 60mm box section post
PFMPANEL18	1.8m x 3.0m Pro-Mesh panel
PFMPANEL20	2.0m x 3.0m Pro-Mesh panel
PFMPANEL24	2.4m x 3.0m Pro-Mesh panel
PFMCLIP	Pro-Mesh clip
PFMSCREW	M8 Security Screw



Pro-Mesh Gates

Perimeter protection

Pro-Mesh swing gates are designed and fabricated from SHS steel frame, clad with 656 twin wire mesh, securely welded to the inside of the frame.

Pro-Mesh gates are supplied with adjustable hinges and a solid steel slide bolt.

Pro-Mesh gates are all hot dipped galvanised and polyester powder coated RAL 6005 green

Single mesh panel entrance gates 1.8m high

Code	Description	kg
MG1812	1.8m x 1.2m Single leaf gate	70

Single mesh panel entrance gates 2m high

Code	Description	kg
MG2012	2.0m x 1.2m Single leaf gate	80

Single mesh panel entrance gates 2.4m high

Code	Description	kg
MG2412	2.4m x 1.2m Single leaf gate	90

Double mesh panel entrance gates 1.8m high

Code	Description	kg
MG1830*	1.8m x 3.0m Opening Double leaf gate	120
MG1840	1.8m x 4.0m Opening Double leaf gate	170
MG1850*	1.8m x 5.0m Opening Double leaf gate	230
MG1860*	1.8m x 6.0m Opening Double leaf gate	310

Double mesh panel entrance gates 2m high

Code	Description	kg
MG2030*	2.0m x 3.0m Opening Double leaf gate	150
MG2040	2.0m x 4.0m Opening Double leaf gate	210
MG2050*	2.0m x 5.0m Opening Double leaf gate	280
MG2060*	2.0m x 6.0m Opening Double leaf gate	350


Double mesh panel entrance gates 2.4m high

Code	Description	kg
MG2430*	2.4m x 3.0m Opening Double leaf gate	170
MG2440	2.4m x 4.0m Opening Double leaf gate	240
MG2450*	2.4m x 5.0m Opening Double leaf gate	310
MG2460*	2.4m x 6.0m Opening Double leaf gate	370

*Made to order

Handling & Storage

To minimise damage, guidance on the correct handling and storage of fence posts should be observed. All Naylor Fencing products are packaged securely on timber pallets with a bearer located between rows of fence posts. Products should be handled by trained personnel in accordance with correct manual handling guidelines. Mechanical equipment such as a forklift should be used to move pallets of stacked products but not individual posts. Products must always be stacked on level ground. Appearance of a hairline crack in a fence post or gravel board does not signify failure or cause for rejection.



Do not lift the stack on narrow forks. The forks must be positioned as wide as possible within the width of the pallet.



Products must be stacked evenly with the bearers lining through.

Rapid Set Fence Post Concrete for posts



A quick, easy and ready to use out of the bag pre-blended Rapid Set Fence Post Concrete suitable for all types of fence and gate posts including wood, metal and concrete.

- No mixing is required, just add water
- Rapid setting product - sets within 5 to 10 minutes.
- Factory produced - consistent and premium quality

The amount of Rapid Set Fence Post Concrete required will depend on the size of the hole & post, eg: 1 bag = square post 10cm (4") with a hole 20cm (8") wide x 75cm (30") deep.

Our products are supplied in shower proof polythene bags which are suitable for outdoor storage.

Code	Description	kg
Postmix	Rapid set fence post concrete	20

Contact details for our Garforth site



0113 286 2586




0113 286 7376



fencing@naylor.co.uk



fencingmaterials.co.uk



Hi-Spec and Fair Faced Lintels



Fire-Spec, Faced Fire and XtraFire Lintels



Padstones



L-Strip Lintels



Whites Retaining Walls



Whites Tanks

Naylor Industries plc - more than 130 years of production and supply to the Construction Industry

- Vitrified clay pipe systems for trench and trenchless installation
- Thermachem - Chemical Drainage and Industrial Ceramics
- Band-Seal couplings for the repair of and connections into existing pipelines
- Plastic Land Drainage, Twinwall Ducting Systems and Access Boxes
- Yorkshire Flowerpots, a range of frostproof plant pots

NAYLOR
CONCRETE

Made in the UK
Excellent Construction Products

NAYLOR CONCRETE PRODUCTS LIMITED

NAYLOR FENCING MATERIALS
ASH LANE, GARFORTH
LEEDS
WEST YORKSHIRE LS25 2HQ

TELEPHONE: 0113 286 2586
FACSIMILE: 0113 286 7376
EMAIL: FENCING@NAYLOR.CO.UK
WEB: WWW.FENCINGMATERIALS.CO.UK