

THE IBSTOCK TRADESMAN® RANGE

Traditional finishes for the modern builder



Ibstock
At the heart of building

TRADESMAN®



WE ARE

Bricks and more.

WE ARE

Bricks and more.

The UK's historic housing stock has been built with bricks made from distinctive Lower Oxfordshire Clay, and our Tradesman® Range has been meticulously designed to blend in with these bricks.

WHY USE THE IBSTOCK TRADESMAN® RANGE?

1

Durability



F2 and S2-rated ensures damage resistance from extreme weather, including frost, in any application.

2

Low breakages



Strength and durability mean less breakage and waste compared to alternatives.

3

Product consistency



Consistent colour, texture and quality provide long term confidence for depot stock and sites.

4

Lightweight



Weight and ease of handling provide a quick laying experience.

5

Price



Competitive pricing allows value without compromising on quality.

6

Perforations



Product perforations make the product easier to lay and cut when required.

7

Special shapes



Our cut and bond service allows us to offer solutions where a non-standard brick type or size is required.

TRADESMAN® RANGE SWATCHES



Tradesman Buff Multi
WIRECUT

Cattybrook **A0619A**



Tradesman Millgate Buff
WIRECUT

Cattybrook **A0620A**



Tradesman Heather Mixture
WIRECUT

Chesterton **A2949A**



Tradesman Sandfaced Red Multi
WIRECUT

Chesterton **A2980A**




Tradesman Rustic Blend
WIRECUT

Cattybrook **A0618A**




Tradesman Heather Mixture 73mm
WIRECUT

Chesterton **C2949A**



Tradesman Common
WIRECUT

Ravenhead **A3598A**



Tradesman Tudor Regent
WIRECUT

Cattybrook **A0605A**



Tradesman Light
WIRECUT

Chesterton **A2693A**



Tradesman Antique Grey
WIRECUT

Chesterton **A2979A**



TRADESMAN® RANGE TECHNICAL DATA

WE ARE
Bricks and more.



BRICK CODE	PRODUCT NAME	FACTORY	DURABILITY	ACTIVE SOLUBLE SALTS	COMPRESSIVE STRENGTH N/mm ² (>)	WATER ABSORPTION % (>)
A0619A	Tradesman Buff Multi	Cattybrook	F2	S2	50	12
A0620A	Tradesman Millgate Buff	Cattybrook	F2	S2	50	12
A0618A	Tradesman Rustic Blend	Cattybrook	F2~	S2	60	9
A0605A	Tradesman Tudor Regent	Cattybrook	F2~	S2	60	9
A2949A	Tradesman Heather Mixture	Chesterton	F2~	S2	60	9
C2949A	Tradesman Heather Mixture 73mm	Chesterton	F2~	S2	60	9
A2693A	Tradesman Light	Chesterton	F2~	S2	60	9
A2980A	Tradesman Sandfaced Red Multi	Chesterton	F2	S2	60	9
A3598A	Tradesman Common	Ravenhead	F2	S2	50	12
A2979A	Tradesman Antique Grey	Chesterton	F2~	S2	60	9

SIZE TOLERANCE MEAN	SIZE TOLERANCE RANGE	PACK QUANTITY	MAXIMUM LOAD SIZE*	BRICK HEIGHT mm	DRY BRICK WEIGHT kg	PACKAGING
T2	R1	500	12000	65	2.2	Banded (plastic)
T2	R1	500	12000	65	2.2	Banded (plastic)
T2	R1	500	12000	65	2.2	Banded (plastic)
T2	R1	500	11500	65	2.2	Banded (plastic)
T2	R1	500	12500	65	2.3	Banded (plastic)
T2	R1	464	11600	73	2.4	Banded (plastic)
T2	R1	500	11500	65	2.3	Banded (plastic)
T2	R1	500	11500	65	2.3	Banded (plastic)
T2	R1	500	12500	65	2.4	Banded (plastic)
T2	R1	500	11500	65	2.3	Banded (plastic)

HEAD OFFICE

Ibstock plc, Leicester Road, Ibstock, Leicestershire LE67 6HS

www.ibstock.co.uk

T: 01530 261999

E: enquiries@ibstock.co.uk



ibstock
At the heart of building