



A SIKA COMPANY

PRODUCT FOCUS

LANDSCAPING



Sika

SikaCeram®-621

FlowFix
Jointing Compound

EVER BUILD

PATIO WIZARD

ANTI-MOULD, GREEN STAIN REMOVER, MANGROVE & FERN

CONCENTRATE. DILUTE WITH WATER TO MAKE SOLUTIONS.

Long lasting protection, prevents future regrowth. Ideal for patios, paths, driveways and hard surfaces in

Sika

Sika® FastFix

All Weather

Self-setting paving jointing compound

15 kg - 18m²

EVER BUILD

TRIPLE ACTION WOOD TREATMENT

3-in-1 Kills, Protects and Preserves

5L

RESIBLOCKY

BLOCK PAVING SEALER

SUPERIOR GLOSS

PROTECTS | ENHANCES | PREVENTS

5L

Sika


Mould Buster

Dilute, spray and walk away

5L

SIKA® FASTFIX ALL WEATHER ALWAYS STRAIGHT TO THE POINT

AVAILABLE IN
5 COLOURS



Use our coverage calculator to estimate how much Sika® FastFix All Weather you need for your project at everbuild.co.uk/fastfix



ART
Active Resin Technology

UNIQUE FORMULA CONTAINING ACTIVE RESIN TECHNOLOGY FOR ADVANCED DURABILITY

FOR ALL JOINTS FROM JUST 20MM DEEP

EASY TO APPLY - FAST TO SET

ACTS AS A NATURAL BARRIER FOR WEED GROWTH

NO WASTE - STORE AND REUSE ONCE OPENED

Sika® FastFix All Weather Paving Jointing Compound

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKFFIXDKBF15	15KG	DARK BUFF	1	5055492703644
SKFFIXDPGY14	14KG	DEEP GREY	1	5055492703637
SKFFIXCHRL16	15KG	CHARCOAL	1	5055492703125
SKFFIXFLT16	15KG	FLINT	1	5055492703118
SKFFIXSTN16	15KG	STONE	1	5055492703101



WATCH THE VIDEO:
EVERBUILD.CO.UK/RESOURCES-AND-SUPPORT/HOW-TO-VIDEOS/FASTFIX-ALL-WEATHER-APPLICATION-VIDEO/

Sika® FastFix All Weather is a self-setting paving jointing compound that provides the ideal solution to perfect pointing on paving, paths and patios.

With a unique formula containing Active Resin Technology for advanced durability it is ready to use with no mixing required, easy to apply in all weather conditions; even in the rain and won't shrink or crack over time.

Suitable for use on all joints from just 20mm deep, Sika® FastFix can be used for a range of applications including footpaths, stone setts, cobbles and Indian sandstone paving slabs. Once opened it can be stored in water and reused to reduce waste.

Sika® Setting Sand Narrow Paving Joint Filler

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKSANDBF20	20KG	BUFF	1	5055492700223

Sika Setting Sand is a easy to use, moisture-curing jointing compound for narrow joints. Faster than traditional methods, it can be simply poured or swept into joints before being saturated with water giving perfect pointing for all types of block paving. It will not wash out, shrink or crack over time.



SIKACERAM® FLOWFIX PORCELAIN PAVING SYSTEM



SikaCeram® FlowFix is a high performance porcelain paving installation system, consisting of a bonding primer and flowable jointing compound.

SikaCeram® FlowFix Bonding Primer is used to provide an exceptional bond between porcelain paving and the bedding mortar. Mixed solely with water, apply with a brush or roller to the rear of the paving when laying, to prevent the paving system breaking away from the mortar bed.

SikaCeram® FlowFix Porcelain Jointing Compound is a controlled, cementitious flowable jointing grout which is applied by mixing with water on site. There's no need to get on your hands and knee's, the flowable compound should then simply be poured over joints with ease and worked into other exposed joints by squeegee. Once dry the surplus is simply washed off.

SikaCeram®-62 FlowFix Bonding Primer

15M ² APPROX COVERAGE	KG HIGH BONDING STRENGTH	HOUSE EXTERIOR USE	CLOCK QUICK CURING/ DRYING	GREY
-------------------------------------	-----------------------------	-----------------------	-------------------------------	------

CODE		SIZE	COLOUR	MERCHANT INFORMATION	
SKCM	PRIM	20kg	GREY	BOX QTY	BARCODE
SKCM	PRIM20	20kg	GREY	1	5055492703286

SikaCeram®-621 FlowFix Porcelain Jointing Compound

HOUSE EXTERIOR USE	CLOCK QUICK CURING/ DRYING	40M ² APPROX COVERAGE	20 MM THICKNESS	NON PERMEABLE
-----------------------	-------------------------------	-------------------------------------	--------------------	---------------

BAGS		CODE		SIZE	COLOUR	MERCHANT INFORMATION	
SKCM	JOINT	IVORY	LIGHT GREY	20kg	DARK GREY	BOX QTY	BARCODE
SKCM	JOINTIV	20kg	IVORY	1	5055492703279		
SKCM	JOINTLTGY	20kg	LIGHT GREY	1	5055492703255		
SKCM	JOINTDKGY	20kg	DARK GREY	1	5055492703613		
SKCM	JOINTBUF	20kg	BUFF	1	5055492703620		

BUCKETS		CODE		SIZE	COLOUR	MERCHANT INFORMATION	
SKCM	M62TUB	IVORY	LIGHT GREY	15kg	DARK GREY	BOX QTY	BARCODE
SKCM	M62TUBIV15	15kg	IVORY	1	5055492703972		
SKCM	M62TUBLTGY15	15kg	LIGHT GREY	1	5055492703965		
SKCM	M62TUBDKGY15	15kg	DARK GREY	1	5055492703989		
SKCM	M62TUBBUF15	15kg	BUFF	1	5055492703996		

HOW TO APPLY

Bonding Primer.



STAGE 3



Apply with a brush to the underside of the porcelain flags.

STAGE 1



Following the instructions, add water to the high strength SikaCeram® FlowFix Bonding Primer.

STAGE 2




Mix the primer in a tub until a smooth paste forms.

STAGE 4



Immediately after applying the primer, lay the paving flag onto the mortar bed.

STAGE 5




Tap down using a rubber mallet and check flag is level. Cure for up to 72 hours.

Jointing Compound



STAGE 8




Once mixed correctly, pour the compound into the joints. Pour within 15 minutes of mixing.

STAGE 6




Mix SikaCeram® FlowFix jointing Compound with water using the measurements given in the instructions.

STAGE 7




Using an electric mixer, mix until a smooth liquid forms. CAUTION: Adding too much water will cause the mixture to split and make it unusable.

STAGE 9





Use a squeegee to guide the jointing compound into exposed joints to obtain fill level.

STAGE 10



Ensure the product has sufficiently hardened before cleaning the surface of the flags with a sponge and bucket. Leave to cure for a further 60 minutes.



WATCH THE VIDEO:
EVERBUILD.CO.UK/RESOURCES-AND-SUPPORT/HOW-TO-VIDEOS/SIKACERAM-FLOWFIX-APPLICATION-VIDEO/

* Depending on site conditions

WOOD CARE

Wood is a key material used in many applications around our homes and gardens. Its versatility and appearance make it incredibly popular and ideal for use in a variety of applications, from fences and furniture, to floorboards and roof joists. However, left untreated, it's vulnerable to attack from rot, decay, fungus, wood boring insects and more.

The best protection against this is to treat the wood with an HSE certified wood preserver. It's important to look for the HSE number on the tin; as this confirms that the product has passed the rigorous approval criteria and is allowed to be classed as a true preserver – meaning it actively penetrates deeply into the wood to extend its lifespan and defend against rot and decay etc., unlike wood paints, protectors or coatings which simply act as a water-repellent.

Ideally, timber should be treated when it's first installed, and re-treated periodically to avoid costly repairs. However, general maintenance and plumbing work will often reveal floor boards or joists which have been exposed to leaks and developed fungal growth or rot. Builders will need to evidence that a certified treatment has been applied (by providing the HSE number from the tin) to combat the issue, so that any newly installed timber will not be cross-contaminated. Similarly, wood used externally such as fences and sheds are exposed to the elements and need protection. Many wooden fences are supplied "treated", meaning they've been pre-treated with a preservative to protect against the above problems. But, surprisingly, many sheds, summer houses etc., are made from untreated timber, which means they need protecting from fungal attack with a certified preserver, but they also require a waterproof top-coat to protect from the weather (e.g. paint or varnish).

Fortunately Everbuild have this taken care of with a range of wood care products for every condition.



Sikagard® Wood Preserver

		MERCHANT INFORMATION		
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKGDWPCLS	SLTR	CLEAR	4	5055047210436

A low odour solution based on Micro Emulsion Technology. With HSE Certification, the fungicides and algacides present are finely dispersed so that wood penetration and effectiveness is much greater than standard wood protection products.

Sikagard® Woodworm Killer

		MERCHANT INFORMATION		
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKGDWORMS	SLTR	CLEAR	4	5055047210368

A ready to use treatment for the eradication and long term protection of timber against all life stages of wood boring insects.

This solvent free, micro-emulsion formulation is HSE Certified and provides rapid rates of absorption combined with excellent penetration.

Sikagard® Universal 5 Star Wood Treatment

		MERCHANT INFORMATION		
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKGDUNIS	SLTR	CLEAR	4	5055047210344

An all-in-one timber treatment that acts as both a prevention and cure against rot, decay and wood boring insects.

The HSE Certified formula provides high active loading, rapid rates of absorption combined with excellent penetration; making it ideal for use in long term protection of timber against wood rotting and wood staining fungi, as well as for the eradication and prevention of attack by wood boring insects.

A ready to use, micro-emulsion formulation. Sikagard Universal 5 Star Wood Treatment can be used on most internal and external timber and joinery such as floor joists, roof timbers, skirting, door frames, window frames and floorboards.



Everbuild Shed & Fence Mate

		MERCHANT INFORMATION		
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FENCEBOS	SLTR	BURNT OAK	1	5029347805036
FENCECOS	SLTR	COUNTRY OAK	1	5029347805050
FENCEEBS	SLTR	EBONY BLACK	1	5029347805098
FENCEHGS	SLTR	HOLLY GREEN	1	5029347805012
FENCERRS	SLTR	RUSTIC RED	1	5029347805074

A solvent free shed and fence treatment specifically designed as a safe alternative to creosote. Shed & Fence Mate protects rough sawn wood with its wax enriched formula by providing a durable, water repellent finish. It is ideal as a finishing coat to external timbers that have been previously treated with a Wood Preserver.

Masonry Dry Rot Treatment

		MERCHANT INFORMATION		
CODE	SIZE	COLOUR	BOX QTY	BARCODE
LJROT05	SL	CLEAR	4	5029347610982

A ready to use treatment for the eradication of dry rot in masonry and brickwork which has been cross-contaminated by infected timber. It also contains an added biocide in the formula, to protect against re-infestation.

Everbuild Triple Action Wood Treatment

		MERCHANT INFORMATION		
CODE	SIZE	COLOUR	BOX QTY	BARCODE
LJUN01	1L	CLEAR	10	5029347801014
LJUN02	2.5L	CLEAR	6	5029347801021
LJUN05	5L	CLEAR	4	5029347801038
LJUN25	25L	CLEAR	1	5029347801045

Acting as both prevention and cure in one tin; Triple Action Wood Treatment contains 3 active ingredients that:

- Kill wood boring insects, and stop wet rot and dry rot.
- Protect timber against wet rot, dry rot, staining, fungi and wood boring insects.
- Preserve and enhance the life span of timber

HSE Certified, Triple Action Wood Treatment can be used on most exterior and interior wood and joinery which is out of ground contact such as doors; furniture, window frames, fences, sheds, joists, floorboards, garden furniture, rafters etc. They can be over painted, stained or varnished when dry.

Everbuild Wood Preserver

		MERCHANT INFORMATION		
CODE	SIZE	COLOUR	BOX QTY	BARCODE
LJCR01	1L	CLEAR	10	5029347802011
LJCR05	5L	CLEAR	4	5029347802035
LJCR25	25L	CLEAR	1	5029347802042
LJDO05	5L	DARK OAK	4	5029347802073
LJGC05	5L	GOLDEN CHESTNUT	4	5029347802110
LJRC05	5L	RED CEDAR	4	5029347802158
LJFG05	5L	FIR GREEN	4	5029347803032
LJSB05	5L	SILVER BIRCH	4	5029347615772
LJSG05	5L	SLATE GREY	4	5029347615789

Actively penetrates the wood to give long lasting protection from damage caused by wet rot, dry rot, decay and fungi. Plus, the use of ultra lightfast pigments on the coloured variants in the Everbuild range, give a visibly deep and vibrant finish. They're also HSE Certified, fast drying and non-flammable; and can even be applied to wet timbers!

Everbuild Woodworm Killer

		MERCHANT INFORMATION		
CODE	SIZE	COLOUR	BOX QTY	BARCODE
LJWORM05	5L	CLEAR	4	5029347610975

A ready to use treatment that actively kills and protects against re-infestation of all types and life stages of wood boring insects and their larvae; specifically woodworm. Plus it's HSE Certified, fast drying, non-flammable and low odour!

Everbuild Creocote

		MERCHANT INFORMATION		
CODE	SIZE	COLOUR	BOX QTY	BARCODE
CREODKBN4	4LTR	DARK BROWN	4	5029347610401
CREOLTBN4	4LTR	LIGHT BROWN	4	5029347610388

An oil based wood treatment which gives a water repellent finish to external timbers such as fences and sheds. Creocote protects against weather damage and improves the grain definition of the timber. It also has the same characteristic odour familiar to Creosote users.

SEALING & PROTECTING

Paving can be expensive and a big investment but can quickly be ruined by spillages, weathering, staining and other day to day activities.

The most popular types of paving are natural stone, block paving and concrete, all of which are porous and prone to staining and weathering.

To prevent imperfections, paving needs to be sealed using an appropriate sealer for the paving type. This will protect and keep the paving in the best condition.

The Resiblock range has a product designed to suit each substrate and application type.



Resiblock Block Paving Sealer Superior Gloss and Matt

MERCHANT INFORMATION					
CODE	SIZE	COLOUR	BOX QTY	BARCODE	
RBORIGL5	5LTR	GLOSS	4	5036143000015	
RBORIGL25	25LTR	GLOSS	1	5036143000022	
RBORIGNAT5	5LTR	NATURAL	4	5036143000312	
RBORIGNAT25	25LTR	NATURAL	1	5036143000244	

A urethane based, low-viscosity, paving sealer and jointing sand stabiliser that protects the paver face from oil and water infiltration. No oil stains guaranteed.

Resiblock Indian Sandstone Sealer Invisible and Colour Enhancer

MERCHANT INFORMATION					
CODE	SIZE	COLOUR	BOX QTY	BARCODE	
RBINDINV5	5LTR	INVISIBLE	4	5036143000039	
RBINDENH5	5LTR	COL. ENHANCER	4	5036143000237	

Urethane based, low-viscosity, surface sealers that provide long-term resistance against staining and algae growth for paths, patios and driveways.

The Invisible product will not alter the appearance of the stone, lasts up to five years and can be applied in one simple coat.

The Colour Enhancer incorporates a completely unique moisture curing system to enhance Indian Sandstone or coloured concrete products.

Resiblock Trade All Purpose Paving Sealer


MERCHANT INFORMATION					
CODE	SIZE	COLOUR	BOX QTY	BARCODE	
RBTRADD5	5LTR	CLEAR	4	5036143000503	
RBTRAD25	25LTR	CLEAR	1	5036143000510	

A solvent free, all purpose sealer that is suitable for concrete and clay paving as well as most forms of natural stone. Resiblock Trade is ideal for binding jointing sand, sealing the surface of concrete block paving.

408 Super Seal High Performance Water Repellent

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
WALLSEALS	5L	-	4	5029347606817

Super Seal is a solvent based transparent water repellent, formulated to prevent attack by water penetration on brick, stone, masonry, plaster, rendering etc. Super Seal penetrates deep into the treated area to provide effective repellency for many years. Dries clear. Can be applied by spray, brush or roller.



402 Water Seal Water Repellent

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
WAT5	5L	-	4	5029347004255
WAT25	25L	-	1	5029347004262


A high performance transparent water repellent specially formulated to prevent water penetration on all mineral substrates such as brick, stone, masonry, pebble dashed and rendering. Waterseal is water based and not harmful to the user or the environment, and it's non-flammable.



Sika® Water Seal Waterproofing & Protector

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKWATSEALS	5LTR	-	4	5055047210580


A solvent based water sealer for masonry. Protects structures against rain and damp. Upon application, Sika® Water Seal penetrates up to a depth of 5mm. This product is designed to have minimal affect on appearance or breathability of the surface it product is applied to.



Sika Stone Protector Water Based Protector & Sealer

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKSTONE5	5LTR	CLEAR	4	5055047210993

A water-based sealer which is suitable for all forms of porous stone. Once applied to a surface, Sika® Stone Protector resists stains without changing the aesthetic look of the surface it is applied to.



409 Block Guard Block Paving Seal & Joint Sand Stabiliser

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
BLOCKGUARD5	5L	-	4	5029347603083
BLOCKGUARD25	25L	-	1	5029347605780


Block Guard is a block paving seal & joint sand stabiliser based on a clear solvent based acrylic coating to bind jointing sand and form a durable seal over block paving and other mineral pavers/flags. It penetrates deeply into pavers and jointing sand and then cures by solvent evaporation.



405 Path & Patio Seal Water Repellent

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
PAT5	5L	-	4	5029347000653
PAT25	25L	-	1	5029347000660


Path & Patio Seal is an acrylic coating used to seal and protect patios, paths, natural stone, concrete and block paving from the effects of water, petrol and fungal/green growth. The milky solution dries to a clear hard-wearing, water repellent film giving a low sheen slip resistant finish.



Sika® Block Paving Seal Clear Driveway Sealer

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKBLOCK55	5LTR	CLEAR	4	5055047206330
SKBLOCK25	25LTR	CLEAR	1	5055047206347


A clear, low-odour resin solution that impregnates, enhances and seals block paving to improve the overall appearance by leaving a protective finish. Sika® Block Paving Seal is ideal for use on vehicle and pedestrian areas as well as new and existing drives.



Sika Patio Seal Clear Paving Seal

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKPAT5	5LTR	CLEAR	4	5055047206354

A low-odour, water-based, acrylic coating that is ideal for sealing and protecting patios, paths, natural stone, concrete and block paving. Sika® Patio Seal protects against the effects of water, petrol and organic growth. The product dries to a hard-wearing, water repellent film which gives a slip-resistant finish.



SURFACE CLEANERS

& TREATMENTS

401 Brick & Patio Cleaner

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
BCTL	1L	-	12	5029347004118
BCSL	5L	-	4	5029347004156

Brick & Patio Cleaner is a fast acting acid based formula (9.5% strength) that dissolves mortar and cement stains and ingrained dirt and paint on most mineral surfaces such as brick, concrete, paving flags and earthenware.



403 Concrete Hardener & Dustproofer

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
CHD5L	5L	-	4	5029347004354
CHDU25	25L	-	1	5029347004361

Concrete Hardener & Dustproofer is formulated from high quality silicate resins to both harden and dustproof new and old concrete floors for both internal and external use. It reacts chemically with the lime content of concrete to form a hard-wearing surface. **Tested to BSEN1504-2.**



404 Fungicidal Wash

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FUN1	1L	-	12	5029347004415
FUN5	5L	-	4	5029347004453

Fungicidal Wash is a powerful, fungicidal wash for the removal of lichens, fungi and algae on all mineral surfaces such as walls, paths, roofs, drives etc.



406 Stabilising Solution

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
STAB5	5L	-	4	5029347601508

Stabilising Solution is a microscopically fine polymer emulsion which penetrates dusty/chalky and badly weathered surfaces to leave a stable sound base for decoration with paint, wallpaper, tiling etc. Suitable for both interior and exterior use.



407 Mortar Stain Remover

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
MORSTAINS	5L	-	4	5029347040758
MORSTAIN25	25L	-	1	5029347040734

Mortar Stain Remover is a highly concentrated fast acting acid based formula (18% strength) which dissolves mortar and cement stains, ingrained dirt and most paints on mineral surfaces such as brick, render and concrete.



Tarmac Restorer

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
TARR5	5LTR	BLACK	4	5029347612856

Tarmac Restorer is a high performance surface coating specially formulated to make tired old tarmac look just like new. Tarmac Restorer provides a tough, durable, low sheen finish which protects from weathering, oil and petrol spills and unsightly plant and weed growth. Tarmac restorer is easy to apply, provides long term protection, reduces further tarmac repair needs and restores the deep, black finish of your tarmac. As it is quick drying, driveways can be used after only 4 hours of the product being applied.



Cemstrip Cement Stain Remover

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
CEM1	1L	-	12	5029347611019
CEM5	5L	-	4	5029347611026
CEMSPRAY1	1L	-	12	5029347611033

Everbuild Cemstrip is a new type of cement, concrete and mortar stain remover that provides a more environmentally friendly alternative to conventional hydrochloric acid based cement removers. Cemstrip will also remove salts and efflorescence from the surface of mineral substrates and is a very effective general cleaner for removing ingrained dirt, grease and stains from paths and patios as well as being safe for use on metal surfaces such as tools and cement mixers. Cemstrip is a highly concentrated formula that can be diluted by up to 10 times with water to suit a variety of applications.



Oil Away Oil Remover

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
OIL1	1L	-	12	5029347611187

Oil-Away is a ready to use high performance cleaner for drives, paths and patios. Oil-Away is the quick and easy solution for removing oil, petrol, diesel and grease stains from driveways, garage floors and car parks. It works on most common surface types including concrete, stone, tarmac and most common paving materials. Oil-Away can also be used as a general cleaner to revive the look of pathway and patio areas.



Salt Away Salt Remover

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SALT5	5L	-	4	5029347611200
SALT1	1L	-	12	5029347611194

Salt-Away removes salt and unsightly white efflorescence from bricks and concrete. It is a biodegradable formula, works on walls, paths and patios and can be poured, sprayed or brushed on.



Patio Wizard Mould & Algae Treatment

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
PATWIZ1	1LTR	-	12	5029347606305
PATWIZ5	5LTR	-	4	5029347606312

Patio Wizard kills algae, green growth, mould and fungi on patios, paths, driveways and all hard surfaces. It is so easy to use, just apply and leave to dry, no need for any washing off, scrubbing or pressure washing. Supplied as a concentrate that dilutes with water at 1:10 i.e. 5L makes 50L and 1L makes 10L.



Sika® Mould Buster Mould & Algae Treatment

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKMBUST5	5LTR	-	4	5055047209096

A powerful, fast acting solution which is effective on most surfaces. Sika® MouldBuster removes algae, mould and green growth without the need for scrubbing or pressure washing.



Sika® Brick & Patio Cleaner

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKBC5	5LTR	-	4	5055047200581


A fast acting, acid based cleaning solution for brickwork, concrete and paving. Sika® Brick & Patio Cleaner contains a powerful formula that dissolves mortar and cement stains, ingrained dirt, efflorescence on mineral surfaces.



Sikagard® -112 Mortar & Brick Cleaner

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKCONREMS	5LTR	-	4	5055047209850

Sikagard® 112 Mortar & Brick Cleaner is a fast acting acid based solution that removes concrete spills, waste and mortar. It provides an excellent solution for cleaning brickwork and tools easily along with removing hard to tackle limescale.




10M²
APPROX
COVERAGE



Sika® Dustproofer Concrete Surface Hardener

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKDUSTS	5LTR	-	4	5055047200611


A economic, ready to use dustproofer and concrete surface hardener for concrete floors, paths and driveways. Sika® Dustproofer is suitable for hardening and dustproofing both old and new concrete. CE Marked.



Sika® Water Repel+ Water Repellent & Protector

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKWATREP5	5LTR	-	4	5055047210986

A solvent-free, water repellent and protector for brick, stone and masonry. Sika® Water Repel+ protects against rainwater penetration without changing the aesthetic appearance of the substrate.



ACE THAT SPACE

☎ 0113 240 3456 ✉ everbuild.sales@uk.sika.com 🌐 everbuild.co.uk

Everbuild Building Products Ltd – A Sika Company
Site 41, Knowsthorpe Way, Cross Green Industrial Estate, Leeds, LS9 0SW

Rev.4 2022

BUILDING TRUST

